

1. The black coloration in gangrene is primarily due to the formation of:

- a) Bilirubin
- b) Carbon monoxide
- c) Iron sulphide
- d) Deoxygenated hemoglobin

Answer: c

2. Which type of gangrene is characterized by occlusion of the arterial blood supply while veins remain patent?

- a) Moist Gangrene
- b) Gas Gangrene
- c) Dry Gangrene
- d) Infective Gangrene

Answer: c

3. A key pathological feature of Dry Gangrene is:

- a) Rapid onset due to venous and arterial occlusion
- b) Affects internal organs like the intestines
- c) Slow spread and the formation of a line of demarcation
- d) Excessive production of gases by bacteria

Answer: c

4. Which of the following is NOT a common cause of Dry Gangrene?

- a) Thrombosis
- b) Surgical Ligature
- c) Venous Obstruction
- d) Ergot poisoning

Answer: c

5. Moist Gangrene commonly occurs in which of the following situations?

- a) Senile gangrene of the lower limb
- b) When both arterial and venous supplies are occluded
- c) In organs with good collateral circulation

d) When only the venous supply is blocked

Answer: b

6. What is the initial event in the pathogenesis of Moist Gangrene in a strangulated hernia?

- a) Arterial occlusion
- b) Bacterial invasion
- c) Venous obstruction
- d) Putrefaction

Answer: c

7. Gas Gangrene is specifically caused by infection with:

- a) Streptococcus pyogenes
- b) Staphylococcus aureus
- c) Clostridium species
- d) Escherichia coli

Answer: c

8. What is the definition of edema?

- a) Massive tissue necrosis
- b) An abnormal accumulation of fluid in interstitial tissue and serous membranes
- c) Obstruction of blood vessels
- d) Inflammation of serous membranes

Answer: b

9. Which of the following is a cause of *generalized* edema?

- a) Localized venous obstruction
- b) Right-sided heart failure
- c) Filariasis
- d) A localized tumor

Answer: b

10. Which of the following is a cause of *localized* edema due to lymphatic obstruction?

- a) Congestive heart failure
- b) Nephrotic syndrome
- c) Filariasis
- d) Liver cirrhosis

Answer: c

11. A patient presents with pitting edema in their ankle following surgery for breast cancer that involved lymph node removal. This is best classified as:

- a) Cardiac edema
- b) Inflammatory edema
- c) Lymphatic obstruction edema
- d) Renal edema

Answer: c

12. Which of the following is a direct cause of decreased plasma oncotic pressure leading to edema?

- a) High protein intake
- b) Liver disease
- c) Arterial hypertension
- d) Vasodilation

Answer: b

13. The "line of demarcation" in Dry Gangrene represents:

- a) The point of initial arterial occlusion
- b) The border between healthy tissue and gangrenous tissue
- c) The path of bacterial invasion
- d) The line where venous congestion begins

Answer: b

1. Left ventricular hypertrophy most commonly occurs in which condition?

- A) Diabetes mellitus
- B) Hypertension
- C) Pulmonary embolism
- D) Hypothyroidism

Answer: B

2. Renal hypertrophy is commonly seen after:

- A) Urinary tract infection
- B) Contralateral nephrectomy
- C) Renal artery stenosis
- D) Diabetic nephropathy

Answer: B

3. Breast hyperplasia during puberty is classified as:

- A) Pathological hyperplasia
- B) Physiological hyperplasia
- C) Neoplastic growth
- D) Dysplasia

Answer: B

4. Endometrial hyperplasia is primarily caused by:

- A) Decreased progesterone
- B) Increased estrogen
- C) Increased testosterone
- D) Decreased luteinizing hormone

Answer: B

5. Barrett's esophagus is an example of which pathological process?

- A) Hyperplasia
- B) Metaplasia
- C) Dysplasia
- D) Neoplasia

Answer: B

6. Tumors classified as "locally malignant" are characterized by:

- A) Metastasis to distant organs
- B) Infiltration of surrounding tissues without metastasis
- C) Benign behavior
- D) Complete encapsulation

Answer: B

7. Which type of tumor arises from mesenchymal tissue?

- A) Carcinoma
- B) Sarcoma
- C) Adenoma
- D) Melanoma

Answer: B

8. The main difference between hypertrophy and hyperplasia is:

- A) Hypertrophy involves increased cell number, hyperplasia involves increased cell size
- B) Both involve increased cell size
- C) Hypertrophy involves increased cell size, hyperplasia involves increased cell number
- D) Neither involve change in cell size or number

Answer: C

9. Papilloma is a benign tumor of which tissue?

- A) Glandular epithelium
- B) Protective surface epithelium
- C) Fatty tissue
- D) Smooth muscle

Answer: B

10. Adenoma is a benign tumor arising from:

- A) Protective epithelium
- B) Glandular epithelium
- C) Fat tissue
- D) Smooth muscle

Answer: B

11. Lipoma commonly occurs in:

- A) Uterus
- B) Subcutaneous fat
- C) Liver
- D) Brain

Answer: B

12. The microscopic picture of a lipoma typically shows:

- A) Spindle-shaped cells with cigar-shaped nuclei
- B) Vacuolated fat cells with flat nuclei compressed against the cell wall
- C) Branched fibrous tissue core covered by epithelial cells
- D) Malignant basaloid epithelial cells

Answer: B

13. Leiomyoma is a benign tumor of:

- A) Smooth muscles
- B) Skeletal muscles
- C) Fatty tissue
- D) Glandular tissue

Answer: A

14. Carcinoma in situ is characterized by:

- A) Malignant cells invading the basement membrane
- B) Cytologic atypia without invasion of the basement membrane
- C) Benign epithelial proliferation
- D) Metastasis to distant organs

Answer: B

15. Most common sites for blood-borne metastasis include all EXCEPT:

- A) Bone
- B) Brain
- C) Liver
- D) Skin

Answer: D