

Management of patients with neurological diseases

Dr . Bardies shaban





الحديث الجانبي يشتت الانتباه




من فضلك اغلق الهاتف

2- Fibromyalgia

- Definition
- Causes
- Manifestations
- Diagnosis
- Complications
- Managements

Definition

A chronic disorder characterized by **widespread musculoskeletal pain**, often accompanied by fatigue, sleep disturbances, memory issues, and mood changes



- More common in **women** (80–90% of cases).
- Often coexists with c
syndrome (IBS),
syndrome, and **depre**



Fibromyalgia symptoms

Tiredness and headaches
Difficulty concentrating
Depression
Fatigue and sleep disturbances

Sensitivity to light and cold
Difficulties swallowing
Tooth pain
Heightened sensitivity to sound

Irregular heartbeat
Difficulty breathing
Heightened risk of infection


Neck/back pain
Chest pain

Swelling in the feet, hands, or face

Morning stiffness
Trembling hands
Muscle Cramps
Chronic Pain
Joint discomfort in arms and legs



COMMON CAUSES OF FIBROMYALGIA



Fibromyalgia symptoms



Tiredness, sleep disorders,
Concentration problems
Fatigue, headache
Depressions



Neck / back pain,
Chest pain




Arrhythmia, Shortness of breath,
Increased susceptibility
to infection




Irritable stomach,
Irritable bowel



Swelling in
Feet, hands or face



Difficulties swallowing,
Toothache
Increased noise sensitivity -,
photosensitivity
and sensitivity to cold




Chronic pain,
Joint pain in arms and
legs,
Morning stiffness,
Cramps, Trembling hands

Diagnostic Criteria for Fibromyalgia



1

Generalized pain
in at least 4 of 5
body regions



2

Symptoms at a
similar level for
at least 3 months




3

- Widespread Pain Index score ≥ 7
- Symptom Severity score ≥ 5

———— or ————

- Widespread Pain Index score 4-6
- Symptom Severity score ≥ 9

Widespread pain index (WPI)....19

Jaw ☐ Rt. ☐ Lt.		☐ Neck
Shoulders ☐ Rt. ☐ Lt.		☐ Chest
Arm upper ☐ Rt. ☐ Lt.		☐ Abdomen
Arm lower ☐ Rt. ☐ Lt.		☐ Upper Back
Hips ☐ Rt. ☐ Lt.		☐ Lower Back
Leg upper ☐ Rt. ☐ Lt. ☐		
Leg lower ☐ Rt. ☐ Lt. ☐		

FM diagnosis

13 is a guide for grade of severity

Pain ≥ 7 + Symptom Severity >5

ACR Diagnostic Criteria

SYMPTOM SEVERITY Score

How severe were the following in the past 7 days

- Fatigue
- Waking unrefreshed
- Cognitive symptoms

0 – No problems

1 – Slight or mild problems; intermittent

2 – Moderate or considerable problems; often present

3 – Severe, pervasive, continuous or life-disturbing problems

Tests to rule out other conditions:

- • **CBC, ESR, CRP**
- • **Thyroid function tests (TSH)**
- • **RF**
- • **Vitamin D levels**

Management

Pharmacological (Medications)

- Analgesics
- Antidepressants
- Anticonvulsants
- Muscle relaxants
- Sleep aids



Management

Non pharmacological / pain management

- Physical therapy; exercise programs, Avoid overexertion – balance activity and rest
- Stress management techniques; deep breathing exercises, meditation
- Massage, warm bath, heat therapy

Management

Promotion of sleep

- Encourage regular bedtime routine
- Limit caffeine and electronics before bed
- Provide information on sleep hygiene

Management

Emotional Support & health education

- Provide reassurance and active listening
- Refer to mental health services if needed
- Encourage support group participation
- Educate on chronic nature of disease and need for lifestyle changes
- Reinforce importance of stress reduction
- Discuss medication side effects and adherence



Summary



- List 4 causes of fibromyalgia
- List 4 manifestation of fibromyalgia
- List 3 nursing interventions of fibromyalgia



thank
you