

**1. In the standard erect anatomical position, the palms of the hands are facing

A) Backward *

B) Medially *

C) Forward *

D) Laterally *

Correct Answer:** C) Forward** <

<

**2. When a person is lying flat on their back, this position is called

A) Prone position *

B) Supine position *

C) Lateral decubitus *

D) Lithotomy position *

Correct Answer:** B) Supine position** <

<

**3. The plane that divides the body longitudinally into equal right and left halves is

A) Coronal plane *

B) Median (Sagittal) plane *

C) Paramedian plane *

D) Horizontal plane *

Correct Answer:** B) Median (Sagittal) plane** <

<

**4. The term "Anterior" means

A) Nearer to the back of the body *

B) Nearer to the upper end of the body *

C) In front or nearer to the front of the body *

D) Away from the median plane *

Correct Answer:** C) In front or nearer to the front of the body** <

<

**5. Which prefix means "Two"

-A) Uni *

-B) Tri *

-C) Quadri *

-D) Bi- / Di *

-Correct Answer:** D) Bi- / Di** <

<

?Which of the following is considered part of the axial skeleton .6

A) Clavicle *

B) Humerus *

C) Vertebral column *

D) Femur *

Correct Answer:** C) Vertebral column** <

<

◆ أسئلة متوسطة الصعوبة

A vertical plane that is parallel to the median plane and divides the body into unequal parts is .7**

**.the

A) Coronal plane *

B) Paramedian plane *

C) Transverse plane *

D) Horizontal plane *

Correct Answer:** B) Paramedian plane** <

<

.The term "Distal" is best defined as .8

A) Nearer to the root of the limb *

B) Away from the root of the limb *

C) Nearer to the skin surface *

D) Exactly in the middle line *

Correct Answer:** B) Away from the root of the limb** <

<

.Superficial fascia contains a variable quantity of fat which is characteristically .9

A) Equal in males and females *

B) Present only in females *

C) More in females than in males *

D) More in males than in females *

Correct Answer:** C) More in females than in males** <

<

?Deep fascia is completely absent in which of the following regions .10

A) Thigh *

B) Arm *

C) Face and anterior abdominal wall *

D) Hand and foot *

Correct Answer:** C) Face and anterior abdominal wall** <

<

?Cartilage receives its nutrition via diffusion from blood vessels located in the .11

A) Matrix *

B) Perichondrium *

C) Chondrocytes *

D) Medullary cavity *

Correct Answer:** B) Perichondrium** <

<

?The largest sesamoid bone in the human body is the .12

A) Scaphoid *

B) Patella *

C) Calcaneus *

D) Talus *

Correct Answer:** B) Patella** <

<

◆ ### أسئلة متقدمة وللامتحانات النهائية

?Which type of cartilage is the commonest in the body and can undergo ossification by age .13

A) White fibrocartilage *

B) Yellow elastic cartilage *

C) Hyaline cartilage *

D) Fibrous connective tissue *

Correct Answer:** C) Hyaline cartilage** <

<

All the following sites contain hyaline cartilage EXCEPT .14

A) Epiphyseal plates of long bones *

B) Articular cartilage in joints *

C) Intervertebral discs *

D) Costal cartilages *

Correct Answer:** C) Intervertebral discs** <

<

Regarding the structure of a long bone, growth in diameter occurs from the, while growth .15**

**..... in length occurs from the

A) Epiphyseal cartilage / Periosteum *

B) Periosteum / Epiphyseal cartilage *

C) Endosteum / Metaphysis *

D) Diaphysis / Epiphysis *

Correct Answer:** B) Periosteum / Epiphyseal cartilage** <

<

?Which statement is correct regarding the fusion of the epiphysis and diaphysis .16

A) It occurs under nervous control *

B) It occurs in males earlier than females *

C) It occurs in females earlier than males by about 2 years *

D) It does not lead to cessation of bone growth *

Correct Answer:** C) It occurs in females earlier than males by about 2 years** <

<

All bones are formed of two layers of compact bone with a layer of spongy bone in between .17**

**EXCEPT

A) Flat bones *

B) Irregular bones *

C) Short bones *

D) Diaphysis of long bones and pneumatic bones *

Correct Answer:** D) Diaphysis of long bones and pneumatic bones** <

<

****:**The shoulder girdle articulates with the axial skeleton ONLY at the .18******

A) Acromio-clavicular joint *

B) Sterno-clavicular joint *

C) Glenohumeral joint *

D) Sacroiliac joint *

Correct Answer:**** B) Sterno-clavicular joint**** <

<

📌 الجزء الثاني: المحاضرة الثالثة (Joints & Muscular System)

💠 أسئلة سهلة ومباشرة

****:**Joints that are completely fixed and connected by a minimal amount of fibrous tissue are .19******

A) Syndesmosis *

B) Gomphosis *

C) Sutures *

D) Synovial *

Correct Answer:**** C) Sutures**** <

<

****:**Bending a joint to approximate two anterior surfaces together is called .20******

A) Extension *

B) Flexion *

C) Abduction *

D) Adduction *

Correct Answer:**** B) Flexion**** <

<

****:**Moving a limb laterally away from the midline of the body is .21******

A) Adduction *

B) Rotation *

C) Circumduction *

D) Abduction *

Correct Answer:**** D) Abduction**** <

<

****:**The movement of the forearm where the palm faces posteriorly is .22******

A) Supination *

B) Pronation *

C) Inversion *

D) Eversion *

Correct Answer:**** B) Pronation**** <

<

****:**Skeletal muscles are structurally and functionally classified as .23******

A) Involuntary and striated *

B) Voluntary and striated *

C) Involuntary and non-striated *

D) Voluntary and non-striated *

Correct Answer:**** B) Voluntary and striated**** <

<

◆ أسئلة متوسطة الصعوبة

****:**The primary cartilaginous joint (e.g., Epiphyseal plate) is characterized as .24******

A) A permanent joint located in the midline *

B) A temporary joint that disappears by ossification *

C) A freely mobile joint *

D) A joint connected by white fibrocartilage *

Correct Answer:**** B) A temporary joint that disappears by ossification**** <

<

****:**Articular cartilage in synovial joints gets its nutrition from .25******

A) Direct blood supply inside the cartilage *

B) Nerves surrounding the joint *

C) Synovial fluid *

D) Periosteum *

Correct Answer:**** C) Synovial fluid**** <

<

****:**The disease characterized by irregularities and erosions of the articular cartilage in old age is .26******

A) Myocardial infarction *

B) Goiter *

C) Osteoarthritis *

D) Muscle atrophy *

Correct Answer:** C) Osteoarthritis** <

<

?Which of the following is a uniaxial joint with a vertical axis allowing rotation .27

A) Elbow joint *

B) Wrist joint *

C) Superior radio-ulnar joint *

D) Shoulder joint *

Correct Answer:** C) Superior radio-ulnar joint** <

<

.:Facial muscles are unique because they have an attachment to the .28

A) Bone only *

B) Fibrous raphe *

C) Skin *

D) Cartilage *

Correct Answer:** C) Skin** <

<

♦ أسئلة متقدمة وللامتحانات النهائية

.:Secondary cartilaginous joints (like the intervertebral discs) are .29

A) Temporary joints that ossify early in life *

B) Permanent joints located in the midline with limited movement *

C) Freely movable uniaxial joints *

D) Fixed joints with no matrix *

Correct Answer:** B) Permanent joints located in the midline with limited movement** <

<

?Which of the following structures is found inside the shoulder joint cavity .30

A) Cruciate ligament *

B) Articular disc *

C) Tendon of the long head of biceps muscle *

D) Lateral meniscus *

Correct Answer:** C) Tendon of the long head of biceps muscle** <

<

The wrist joint is an example of a/an joint, while the knee joint is a/an joint .31

A) Hinge / Pivot *

B) Ellipsoid / Modified hinge *

C) Saddle / Ball and socket *

D) Pivot / Ellipsoid *

Correct Answer:** B) Ellipsoid / Modified hinge** <

<

Muscle atrophy can occur due to all the following reasons EXCEPT .32

A) Disuse or immobilization after fracture *

B) Injury of the motor nerve or arterial supply *

C) Disease of the muscle itself or spinal cord injury *

D) Increased somatic nerve stimulation *

Correct Answer:** D) Increased somatic nerve stimulation** <

<

📌 الجزء الثالث: المحاضرة الرابعة (Skin & Cardiovascular System)

💠 أسئلة سهلة ومباشرة

The epidermis of the skin is formed of .33

A) Connective tissue with dense blood vessels *

B) Stratified squamous epithelium with no blood vessels *

C) Collagen and elastic fibers *

D) Adipose tissue *

Correct Answer:** B) Stratified squamous epithelium with no blood vessels** <

<

Melanin granules, which give the skin its pigment, are stored in cells located in the .34

A) Dermis *

B) Epidermis *

C) Superficial fascia *

D) Hypodermis *

Correct Answer:** B) Epidermis** <

<

** :Blood vessels that carry blood away from the heart to all body tissues are .35**

A) Veins *

B) Capillaries *

C) Arteries *

D) Venules *

Correct Answer:** C) Arteries** <

<

** :The right half of the heart always contains .36**

A) Oxygenated blood *

B) Deoxygenated (venous) blood *

C) Mixed blood *

D) No blood *

Correct Answer:** B) Deoxygenated (venous) blood** <

<

** :The valve located between the left atrium and left ventricle is the .37**

A) Tricuspid valve *

B) Pulmonary valve *

C) Mitral valve *

D) Aortic valve *

Correct Answer:** C) Mitral valve** <

<

أسئلة متوسطة الصعوبة

** :Skin creases (flexure lines) are produced by the firm attachment of the skin to the underlying .38**

A) Epidermis *

B) Deep fascia *

C) Bone *

D) Smooth muscle *

Correct Answer:** B) Deep fascia** <

<

Hair follicles, sweat glands, and sebaceous glands are structurally located in the .39

A) Epidermis *

B) Dermis *

C) Stratified epithelium *

D) Nail bed *

Correct Answer:** B) Dermis** <

<

?Which of the following is an exception and carries DEOXYGENATED blood .40

A) Aorta *

B) Coronary artery *

C) Pulmonary artery *

D) Renal artery *

Correct Answer:** C) Pulmonary artery** <

<

Capillaries are uniquely characterized by having a wall formed of .41

A) Thick smooth muscle layer *

B) Inelastic collagen fibers *

C) A single layer of endothelial cells *

D) Multiple valves *

Correct Answer:** C) A single layer of endothelial cells** <

<

?The Coronary arteries arise from which part of the aorta .42

A) Arch of aorta *

B) Descending thoracic aorta *

C) Ascending aorta *

D) Abdominal aorta *

Correct Answer:** C) Ascending aorta** <

<

◆ أسئلة متقدمة وللامتحانات النهائية

Why does the occlusion of a coronary artery branch lead to myocardial infarction (death of .43**
**?myocardium)

A) Because they contain too many valves *

B) Because coronary artery branches are functionally end arteries *

C) Because the heart has low blood pressure *

D) Because they arise from the abdominal aorta *

Correct Answer:** B) Because coronary artery branches are functionally end arteries** <

<

The system that starts at capillaries in the gastrointestinal tract and terminates at capillaries .44**

** :inside the liver is the

A) Systemic circulation *

B) Pulmonary circulation *

C) Portal circulation *

D) Lymphatic circulation *

Correct Answer:** C) Portal circulation** <

<

Regarding the great vessels, the Superior Vena Cava drains blood from the and opens into .45**

** :..... the

A) Lower half of the body / Left atrium *

B) Upper half of the body / Right atrium *

C) Lungs / Left ventricle *

D) Liver / Right ventricle *

Correct Answer:** B) Upper half of the body / Right atrium** <

<

** :The pericardial cavity is a potential space located between .46**

A) The myocardium and endocardium *

B) Inner visceral and outer parietal layers of the serous pericardium *

C) The pleura and the peritoneum *

D) The left and right atria *

Correct Answer:** B) Inner visceral and outer parietal layers of the serous pericardium** <

<

(Respiratory System) المحاضرة الخامسة الجزء الرابع

أسئلة سهلة ومباشرة ◆

The space or spaces that separate the 3 bony nasal conchae in the lateral wall of the nasal cavity are called .47**

A) Nasal septa *

B) Nasal meatuses *

C) Paranasal sinuses *

D) Alveoli *

Correct Answer:** B) Nasal meatuses** <

<

The larynx extends downwards and ends to become continuous with the trachea at the level of .48**

A) T4 *

B) C6 *

C) L1 *

D) T12 *

Correct Answer:** B) C6** <

<

The trachea consists of .49

A) 5-10 O-shaped cartilages *

B) 16-20 C-shaped cartilages *

C) 9 irregular cartilages *

D) Bony rings *

Correct Answer:** B) 16-20 C-shaped cartilages** <

<

The trachea ends in the thorax by dividing into two main bronchi at the level of vertebra .50

A) C6 *

B) T12 *

C) T4 *

D) L3 *

Correct Answer:** C) T4** <

<

?Which of the following is the LARGEST paranasal air sinus .51

- A) Frontal sinus *
- B) Maxillary sinus *
- C) Sphenoidal sinus *
- D) Ethmoidal sinus *

Correct Answer:** B) Maxillary sinus** <

<

.:Paranasal sinuses perform all the following functions EXCEPT .52

- A) Decrease the weight of the skull *
- B) Increase the resonance of voice *
- C) Act as air cushions for the brain *
- D) Secretion of digestive enzymes *

Correct Answer:** D) Secretion of digestive enzymes** <

<

.:The hilum of the lung, where structures enter and leave, is located on its .53

- A) Lateral convex surface *
- B) Medial concave surface *
- C) Apex *
- D) Base *

Correct Answer:** B) Medial concave surface** <

<

◆ أسئلة متقدمة وللامتحانات النهائية

A patient has a foreign object lodged in their respiratory tract. Anatomically, which lung features .54**

**?a cardiac notch and has only 2 lobes, making it different from the other

- A) The Right lung *
- B) The Left lung *
- C) Both lungs are identical *
- D) Neither lung has a cardiac notch *

Correct Answer:** B) The Left lung** <

<

?Which of the following correctly describes the anatomical features of the RIGHT lung .55

A) Long, narrow, 2 lobes, 1 fissure *

B) Short, wide, 3 lobes, 2 fissures *

C) Long, wide, 3 lobes, 1 fissure *

D) Short, narrow, 2 lobes, 2 fissures *

Correct Answer:** B) Short, wide, 3 lobes, 2 fissures** <

<

الجزء الخامس: المحاضرة السادسة (Digestive System)

أسئلة سهلة ومباشرة

The vestibule of the mouth cavity is bounded internally by the and externally by the .56**
**.....

A) Palate / Tongue *

B) Teeth and gums / Cheek and lips *

C) Oropharynx / Teeth *

D) Hard palate / Soft palate *

Correct Answer:** B) Teeth and gums / Cheek and lips** <

<

The permanent teeth in an adult are normally in number .57

A) 20 *

B) 32 *

C) 16 *

D) 28 *

Correct Answer:** B) 32** <

<

The largest salivary gland is the .58

A) Submandibular gland *

B) Sublingual gland *

C) Parotid gland *

D) Thyroid gland *

Correct Answer:** C) Parotid gland** <

<

The esophagus is a muscular tube that is approximately long .59

A) 12 cm *

B) 45 cm *

C) 25 cm *

D) 1.5 meters *

Correct Answer:** C) 25 cm** <

<

The small intestine is approximately long, while the large intestine is long .60

A) 25 cm / 6 meters *

B) 6 meters / 1.5 meters *

C) 1.5 meters / 6 meters *

D) 12 cm / 25 cm *

Correct Answer:** B) 6 meters / 1.5 meters** <

<

◆ أسئلة متوسطة الصعوبة

The pharynx ends at the level of the lower border of C6 vertebra by continuing as the .61

A) Trachea *

B) Larynx *

C) Esophagus *

D) Duodenum *

Correct Answer:** C) Esophagus** <

<

?Which part of the pharynx acts as a passage for AIR ONLY .62

A) Oropharynx *

B) Laryngopharynx *

C) Nasopharynx *

D) Oral cavity proper *

Correct Answer:** C) Nasopharynx** <

<

The part of the stomach that lies above the anatomical level of the cardia is the .63

A) Body *

B) Pylorus *

C) Antrum *

D) Fundus *

Correct Answer:** D) Fundus** <

<

Jejunum differs from the Ileum in that the Jejunum has .64

A) Narrower lumen and thinner wall *

B) Wider lumen and thicker wall *

C) Less mucosal folds *

D) A position in the lower right abdominal cavity *

Correct Answer:** B) Wider lumen and thicker wall** <

<

Which of the following structures are main diagnostic features of the large intestine but are .65**

**?completely ABSENT in the appendix and rectum

A) Villi and microvilli *

B) Taenia coli, appendices epiploicae, and sacculations *

C) Pyloric sphincters *

D) Duodenal papillae *

Correct Answer:** B) Taenia coli, appendices epiploicae, and sacculations** <

<

اسئلة متقدمة وللامتحانات النهائية

The common bile duct is formed by the union of .66

A) Right and left hepatic ducts *

B) Cystic duct and common hepatic duct *

C) Pancreatic duct and bile duct *

D) Hepatic artery and portal vein *

Correct Answer:** B) Cystic duct and common hepatic duct** <

<

The Ampulla of Vater, where the pancreatic juice and bile are discharged, opens into the .67

A) First part of the duodenum *

B) Middle of the posteromedial surface of the second part of the duodenum *

C) Third part of the duodenum *

D) Stomach pylorus *

Correct Answer:** B) Middle of the posteromedial surface of the second part of the duodenum** <
<

Regarding the pancreas, Insulin is secreted by its portion, while digestive enzymes are .68**
**:secreted by its portion

A) Exocrine / Endocrine *

B) Endocrine / Exocrine *

C) Duodenal / Splenic *

D) Portal / Biliary *

Correct Answer:** B) Endocrine / Exocrine** <
<

الجزء السادس: المحاضرة السابعة (Genital System)

أسئلة سهلة ومباشرة

:The primary male sex organ is the .69

A) Prostate *

B) Vas deferens *

C) Testis *

D) Seminal vesicle *

Correct Answer:** C) Testis** <
<

Fertilization of the human ovum normally occurs in which part of the female reproductive .70**
**?system

A) Uterine cavity *

B) Lateral 1/3 of the uterine (Fallopian) tube *

C) Vagina *

D) Cervix of the uterus *

Correct Answer:** B) Lateral 1/3 of the uterine (Fallopian) tube** <
<

:The female organ that is thick, muscular, pear-shaped, and measures 3 x 2 x 1 inches is the .71

A) Ovary *

B) Vagina *

C) Uterus *

D) Fallopian tube *

Correct Answer:** C) Uterus** <

<

◆ أسئلة متوسطة الصعوبة

The comma-shaped structure related to the posterior border of the testis, responsible for sperm .72**
**:storage and maturation, is the

A) Epididymis *

B) Seminal vesicle *

C) Ejaculatory duct *

D) Prostate *

Correct Answer:** A) Epididymis** <

<

The male structure that is 45 cm long and transports sperms from the epididymis to the pelvis is .73**
**:the

A) Male urethra *

B) Vas deferens *

C) Ejaculatory duct *

D) Penis *

Correct Answer:** B) Vas deferens** <

<

The prostate gland is anatomically located inside the pelvic cavity and surrounds the proximal 3 .74**
**:cm of the

A) Vas deferens *

B) Ureter *

C) Male urethra *

D) Seminal vesicle *

Correct Answer:** C) Male urethra** <

<

The space between the two labia minora in the female external genitalia is called the .75

A) Pudendal cleft *

B) Vestibule of vagina *

C) Mons pubis *

D) Prepuce *

Correct Answer:** B) Vestibule of vagina** <

<

◆ أسئلة متقدمة وللامتحانات النهائية

Semen is a complex fluid composed of sperms combined with secretions from all the following .76**

** :EXCEPT

A) Epididymis *

B) Seminal vesicle *

C) Prostate *

D) Suprarenal gland *

Correct Answer:** D) Suprarenal gland** <

<

** :The penis consists of 3 erectile masses; the penile urethra specifically runs inside the .77**

A) Corpora cavernosa *

B) Corpus spongiosum *

C) Crus of the penis *

D) Prepuce skin fold *

Correct Answer:** B) Corpus spongiosum** <

<

The cervix of the uterus projects into the upper part of the vagina, dividing the cervix .78**

** :anatomically into

A) Fundus and body parts *

B) Supra-vaginal and intra-vaginal parts *

C) Fimbriae and infundibulum *

D) Anterior and posterior walls *

Correct Answer:** B) Supra-vaginal and intra-vaginal parts** <

<

الجزء السابع: المحاضرة الثامنة (Urinary System)

◆ أسئلة سهلة ومباشرة

The kidneys are anatomically located on the posterior abdominal wall, extending between .79**

** :vertebrae

A) C6 – T4 *

B) T12 – L3 *

C) L1 – L5 *

D) T4 – T12 *

Correct Answer:** B) T12 – L3** <

<

The maximum normal capacity of the human urinary bladder is .80

A) 150 ml *

B) 500 ml *

C) 1.5 Liters *

D) 25 ml *

Correct Answer:** B) 500 ml** <

<

The total length of the female urethra is about .81

A) 20 cm *

B) 25 cm *

C) 4 cm *

D) 12 cm *

Correct Answer:** C) 4 cm** <

<

◆ أسئلة متوسطة الصعوبة

At the hilum of the kidney, structures are arranged from anterior to posterior as follows .82

A) Renal artery, Renal vein, Renal pelvis *

B) Renal vein, Renal artery, Renal pelvis *

C) Renal pelvis, Renal artery, Renal vein *

D) Renal vein, Renal pelvis, Renal artery *

Correct Answer:** B) Renal vein, Renal artery, Renal pelvis** <

<

The Ureter is a muscular tube about 25 cm long that presents how many .83**

**?physiological/anatomical sites of constriction

A) One *

B) Two *

C) Three *

D) Four *

Correct Answer:** C) Three** <

<

The male urethra is S-shaped in the flaccid penis and is about long .84

A) 4 cm *

B) 12 cm *

C) 25 cm *

D) 20 cm *

Correct Answer:** D) 20 cm** <

<

◆ ### أسئلة متقدمة وللامتحانات النهائية

Renal angle" is clinically important because the kidney lies close to the body surface here. It is " .85**

**located between

A) 11th rib and the sternum *

B) Lower margin of the 12th rib and lateral margin of the erector spinae muscle *

C) Transverse process of L1 and L3 *

D) Crest of the ilium and the pubic symphysis *

Correct Answer:** B) Lower margin of the 12th rib and lateral margin of the erector spinae muscle** <

<

If a kidney stone becomes impacted in the ureter, severe colicky pain occurs because it blocks .86**

**the normal constrictions. These three constriction sites are located at

A) Cortex, medulla, and pelvis *

B) Pelvi-ureteric junction, site of crossing the pelvic inlet, and intramural part (termination) *

C) Major calyx, minor calyx, and renal papilla *

D) Neck of the bladder, prostate, and penile urethra *

Correct Answer:** B) Pelvi-ureteric junction, site of crossing the pelvic inlet, and intramural part ** <

(termination)

<

The male urethra is divided into 3 parts; the NARROWEST part surrounded by the voluntary .87**

**external urethral sphincter is the

A) Prostatic urethra *

B) Membranous urethra *

C) Penile urethra *

D) Fossa navicularis *

Correct Answer:** B) Membranous urethra** <

<

الجزء الثامن: المحاضرة التاسعة (Nervous System & Special Senses) 

أسئلة سهلة ومباشرة 

**88.The structural and functional unit of the nervous system is the.

A) Glial cell *

B) Neuron *

C) Meninges *

D) Myocardium *

Correct Answer:** B) Neuron** <

<

**89.The central nervous system (CNS) consists of.

A) 12 pairs of cranial nerves and 31 pairs of spinal nerves *

B) Brain and spinal cord *

C) Sympathetic and parasympathetic systems *

D) Somatic and autonomic nerves *

Correct Answer:** B) Brain and spinal cord** <

<

**90.The lobe of the cerebral hemisphere responsible primarily for VISION is the.

A) Frontal lobe *

B) Parietal lobe *

C) Temporal lobe *

D) Occipital lobe *

Correct Answer:** D) Occipital lobe** <

<

**91.There are pairs of cranial nerves and pairs of spinal nerves.

A) 31 / 12 *

B) 8 / 12 *

C) 12 / 31 *

D) 5 / 5 *

Correct Answer:** C) 12 / 31** <

<

The ear drum (tympanic membrane) separates .92

A) Middle ear from inner ear *

B) External ear from middle ear *

C) Nasopharynx from middle ear *

D) Auricle from external auditory meatus *

Correct Answer:** B) External ear from middle ear** <

<

◆ أسئلة متوسطة الصعوبة

The subarachnoid space, which contains cerebrospinal fluid (CSF), is located between .93

A) Dura mater and arachnoid mater *

B) Arachnoid mater and pia mater *

C) Pia mater and the brain tissue *

D) Skull bone and dura mater *

Correct Answer:** B) Arachnoid mater and pia mater** <

<

The Autonomic Nervous System (ANS) is functionally responsible for .94

A) Controlling all voluntary movements *

B) Regulating involuntary physiologic processes (e.g., heart rate, digestion) *

C) Conscious skin sensations like pain and touch *

D) Supplying skeletal muscles only *

Correct Answer:** B) Regulating involuntary physiologic processes (e.g., heart rate, digestion)** <

<

In adults, the spinal cord terminates inferiorly at the level of the lower border of vertebra .95

A) T12 *

B) L1 *

C) L5 *

D) S5 *

Correct Answer:** B) L1** <

<

The middle ear cavity is connected to the nasopharynx by the to equalize air pressure .96

A) External auditory meatus *

B) Pharyngotympanic (Eustachian) tube *

C) Optic nerve *

D) Subarachnoid space *

Correct Answer:** B) Pharyngotympanic (Eustachian) tube** <

<

◆ ### أسئلة متقدمة وللامتحانات النهائية

?Regarding the functional classification of peripheral nerves, which statement is true .97

A) All cranial nerves are mixed nerves *

B) All spinal nerves are mixed nerves *

C) Cranial nerves can only be pure sensory *

D) Spinal nerves are pure motor nerves *

Correct Answer:** B) All spinal nerves are mixed nerves** <

<

A patient survives a high-stress emergency situation. The division of the nervous system .98**

**responsible for controlling body systems under stress (e.g., during muscular exercise) is the

A) Parasympathetic nervous system *

B) Sympathetic nervous system *

C) Somatic sensory system *

D) Glial framework *

Correct Answer:** B) Sympathetic nervous system** <

<

The brain stem is subdivided from upward to downward into .99

A) Cerebrum, cerebellum, and spinal cord *

B) Midbrain, pons, and medulla oblongata *

C) Thalamus, hypothalamus, and dural sac *

D) Frontal, parietal, and temporal lobes *

Correct Answer:** B) Midbrain, pons, and medulla oblongata** <

<

الجزء التاسع: المحاضرة العاشرة (Endocrine & Lymphatic Systems) 

 أسئلة سهلة ومباشرة

**100. The gland that is often called the master gland because it controls the secretion of other endocrine glands is the

A) Thyroid gland *

B) Pituitary gland *

C) Suprarenal gland *

D) Parathyroid gland *

Correct Answer:** B) Pituitary gland** <

<

**101. The butterfly-shaped gland located in the lower part of the front of the neck is the

A) Pituitary gland *

B) Thyroid gland *

C) Thymus gland *

D) Adrenal gland *

Correct Answer:** B) Thyroid gland** <

<

**102. The enlargement of the thyroid gland is clinically known as

A) Myocardial infarction *

B) Goiter *

C) Osteoarthritis *

D) Abscess *

Correct Answer:** B) Goiter** <

<

**103. The fluid circulating inside lymphatic vessels, which is rich in lymphocytes, is called

A) Plasma *

B) CSF *

C) Lymph *

D) Synovial fluid *

Correct Answer:** C) Lymph** <

<

◆ أسئلة متوسطة الصعوبة

The four small parathyroid glands are structurally embedded in the .104

A) Base of the skull *

B) Posterior surface of the thyroid gland *

C) Upper poles of the kidneys *

D) Posterior abdominal wall *

Correct Answer:** B) Posterior surface of the thyroid gland** <

<

The suprarenal (adrenal) glands are located at the upper poles of the kidneys; their MEDULLA .105**

**specifically secretes

A) Cortisone and aldosterone *

B) Adrenaline and noradrenaline *

C) Insulin and glucagon *

D) Thyroxin *

Correct Answer:** B) Adrenaline and noradrenaline** <

<

The largest and longest lymphatic vessel in the human body is the .106

A) Right lymphatic trunk *

B) Thoracic duct *

C) Subclavian vein *

D) Cisterna chyli *

Correct Answer:** B) Thoracic duct** <

<

◆ أسئلة متقدمة وللامتحانات النهائية

The lymphatic vessels are responsible for the drainage of fluid and tissue waste, but they are .107**

**completely ABSENT in

A) Limbs and body wall *

B) CNS, cornea, epidermis of skin, and cartilage *

C) Spleen, tonsils, and lymph nodes *

D) Upper right quadrant of the body *

Correct Answer:** B) CNS, cornea, epidermis of skin, and cartilage** <

The right lymph trunk drains the upper right quadrant of the body, while the Thoracic Duct .108**
**:drains

A) The head and neck only *

B) The whole body except the upper right quadrant *

C) Only the lower limbs *

D) The digestive system only *

Correct Answer:** B) The whole body except the upper right quadrant** <