

BACKGROUNDS FOR EACH PAGE (6) -

1. HOME PAGE:

```
{/* Fluid Smoke — render inside a container with className="relative isolate"
(isolate keeps the -z-10 layer inside the container so body backgrounds
can never paint over the effect) */}
<div
  data-aifx="fluid-smoke"
  data-aifx-colors="#00f2fe,#e60049,#00f2fe,#00f2fe"
  data-aifx-bg="#0d1117"
  data-aifx-bg-alpha="0.47"
  data-aifx-speed="0.64"
  data-aifx-scale="1.87"
  data-aifx-warp="1.53"
  data-aifx-rise="0.57"
  data-aifx-swirl="0.55"
  data-aifx-contrast="1"
  data-aifx-softness="0.78"
  className="absolute inset-0 -z-10 pointer-events-none"
  aria-hidden="true"
/>

{/* Runtime — load once per app, e.g. in app/layout.tsx
import Script from "next/script" */}
<Script src="https://cdn.aidesigner.ai/effects/runtime/v1.js" strategy="afterInteractive" />
```

2. ABOUT PAGE:

```
{/* Fluted Glass — render inside a container with className="relative isolate"
(isolate keeps the -z-10 layer inside the container so body backgrounds
can never paint over the effect) */}
<div
  data-aifx="fluted-glass"
  data-aifx-colors="#e60049,#00f2fe,#0d1117,#0d1117"
  data-aifx-bg="#0d1117"
  data-aifx-speed="0.79"
  data-aifx-flutes="39"
  data-aifx-shape="pattern"
  data-aifx-profile="contour"
  data-aifx-distortion="0.8"
  data-aifx-highlight="2"
  data-aifx-blur="2.5"
  data-aifx-angle="251"
  data-aifx-grain="0"
  data-aifx-mouse="1"
  className="absolute inset-0 -z-10 pointer-events-none"
```

```
    aria-hidden="true"
  />
```

```
{/* Runtime — load once per app, e.g. in app/layout.tsx
  import Script from "next/script" */}
<Script src="https://cdn.aidesigner.ai/effects/runtime/v1.js" strategy="afterInteractive" />
```

3. EXPERIENCE PAGE:

```
{/* Liquid Metal — render inside a container with className="relative isolate"
  (isolate keeps the -z-10 layer inside the container so body backgrounds
  can never paint over the effect) */}
```

```
<div
  data-aifx="liquid-metal"
  data-aifx-colors="#e60049,#e60049,#00f2fe,#00f2fe"
  data-aifx-bg="#0d1117"
  data-aifx-speed="1.78"
  data-aifx-scale="1.58"
  data-aifx-contrast="2.2"
  data-aifx-flow-angle="33"
  data-aifx-relief="2.05"
  data-aifx-mouse="0.5"
  className="absolute inset-0 -z-10 pointer-events-none"
  aria-hidden="true"
/>
```

```
{/* Runtime — load once per app, e.g. in app/layout.tsx
  import Script from "next/script" */}
<Script src="https://cdn.aidesigner.ai/effects/runtime/v1.js" strategy="afterInteractive" />
```

4. SKILLS PAGE:

```
{/* Noise Shimmer — render inside a container with className="relative isolate"
  (isolate keeps the -z-10 layer inside the container so body backgrounds
  can never paint over the effect) */}
```

```
<div
  data-aifx="noise-shimmer"
  data-aifx-colors="#00f2fe,#e60049,#d67964"
  data-aifx-bg="#0d1117"
  data-aifx-scale="0.7"
  data-aifx-shimmer="1"
  data-aifx-intensity="0.69"
  data-aifx-contrast="2.5"
  data-aifx-speed="2"
  className="absolute inset-0 -z-10 pointer-events-none"
  aria-hidden="true"
/>
```

```
{/* Runtime — load once per app, e.g. in app/layout.tsx
import Script from "next/script" */}
<Script src="https://cdn.aidesigner.ai/effects/runtime/v1.js" strategy="afterInteractive" />
```

5. BLOG PAGE:

```
{/* Aurora Flow — render inside a container with className="relative isolate"
(isolate keeps the -z-10 layer inside the container so body backgrounds
can never paint over the effect) */}
<div
  data-aifx="aurora-flow"
  data-aifx-colors="#00f2fe,#e60049,#d67964"
  data-aifx-bg="#0d1117"
  className="absolute inset-0 -z-10 pointer-events-none"
  aria-hidden="true"
/>
```

```
{/* Runtime — load once per app, e.g. in app/layout.tsx
import Script from "next/script" */}
<Script src="https://cdn.aidesigner.ai/effects/runtime/v1.js" strategy="afterInteractive" />
```

6. CONTACT PAGE:

```
{/* Mesh Gradient — render inside a container with className="relative isolate"
(isolate keeps the -z-10 layer inside the container so body backgrounds
can never paint over the effect) */}
<div
  data-aifx="mesh-gradient"
  data-aifx-colors="#e60049,#e60049,#00f2fe,#0d1117"
  data-aifx-bg="#0d1117"
  data-aifx-speed="1.04"
  data-aifx-scale="2.09"
  data-aifx-warp="1.5"
  data-aifx-softness="1"
  data-aifx-contrast="1.16"
  data-aifx-grain="0.2"
  data-aifx-mouse="1"
  className="absolute inset-0 -z-10 pointer-events-none"
  aria-hidden="true"
/>
```

```
{/* Runtime — load once per app, e.g. in app/layout.tsx
import Script from "next/script" */}
<Script src="https://cdn.aidesigner.ai/effects/runtime/v1.js" strategy="afterInteractive" />
```

CARDS FOLLOWING GLASSMORPHISM THEME (CHANGE HEIGHT AND WIDTH ACCORDINGLY) -

EXAMPLE OF GLASSMORPHISM CARD -

```
glass-card {  
  width: 240px;  
  height: 360px;  
  background: rgba(255, 255, 255, 0.4);  
  backdrop-filter: blur(50px);  
  -webkit-backdrop-filter: blur(50px);  
  border-radius: 20px;  
  border: 1px solid rgba(255, 255, 255, 0.3);  
  box-shadow:  
    0 8px 32px rgba(0, 0, 0, 0.1),  
    inset 0 1px 0 rgba(255, 255, 255, 0.5),  
    inset 0 -1px 0 rgba(255, 255, 255, 0.1),  
    inset 0 0 0px 0px rgba(255, 255, 255, 0);  
  position: relative;  
  overflow: hidden;  
}
```

```
.glass-card::before {  
  content: "";  
  position: absolute;  
  top: 0;  
  left: 0;  
  right: 0;  
  height: 1px;  
  background: linear-gradient(  
    90deg,  
    transparent,  
    rgba(255, 255, 255, 0.8),  
    transparent  
  );  
}
```

```
.glass-card::after {  
  content: "";  
  position: absolute;  
  top: 0;  
  left: 0;  
  width: 1px;  
  height: 100%;  
  background: linear-gradient(  
    180deg,  
    rgba(255, 255, 255, 0.8),  
    transparent,  
    rgba(255, 255, 255, 0.3)  
  );  
}
```

