

Daily Content Intel

July 17, 2026

Topic A — Reel

TELEPROMPTER COPY (paste into Instagram)

Okay, I want to talk about the two games before a hamstring goes.

Researchers tracked 37 hamstring strains in professional LaLiga players, matched every injury against a control, and pulled the GPS data from the matches leading in. The players who got hurt had lower match exposure in the 1 and 2 games before the injury, and that reduced exposure explained a real chunk of the risk.

The sharpest single predictor was the game right before. Under about 328 meters of high-speed running. Under 64 minutes played.

Here's the mechanism, and I'm hedging a little, because this is professional men's soccer and most of my athletes are in high school. Your hamstring is built by sprinting. Fast running is the thing that keeps it tolerant to fast running. So when an athlete gets rotated out, or rides the bench a couple weeks, or sits 10 days with a tweak, that tissue quietly loses its exposure. Then Friday night comes, they chase a ball down the sideline, and they hit top speed cold.

A quiet week is a training problem.

So when one of my guys misses time, I get high-speed exposure back in before he plays. 2 or 3 build-ups to near top speed, twice that week, kind of a maintenance dose. It's small and it's boring and it protects the tissue.

Sprinting is the prevention.

Does that make sense?

Be Good. Help Someone. Learn Lots.

Hook: Before a hamstring tears, the GPS usually shows an athlete who was running less.

Spoken script (word for word):

Okay, I want to talk about the two games before a hamstring goes.

Researchers tracked 37 hamstring strains in professional LaLiga players, matched every injury against a control, and pulled the GPS data from the matches leading in. The players who got hurt had lower match exposure in the 1 and 2 games before the injury, and that reduced exposure explained a real chunk of the risk.

The sharpest single predictor was the game right before. Under about 328 meters of high-speed running. Under 64 minutes played.

Here's the mechanism, and I'm hedging a little, because this is professional men's soccer and most of my athletes are in high school. Your hamstring is built by sprinting.

Fast running is the thing that keeps it tolerant to fast running. So when an athlete gets rotated out, or rides the bench a couple weeks, or sits 10 days with a tweak, that tissue quietly loses its exposure. Then Friday night comes, they chase a ball down the sideline, and they hit top speed cold.

A quiet week is a training problem.

So when one of my guys misses time, I get high-speed exposure back in before he plays. 2 or 3 build-ups to near top speed, twice that week, kind of a maintenance dose. It's small and it's boring and it protects the tissue.

Sprinting is the prevention.

Does that make sense?

Be Good. Help Someone. Learn Lots.

On-screen text seeds:

- 0:00 The 2 games before a hamstring tears
- 0:08 37 hamstring strains. LaLiga. GPS on every one.
- 0:18 The injured guys were running LESS

- 0:28 Best predictor: under 328m high-speed running
- 0:34 Under 64 minutes played
- 0:45 Fast running keeps you tolerant to fast running
- 0:58 The bench is detraining your hamstring
- 1:10 Coming back? 2-3 build-ups to near top speed, 2x/week
- 1:20 Sprinting is the prevention

Caption (copy-paste ready):

Hamstrings get blamed on doing too much. This LaLiga data points at the other end.

37 hamstring strains in professional players, each matched to a control, GPS on every match leading in. The players who got hurt had reduced match exposure in the 1 and 2 games before the injury. The best single predictor was the match right before: under 328 meters of high-speed running, under 64 minutes played.

Your hamstring is built by sprinting. Fast running is what keeps it tolerant to fast running. When an athlete gets rotated,

benched, or sits 10 days with a tweak, that exposure quietly disappears. Then they hit top speed cold on Friday night.

This is professional men's soccer, so I'm careful extrapolating it straight to a 16 year old. The principle still holds in my weight room: if you miss time, you earn your speed back in training first, and you show up to the game already fast.

2 or 3 build-ups to near top speed, twice a week. Small, boring, protective.

Sprinting is the prevention.

Be Good. Help Someone. Learn Lots.

Dr. Lars Stevenson, PT, DPT
threshold.clientsecure.me

#hamstring #hamstringinjury #speedtraining
#sprinttraining #footballtraining #lacrosse
#athletedevelopment
#strengthandconditioning #returntosport
#sportsPT #highschoolfootball #youthsports

Personalize this

- You program HS football and work a club-lacrosse crowd where kids rotate in

and out of lineups all season. Name a specific athlete who came back from a benching or a minor tweak and pulled a hamstring in his first game back. That story IS the hook.

- What is your actual re-entry sprint dose for a football or lacrosse athlete who missed 10 days? Give the real numbers you use (build-ups, distances, how many days out from game day you stop). Coaches will steal it, which is the point.
- Where does this sit in CROSS? This is a load-exposure story, so tie it to the letter you'd file it under and make the case for sprint exposure as a rehab variable in its own right.

Screenshots:

- title | <https://pmc.ncbi.nlm.nih.gov/articles/PMC10732102/> | "Reduced Match Exposure in the Previous 2 Matches Accounts for Hamstring Muscle Injury Incidence in Professional Football Players"
- physiology | <https://pmc.ncbi.nlm.nih.gov/articles/PMC10732102/> | "Low match-play

exposures during 1 and 2 matches before injury were likely to explain injury occurrence"

- actionable | <https://pmc.ncbi.nlm.nih.gov/articles/PMC10732102/> | "Relatively reduced competitive exposure in the previous 2 matches was associated with higher hamstring injury risk in professional football players."

Sources:

- <https://pmc.ncbi.nlm.nih.gov/articles/PMC10732102/>
- <https://www.frontiersin.org/journals/public-health/articles/10.3389/fpubh.2026.1798241/full>

Topic B — Reel

TELEPROMPTER COPY (paste into Instagram)

Okay, hot take. The foam roller earns its 5 minutes in the warm-up, and it's doing almost nothing for you after practice.

There's a meta-analysis in *Frontiers in Physiology* that pooled the foam rolling literature. Rolling before you train gave a small bump in sprint performance, about 0.7%, and a small bump in flexibility, about 4%. Effects on jump and strength were basically nothing.

Rolling after training slightly softened the drop in sprint and strength, and it cut soreness perception by about 6%. So it feels better, and I think that's real, and I'm fine with an athlete doing it for that reason. Feeling better has value.

But 6% less soreness is a nice feeling, and it's a long way from a recovery program. The authors' own conclusion

puts foam rolling in the warm-up bucket and pulls it out of the recovery bucket.

Here's what actually recovers you.

Sleep. Food. Lighter load. That's it.

Those three are boring and free and they work, and there's no \$40 piece of foam attached to any of them.

So keep the roller. Use it for 5 minutes before practice to get moving. Just don't spend 20 minutes on the floor after a game chasing 6% while you're sleeping 6 hours and skipping breakfast.

I'd rather you sleep 9.

Be Good. Help Someone. Learn Lots.

Hook: Your foam roller is a warm-up tool, and you've been using it as a recovery plan.

Spoken script (word for word):

Okay, hot take. The foam roller earns its 5 minutes in the warm-up, and it's doing almost nothing for you after practice.

There's a meta-analysis in *Frontiers in Physiology* that pooled the foam rolling literature. Rolling before you train gave a small bump in sprint performance, about 0.7%, and a small bump in flexibility, about 4%. Effects on jump and strength were basically nothing.

Rolling after training slightly softened the drop in sprint and strength, and it cut soreness perception by about 6%. So it feels better, and I think that's real, and I'm fine with an athlete doing it for that reason. Feeling better has value.

But 6% less soreness is a nice feeling, and it's a long way from a recovery program. The authors' own conclusion puts foam rolling in the warm-up bucket and pulls it out of the recovery bucket.

Here's what actually recovers you. Sleep. Food. Lighter load. That's it. Those three are boring and free and they work, and there's no \$40 piece of foam attached to any of them.

So keep the roller. Use it for 5 minutes before practice to get moving. Just don't

spend 20 minutes on the floor after a game chasing 6% while you're sleeping 6 hours and skipping breakfast.

I'd rather you sleep 9.

Be Good. Help Someone. Learn Lots.

On-screen text seeds:

- 0:00 Your foam roller is a warm-up tool
- 0:10 Meta-analysis: Frontiers in Physiology
- 0:18 BEFORE: sprint +0.7%, flexibility +4%
- 0:26 Jump and strength: basically nothing
- 0:34 AFTER: soreness perception -6%
- 0:48 6% less soreness is not a recovery plan
- 0:58 What actually works: sleep, food, lighter load
- 1:10 Boring. Free. Effective.
- 1:18 I'd rather you sleep 9

Caption (copy-paste ready):

The foam roller is the most oversold piece of equipment in your gym bag.

A meta-analysis in Frontiers in Physiology pooled the literature. Rolling before you train: sprint performance +0.7%, flexibility +4%, jump and strength effectively unchanged. Rolling after: it slightly softened the drop in sprint and strength, and cut soreness perception by about 6%.

6% less soreness is a nice feeling. It's a long way from a recovery program. The authors' own conclusion parks foam rolling in the warm-up and takes it out of the recovery bucket.

What actually recovers an athlete is sleep and food and lighter load. Those three are boring and free, and there's no \$40 piece of foam attached to any of them.

So keep the roller. 5 minutes before practice to get moving is a fine use of it. Spending 20 minutes on the floor after a game chasing 6% while you sleep 6 hours and skip breakfast is a bad trade.

I'd rather you sleep 9.

Be Good. Help Someone. Learn Lots.

Dr. Lars Stevenson, PT, DPT
threshold.clientsecure.me

#foamrolling #recovery #athleterecovery
#sportsscience #strengthandconditioning
#athletedevelopment #footballtraining
#lacrosse #highschoolathlete #sportsPT
#sleep #myth

Personalize this

- You watch HS football and lacrosse athletes roll for 20 minutes after practice. What's the most absurd recovery ritual you've seen a team run while the same kids were sleeping 6 hours? Open with that scene.
- Give your actual pre-practice 5 minutes. If rolling is in it for you, say exactly where it sits and what you tell athletes it's doing (getting them moving, in plain terms). If you've cut it entirely, say what replaced it and why.
- This is a Coaching Leverage argument in disguise (Mike T. Nelson's framing: physiology × compliance). Name a time you talked an athlete or parent out of buying a recovery gadget and into a sleep

or fueling change, and what actually changed on the field.

Screenshots:

- title | <https://pmc.ncbi.nlm.nih.gov/articles/PMC6465761/> | "A Meta-Analysis of the Effects of Foam Rolling on Performance and Recovery"
- physiology | <https://pmc.ncbi.nlm.nih.gov/articles/PMC6465761/> | "Pre-rolling resulted in a small improvement in sprint performance (+0.7%, $g = 0.28$) and flexibility (+4.0%, $g = 0.34$)"
- actionable | <https://pmc.ncbi.nlm.nih.gov/articles/PMC6465761/> | "Evidence seems to justify the widespread use of foam rolling as a warm-up activity rather than a recovery tool."

Sources:

- <https://pmc.ncbi.nlm.nih.gov/articles/PMC6465761/>

Reference

Runner-up topics

- **Nordic hamstring volume, the reversal.**
Cholp & Zemková (Frontiers in Physiology 2025, PMC12572617): low-volume NHE matches high-volume on eccentric peak strength ($g = 0.46$ vs 0.77) but produces no meaningful fascicle length change, where high volume does ($g = 0.43$). This partly walks back the 2026-06-23 "low volume is enough" hot take. A Reel that corrects your own prior take is strong content. Their in-season note: low volume is the right call when match congestion kills compliance.
- **Mike T. Nelson's Coaching Leverage**
(physiology $\times$ client ability to change; protein ranked #1, sleep ranked #8). No public URL to screenshot, so it needs a different visual treatment, but it's a great whiteboard Reel.
- **Single-night sleep extension**
(PMC12387293): 55 extra minutes improved 8 AM shuttle-run distance, reaction time (253 vs 296 ms), and squat

jump. Sleep extension ran 2026-06-22, so give it a few weeks.

Sources scanned today

- **Newsletter digest 2026-07-17**

(newsletter_digest_2026-07-17.pdf) — thin day, 2 sources, 0 educational links. Dr. Mercola: general-population "walking" and metabolic-depression pieces, both promo-shaped, skipped. Mike T. Nelson: "Coaching Leverage = Physiologic Effect × Client Ability to Change" framework, a genuinely good idea (protein ranked #1 for leverage, sleep ranked #8 because compliance is hard). Held as a runner-up because the newsletter has no public URL to screenshot.

- **PubMed / PMC** — swept hamstring injury prevention, high-speed running exposure, sprint dosing, Nordic hamstring volume, sleep extension, isometric/tendon adaptation, foam rolling. Landed on the underexposure literature.
- **Frontiers in Public Health (2026)** — "High-speed running and injury risk in soccer: a systematic review" (Xie & Cai).

Read it, then rejected it as a lead: 22 observational studies, and the review explicitly declines to give a dose ("preclude definitive thresholds"). Too hedged to teach from. Noted as background.

- **Sports Health** — Moreno-Pérez et al. LaLiga GPS study on reduced match exposure and hamstring injury. Concrete numbers, counterintuitive, football-native. Selected for Draft A.
- **Frontiers in Physiology** — Wiewelhove et al. foam rolling meta-analysis. Selected for Draft B.
- **Frontiers in Physiology (2025)** — Chorp & Zemková, high vs. low volume Nordic hamstring curl. Strong finding (low volume matches on strength, gets no architecture change), and it partly reverses the 2026-06-23 Draft B take. Held as the top runner-up to avoid running two hamstring-dosing Reels in one day.
- **NSCA / BJSM / JOSPT / Sports Health news feeds, Pacey Performance, Just Fly, Iron Culture, r/AdvancedFitness** —

scanned, nothing fresher than the above that cleared the athlete test.

- Registry dedup: both selected primary URLs (PMC10732102, PMC6465761) are absent from cited-sources.json (81 entries, all within 90 days). Sleep extension (2026-06-22) and Nordic volume (2026-06-23) topic families were deliberately avoided for the leads.