

Message 1 of 21

Update Curtailment

Sender	jeff.duff@enron.com
Recipients	[wcmarshall@aep.com, 'mark.fisher@enron.com', 'kurt.anderson@enron.com']
File	fischer-m/all_documents/330.

Ward,

We currently re-running the May figures with the updated wind speed correction and will forward the May summary with the Jan and Feb figures from Rich. The question should we update the Mar and April figures using the updated wind speed correction, or present those figures as a conservative figure.

If we re-run them it will take most of the day, and we may have them for the morning meeting.

Please let Kurt know and we'll work on this. I'll try to call when I arrive in TX today.

Kurt, let Mark Fisher know if we need to proceed on this.

Jeff Duff

wcmarshall@aep.com on 06/24/2002 05:07:17 AM To: JEJackson@cps-satx.com cc: awsmith1@aep.com, jeffrey.duff@ps.ge.com, rkblackshear@aep.com, rlsimon@windots.net, rpwalker@aep.com, tnmccastlain@aep.com

Subject: RE: draft agenda

We should be able to provide you with the curtailment numbers by the end of today based on our proposed methodology.

Ward C. Marshall Director, Business Development AEP Energy Services, Inc.

Office (614) 583-6607 Fax ? ? (614) 583-1627 Cell ? ? (614) 736-6022

Mailing Address: PO Box 16036 Columbus, OH 43216-0036

Physical Address: 155 W. Nationwide Blvd. Suite 500 Columbus, OH 43215

"Jackson, James E" <JEJackson@cps-satx.com>

06/21/2002 06:53 PM ? ? ? ? ? ? ? ? To: ? ? ? ? ? "tnmccastlain@aep.com" <tnmccastlain@aep.com>, wcmarshall@aep.com, rpwalker@aep.com, rkblackshear@aep.com, jeffrey.duff@ps.ge.com, rlsimon@windots.net ? ? ? ? cc: ? ? ? ? awsmith1@aep.com ? ? ? ? Subject: ? ? ? ? RE: draft agenda

Terri,

Do you have a copy of the curtailment numbers that you can send to me, so I may begin looking over them before our meeting on Tuesday? ?I think this would allow for more input from CPS regarding the calculation of these numbers and future curtailment numbers.

James Jackson City Public Service (210) 416-3635

-----Original Message-----

From: tnmccastlain@aep.com [mailto:tnmccastlain@aep.com] Sent: Friday, June 21, 2002 4:24 PM To: wcmarshall@aep.com; rpwalker@aep.com; rkblackshear@aep.com; jeffrey.duff@ps.ge.com; Jackson, James E; rlsimon@windots.net Cc: awsmith1@aep.com Subject: draft agenda

Here is a draft of agenda items for the meeting Tuesday. ?Let me know if you have any additions deletions.

Terri McCastlain Director, Asset Management 214-777-2010 fax 214-7771700 cell 214-236-4127

Message 2 of 21

Re: CPS curtailment meeting	
Sender	jeff.maurer@enron.com
Recipients	['hollis.kimbrough@enron.com', 'mark.fisher@enron.com', 'kurt.anderson@enron.com', 'mark.walker@enron.com', 'j']...
File	fischer-m/all_documents/298.

Hollis,

In your absence, I have decided to appoint Jeff Duff to meet in San Antonio with AEP and CPS to go over curtailment calculation. He will review and familiarize himself with the calculation by talking to Mark Fisher.

Kurt,

Please get in touch with Jeff and have a preliminary meeting with him and Mark Walker, so that there are no surprises at the meeting with CPS.

Best regards,

Jeff

Kurt Anderson 06/14/2002 03:33 PM To: Hollis Kimbrough/EWC/Enron@ENRON cc: Jeff Maurer/EWC/Enron@ENRON, Mark Fisher/EWC/Enron@Enron, Mark V Walker/EWC/Enron@ENRON, Jeff Duff/EWC/Enron@ENRON, Olivia Martinez/EWC/Enron@Enron

Subject: CPS curtailment meeting

Hollis, we need to determine who from GEWE will attend this meeting. Please discuss this issue with Jeff Maurer on Monday and make the necessary arrangements. On Monday AM I will be on my way to Trent Mesa to meet with AEP regarding the foundation issue. I will call you in route to discuss further.

Thank you

----- Forwarded by Kurt Anderson/EWC/Enron on 06/14/2002

03:30 PM -----

wcmarshall@aep.com on 06/14/2002 01:42:19 PM To: tnmccastlain@aep.com, rkblackshear@aep.com, Kurt.Anderson@enron.com, rlsimon@windots.net cc: bmgivens@aep.com, awsmith1@aep.com, jfgodfrey@aep.com, rboteler@aep.com

Subject: CPS curtailment meeting

CPS would like to meet with AEP and GE Wind to discuss curtailment calculations on June 24th in their offices in San Antonio. The curtailment calculations that we have been working on will be the basis of past and future billings and therefore need to be understood and accepted by all parties.

Rich Simon plans to be available via conference call. I would like to have a representative from GE Wind at the meeting if possible to answer any questions concerning their curtailment calculation methodology which we are proposing for May onward. We will also discuss the modified method for handling Jan thru April curtailment estimates that Rich Simon has been working on to account for the missing SCADA data in the prior months beginning on January 11th.

Ward C. Marshall Director, Business Development AEP Energy Services, Inc.

Office (614) 583-6607 Fax (614) 583-1627 Cell (614) 736-6022

Mailing Address: PO Box 16036 Columbus, OH 43216-0036

Physical Address: 155 W. Nationwide Blvd. Suite 500 Columbus, OH 43215

Message 3 of 21

Re: Desert Sky

Sender	mark.walker@enron.com
Recipients	[jeff.duff@enron.com', 'mark.fisher@enron.com', 'hollis.kimbrough@enron.com', 'kurt.anderson@enron.com']
File	fischer-m/notes_inbox/163.

The contractual availability definition in the owner report is the same used throughout 2002 and implements the contractual availability definition upon which annual availability warranty calculations are based. Contractual availability is defined $(\text{Survey} - \text{DT} - \text{RT} - \text{MT} - \text{LOT}) / (\text{Survey} - \text{LOT} - \text{MTprorated})$ where Survey is the maximum possible number of hours in the calendar period and MTprorated is the percent of the 48 hours of maintenance per year credit that can be taken credit for. DT, RT, MT, and LOT are controller counters that accumulate the hours, to the nearest second, that the turbine is in a downtime fault, repair time, maintenance time, or line out condition. The DT, RT, MT, and LOT values are corrected for communication loss at the beginning and ending of the time period of interest. The correction is based on counter values in the next or previous time interval and is not based on an assumed 90% of communication loss rule.

I assume that Mr Marshall means wind direction curtailment by his phrase "columnar shut-down". The wind direction curtailment is not yet implemented in the field and therefore there are no downtime losses. The curtailment info sent earlier by Mark Fisher was "utility" and not "wind direction curtailment".

W.C. Marshall, as per the note below, has already provided the availability figures for Jan and Feb 2002.

The performance testing results must come from Engineering. System Performance Group is not involved.

The transfer function to compute m/s windspeed for the NRG #40 anemometers is $(0.765 \cdot \text{Hz}) + 0.35$.

Kurt Anderson 05/28/2002 08:41 AM To: Bo Thisted/EWC/Enron@Enron, Mark V Walker/EWC/Enron@ENRON cc: Hollis Kimbrough/EWC/Enron@ENRON

Subject: Desert Sky

Bo and Mark, I need some help on the note below. Please review Ward's e-mail below and provide the information and or explanation as appropriate.

I am tied up on another project and would really appreciate your help, please call if you have any questions.

Thank you

KA

----- Forwarded by Kurt Anderson/EWC/Enron on 05/28/2002

08:51 AM -----

wcmarshall@aep.com on 05/28/2002 06:49:26 AM To: Kurt.Anderson@enron.com cc: rmalbarano@aep.com, rboteler@aep.com, peter.simpson@garradhassan.co.uk

Subject: Desert Sky

Can you help me find the following information for Peter Simpson. ?I have attached the April Status Report which should answer the Jan and Feb availability question.

Renee.....Kurt may need to know what availability and wind speed data was sent to Peter.

The following information would also be helpful:

- definition of the availability figure given in the monthly availability report, in particular the definition of the numerator shown in the spreadsheet;
- duration of down-time due to columnar shut-down;
- availability figures for January and February 2002;

- if available, any results from performance testing undertaken to date;
- the transfer functions that have been applied to the wind speed data provided.

Regards,

Peter Simpson

Ward C. Marshall Director, Business Development AEP Energy Services, Inc.

Office (614) 583-6607 Fax ? ? (614) 583-1627 Cell ? ? (614) 736-6022

Mailing Address: PO Box 16036 Columbus, OH 43216-0036

Physical Address: 155 W. Nationwide Blvd. Suite 500 Columbus, OH 43215 - 0402 Desert Sky Monthly Site Report[1].pdf

Message 4 of 21

Re: Monthly Reporting

Sender	kurt.anderson@enron.com
Recipients	['kurt.anderson@ps.ge.com', 'rwinsor@zilkha.com', 'gverkleeren@zilkha.com', 'jeff.duff@enron.com']
File	fischer-m/all_documents/387.

Gary,

I apologize for the delay, our goal is to provide validated data for the January through May period by Wednesday, July 10th. At my request, upon Mark Fisher's return from the meetings at Mill Run, the Data Analysis group has been working toward this goal at the expense of getting the May report completed. My intent was to avoid any doubts about the methodology utilized on the availability calculation for the May report. If you agree, GEWE will forward the Jan. through May data to you no later than Wednesday, and schedule a conference call for Friday, July 12th to discuss the reports further.

Please let me know if this schedule is acceptable.

Regards,

Kurt

GVerkleeren@zilkha.com on 07/08/2002 07:18:07 AM To: kurt.anderson@ps.ge.com cc: rwinsor@zilkha.com

Subject: Monthly Reporting

Kurt,

We are awaiting the GEWE Monthly Reports for the Mill Run and Somerset Projects for the Month of May. Typically we receive the monthly reports for the previous month on or about the 20th of the subsequent month. We rely on these reports for various accounting, performance, and record keeping purposes. Please advise on the current status of these reports.

Regards,

Gary

Gary Verkleeren Zilkha Renewable Energy 68 Braddock Drive Ohiopyle, PA 15470

Office: 724 434-1542 Mobile: 724 554-0924 Fax: 724 434-1543

Message 5 of 21

GE Sponsorship with AT&T Cellular Phones for Personal Use

Sender	nicholle.henry@enron.com
Recipients	[ge_benefits@enron.com]
File	fischer-m/all_documents/325.

On Monday June 24th AT&T reps will be on site at GE Wind Energy in both the north and south faculties to enroll you in a personal cellular plan. The AT&T reps will be in the up stairs lunch room in the South facility and in the new lunch room in the North facility from 7:30 to 5:30. These AT&T reps will be able to answer all of your questions concerning your personal cellular phone and plan. If you are an existing AT&T customer please see the attached flyer.

General Electric is pleased to announce that we have signed a national agreement with AT&T Wireless Services on behalf of all the subsidiaries. Effective immediately, GE Wind Energy employees will be able to receive discounted rates, based on the buying power of all of our divisions. This includes major discounts on service for personal use. This includes discounts on new phones and a 12% service discount off wireless service and airtime charges. Existing lines are eligible too!! Be sure to spread the word!

Once your personal line is on the GE Sponsorship program, the 12% discount shows up every month, and is applied to monthly service and airtime charges. This discount starts appearing on the second or third bill since when the line was added to the program. Phones and accessories, for new services, are discounted at 50% off of the Manufacturer's Advertised Price!

AT&T Wireless Gives General Electric Employees Flexible Learning and Buying methods.

National Business Ordering- 1-800-388-3235 and give your foundation number 26961. You can order new service, even for your family, as long as the line is in the name & responsibility of a GE employee. In AT&T Wireless markets, you may also call this 800# to have your existing line "attached" to the program, and you will start receiving the 12% discount on your existing line.

Any AT&T Wireless Retail Store- To locate the store go to the following site: <http://www.attws.com/general/storelocator/> Then just walk into any AT&T Wireless Retail Store. These stores are only located in AT&T Wireless markets. When you place your order, just identify yourself as a General Electric Employee and reference the Account Number 26961

To view all of the rates plans and phone equipment use the following site: <http://www.attws.com>

For all options you will need to reference General Electric Foundation Account: 26961

Message 6 of 21

SCADA & Misc.

Sender	kurt.anderson@enron.com
Recipients	['mark.fisher@enron.com', 'mark.walker@enron.com', 'hollis.kimbrough@enron.com']
File	fischer-m/notes_inbox/132.

FYI ----- Forwarded by Kurt Anderson/EWC/Enron on 06/10/2002 11:35 AM -----

Joe Thorpe 06/10/2002 11:18 AM To: John Nemila/EWC/Enron@ENRON, Kurt Anderson/EWC/Enron@ENRON cc:

Subject: SCADA & Misc.

Kurt & John, I am forwarding this Email from Gary. At this time I have not completed investigating this problem, when I do I'll let you know so far I have been unable to find a reason for this. ----- Forwarded by Joe Thorpe/EWC/Enron on 06/10/2002 02:32 PM -----

GVerkleeren@zilkha.com on 06/07/2002 01:19:32 PM To: joseph.thorpe@ps.ge.com cc:

Subject: SCADA & Misc.

Joe,

Upon my review of the mon files for Mill Run, I have discovered some discrepancies surrounding the recent grid outage on 6-5-02 that require corrective action. The Mill Run site experienced grid downtime on 6-5-02 between 2115 and 2330 hours for a total of 2 hrs and 15 minutes. The associated grid downtime that was logged by the mon files within Visupro recorded the following:

WTG#1 - 2hrs 20 minutes WTG#2 - 2hrs 22 minutes WTG#3 - 2hrs 24 minutes WTG#4 - 2hrs 26 minutes WTG#5 - 2hrs 18 minutes WTG#6 - 4hrs 46 minutes WTG#7 - 2hrs 12 minutes WTG#8 - 5hrs 02 minutes WTG#9 - 2hrs 16 minutes WTG#10 - 2hrs 22 minutes

The majority of the turbines are within reason except for turbines #6 and #8 which have recorded more than double the actual grid downtime. In addition, WTG#4 reports no data in the mon file for 6-2-02, Can you explain this occurrence? This is not the first time data has been observed to be missing from the mon file of an individual turbine. I also noted that WTG#5 experienced more than 10 hours on repair on 6-6-02, Was there a failed component that was replaced on this date?

As previously discussed, I want Visupro to be an effective tool for both you and me. We need to work together to work out all of the bugs and reporting malfunctions so that we can have a high level of confidence that it is performing calculations and reporting accurately. Please forward my concerns to the appropriate people within GE so as to respond to these couple of items in a timely manner. Understanding the mon file discrepancy in particular will be useful for the upcoming meeting with GE personnel to work through the availability calculations.

Furthermore, please provide me with the field reports for the shaft inspections recently performed at Mill Run. Am I correct in saying that 3 shafts were tested at Mill Run and none at Somerset?

I look forward to your responses

Gary

Gary Verkleeren Zilkha Renewable Energy 68 Braddock Drive Ohiopyle, PA 15470

Office: 724 434-1542 Mobile: 724 554-0924 Fax: 724 434-1543

Message 7 of 21

GE Sponsorship with AT&T Cellular Phones for Personal Use

Sender	nicholle.henry@enron.com
Recipients	[ge_benefits@enron.com]
File	fischer-m/notes_inbox/76.

Just a reminder for all employees, AT&T reps are in both the north and south facilities lunch rooms today from 7:30 to 5:30 to help you with your personal cell phone needs. ----- Forwarded by Nicholle Henry/EWC/Enron on 06/24/2002 10:41 AM -----

Nicholle Henry 06/20/2002 02:07 PM To: GE_Benefits cc:

Subject: GE Sponsorship with AT&T Cellular Phones for Personal Use

On Monday June 24th AT&T reps will be on site at GE Wind Energy in both the north and south facilities to enroll you in a personal cellular plan. The AT&T reps will be in the up stairs lunch room in the South facility and in the new lunch room in the North facility from 7:30 to 5:30. These AT&T reps will be able to answer all of your questions concerning your personal cellular phone and plan. If you are an existing AT&T customer please see the attached flyer.

General Electric is pleased to announce that we have signed a national agreement with AT&T Wireless Services on behalf of all the subsidiaries. Effective immediately, GE Wind Energy employees will be able to receive discounted rates, based

on the buying power of all of our divisions. This includes major discounts on service for personal use. This includes discounts on new phones and a 12% service discount off wireless service and airtime charges. Existing lines are eligible too!! Be sure to spread the word!

Once your personal line is on the GE Sponsorship program, the 12% discount shows up every month, and is applied to monthly service and airtime charges. This discount starts appearing on the second or third bill since when the line was added to the program. Phones and accessories, for new services, are discounted at 50% off of the Manufacturer's Advertised Price!

AT&T Wireless Gives General Electric Employees Flexible Learning and Buying methods.

National Business Ordering- 1-800-388-3235 and give your foundation number 26961. You can order new service, even for your family, as long as the line is in the name & responsibility of a GE employee. In AT&T Wireless markets, you may also call this 800# to have your existing line "attached" to the program, and you will start receiving the 12% discount on your existing line.

Any AT&T Wireless Retail Store- To locate the store go to the following site: <http://www.attws.com/general/storelocator/> Then just walk into any AT&T Wireless Retail Store. These stores are only located in AT&T Wireless markets. When you place your order, just identify yourself as a General Electric Employee and reference the Account Number 26961

To view all of the rates plans and phone equipment use the following site: <http://www.attws.com>

For all options you will need to reference General Electric Foundation Account: 26961

Message 8 of 21

FW: RE: Revised Availability Numbers

Sender	kurt.anderson@enron.com
Recipients	['mark.fisher@enron.com', 'mark.walker@enron.com', 'jeff.duff@enron.com']
File	fischer-m/all_documents/426.

Lets get together to discuss.. ----- Forwarded by Kurt Anderson/EWC/Enron on 07/12/2002 10:49 AM

"Gary Verkleeren" <GVerkleeren@zilkha.com> on 07/12/2002 10:48:27 AM To: <kurt.anderson@enron.com> cc:

Subject: FW: RE: Revised Availability Numbers

-----Original Message----- From: Gary Verkleeren Sent: Friday, July 12, 2002 1:27 PM To: 'kurt.anderson@ps.ge.com' Cc: Rick Winsor; Joan Quick; Mark Haller Subject: RE: Revised Availability Numbers Kurt, After performing an initial review of the revised availability numbers,

which included performing spot checks on specific turbines, I have decided to discontinue any additional efforts on my part to validate the revised numbers. The basis for my decision includes but is not limited to the following:

1) The summary letter which accompanied the revised availability tables states:

"To differentiate for times when the turbine is transitioning between states as per design, calculations have determined that during each month a turbine will have between one and two hours meeting the above conditions. For this reason, the times determined using the conditions above (i.e. "zero power availability") were decreased by 1.5 hours to account for the as designed transitioning times."

I reject applying this rule. A turbine is available to run or it is not available to run. If a turbine remains down on repair for seven consecutive days its availability for that seven day period is zero. No credit should be applied for as designed transitioning times - at least this is how I interpret the contract.

2) On May 23, 2002 you received an email from me regarding the April Monthly Reports. My email to you made specific reference to MR WTG#9 and its improperly reported availability. On June 13, 2002, Mark Fisher, Joe Thorpe and I spent the entire day reviewing the availability calculation procedures,

methodology, and reporting. MR WTG#9 happened to be a specific turbine in which we worked through the entire availability calculation. Both Mark Fisher and Joe Thorpe agreed that the reported availability was incorrect by approximately 5 percentage points. Why was MR WTG#9 not revised for the month of April?

3) Your summary letter mentions low data recovery of 10-minute data for the December 01 time period. Based on my understanding from Mark Fisher, the Mon files

form the basis for your availability reporting. My availability analysis which primarily included investigation of the 10-minute data was frowned upon by Hollis Kimbrough and he mentioned several problems with my method. He stated that the Mon files have a much higher data recovery rate. Did the 10-minute data form the basis for your revised availability tables?

4) In addition to MR WTG#9 as mentioned above, I have internal documentation that suggests that the revised availability percentage on MR WTG#2 for the month of February remains on the order of 3 to 4 percentage points high.

I recommend performing a more thorough review of the available information including SCADA files, maintenance records, and repair logs and then revisiting the recently reported numbers. Please recall that I am requesting actual turbine availabilities uncorrected for maintenance allowances. The revised numbers make no distinction. I am also in need of complete monthly reports for both PA projects for the month of May which should have been received by June 20th.

Please contact me at your earliest convenience if you would like to discuss these matters in further detail.

Regards, Gary Gary Verkleeren Zilkha Renewable Energy 68 Braddock Drive Ohiopyle, PA 15470 Office: 724 434-1542 Mobile: 724 554-0924 Fax: 724 434-1543

Message 9 of 21

SCADA Inconsistencies @ Mill Run

Sender	harvey.kaura@enron.com
Recipients	['patricia.hunter@enron.com', 'mark.fisher@enron.com']
File	fischer-m/discussion_threads/38.

Hi Mark, As promised. FYI See you tomorrow morning.

Best Regards,

HHK

----- Forwarded by Harvey Kaura/EWC/Enron on 03/20/2002

08:35 PM -----

Keith Warner 03/19/2002 04:48 PM To: Harvey Kaura/EWC/Enron@ENRON cc:

Subject: SCADA Inconsistencies @ Mill Run

----- Forwarded by Keith Warner/EWC/Enron on 03/19/2002

05:14 PM -----

Phil Waddell 03/19/2002 02:32 PM To: Keith Warner/EWC/Enron@ENRON, Marion Horna/EWC/Enron@ENRON cc: Joe Thorpe/EWC/Enron@Enron, Kevin Cousineau/EWC/Enron@ENRON, Dave Schulgen/EWC/Enron@ENRON, Dan Lindquist/EWC/Enron@Enron, Jeff Maurer/EWC/Enron@ENRON, Mike Messier/EWC/Enron@ENRON

Subject: SCADA Inconsistencies @ Mill Run

Hi Keith, Please review the following request from Mr. Verkleeren.

Inconsistencies with the grid downtime numbers at Mill Run. Frequent PMT circuit breakers trip events. The Mill Run site had an event on 03/17, prior to the inclement weather, where pad's 1,3,5,6,7&8 had the PMT circuit breakers open @ approximately 0900 but did not have any component failures and did not trip the SEL.

Per our conversation and the follow-up E'mail on 3/18, Zilkha is looking for a report on the steps taken to minimize the low gearbox oil pressure faults.

Best regards,

Philo

----- Forwarded by Phil Waddell/EWC/Enron on 03/19/2002

01:06 PM -----

"Gary Verkleeren" <GVerkleeren@zilkha.com> on 03/19/2002 11:48:15 AM To: <phil.waddell@enron.com> cc: "Rick Winsor" <rwinsor@zilkha.com>, "Mark Haller" <mhaller@zilkha.com>

Subject: SCADA Inconsistencies @ Mill Run

Philo,

After exporting and reviewing Mill Run SCADA data (Monthly Production file) for the running month, I observed several inconsistencies between turbines that do not make sense. Specifically, for the grid downtime realized over the weekend (a result of the ice storm) which you had the pleasure of sharing with me, there was a total of approximately 14 hours of grid downtime. The downtime began at 1930 on 3-17-02 and essentially ran until 0930 on 3-18-02. During this time I closed the breaker restoring grid power to the site at 2345 only to have the site trip again within the next 15 minutes. (This can clearly be seen by viewing the attached text file and looking at the line voltages, VA, VB, VC).

The grid downtime calculated and reported on the Monthly file for turbines # 2, # 4 and # 7 is not even close to being correct. Please review the attached excel spreadsheet generated from exported SCADA data as verification. All of the other turbines are somewhat close to calculating the downtime correctly but there are still certain mysteries with those as well. As you are aware, nearly all of the main circuit breakers tripped at Mill Run at approximately 0930 on 3-17-02, this likely partially explains why there is some variability between grid downtimes being recorded. I say this because a total loss in power to the turbine is realized in this event and SCADA probably cannot differentiate between a main circuit breaker trip and a grid loss.

I am requesting an explanation for the inconsistencies noted between grid downtime allocations per turbine as calculated by Visupro/SCADA. As a reminder, I am also looking for a report summarizing the measures taken to correct the low gearbox oil pressure faults, and feedback on why main circuit breakers are operating at both Mill Run and Somerset. The main circuit breakers were intended to be an added safety/protection feature and I was lead to believe that they would not operate on a regular basis. The main circuit breakers are tripping frequently, this suggests a possible safety concern and warrants immediate attention.

I look forward to your response

Best Regards,

Gary

<<MR SCADA 3-1-02 thru 3-18-02.xls>> <<MR SCADA 3-1-02 thru 3-18-02.xls>>

Gary Verkleeren Zilkha Renewable Energy 68 Braddock Drive Ohiopyle, PA 15470

Office: 724 434-1542 Mobile: 724 554-0924 Fax: 724 434-1543

<<MR SEL DATA 3-17-02 to 3-18-02.txt>> - MR SCADA 3-1-02 thru 3-18-02.xls - MR SCADA 3-1-02 thru 3-18-02.xls - MR SEL DATA 3-17-02 to 3-18-02.txt

Message 10 of 21

Re: FW: RE: Revised Availability Numbers

Sender	kurt.anderson@enron.com
Recipients	[mehaller@pressenter.com', 'rwinsor@zilkha.com', 'jquick@zilkha.com', 'gverkleeren@zilkha.com']
File	fischer-m/notes_inbox/1.

Gary, thank you very much for your feedback. I apologize for the content of the reports sent to you yesterday. With respect to the content of those reports, it is obvious that more work is required on our part. We will expedite that process and provide revised reports once again as soon as possible. I promise you that Joe Thorpe, Jeff Duff, Mark Fisher, and myself will perform a thorough review of the new data set prior to distribution.

The May monthly report which was sent to your attention earlier today, was delayed at my request to ensure that the correct methodology was utilized when calculating availability, at this time further revisions to that report may be required. In the future, Jeff Duff and I will ensure that the monthly reports are delivered as contractually required.

Regards

KA

"Gary Verkleeren" <GVerkleeren@zilkha.com> on 07/12/2002 10:48:27 AM To: <kurt.anderson@enron.com> cc:

Subject: FW: RE: Revised Availability Numbers

-----Original Message----- From: Gary Verkleeren Sent: Friday, July 12, 2002 1:27 PM To: 'kurt.anderson@ps.ge.com' Cc: Rick Winsor; Joan Quick; Mark Haller Subject: RE: Revised Availability Numbers Kurt, After performing an initial review of the revised availability numbers,

which included performing spot checks on specific turbines, I have decided to discontinue any additional efforts on my part to validate the revised numbers. The basis for my decision includes but is not limited to the following:

1) The summary letter which accompanied the revised availability tables

states:

"To differentiate for times when the turbine is transitioning between

states as per design, calculations have determined that during each month a turbine will have between one and two hours meeting the above conditions. For this reason, the times determined using the conditions above (i.e. "zero power availability") were decreased by 1.5 hours to account for the as designed transitioning times."

I reject applying this rule. A turbine is available to run or it is

not available to run. If a turbine remains down on repair for seven consecutive days its availability for that seven day period is zero. No credit should be applied for as designed transitioning times - at least this is how I interpret the contract.

2) On May 23, 2002 you received an email from me regarding the April

Monthly Reports. My email to you made specific reference to MR WTG#9 and its improperly reported availability. On June 13, 2002, Mark Fisher, Joe Thorpe and I spent the entire day reviewing the availability calculation procedures, methodology, and reporting. MR WTG#9 happened to be a specific turbine in which we worked through the entire availability calculation. Both Mark Fisher and Joe Thorpe agreed that the reported availability was incorrect by approximately 5 percentage points. Why was MR WTG#9 not revised for the month of April?

3) Your summary letter mentions low data recovery of 10-minute data for the

December 01 time period. Based on my understanding from Mark Fisher, the Mon files

form the basis for your availability reporting. My availability analysis

which primarily included investigation of the 10-minute data was frowned upon by Hollis Kimbrough and he mentioned several problems with my method. He stated that the Mon files have a much higher data recovery rate. Did the 10-minute data form the basis for your revised availability tables?

4) In addition to MR WTG#9 as mentioned above, I have internal

documentation that suggests that the revised availability percentage on MR WTG#2 for the month of February remains on the order of 3 to 4 percentage points high.

I recommend performing a more thorough review of the available information

including SCADA files, maintenance records, and repair logs and then revisiting the recently reported numbers. Please recall that I am requesting actual turbine availabilities uncorrected for maintenance allowances. The revised numbers make no distinction. I am also in need of complete monthly reports for both PA projects for the month of May which should have been received by June 20th.

Please contact me at your earliest convenience if you would like to discuss these matters in further detail.

*Regards, Gary Gary Verkleeren Zilkha Renewable Energy 68 Braddock Drive Ohiopyle, PA 15470 Office: 724 434-1542
Mobile: 724 554-0924 Fax: 724 434-1543*

Message 11 of 21**Thank you!**

Sender	sammi@enron.com
Recipients	['mfischer@enron.com']
File	fischer-m/personal/31.

Dear Mary:

Thank you for taking the time to meet with me regarding the Tax analyst position within Enron. I greatly appreciate the time you took to review my resume and discuss the kinds of opportunities I can pursue. Your information will be most helpful.

After meeting you and learning more about this program, I remain very interested in pursuing work opportunities within Enron. I feel that the combination of previous work experiences and school projects all position me well to be successful in this position. I welcome the opportunity to demonstrate my skills within Enron. Also, I am very excited about the chance to work with such a great team. This position is exactly what I have been looking for, and I sincerely hope I am the person you are looking for as well.

Again, I appreciate the time you spent with me and I look forward to speaking with you again in the near future. Please feel free to contact me at (713) 661-5787 or shuihung@yahoo.com if I can provide you with any additional information.

All Best Wishes,

Shu-I (Sammi) Hung 6245 Renwick Dr. #4337 Houston, TX 77081 (713) 661-5787 shuihung@yahoo.com

Message 12 of 21**Enron Energy Marketing Corp. - Withdrawal of Qualification in**

Sender	patricia.lee@enron.com
Recipients	['mary.fischer@enron.com', 'richard.laird@enron.com', 'angie.ramirez@enron.com', 'vicsandra.trujillo@enron.com...]
File	fischer-m/inbox/5.

Please make a note of this and follow up before we make any 4Q payments.

Patty

----- Forwarded by Patricia A Lee/HOU/EES on 08/17/2001 06:53 AM -----

From: Lori Pinder/ENRON@enronXgate on 08/16/2001 07:03 PM To: Vicki Sharp/HOU/EES@EES, Barbara Hankins/HOU/EES@EES, Beth Apke/HOU/EES@EES, Judy Knepshield/ENRON@enronXgate, James L Bouillion/ENRON@enronXgate, James Derrick/ENRON@enronXgate, Charles Cheek/ENRON@enronXgate, Becky Stephens/ENRON@enronXgate, Janice Priddy/ENRON@enronXgate, Cynthia Barrow/ENRON@enronXgate, Mary Perkins/ENRON@enronXgate, Sandra Hrna/ENRON@enronXgate, Kate Cole/ENRON@enronXgate, Teresa Callahan/ENRON@enronXgate, Larry Pardue/ENRON@enronXgate, Sylvia Hu/ENRON@enronXgate, Wanda

Labaume/ENRON@enronXgate, Johnson Leo/ENRON@enronXgate, Sharon J Reese/HOU/EES@EES, Greg Whiting/ENRON@enronXgate, Lynda Pham/ENRON@enronXgate, Patricia A Lee/HOU/EES@EES, Jerry Thomas Moore/ENRON@enronXgate cc: James E Keller/HOU/EES@EES, Lillian Bailey/ENRON@enronXgate Subject: Enron Energy Marketing Corp. - Withdrawal of Qualification in Indiana

Enron Energy Marketing Corp. (87C-ENEM)

We have been requested by EES to file for the withdrawal of the above company's qualification to conduct business in the State of Indiana. If you are aware of any reason NOT to withdraw from this state, please let me know by Thursday, August 30, 2001.

Should we receive no objection, we will proceed to file for the withdrawal.

Thanks.

Lori Pinder Supervisor, Corporate Services and Assistant Secretary 1400 Smith St., Room 4802 Houston, Texas 77002
713.853.7291 713.646.8007 (Fax)

Message 13 of 21

Fwd: flight to houston # 1262B arrives 12 noon

Sender	mary.fischer@enron.com
Recipients	['carl.fischer@uk.akzonobel.com']
File	fischer-m/personal/15.

----- Forwarded by Mary Fischer/HOU/EES on 08/20/2001 04:55 PM -----

Jaye Anderton <jaye@rice.edu> on 08/19/2001 01:36:23 PM To: Kimberly Davenport <kdaven@ruf.rice.edu>, Mary Fischer <mfischer@enron.com> cc: Subject: Fwd: flight to houston # 1262B arrives 12 noon

FYI

X-From_: susanleigh55@earthlink.net Sun Aug 19 11:15 CDT 2001 From: "Susan Murray" <susanleigh55@earthlink.net> To: jaye@rice.edu Cc: shelliebronson@yahoo.com, penny@mceinc.com, PwllGr@aol.com, rlewis@docucorp.com Date: Mon, 20 Aug 2001 00:15:40 +0800 Subject: flight to houston # 1262B arrives 12 noon Jaye, my flight arrives Saturday Aug 25 at noon. I am copying my family member on this note so you will have their email addresses if needed and also to update them on Nicaragua. I am having a good time especially considering my apprehension before I left Houston. The way to travel is to hook up with a realtor who will take you all over for free. The realtor (Steve) lived in Costa Rica for 20 years then moved to Nicaragua 6 years ago. He is about our age and a true gentlemen. Yesterday he took me to his house on one of the small islands on Lake Nicaragua. He owns his own island. There are about 300 of them. Too rustic for me, but very peaceful. He arranged my travel from Granada to the Blue Bay Resort at Papaguyo Beach in Costa Rica. It is only three or four hours away driving, but is a hassle because you have to cross the border. If you want to see the property I visited, there are pictures at www.ranchosantana.com. I feel safe here, but the real test will be when I! cross the border. Today I left my room for breakfast very early. I didn't lock up as I expected to return before the maid. My money and passport were easily accesible. The maid came while I was at breakfast, but nothing was missing. Unbelievable since this might not have happened in the US. Today there is a big festival here in Granda with fireworks, a horse parade, etc. Tomorrow I leave for the resort in Costa Rica. The charge for the Internet use here is about \$2.50 per hour. Lisa and I paid \$1.00 per minute on the cruise. You won't here from me again if the resort internet charges are astronomical. I am having trouble with hotmail so please email me at earthlink.net if you need to contact me. Love Susan -- _____ Get your free email from <http://webmail.earthlink.net>

--

Jaye Randall Anderton Manager, Rice University Art Gallery PO Box 1892, MS-59 Houston, TX 77251-1892
713.348.5740; 713.348.5980 (fax)

Message 14 of 21

Re: Desert Sky curtailment lists

Sender	jeff.duff@enron.com
Recipients	[mark.fisher@enron.com]
File	fischer-m/notes_inbox/60.

----- Forwarded by Jeff Duff/EWC/Enron on 06/27/2002 05:33

PM -----

dfmatson@attbi.com on 06/27/2002 05:31:33 PM To: jeffrey.duff@ps.ge.com cc:

Subject: Re: Desert Sky curtailment lists

Jeff, Thanks for taking care of this. Still have any hair? I got mine cut yesterday, so there isn't much to pull on...

This data will come in handy, and I'll get the March-May curtailment list via pro-rating method to him tonight.

As for Mark's email, he has the same sort of address as yours, but I keep getting notes from Postmaster@enron.com about not being able to deliver the message...go figure. Cheers, Dave

-- David F. Matson Consulting Meteorologist 1650 Saint Lawrence Way Pleasant Hill, CA 94523 925-933-7505 (voice & fax) dfmatson@attbi.com

Message 15 of 21

Re:

Sender	jeff.duff@enron.com
Recipients	[wcmarshall@aep.com', 'mark.fisher@enron.com', 'jeffrey.duff@ps.ge.com']
File	fischer-m/notes_inbox/66.

FYI ----- Forwarded by Jeff Duff/EWC/Enron on 06/27/2002 10:51 AM -----

dfmatson@attbi.com on 06/27/2002 10:51:28 AM To: kurt.anderson@ps.ge.com cc: wcmarshall@aep.com, jeffrey.duff@ps.ge.com

Subject: Re:

Kurt and Jeff: I have used the data lists, as given, and things went fairly smoothly, with one exception. I found several occurrences of more than 107 turbines curtailed! Check the attached worksheet for one example. I was able to sort out duplicates and you can see what I came up with. Since I have to use a wind speed calculation when more than 21 turbines are curtailed, I don't want to just assume that all 107 turbines were curtailed when there may have been less. I need someone to go over the numbers again, so we can have more confidence. Awaiting your reply, David

-- David F. Matson Consulting Meteorologist 1650 Saint Lawrence Way Pleasant Hill, CA 94523 925-933-7505 (voice & fax) dfmatson@attbi.com

- file0001.xls

Message 16 of 21

Questions Related to 20Q

Sender	todd.richards@enron.com
Recipients	['chris.elliott@enron.com', 'mary.fischer@enron.com']
File	fischer-m/inbox/40.

Chris,

I am not sure if you are the person to answer these questions or not, but I have your name as my contact. I have a few questions regarding Company 20Q:

1. Bad Debts Expense/Allowance for Doubtful Accounts: The balance sheet activity does not match the income statement activity. The difference is roughly \$10 million. Could you please provide a detailed analysis of the following two accounts: 52501000 20017000
2. Amortization: What does the expense in account 5700-0000 relate to? I see that the monthly expense increased from 2,959 to 39,462 in April. Did some new items appear? If so, please explain the nature of the transactions. I will need to this information to ensure that our tax amortization is properly reflected for 2001.
3. Deferred Debits: Please provide an explanation of what is in this account.
4. State Apportionment: Please verify that the following amounts are truly foreign in nature (as evidenced by jurisdiction code 79). I am asking for verification so that I can be sure that my calculated state tax rate is correct.

Account Number Jurisdiction Code Amount

40001000 79 381,203 40002000 79 (308,658,611) 40005000 79 363,428,746 45019000 79 (36,245,170) 69000000 79 7,498

The answers to these questions may be as simple as providing E-schedules, or there may be more detail needed. If you could have this information to me by November 15, I would greatly appreciate it. If you have any questions or issues with this request, please call me at extension 53522.

Todd Richards Corporate Tax Department - Commodities and Trading 713.345.3522

Message 17 of 21

Re: WR574 Wind and Turbine Data Clear Sky

Sender	klaus.obel@enron.com
Recipients	['Matthew', 'Klaus Obel/EWC/Enron@Enron', 'Bo Thisted/EWC/Enron@Enron', 'mark.fisher@enron.com', 'kurt.anderso...']
File	fischer-m/notes_inbox/345.

Kurt and Bo, I am currently in Minnesota, so please call my cell phone if you want to discuss, I am flying out of here tomorrow afternoon, @ 4 Minnesota time. Thanks, Klaus Cell (661) 330 3451

Mark Fisher 03/28/2002 04:08 PM To: Kurt Anderson/EWC/Enron@ENRON cc: Bo Thisted/EWC/Enron@Enron, Klaus Obel/EWC/Enron@Enron, Matthew Meyers/EWC/Enron@Enron, Hollis Kimbrough/EWC/Enron@ENRON, George Griesse/EWC/Enron@Enron

Subject: Re: WR574 Wind and Turbine Data Clear Sky

Kurt,

Matt has determined that we have already supplied most of January with additional January data is available (Matt has already provided me with those files).

However, the turbine 10-minute data is nonexistent for January. We have data for approximately the last week of January for 3 (three) turbines. This data appears to have come out of FreeAna files that were probably delivered in February. Prior to Mid February the only files we have for Clear Sky are the "Mon" files. There may be a little data used in SCADA testing for periods before that, however none of that appears to have been in January.

Mark Fisher

Kurt Anderson 03/28/2002 03:50 PM To: Bo Thisted/EWC/Enron@Enron, Klaus Obel/EWC/Enron@Enron cc: Mark Fisher/EWC/Enron@Enron, Matthew Meyers/EWC/Enron@Enron, Hollis Kimbrough/EWC/Enron@ENRON, George Griesse/EWC/Enron@Enron

Subject: Re: WR574 Wind and Turbine Data Clear Sky

Bo and Klaus, Ward Marshall is now asking for January data at Clear Sky. If you recall, Mark Fisher and Matthew Meyers put together the wind and turbine performance data for Feb. and we sent that to Ward last week. There are going to be a couple of issues with providing this data for Jan. The data collection for the turbines was less reliable in January. The wind data should be OK, Matthew? The curtailment data is going to be sorely lacking, during the month of January we were only tracking the time and I believe the number of turbines off-line during curtailments, not the specific wtg's off-line due to curtailment. This going to make the actual lost energy calculation much more difficult and open to question.

Mark and Matthew are going to get started on this asap, I would suggest that Bo, Klaus and myself discuss this issue on Friday AM.

KA ----- Forwarded by Kurt Anderson/EWC/Enron on 03/28/2002 03:25 PM -----

wcmarshall@aep.com on 03/28/2002 02:08:22 PM To: Kurt.Anderson@enron.com cc:

Subject: Re: WR574 Wind and Turbine Data Clear Sky

Do you have this same data for January at Clear Sky?

Ward Marshall Director, Business Development AEP Energy Services, Inc. 1 Riverside Plaza Columbus, OH 43215-2373
Office (614)324-6957 Fax (614)324-6994 Cell (614)314-5538

Message 18 of 21

Re: Curtail200206.db Question

Sender	joe.chapman@enron.com
Recipients	[Jeff Duff/EWC/Enron@ENRON, 'mark.fisher@enron.com']
File	fischer-m/discussion_threads/310.

Hi Mark,

The message at 10:47 says the the computer was rebooted at that time. That is about the only way that I know of that this message would be recorded.

When the TrbCurtail Service is started it does not remember what turbines were curtailed. It waits 10-minutes after starting before issuing any commands to calculate a 10-minute average. After the 10 minute startup wait, the first command output from this program would have released all turbines that were currently curtailed, and curtailed new turbines as needed to keep the 10-minute average MW output at the curtailment setpoint.

So at 10:57 any turbines that were curtailed before that time would have been released. The curtailment log file Visupro creates at the turbine should be able to verify this if needed .

Database:

System Index Number Date/Time Msg 10843 840006029 6/19/02 10:36 Energy curtailed -> Turbine curtailed 10847
840006250 6/19/02 10:47 TrbCurtail Service Started -> Computer rebooted 10855 840006029 6/19/02 10:47 Turbine Com

Established -> Com established to turbine

Joe

Mark Fisher 07/09/2002 03:07 PM To: Joe Chapman/EWC/Enron@ENRON cc: Jeff Duff/EWC/Enron@ENRON

Subject: Curtail200206.db Question

Joe,

Attached is the Curtail200206.db file. I have a question about a sequence of events. For turbine 840006029 on June 19th the turbine is "Energy curtailed" (Index = 10843), THEN it has the message "Turbine Com Established" (Index = 10855). Then there are no other messages (for that turbine) until a "Energy curtailed" message (Index = 11134).

Is there anything I can assume about the time between the curtailment messages? For example, was the turbine uncurtailed when the com established message was recorded? Or are did the turbine become uncurtailed and no message was recorded?

Thanks, Mark

Message 19 of 21

Re: Curtail200206.db Question

Sender	mark.fisher@enron.com
Recipients	['jeff.duff@enron.com']
File	fischer-m/sent/16.

----- Forwarded by Mark Fisher/EWC/Enron on 07/10/2002 09:36

AM -----

Joe Chapman 07/10/2002 08:45 AM To: Mark Fisher/EWC/Enron@Enron cc:

Subject: Re: Curtail200206.db Question

Hi Mark,

The message at 10:47 says the the computer was rebooted at that time. That is about the only way that I know of that this message would be recorded.

When the TrbCurtail Service is started it does not remember what turbines were curtailed. It waits 10-minutes after starting before issuing any commands to calculate a 10-minute average. After the 10 minute startup wait, the first command output from this program would have released all turbines that were currently curtailed, and curtailed new turbines as needed to keep the 10-minute average MW output at the curtailment setpoint.

So at 10:57 any turbines that were curtailed before that time would have been released. The curtailment log file Visupro creates at the turbine should be able to verify this if needed .

Database:

System Index Number Date/Time Msg 10843 840006029 6/19/02 10:36 Energy curtailed -> Turbine curtailed 10847 840006250 6/19/02 10:47 TrbCurtail Service Started -> Computer rebooted 10855 840006029 6/19/02 10:47 Turbine Com Established -> Com established to turbine

Joe

Mark Fisher 07/09/2002 03:07 PM To: Joe Chapman/EWC/Enron@ENRON cc: Jeff Duff/EWC/Enron@ENRON

Subject: Curtail200206.db Question

Joe,

Attached is the Curtail200206.db file. I have a question about a sequence of events. For turbine 840006029 on June 19th the turbine is "Energy curtailed" (Index = 10843), THEN it has the message "Turbine Com Established" (Index = 10855). Then there are no other messages (for that turbine) until a "Energy curtailed" message (Index = 11134).

Is there anything I can assume about the time between the curtailment messages? For example, was the turbine uncurtailed when the com established message was recorded? Or are did the turbine become uncurtailed and no message was recorded?

Thanks, Mark

Message 20 of 21

RE: Fridge Cleaning Friday

Sender	angie.buis@enron.com
Recipients	['houston.tax@enron.com', 'anne.beliveaux@enron.com']
File	fischer-m/deleted_items/10.

I also cleaned out the fridge somewhat yesterday and it would just make you ill to see the stuff that I threw out!

Angie Buis EB 1752a (713) 853-7097 Office (713) 416-4720 Cellular (713) 646-3230 Fax Angie.Buis@enron.com

-----Original Message-----

From: Beliveaux, Anne Sent: Thursday, October 18, 2001 9:12 AM To: Tax Houston Subject: Fridge Cleaning Friday Importance: High

Anything left in either of the refrigerators after 1pm tomorrow, Friday, will be thrown out as I am cleaning them out with Kitchen Lysol so we can have a clean and healthy place to put our lunches. Please in the future, if you do not plan to eat your meals you put in the fridge within two days, remove it as it will be discarded after two days. Lately, the odor has been unbearable coming from the fridges and I do not want to place my meals in a contaminated and dirty refrigerator and I am sure most of you feel the same way. All of your cooperation in this is greatly appreciated and NEEDED.

Message 21 of 21

Re: 34F's 2000 sales by NY cities

Sender	mary.fischer@enron.com
Recipients	['anissa.green@enron.com', 'clint.cockrell@enron.com', 'carrie.chaffin@enron.com', 'chad.gardner@enron.com']
File	fischer-m/sent_items/2.

Anissa,

I can't thank you enough for the quick response. We needed to get the Massachusetts's return out this week. Thanks again.

Mary

Enron Energy Services From: Anissa Green 08/20/2001 03:50 PM Phone No: 713-345-3479

To: Chad Gardner/HOU/EES@EES cc: Mary Fischer/HOU/EES@EES, Clint Cockrell/ENRON@enronXgate, Carrie Chaffin/HOU/EES@EES Subject: Re: 34F's 2000 sales by NY cities

Please see the following break-out of the remaining balance of \$16,263,807.21:

MA \$12,685,769.62

RI \$3,578,037.59

Also, the interest income of \$778,649 is all Ft. Hamilton - Long Island, NY. No, this amount is not included in the \$2,535,155.40.

My worksheet is attached for backup support.

Thanks,

AG

Chad Gardner 08/16/2001 08:02 AM To: Anissa Green/HOU/EES@EES cc: Patricia A Lee/HOU/EES@EES, Mary Fischer/HOU/EES@EES, Jennifer Myers/HOU/EES@EES, Clint Cockrell/ENRON@enronXgate Subject: Re: 34F's 2000 sales by NY cities

Anissa, thanks for the quick response. I have one more request - will you please break-out the remaining balance of \$16,263,807 into the amounts that should be apportioned to Virginia, Rhode Island and Massachusetts. Also, there is interest income of \$778,649 reported on 34F. Is this amount included in the \$2,535,155 related to Ft. Hamilton? If not, please provide me the break-out between states for the interest income as well.

Thanks! Chad

Enron Energy Services From: Anissa Green 08/15/2001 04:19 PM Phone No: 713-345-3479

To: Chad Gardner/HOU/EES@EES, Clint Cockrell/ENRON@enronXgate cc: Carrie Chaffin/HOU/EES@EES Subject: Re: 34F's 2000 sales by NY cities

Chad/Clint,

The total revenues for year 2000 on 34F was \$18,798,962.61. Only \$2,535,155.40 is Ft. Hamilton in Long Island, NY. The remaining balance of \$16,263,807.21 pertains to GSA in Virginia/Rhode Island/Massachusetts.

If you need additional information, please contact me.

Thanks,

AG ----- Forwarded by Anissa Green/HOU/EES on 08/15/2001 04:15 PM -----

Enron Energy Services From: Anissa Green 08/15/2001 01:53 PM Phone No: 713-345-3479

To: Chad Gardner/HOU/EES@EES, Clint Cockrell/ENRON@enronXgate cc: Carrie Chaffin/HOU/EES@EES Subject: Re: 34F's 2000 sales by NY cities

Chad/Clint,

The amount of \$18,798,962.61 given to you by Mark Adatauto was incorrect. It consisted of our 'entire 34F ledger' revenue + interest income. The correct total is \$2,535,155.40 which is all Ft. Hamilton in Long Island, NY.

Should you have any additional questions, please do not hesitate to contact me.

Thanks,

AG

Chad Gardner 08/15/2001 09:33 AM To: Anissa Green/HOU/EES@EES cc: Carrie Chaffin/HOU/EES@EES, Patricia A Lee/HOU/EES@EES, Mary Fischer/HOU/EES@EES, Clint Cockrell/ENRON@enronXgate Subject: 34F's 2000 sales by NY cities

Anissa, we are trying to prepare the 2000 New York Franchise tax return for Enron Federal Solutions, Inc. In order to complete this return, we need the sales in the state of New York apportioned to either the cities or counties that this income was derived in. For 2000, there was a total of \$18,798,963 of sales and interest income apportioned to the whole state of New York. This is the amount we that we need broken out into cities or counties. Clint and I have been requesting this information from you for several weeks now. We need this by Friday, August 17 to timely file this return. Please contact me with any questions.

Thank you Chad

<Embedded StdOleLink> <Embedded StdOleLink> <Embedded StdOleLink>
