

Message 1 of 41

FW: Farmer's Ag POI 78110

Sender	gary.spraggins@enron.com
Recipients	['controllers.dl-ets@enron.com']
File	schoolcraft-d/inbox/10.

FYI

-----Original Message-----

From: January, Steven Sent: Wednesday, September 19, 2001 2:04 PM To: DL-ETS Gas Controllers Cc: Lagerstrom, Karen; Bollinger, Joni Subject: FW: Farmer's Ag POI 78110

Today we opened the valve to the Farmer's Ag Hancock, Minnesota corn dryer. It is on the Benson Branchline, POI 78110. The procedure on this facility is as follows: When we approach our minimum pressure at Benson (350 psi or less), we will call the two people listed below, day or night, and let them know we are shutting the valve. We should not re-open again until we are comfortable with the pressures. This facility is 100% interruptible and should be shut-in any time we are concerned about the Benson Pressure. As you can see, this is a Utilicorp customer, not a Minneagasco customer, so you should not communicate with Minneagasco concerning the operation of this plant. Be SURE to log all activities concerning the valve operation and who you communicated with when you shut or open the valve. As always, we also need to work with Minneagasco as well when pressure problems occur, about cutting back their load as well, but this corn dryer should be in the first call. thanks. sj

-----Original Message-----

From: Bollinger, Joni Sent: Wednesday, September 05, 2001 4:30 PM To: January, Steven; Spraggins, Gary Cc: Lagerstrom, Karen Subject: Farmer's Ag POI 78110

FYI.

A contact at Farmer's Ag if we need to shut in the point this fall is:

Chad Lozinski Office: 320-392-5927 Cell: 320-808-3824 Home: 320-392-7321

I would suggest we also contact Eric Rodenburg at UCU if possible: Phone: 402-926-5266 24 hr: 888-337-6134

Status:

Talked to Mitch Olsen, NNG field tech, today. Mitch indicated he is to meet a UCU representative at the site on 9/10 to test the communications. Mitch will let me know how that goes. Told Mitch we cannot turn on the valve until everything is a go.

Joni

Joni Bollinger NNG Marketing phone: (402) 398-7427 fax: (402) 398-7413 joni.bollinger@enron.com

Message 2 of 41

RE: Tomah Valve Outage (#17228)

Sender	jerry.graves@enron.com
Recipients	['bryan.reinecke@enron.com', 'rory.calhoun@enron.com', 'controllers.dl-ets@enron.com']
File	schoolcraft-d/deleted_items/128.

FYI,

This outage is complete, and Dave Cammock is on his way to start bringing the pressure back up at LaCrescent.

Jerry

-----Original Message-----

From: Calhoun, Rory Sent: Monday, October 01, 2001 9:25 PM To: Graves, Jerry; DL-ETS Gas Controllers Cc: Reinecke, Bryan Subject: RE: Tomah Valve Outage (#17228)

Do to the pressure being lowered to 520 psig at LaCresent on the discharge for this outage, I have reset the HI & HI HI alarm limits to give us fore warning should the regulator fail. Original Alarm Values New Alarm Values LaCresent discharge - HI 715 HI HI 725 HI 525 HI HI 530 Tomah # 1 Inlet PSI - HI 725 HI HI 750 HI 525 HI HI 530

-----Original Message-----

From: Graves, Jerry Sent: Thursday, September 27, 2001 7:24 AM To: DL-ETS Gas Controllers Cc: Reinecke, Bryan Subject: Tomah Valve Outage (#17228)

FYI,

This outage was move up from 10/25/01 to 10/2. The outage will last from 10/02 to 10/08. We wanted to get this done earlier in the month. This is a Platteville Team outage, but the pressure reduction on the B/L is controlled by the Owatonna Team. See the details below, and the contact people.

Tomah Valve #4 replacement. Install new valve setting 11901-BYB04 @ the Sparta Takeoff. Stopple fittings will be installed upstream and downstream of BV BYB04 and a 4" temp.bypass fab. & installed. Reduce pressure for excavation to 65% maop (520 psig) regulated at LaCrescent during stopple ops.

Platteville Team - Lenny Klaas 608-778-8514 (Cell) Owatonna Team - Dave Cammock 507-456-1135 (Cell)

Jerry

Message 3 of 41

FW: Houston Outage Meeting

Sender	jerry.graves@enron.com
Recipients	['ron.matthews@enron.com', 'darrell.schoolcraft@enron.com']
File	schoolcraft-d/inbox/junk/649.

-----Original Message-----

From: Graves, Jerry Sent: Tuesday, February 12, 2002 3:32 PM To: "Mathis, Charles R." <Charles.Mathis@EIPaso.com <mailto:Charles.Mathis@EIPaso.com>>@ENRON"; Charles Goodding; Chuck Thompson - PNM; Corina Veloz; Darrell Schoolcraft; David Campbell; Francis Roemer; Frank Gallegos; Greg Kardos; Johnny Hunt; Lane Ayers; Ron Matthews; Stahl, Danny - Williams; Steve Flaim; Terry Hardman; 'clark.w.mower@williams.com' Cc: Graves, Jerry Subject: Houston Outage Meeting

Hey guys here is some more information for you to digest. If everyone would like to stay at the same hotel we can get a block of rooms for a cheaper rate (about \$150), I just need the names of those people, or you can make you own plans. Hotels further away from the downtown area are a little cheaper, but it might be worth the price not to fight the traffic on Thursday morning. All three of these hotels are within walking distance to the office. (One to two blocks)

Downtown Hotels Hyatt 713-654-1234 Rate - \$220 per night Doubletree 713 -759-0202 Rate - \$245 Crown Plaza 713-739-8800 Rate - \$194

Itinerary March 6 Golf outing - 1:00 Tee Time We will meet at Memorial Park Golf - Fee is about \$30 713- 862-4033 (10 min. from downtown) I will send map on how to get there. Dinner - At 6:00 pm at Pappadeaux on 2410 Richmond 713-527-9137. I will send map on how to get there.

March 7 Outage meeting - 8:00 AM until? - It will be in the Gas Control Center 42C1 (I can meet everyone in the down stairs lobby about 7:30) My ext. is 58923. There will be coffee and a breakfast snack.

These are the people I have heard back from so far. Charlie Mathis / EL Paso Golf & Dinner Corina Veloz / EL Paso Dinner David Campbell / EL Paso Golf & Dinner Greg Kardos / Burlington Golf & Dinner Pat Bent / Burlington Golf & Dinner Clark Mower / Williams Golf & Dinner Darrell schoolcraft / TW Golf & Dinner Ron Matthews / TW Golf & Dinner Jerry Graves (Myself) / TW Golf & Dinner

Please let me know ASAP if anyone else plans to attend the meeting or festivities. I would appreciate it very much. Thank you Jerry Graves Sr. Specialist Gas Control Transwestern / NNG 713-345-8923

*Message 4 of 41***RE: Houston Outage Meeting**

Sender	darrell.schoolcraft@enron.com
Recipients	['jerry.graves@enron.com']
File	schoolcraft-d/sent_items/432.

Chuck Thompson is with PNM.

ds

-----Original Message-----

From: Graves, Jerry Sent: Monday, February 25, 2002 4:04 PM To: Schoolcraft, Darrell; Matthews, Ron Subject: Houston Outage Meeting

Hey guys, I was not able to get the group rate. Hopefully you can find a good rate on your own. All three of these hotels are within walking distance to the office. (One to two blocks) Note: I did change the dinner time to 7:00 pm to give everyone extra time. And written directions to the course and to Pappadeaux are below as well.

Downtown Hotels Hyatt 713-654-1234 Doubletree 713 -759-0202 Crown Plaza 713-739-8800

Itinerary March 6 Golf outing - 1:00 Tee Time Memorial Park Golf - Fee is about \$32 713- 862-4033 (10 min. from downtown) (Directions From downtown)- Take Memorial west to Memorial park turn right on east Memorial loop drive, the club house will be on the right. (From I-10 west) exit Wescott turn left over I-10, turn right at the first entrance into the park.

Dinner At Pappadeaux - At 7:00 pm Pappadeaux on 2410 Richmond 713-527-9137. (Directions From downtown) - Take Allen Parkway west to Shepard, turn left on Shepard, keep going until you get to Richmond, make a right on Richmond, a few blocks down it will be on the right side of the street. (From the golf course) - Take Memorial back east towards downtown until you get to Shepard, turn right until you get to Richmond, make a right on Richmond, a few blocks down it will be on the right side of the street.

March 7 Outage meeting - 8:00 AM 12:00 (Normally) - It will be in the Gas Control Center 42C1 (I can meet everyone in the down stairs lobby about 7:30) My ext. is 58923. There will be coffee and a breakfast snack.

These are the people I have down for the meeting. If there is anyone that I missed please let me know. Charlie Mathis / EL Paso Golf & Dinner Corina Veloz / EL Paso Dinner David Campbell / EL Paso Golf & Dinner Greg Kardos / Burlington Dinner Pat Bent / Burlington Dinner Mike Jukes / Williams Dinner Chuck Thompson / Williams Golf & Dinner Francis Roemer / Williams Golf & Dinner Danny Stahl / Williams Golf & Dinner Clark Mower / Williams Golf & Dinner Darrell schoolcraft / TW Golf & Dinner Ron Matthews / TW Golf & Dinner Jerry Graves (Myself) / TW Golf & Dinner

Thank you Jerry Graves Sr. Specialist Gas Control Transwestern / NNG 713-345-8923

Message 5 of 41

FW: Project Tracking Number - "CORRECTION"

Sender	timothy.jones@enron.com
Recipients	['russ.ulibbari@enron.com', 'mark.mcconnell@enron.com', 'david.roensch@enron.com', 'scott.hill@enron.com', 'be...
File	schoolcraft-d/inbox/junk/426.

IMPORTANT!!!!!! Please note "CORRECTION" to Project Tracking Number!!!!!!

Griffith Interconnect/Citizens RTU Mods (Corrected Number) X.001668.113085600020

I know it's hard to believe but I "Fat Fingered" the incorrect number below.....Sorry, tj

Timothy Jones Transwestern Pipeline Company Summit Office Bldg. Ste. 250 4001 Indian School Rd., NE Albuquerque, NM 87110 Work (505) 260-4007 Fax (505) 254-1437 E-Mail: Timothy.Jones@enron.com

-----Original Message-----

From: Roensch, David Sent: Saturday, February 02, 2002 11:17 AM To: Jones, Timothy; Jones, Vera; Collins, Judy Cc: Whippo, Jeff Subject: FW: Project Tracking Number

Once all the cost associated with this project role up.... I would ask that you provide the detail and total of that role up so that I can proceed with the information to marketing (Mark McConnel) who will be charged with communicating/billing to Citizens. Also, how/when will I know that the Kingman Team is credited with this billing?

----- Forwarded by David Roensch/ET&S/Enron on 02/02/2002 11:12 AM -----

From: Timothy Jones/ENRON@enronxgate on 02/01/2002 01:39 PM CST To: David Roensch/ET&S/Enron@ENRON cc: Scott Hill/ET&S/Enron@ENRON, Russ Ulibarri/ET&S/Enron@ENRON, Ben Tanner/Enron@enronxgate, Todd Ingalls/ENRON@enronxgate, Mark McConnell/Enron@EnronXGate, Jeff Whippo/ENRON@enronXgate, Darrell Schoolcraft/ENRON@enronXgate, Vera Jones/ENRON@enronXgate, Judy Collins/ENRON@enronxgate

Subject: FW: Project Tracking Number

Tracking number for below listed project is: Griffith Interconnect/Citizens RTU Mod's. X.001669.113085600020

Questions/Concerns, call me. tj

Timothy Jones

Work (505) 260-4007 Fax (505) 254-1437 E-Mail: Jones, Timothy or Timothy.Jones@enron.com

-----Original Message-----

From: Roensch, David Sent: Thursday, January 31, 2002 12:03 PM To: Jones, Timothy Cc: Hill, Scott; Ulibarri, Russ; Tanner, Ben; Todd Ingalls@Enron; McConnell, Mark; Whippo, Jeff; Schoolcraft, Darrell Subject: Project Tracking Number

Tim, I know we have the budget crunch and meetings this week, but when you get time per our conversation yesterday, please provide the Project Tracking Number for the Citizens Griffith RTU modifications to the folks listed above. As long as we have this number available before timesheets are due we should be alright.

All, this number should be used to track all of your labor, traveling expenses and/or any material required for this project.

At this point the modifications continuing forward for a Friday morning installation. Citizens has been advised of the schedule and Darryl Schoolcraft has been notified. Scott and Russ, please make sure you contact the gas control desk just prior to implementing the changes so they can be standing by. Citizens has notified El Paso of the planned changes and timeline so that they are prepared to make up any volumes should a problem occur. Scott and/or Russ will provide gas control with the register number to access the variable pressure setpoint remotely. Darryl has requested that we initially set the pressure control at no lower than 680 to 700#s. Let me know if anyone has questions.

Message 6 of 41

FW: Bisti Replacement Motor Update"

Sender	dan.pribble@enron.com
Recipients	['darrell.schoolcraft@enron.com']
File	schoolcraft-d/deleted_items/587.

FYI, looks like 6 weeks. I have communicated to Steve Harris. Dan

-----Original Message-----

From: Spalding, Norm Sent: Wednesday, March 20, 2002 3:35 PM To: Jones, Timothy; Pribble, Dan; Brasher, Barney; San-Juan, Team; San-Juan-LaPlata, Team; Jones, Vera; Collins, Judy; Gallup, Team; Gallup-Sta4, Team; Gallup-Sta5, Team; Morse, Ronnie; Ingalls, Todd; Geheb, Robert; Bailey, Arnie; Roensch, David; Smith, Rick; Whippo, Jeff; Mayes, Josh; Honey, Lisa; Smith, Sarabeth; Knippa, Mark Cc: Eisenstein, Arnold L.; Chanley, Earl; McCracken, Mike; Matthews, Ron; Bissey, Ginger; DeLosSantos, Ernie; Fitzwater, Sandra; Brown, Dwain; Martin, Jerry D. Subject: Bisti Replacement Motor Update"

We informed Ideal Electric this afternoon to start work on the Bisti replacement motor. Josh Mayes has contacted Andrew Gagnon at Ideal with the P.O. information. We were able to negotiate a three year warranty with the 6 week delivery. Price will be \$295,000 with a reduction in price of \$30,000 to \$35,000 if we can reuse the existing rotor and/or parts from the previously installed rotor. We will need to ship the entire motor except for the top hat enclosure and the rotor at Roswell to Ideal.

Todd or Tiny, please ship the motor and spare rotor to Ideal Electric Company, 330 E. First Street, Mansfield, OH, 44902 Attn: Andrew Gagnon, phone 419-522-3611.

Sarabeth or Josh, please contact Ideal for a long term service contract. Dan Pribble would like to know what this cost would be and he will decide if this option should be pursued.

Arnold, please send Andy at Ideal the information you have on the Gallup motor.

Ideal is checking on the cost of a spare motor which would be good for both Bloomfield and Bisti. Depending on what the Gallup specifications are, Ideal might be able to make the spare motor good for all three installations.

We have informed Mark Knippa with ECS that due to the emergency situation that TW is leading the efforts to get Bisti back into service. Mark will be in contact with us as to his negotiations with the Creditor's Committee on reimbursing TW for all costs. I think Sarabeth will be our contact on these discussions?

I will be out of the office on Thursday and Friday. Arnold Eisenstein will be available if any questions or concerns arise. Thanks, Norm

-----Original Message-----

From: Jones, Timothy Sent: Wednesday, March 20, 2002 2:08 PM To: Pribble, Dan; Brasher, Barney; San-Juan, Team; San-Juan-LaPlata, Team; Jones, Vera; Collins, Judy; Gallup, Team; Gallup-Sta4, Team; Gallup-Sta5, Team; Morse, Ronnie; Ingalls, Todd; Geheb, Robert; Bailey, Arnie; Roensch, David; Smith, Rick; Whippo, Jeff Cc: Eisenstein, Arnold L.; Spalding, Norm; Chanley, Earl; McCracken, Mike; Matthews, Ron; Bissey, Ginger; DeLosSantos, Ernie; Fitzwater, Sandra; Brown, Dwain Subject: X.001796 Bisti Elect. Motor Repairs "CANCELLED" Importance: High

IMPORTANT: THE X.001796 BISTI ELECT. MOTOR REPAIRS NUMBER HAS BEEN "CANCELLED". DO NOT TRY TO CHARGE INTO THIS NUMBER!!!!!!

A PAF has been routed for a C.03 Overhaul number for all charges to this project. As soon as I get the C.03 number I will forward to all concerned for charges.

Sorry about the confusion. Thanks, tj

Timothy Jones Transwestern Pipeline Company Summit Office Bldg., Ste. 250 4001 Indian School Rd., NE Albuquerque, NM 87110 Phone: (505) 260-4007 FAX: (505) 254-1437 E-Mail: Timothy.Jones@enron.com

Message 7 of 41

FW: April Maintenance Questions

Sender	tracy.minter@enron.com
Recipients	['darrell.schoolcraft@enron.com']
File	schoolcraft-d/deleted_items/589.

Darrell,

Ben at Conoco would like to know the answers to the questions listed below. His 3rd question below, I think he means 705,000 instead of 205,000.

Thanks,

Tracy

-----Original Message-----

From: "Schoene, Ben J" <Ben.J.Schoene@conoco.com>@ENRON Sent: Thursday, March 21, 2002 7:27 AM To: Minter, Tracy Subject: April Maintenance Questions

Tracy,

Can you please help me with the following?

What is the total capacity for the San Juan lateral? What is the total capacity for the Mainline West of Thoreau? On April 2 the Ignacio to Blanco line is going from 705,000 to 0 with La Plata dropping 500,000 through April 5. When does the 205,000 come back online?

Thank you, Ben

Benjamin James Schoene Transportation Analyst, West Region Conoco Gas and Power Marketing 600 No. Dairy Ashford, CH-1081-65 Houston, TX 77079 Office: 281-293-6228 Fax: 281-293-5329 Mobile: 281-468-1596

Message 8 of 41

RE: Gas Control Overview - Tuesday, August 28

Sender	darrell.schoolcraft@enron.com
Recipients	['jennifer.brockwell@enron.com']
File	schoolcraft-d/sent_items/260.

I'm sorry I have a previous meeting scheduled.

DS

-----Original Message-----

From: Brockwell, Jennifer Sent: Monday, August 27, 2001 11:05 AM To: Schoolcraft, Darrell Subject: Gas Control Overview - Tuesday, August 28

Darrell, Will you be available for the following overview? Please let me know.

Thanks! Jennifer

Date: Tuesday, August 28 Time: 8:50 am Enron Host: Kenton Schaefer, Manager, Steel Trading Attendees: George Schaeffer, President Clark Taylor, General Counsel Purpose: Give customer true impression of Enron capabilities Value Prop: Structure supply and trade agreement for the West Coast

Jennifer Brockwell Enron Corporate Marketing 1400 Smith Street Houston, TX 77002 713-345-7358 713-853-6790 fax
jennifer.brockwell@enron.com

Message 9 of 41

RE: Plant question

Sender	darrell.schoolcraft@enron.com
Recipients	['linda.ward@enron.com', 'ken.powers@enron.com', 'lindy.donoho@enron.com']
File	schoolcraft-d/sent_items/302.

Lindy, You are correct they are physical plant receipt points. The Pecos Diamond plant is the straddle plant located on the Atoka Lateral.

Thanks DS

From: Lindy Donoho/Enron@enronXgate on 05/29/2001 10:01 AM To: Ken Powers/ENRON@enronxgate, Linda Ward/ET&S/Enron@ENRON cc: Darrell Schoolcraft/ET&S/Enron@ENRON

Subject: RE: Plant question

I don't think any of these are straddle plants. (The plant we discussed previously, I think, was the Peco Diamond which is a straddle plant.)

Linda, am I correct on these 3 below?

Sorry it took me so long to respond. Maybe you already have answers to this.

-----Original Message-----

From: Powers, Ken Sent: Wednesday, May 16, 2001 1:41 PM To: Donoho, Lindy Subject: Plant question

I'm afraid I asked you this question before, but I can't find where I wrote down your answer. Sorry.

Anyway, are any of these plants straddle plants, or are they "real" physical receipt points. These are the plants we're receiving gas from in May.

10703 GPM Artesia 60151 Amoco Abo 1190 Sid Richardson Keystone

Ken Powers (402) 398-7065

Message 10 of 41

Electronic Pay Stubs

Sender	enron.payroll@enron.com
Recipients	['darrell.schoolcraft@enron.com']
File	schoolcraft-d/untitled/1.

Get ready. Beginning in November, electronic pay stubs will be available to all employees who have their paychecks direct deposited into their bank account. Electronic pay stubs are an easy, fast, and efficient way for you to get your payroll information. They will also help Enron to realize a considerable savings in time and dollars spent over traditional printed pay stubs.

If you prefer to receive a hardcopy of your pay stub, click on the link below to complete a request form. This form must be submitted to Payroll by October 15, 2001. Unless you submit a form your pay stub information will default to electronic viewing.

Please click on the link below.

Name: DARRELL SCHOOLCRAFT Personnel number: P00505575 Phone: 7138534299

If you have questions about electronic pay stubs, please contact Janice Priddy (Payroll) 713-853-7839 or Marie Newhouse (ClickAtHome) at 713-345-4185 or send an email to Enron.Payroll@enron.com (Enron Payroll in Outlook).

Stay tuned for more details in the coming weeks.

<http://etcsurvey.corp.enron.com/wi/p0810709/i.asp?r=13661&s=MGWEXVKR&l=9>

Message 11 of 41

Prescriptions Ready at Walgreens (Try our NEW Auto Refills!)

Sender	customerservice@mail.walgreens.com
Recipients	['dschool@enron.com']
File	schoolcraft-d/inbox/junk/543.

The following prescription number requested for pickup on Monday, February 25th is now ready:

*****66-05101

(Only 7 digits of each prescription refill number are shown to maintain privacy)

This prescription can be picked-up at:

WALGREENS 11220 Louetta Rd Houston, TX 770701406 Pharmacy Phone: (832) 717-4796 Drive Thru: Yes

Pharmacy Hours: Sun - 10:00A to 6:00P Mon - 8:00A to 10:00P Tue - 8:00A to 10:00P Wed - 8:00A to 10:00P Thu - 8:00A to 10:00P Fri - 8:00A to 10:00P Sat - 9:00A to 6:00P

AUTO REFILLS - Do you have a prescription you need to refill regularly? Our NEW Auto Refills provides you the freedom of setting a prescription to refill automatically without having to place another refill request for it. You can then pick it up at any Walgreens pharmacy, or choose to have it mailed to you. Learn more about Auto Refills here:

<http://www.walgreens.com/help/autorefill.jhtml?rxr=55>

BIG SAVINGS ARE JUST A CLICK AWAY

Save today with Online Specials @Walgreens.com! Big savings on the products you use the most. Come see what's on sale today!

<http://www.walgreens.com/store/linespecials.jhtml?rxr=33>

Message 12 of 41

Prescriptions Ready at Walgreens (Try our NEW Auto Refills!)

Sender	customerservice@mail.walgreens.com
Recipients	['dschool@enron.com']
File	schoolcraft-d/deleted_items/540.

The following prescription number requested for pickup on Wednesday, March 20th is now ready:

*****81-05101

(Only 7 digits of each prescription refill number are shown to maintain privacy)

This prescription can be picked-up at:

WALGREENS 11220 Louetta Rd Houston, TX 770701406 Pharmacy Phone: (832) 717-4796 Drive Thru: Yes

Pharmacy Hours: Sun - 10:00A to 6:00P Mon - 8:00A to 10:00P Tue - 8:00A to 10:00P Wed - 8:00A to 10:00P Thu - 8:00A to 10:00P Fri - 8:00A to 10:00P Sat - 9:00A to 6:00P

AUTO REFILLS - Do you have a prescription you need to refill regularly? Our NEW Auto Refills provides you the freedom of setting a prescription to refill automatically without having to place another refill request for it. You can then pick it up at any Walgreens pharmacy, or choose to have it mailed to you. Learn more about Auto Refills here:

<http://www.walgreens.com/help/autorefill.jhtml?rxr=55>

WHAT DO YOUR FINGERNAILS SAY ABOUT YOUR HEALTH?

Some fingernail disorders offer clues to medical conditions. Learn more about how certain changes in your nails can help your doctor develop a diagnosis.

<http://www.walgreens.com/library/feature/feat072301.jhtml?rxr=40>

Message 13 of 41

Prescriptions Ready at Walgreens (Try our NEW Auto Refills!)

Sender	customerservice@mail.walgreens.com
Recipients	['dschool@enron.com']
File	schoolcraft-d/deleted_items/539.

The following prescription number requested for pickup on Wednesday, March 20th is now ready:

*****80-05101

(Only 7 digits of each prescription refill number are shown to maintain privacy)

This prescription can be picked-up at:

WALGREENS 11220 Louetta Rd Houston, TX 770701406 Pharmacy Phone: (832) 717-4796 Drive Thru: Yes

Pharmacy Hours: Sun - 10:00A to 6:00P Mon - 8:00A to 10:00P Tue - 8:00A to 10:00P Wed - 8:00A to 10:00P Thu - 8:00A to 10:00P Fri - 8:00A to 10:00P Sat - 9:00A to 6:00P

AUTO REFILLS - Do you have a prescription you need to refill regularly? Our NEW Auto Refills provides you the freedom of setting a prescription to refill automatically without having to place another refill request for it. You can then pick it up at any Walgreens pharmacy, or choose to have it mailed to you. Learn more about Auto Refills here:

<http://www.walgreens.com/help/autorefill.jhtml?rxr=55>

HEARTBURN DISRUPTING YOUR LIFE? Anyone who has suffered from frequent, persistent heartburn knows how painful and distressing it can be. If you suffer from persistent heartburn two or more days a week even though you are taking medicine and you have changed your diet, you may have acid reflux disease, also known as GERD. Learn more here... <http://www.walgreens.com/pharmacy/heartburn/default.jhtml?rxr=57>

Message 14 of 41

Prescriptions Ready at Walgreens (Try our NEW Auto Refills!)

Sender	customerservice@walgreens.com
Recipients	['dschool@enron.com']
File	schoolcraft-d/inbox/junk/192.

The following prescription number requested for pickup on Wednesday, January 30th is now ready:

*****66-05101

(Only 7 digits of each prescription refill number are shown to maintain privacy)

This prescription can be picked-up at:

WALGREENS 11220 Louetta Rd Houston, TX 770701406 Pharmacy Phone: (832) 717-4796 Drive Thru: Yes

Pharmacy Hours: Sun - 10:00A to 6:00P Mon - 8:00A to 10:00P Tue - 8:00A to 10:00P Wed - 8:00A to 10:00P Thu - 8:00A to 10:00P Fri - 8:00A to 10:00P Sat - 9:00A to 6:00P

AUTO REFILLS - Do you have a prescription you need to refill regularly? Our NEW Auto Refills provides you the freedom of setting a prescription to refill automatically without having to place another refill request for it. You can then pick it up at any Walgreens pharmacy, or choose to have it mailed to you. Learn more about Auto Refills here:

<http://www.walgreens.com/help/autorefill.jhtml?rxr=55>

HEARTBURN DISRUPTING YOUR LIFE? Anyone who has suffered from frequent, persistent heartburn knows how painful and distressing it can be. If you suffer from persistent heartburn two or more days a week even though you are taking medicine and you have changed your diet, you may have acid reflux disease, also known as GERD. Learn more here... <http://www.walgreens.com/pharmacy/heartburn/default.jhtml?rxr=57>

Message 15 of 41

Last Call for Energy Derivatives Class, April 9-10, Houston

Sender	deanrogers@energyclasses.com
Recipients	['darrell.schoolcraft@enron.com']
File	schoolcraft-d/inbox/97.

[IMAGE]=09 Derivatives For Energy Professionals [IMAGE] Two Full Days, April 9-10, 2002 Houston, TX Upcoming Class Date: Two Full Days, August = 6-7, 2002 Early Bird Special Deadline is July 3rd Houston, TX =09

Energy Consumers and Producers? Are you a consumer that hesitated to buy = forward in 2000 or bought too soon last year? Are you a producer who hedge= d too early in 2000 and did not hedge enough in early 2001? Did you take u= ndue credit risk because you did not know how to estimate exposure? Are yo= u comforting yourself with the fact that you did not hedge to make money? = Let's face it - you did not hedge to lose money either. Kase's Derivatives= for Energy Professionals will provide you with the indispensable strategie= s and tactics you need to avoid costly errors and equip you to make the imp= ortant hedging decisions necessary for survival in today's treacherous mark= etplace. Content The Derivatives Market Buying and Selling Forward Hedgein= g Long and Short Positions Trigger Deals, EFP's, Swaps Hedging Spreads and = Basis Volatility and Options Hedging with Options Hedging with "Exotics" Ma= rket Behavior in Favorable Price Environments Market Behavior in Adverse Pr= ice Environments Developing a Strategy to Match Risk Appetite Selecting App= ropriate Instruments Developing Policies and Procedures In This Class Yo= u Will Learn About How futures and OTC derivatives work Hedging prices, ba= sis, margins, and spreads Math for volatility, VAR, Monte Carlos Options, = including puts, calls, floors, caps, synthetics, and more Cost-reducing he= dge strategies, such as three-way collars, option spreads How the market b= ehaves, including how long bull and bear markets typically last, how contan= go or backwardation effects hedging, the impact of removing hedges What he= dge maturities should be used Considerations for custom strategies Develop= ing policies and procedures Registration Fees Include a Copy of Kase's vi= deo "Effective Risk Management" [IMAGE] Early Bird Deadline for August 6= -7 Class is June 3rd Early Bird Special: \$895.00 Two or More Early Bird: = \$825.00 Regular: \$995.00 Two or More: \$895.00 Marriott West Loop, Hous= ton \$135 Per Night - Kase Class Rate (713) 960-0111 Reservations Phone (71= 3) 624-1517 Reservations Fax 1750 West Loop South Houston, TX 77027 For M= ore Information Go To?. www.kaseco.com/classes/derivatives.htm = [IMAGE] Kase and Company also offers In House Training Classes. For more in= formation about Kase In House Training Classes please email us at:kase@kase= co.com (505) 237-1600. Kase and Company also has an upcoming Learn Techn= ical Analysis Class on

June 11-12, 2002 in Houston, TX. For more information about Learn Technical Analysis and what will be covered go to...
www.kaseco.com/classes/tech_analysis.htm

Message 16 of 41

Re: Red Cedar Receipts

Sender	darrell.schoolcraft@enron.com
Recipients	[david.duff@enron.com, 'ken.powers@enron.com', 'lindy.donoho@enron.com', 'jeanette.doll@enron.com']
File	schoolcraft-d/sent_items/309.

I need to get with Dave Duff and have him add the new point to the map. Dave can you do this for us. This new point will need to be inserted under the Mapco point on the Ignacio to Blanco column.

DS

From: Ken Powers/ENRON@enronxgate on 05/31/2001 10:04 AM To: David Duff/ENRON@enronXgate, Darrell Schoolcraft/ET&S/Enron@ENRON cc: Lindy Donoho/Enron@enronXgate, Jeanette Doll/ENRON@enronXgate

Subject: Red Cedar Receipts

Is it possible that POI 78121 "RED CEDAR LAPLATA REC" is excluded from the TW Map? Should it be?

We've been getting 11,000 - 16,000 MMBTU/Day there and I can't figure out where it is on the map. The Receipt Zone in the POI system is "Thoreau" and the POI type is Producer Connect. I'm not sure if I should include it on my report.

POI 500538 "RED CEDAR PLANT I/C" is included on the map in the "Ignacio to Blanco" section, but I can't find the other POI.

What do you think?

Ken Powers (402) 398-7065

Message 17 of 41

Need your Help!

Sender	david.roensch@enron.com
Recipients	[ginger.bissey@enron.com, 'arnie.bailey@enron.com', 'team.artesia@enron.com']
File	schoolcraft-d/inbox/junk/337.

What better time to make this request. For those of you that wish, the Albuquerque Region is taking up a collection to give Rich a Grand going away gift. There are 70 plus employees in the Region and our goal is to collect enough in donations to get Rich a "_____", (can't tell you just yet. Wouldn't want it to leak out and get back to Rich) Besides, depending on the generosity of your donation we may or may not be able to meet our objective..

Please make collections at each work location for those interested in donating and have your checks or cash mailed to the Flagstaff Team office by Friday, January 25th. Mail to the attention of David Roensch or Tracy Kuehl.

Transwestern Pipeline Company P.O. Box 3300 Flagstaff, Az. 86003

----- Forwarded by David Roensch/ET&S/Enron on 01/14/2002 10:54 AM -----

From: Rick Smith/ENRON@enronxgate on 01/14/2002 10:56 AM CST To: Team Artesia/ET&S/Enron@ENRON, Team Carlsbad/ET&S/Enron@ENRON, Team Flagstaff/ET&S/Enron@ENRON, Team Flagstaff-Sta2/ET&S/Enron@ENRON, Team Flagstaff-Sta3/ET&S/Enron@ENRON, Team Gallup/ET&S/Enron@ENRON, Team Gallup-Sta4/ET&S/Enron@ENRON, Team Gallup-Sta5/ET&S/Enron@ENRON, Team Kingman/ET&S/Enron@ENRON,

Team Kingman-Needles/ET&S/Enron@ENRON, Team Kingman-Sta1/ET&S/Enron@ENRON, Team Laguna/ET&S/Enron@ENRON, Team Mountainair/ET&S/Enron@ENRON, Team Roswell/ET&S/Enron@ENRON, Team Roswell-Capitan/ET&S/Enron@ENRON, Team San-Juan/ET&S/Enron@ENRON, Team San-Juan-LaPlata/ET&S/Enron@ENRON, Arnie Bailey/Enron@enronXgate, Rich Jolly/ENRON@enronxgate, David Roensch/ET&S/Enron@ENRON cc:

Subject: Variable Pay Checks Approved

Mr. Pribble called and said the variable pay has been approved and should be direct deposited to your accounts this Friday the 18th. For those that have hard checks they are attempting to have those cut by this date as well. Congratulations.....

Thanks, Rick Smith Transwestern Pipeline Company 505-260-4005

Message 18 of 41

LATE NIGHT NOTES

Sender	bert.hernandez@enron.com
Recipients	['laura.giambrone@enron.com', 'darrell.schoolcraft@enron.com', 'ramona.betancourt@enron.com', 'christine.mcevo...]
File	schoolcraft-d/deleted_items/624.

ID2: Had to manually schedule Northwest CR 20786/24954, PNM CR 20785/25397, and TW CR 22948 because the receipt points were considered invalid. The system EPSQ'd all the volumes down to 50%. I didn't have any problems with the Northwest or PNM contracts, but I had to trace the TW admin contract all the way down the West Texas and Central pools. I was able to reinstate a lot of the gas, but Astra's ended up at Socal and part of Richardson's gas ended up at Socal and PG&E. Semptra's went to Calpine, Reliant went to Southwest Gas Mojave, and USGT's went to both Rio Puerco and Westar Ward so I fixed their volumes.

I had to manually fix Williams' CR 24925 and Texaco's CR 25923/25924 due to variances at El Paso Blanco and Mojave, respectively. Williams was off by 1 MMBtu while Texaco netted to zero. West of Thoreau scheduled to 938,382 and San Juan at 772,209. I confirmed the scheduled volumes with Gas Control for all the points involved.

EVE: Had to manually schedule the Northwest and PNM Hub contracts again. I did not touch the gas sales on the admin contract. Hopefully it will schedule in the Non-Grid. ANR is slightly off, and one Northwest Receipt changed by 1 on cycle 3. The Northwest delivery from Milagro should schedule on the Non-Grid. I submitted the volumes to WFS as if they did schedule on the Evening.

NON-GRID: Confirmed down USGT's 27161 at Halley since NNG did not have a nomination in their system. I got caught up trying to fix the Hub contracts that I did not notice the problem on the Evening cycle especially since Debra is working for the South end. I nominated the payback volume on ANR's OBA for 15,000 on the 19th as well as the 20th through 22nd. I also confirmed the volumes for each day. Check to make sure I am going in the right direction. At least the system didn't get hung up during the confirmations like they did over the weekend.

If you need me on Tuesday, call me at home or page me. I plan to work Wednesday night unless someone tells me otherwise.

Bert

Message 19 of 41

FW: Citizens Agency Agreement at Griffith

Sender	darrell.schoolcraft@enron.com
Recipients	['controllers.dl-ets@enron.com']
File	schoolcraft-d/sent_items/214.

-----Original Message-----

From: "David Bowers" <dbowers@duke-energy.com>@ENRON
[mailto:IMCEANOTES--+22David+20Bowers+22+20+3Cdbowers+40duke-energy+2Ecom+3E+40ENRON@ENRON.com]
Sent: Tuesday, August 07, 2001 4:21 PM To: Mulligan, Amy Cc: Schoolcraft, Darrell; Scott, Donna;
wralkema@pplmt.com; Kenneth G Gruhl Subject: RE: Citizens Agency Agreement at Griffith

Our primary contact for natural gas at Griffith Energy is Mr. Ken Gruhl, Reliability Manager. Email is
kggruhl@duke-energy.com Phone 928-718-0102, ext. 226 Cellular 928-715-0715.

During the normal course of production events the first contact should be the Shift Supervisor in our Control Room at
928-718-0102, ext. 230, or 928-718-0427 and control room Fax number 928-718-0967.

We look forward to working with your group to ensure smooth scheduled gas deliveries.

David A. Bowers Primesouth, Inc. www.griffithenergyproject.com

Amy.Mulligan@ enron.com To: dbowers@duke-energy.com cc: Donna.Scott@enron.com,
Darrell.Schoolcraft@enron.com 08/07/01 bcc: 07:03 AM Subject: RE: Citizens Agency Agreement at Griffith

Hi there David!

For now we are using the plant estimates you send us via email to determine the maximum volume we need to confirm. As
the plant has updates throughout the day regarding when and how much will be pulled, you should contact our Gas Control
at 713-853-5533. There will always be a Gas Controller on call. I will work primarily with Maryanne from Duke, Dave Smith
from PPL and our Gas Control to determine that scheduled volumes and actual flows do not get too far out of whack.

Attached is the contact sheet we will be using in addition to the contact list we have from our meeting out at the plant. (See
attached file: EAMRCitizensContacts.doc) If you have anymore questions, email me back, or my phone number is
713-853-0439. Thanks! Amy Mulligan

Effective August 1, 2001, Enron Asset Management Resources will be acting as agent for the Citizens Communications
Company at the Griffith interconnects on both Transwestern and El Paso. I will be the primary scheduler in charge of
communicating with the plant regarding its needs, confirming the gas at both interconnects, managing the OBA's, and
allocating flows to the owners of the plant.

In order to ensure a smooth transition, I will probably be in close contact with each of you. For the time being, we will use
the burn estimates which come from the plant to determine our confirmed volumes on Transwestern and El Paso, as well
as daily discussions we have with Duke, PPL, and our gas control. In my absence, the rest of the Transwestern scheduling
team will be trained to do the daily confirmations and work with gas control with regard to daily flows.

Thank you for all your cooperation. If you have any questions, please feel free to call me.

Sincerely, Amy Mulligan

Message 20 of 41

RE: POI 500631

Sender	maggie.matheson@enron.com
Recipients	['linda.trevino@enron.com', 'maggie.matheson@enron.com', 'charlie.yuan@enron.com', 'wayne.feng@enron.com']
File	schoolcraft-d/inbox/junk/32.

please ignore this note on POI 78161

Maggie

-----Original Message-----

From: Matheson, Maggie Sent: Wednesday, January 23, 2002 1:18 PM To: Trevino, Linda; Betancourt, Ramona ; Ward, Linda; Schoolcraft, Darrell Cc: Yuan, Charlie; Feng, Wayne Subject: RE: POI 500631

POI 78161 Is not in TMS production, not in PLE, but it is coming accross in TMS Model Office as part of the San Juan 2 group. Charlie and Wayne will you please look into this. I was using K#21901 and under the San Juan Group 500543.

Thanks

Maggie

-----Original Message-----

From: Trevino, Linda Sent: Wednesday, January 23, 2002 12:47 PM To: Betancourt, Ramona ; Matheson, Maggie; Ward, Linda; Schoolcraft, Darrell Subject: RE: POI 500631

POI 78161 is not valid in both production and model office PLE and has been since 8/1/2001. I'm not sure where you are seeing it valid but it is definitely not valid in PLE.

-----Original Message-----

From: Betancourt, Ramona Sent: Wednesday, January 23, 2002 11:53 AM To: Trevino, Linda; Matheson, Maggie; Ward, Linda; Schoolcraft, Darrell Subject: RE: POI 500631

Linda, Here are two other points to update. Darrell told me that the BRI Jackrabbit poi # 500620 is active on TW, but not on Burlington's side. They are not set up to take the gas. It should be made inactive. Also poi 78161 & 500168 are the same point. We sum to poi 500168. So # 78161 should also be made not valid for Transport. Thanks Ramona

-----Original Message-----

From: Trevino, Linda Sent: Wednesday, January 23, 2002 10:14 AM To: Betancourt, Ramona ; Matheson, Maggie Subject: POI 500631

POI 500631 is an active, valid point in the San Juan Basin. It has not started flowing as of yet. It will stay in the groups it has been set up in until we are told otherwise by facility planning.

Linda

Message 21 of 41

RE: West Texas Pool

Sender	darrell.schoolcraft@enron.com
Recipients	['ramona.betancourt@enron.com', 'linda.trevino@enron.com']
File	schoolcraft-d/sent_items/387.

I appologize for some confusion.

56943 Valero Ward -- is only a delivery and we do displacements. 1635 TW-NNG Ward -- is a Bi-directional point. Jackrabbit we can inactivate.

Thanks DS -----Original Message----- From: Trevino, Linda Sent: Friday, January 25, 2002 7:07 AM To: Schoolcraft, Darrell Subject: RE: West Texas Pool

Darrell,

POI 56943 has never been bi-directional in the system? It has always been an out. Is there another point number that was used as the receipt? As far as Jackrabbit the field needs to call in that the point is inactive and should be abandoned. We can inactivate the point to keep people from noming if you want to do that.

-----Original Message-----

From: Schoolcraft, Darrell Sent: Thursday, January 24, 2002 10:32 AM To: Betancourt, Ramona ; Trevino, Linda; Matheson, Maggie Cc: Brostad, Karen Subject: RE: West Texas Pool

56943 TW-NNG Ward-- We need to leave as Bi-directional. Will Fernandes called back and said they were mistaken and there are still one 8" orifice run dedicated to flow gas back to TW. They apologize for the confusion. Burlington Jackrabbit-- Olivia with Burlington called and the point does no longer exist on their side and will not ever be using it. Does this mean we can inactivate it on TW?

ds

-----Original Message-----

From: Betancourt, Ramona Sent: Thursday, January 24, 2002 9:08 AM To: Trevino, Linda; Schoolcraft, Darrell; Matheson, Maggie Cc: Brostad, Karen Subject: RE: West Texas Pool

Linda, Are you OK on the other changes Maggie noted or do we need to get with you? Thanks Ramona

-----Original Message-----

From: Trevino, Linda Sent: Thursday, January 24, 2002 7:38 AM To: Schoolcraft, Darrell; Matheson, Maggie Cc: Betancourt, Ramona ; Brostad, Karen Subject: RE: West Texas Pool

Karen - do you have anything on POI 500168? It is set up as a delivery only in PLE.

-----Original Message-----

From: Schoolcraft, Darrell Sent: Thursday, January 24, 2002 7:34 AM To: Trevino, Linda; Matheson, Maggie Cc: Betancourt, Ramona ; Brostad, Karen Subject: RE: West Texas Pool

500168 is a Bi-directional point and physically can flow both ways. One Oak built a new delivery point with the capacity of 200,000 and the other point that was a delivery only is still active. The two I/C's go into different pressures into their system but physically located in the same yard. TW, along with Marketing (Kevin Hyatt) asked to keep the same POI and asked to set this point up as a summation meter to make it easier for the customers to nom on both pipes. Karen was involved in this point. 56943 is only a delivery only and is good for only displacement. 1635 is no longer a bi-directional point according to Will Fernandes on the Monahans team it is a delivery to NNG only. He will send an e:mail. The Burlington Jackrabbit I/C in San Juan: That was Burlington's Plant and I/C. They were the only shippers able to use that point. They are not using that point and they will get back with me and let us know if they want us to keep the point in active status. If any other questions please call

DS

-----Original Message-----

From: Trevino, Linda Sent: Thursday, January 24, 2002 7:00 AM To: Matheson, Maggie Cc: Schoolcraft, Darrell; Betancourt, Ramona ; Brostad, Karen Subject: RE: West Texas Pool

POI 1635 is a bi-directional point but physically it only flows one way at this time. I can change the indicator for TW in PLE, if that is what you are asking. I'm not sure I understand what you are asking for on POI 56943. Are you saying this point is valid for displacement and I should add it to the IT and SP displacement groups in PLE? What does West Texas have to do with it?? POI 500168 is a delivery in PLE, not bi-directional. If it physically does not flow both ways I can't change the

indicator in PLE. If you are scheduling due to displacement then it should be added to the displacement groups.

-----Original Message-----

From: Matheson, Maggie Sent: Wednesday, January 23, 2002 4:49 PM To: Trevino, Linda Cc: Schoolcraft, Darrell; Betancourt, Ramona Subject: West Texas Pool

The following points need updating in PLE

1635 is scheduled as a bi-directional point so we need to label in PLE as such to be picked up in TMS 56943 should be a displacement point on both IT and SP groups in West Texas 500168 is scheduled as a bi-directional point so we need to label in PLE as such to be picked up in TMS

Message 22 of 41

RE: FW: 35830

Sender	darrell.schoolcraft@enron.com
Recipients	[e..anderson@enron.com]
File	schoolcraft-d/sent_items/327.

Right now I can plan on being there.

ds

-----Original Message-----

From: =09Anderson, Gary E. =20 Sent:=09Thursday, June 14, 2001 3:00 PM To:=09Buchanan, John; Williams, Sammy; Schoolcraft, Darrell; Brickman, Ronn= ie; January, Steven; LeBeau, Randy; Spraggins, Gary Cc:=09Stern, Ellis Subject:=09RE: FW: 35830

It looks like this meeting is falling apart due to lack of attendees. Lets = try to reschedule for June 27th, 2000, same time and place. Thanks- Gary

-----Original Message-----

From: =09Buchanan, John =20 Sent:=09Thursday, June 14, 2001 12:20 PM To:=09Anderson, Gary E. Cc:=09Spraggins, Gary; Williams, Sammy; Schoolcraft, Darrell; Brickman, Ron= nie; January, Steven; LeBeau, Randy Subject:=09Re: FW: 35830

I will not be able to attend, I will be on vacation all next week.

John Buchanan

From:=09Gary E. Anderson/ENRON@enronXgate on 06/14/2001 11:57 AM To:=09John Buchanan/ET&S/Enron@ENRON, Gary Spraggins/ET&S/Enron@ENRON, Samm= y Williams/ET&S/Enron@ENRON, Darrell Schoolcraft/ENRON@enronXgate, Ronnie B= rickman/ET&S/Enron@ENRON, Steven January/ENRON@enronXgate, Randy LeBeau/ET&= S/Enron@ENRON cc:=09=20

Subject:=09FW: 35830

-----Original Message-----

From: =09Anderson, Gary E. =20 Sent:=09Thursday, June 14, 2001 9:49 AM To:=09Anderson, Gary E.; Cc:=09Stern, Ellis; Cessac, Kenneth Subject:=09RE: 35830

Please plan to attend a meeting scheduled for June 20, 2001 @ 10:00AM to 12= :00, 3AC 0301, to discuss procedures for commissioning measurement faciliti= es. If you can't personally attend, please have someone attend in your plac= e. We would like to have a good cross section of representation from Operat= ions, Measurement Technology, Measurement Services, Gas Control, Market Ser= vices, and Marketing. Thanks- Gary=20

-----Original Message-----

From: =09Anderson, Gary E. =20 Sent:=09Friday, June 01, 2001 1:09 PM To:=09Rice, Randy; Buchanan, John; Spraggins, Gary; Williams, Sammy; School= craft, Darrell; Brickman, Ronnie; January, Steven Cc:=09Stern, Ellis; Barnes, Caroline Subject:=09FW: 35830

This was originally an Enron operated facility prior to selling of the gath= ering assets, which then became a Duke operated facility. This point was r= e-activated in December,2000, without Measurement's knowledge, and apparent= ly Market Services and others until April 2001. Had this been a new point, = the current procedures for assigning station number, POI numbers, etc. woul= d have probably prevented an incident such as this from occurring. Bottom l= ine, in addition to generating PPAs and distortion of the pipeline balance= report by improper accounting of all receipts and deliveries, this has rai= sed several areas of concern such as safety, transportation of unscheduled = volumes, and others. We would like to schedule a meeting sometime in June (= time and place to be announced), to address procedurally, what all departm= ental requirements are for volumes to enter and exit our pipeline facilitie= s. Please forward to contacts within you various organizations that you fee= l are necessary and critical to examination of current procedures, and poss= ibly adoption of new ones, and let me know and I will add them to the distr= ibution. Thanks- Gary =20 -----Original Message----- From: =09Sigrid MacPherson =20 Sent:=09Thursday, April 12, 2001 1:04 PM To:=09Brostad, Karen; Metzler, Verlene; Mulligan, Amy Cc:=09Gary Anderson Subject:=0935830

I have gone back through all my own removal (First and Final) history and I= didn't remove that one. My own history goes back to 9/98 so it was done b= efore then. The reset will be easy enough when we find something out assumi= ng we use the same number. Someone REALLY dropped the ball here! Sigrid ----- Forwarded by Sigrid MacPherson/GPGFIN/Enron on 04/12= /2001 07:56 AM -----

=09Verlene Metzler 04/11/2001 01:53 PM =09

To:=09Sigrid MacPherson/GPGFIN/Enron@ENRON cc:=09Karen Brostad/ET&S/Enron@ENRON=20

Subject:=0935830

Karen Brostad called about this point, Duke Schultz #1. It was supposed t= o have been reconnected Dec, Jan time frame. I called Ronnie and he said h= e remembers it but we had to assign a new number. He didn't know what it i= s seeing as he's here in Houston. I tried calling Sammy Williams, he too i= s in Houston. I talked to Danny Garvin he only knew of one Duke connect an= d the name did not match up. I also paged Randy Fitzgerald, he has not ret= urned my call. Karen is having the same problem getting hold of anyone. I= didn't see it on your first and finals either. Anyway, if you know anythi= ng about this call Karen in the AM and let her know.

Thanks, verlene

Message 23 of 41

FW: Northern Border Point to be allocated

Sender	john.buchanan@enron.com
Recipients	['steve.january@enron.com', 'larry.berger@enron.com', 'lynn.blair@enron.com', 'michael.bodnar@enron.com', 'ter...
File	schoolcraft-d/inbox/junk/117.

FYI -----Original Message----- From: Spraggins, Gary Sent: Monday, February 04, 2002 2:16 PM To: Spraggins, Gary; Buchanan, John Cc: January, Steve; Blair, Lynn; Williams, Jo Subject: RE: Northern Border Point to be allocated

We will not be allocating these points, They are now being scheduled to work off imbalances.

Gary

-----Original Message-----

From: Spraggins, Gary Sent: Friday, February 01, 2002 10:09 AM To: Buchanan, John Cc: January, Steve; Blair, Lynn; Williams, Jo Subject: Northern Border Point to be allocated

If these points pop up for allocation we need to allocate them even though they are small points.

POI- 57339 Webster POI- 59264 Milbank POI- 57398 Ivanhoe POI- 59265 Westbrook POI- 57582 Ledyard

John would you forward this message on to the reps.

Thanks Gary

Message 24 of 41

FW: 2002 Conf Room Reservations

Sender	melinda.gallishaw@enron.com
Recipients	[dan.pribble@enron.com', 'arnie.bailey@enron.com', 'rick.smith@enron.com', 'david.roensch@enron.com']
File	schoolcraft-d/inbox/junk/20.

Please note the LOCATION of our monthly director meetings. ECN45C2

Dan Pribble's new location: ECN4518 Melinda Gallishaw's new location: ECN4517

Our telephone extensions and fax number (713-646-4808) will remain the same.

Attached is our revised SW Directors Contact List.

Thank you and have a great 3 day weekend!

Melinda Gallishaw Enron Transportation Services Southwest Operations Loc: 3AC3205 Tel: 713-853-7688 Fax: 713-646-4808 melinda.gallishaw@enron.com

-----Original Message-----

From: Alder, Amelia Sent: Wednesday, January 16, 2002 5:50 PM To: Gallishaw, Melinda Subject: RE: 2002 Conf Room Reservations

Melinda, I put these meetings in ECN45C2.

-----Original Message-----

From: Gallishaw, Melinda Sent: Thursday, December 20, 2001 11:12 AM To: Alder, Amelia Subject: 2002 Conf Room Reservations

Amelia, These are the dates we have blocked off for Dan's monthly Director meetings. Can you reserve and block these dates for us? Whichever conference room? I would imagine a large conference room would work. (15 - 20 capacity). Is there anything like this on 45th or 46th floor in the Enron building?

This is Dan's all day staff meetings for the year 2002. (7:00AM - 5:30PM) Thursday, February 21 Thursday, March 28 Thursday, April 18 Thursday, May 23 Thursday, June 20 Thursday, July 18 Thursday, August 22 Thursday, September 19 Thursday, October 17 Thursday, November 21 Thursday, December 19

Melinda Gallishaw Enron Transportation Services Southwest Operations Loc: 3AC3205 Tel: 713-853-7688 Fax: 713-646-4808 melinda.gallishaw@enron.com

Message 25 of 41

FW: Original Email Returned

Sender	darrell.schoolcraft@enron.com
Recipients	[controllers.dl-ets@enron.com', 'rfranson@czn.com']
File	schoolcraft-d/sent_items/16.

This has been forwarded to the Gas Controllers. Gas controls E:mail address

DL-ETSGasControllers@enron.com no spaces

From: "Franson, Rob" <RFranson@cnz.com>@ENRON

[mailto:IMCEANOTES+22Franson+2C+20Rob+22+20+3CRFranson+40cnz+2Ecom+3E+40ENRON@ENRON.com]

Sent: Tuesday, September 04, 2001 11:28 AM To: Schoolcraft, Darrell Subject: Original Email Returned

Darrell: Please forward to your controllers since the original email was returned. Thanks. -----Original Message----- From: Franson, Rob Sent: Friday, August 31, 2001 3:58 PM To: 'DL-ETS Gas' Cc: Breen, Sean; Tucker, Tom; Snodgrass, Daniel; Conboy, Martin; Harp, George Subject: Clarification on the remote operation of Citizens Owned "Griffith" Station As discussed on the phone, Citizens personnel have been working with Trigon Engineering on-site to better tune the station. We would like to continue refinements and desire our field measurement technician Tommy Tucker to observe via Rocklink whenever the primary selection is switched. Therefore until instructed otherwise, please call Tommy as soon as it is known that a switch will occur, giving him as much lead time to log in and observe. Therefore, be prepared to tell him the exact time the 1 or 2 will be entered. His cell number is (928) 715-7004. If Tommy cannot be reached, go ahead and make the switch with one exception. Exception: If the inlet pressure to the Citizens Owned Station is less than 575 psig on either pipeline, do not change the primary selection without permission. Permission shall be requested by calling one of the following Citizens Employees. Please attempt to call the person listed first, and only call the person listed second if you cannot reach the first person. 1- Tommy Tucker (928) 715-7004 2- Dan Snodgrass (928) 310-5080 3- Martin Conboy (928) 380-5777 or 4- Robert Franson (928) 853-6322. TW-Gas Control, Please respond letting me know if this message is clear.

Message 26 of 41

FW: LATE NIGHT NOTES

Sender	tracy.minter@enron.com
Recipients	['darrell.schoolcraft@enron.com', 'john.buchanan@enron.com']
File	schoolcraft-d/deleted_items/636.

-----Original Message-----

From: Hernandez, Bert Sent: Sunday, March 17, 2002 10:26 PM To: Giambrone, Laura; McEvoy, Christine; Miller, Beverly; Miller, Christopher L; Minter, Tracy; Mulligan, Amy; Ward, Linda Subject: LATE NIGHT NOTES

ID2: No variances or manually scheduled items. The confirmation phase of the cycle got slightly stalled, but not as long as last night's evening cycle.

EVENING: No variances, but I did manually schedule Sempra's CR's 27342, 24136, and 26816 due to problem 3 listed below.

OTHER: 1. Can someone review the allocations for 3/17 for Conoco's CR 22330 with Diane. Diane seems to feel that she is being unfairly cut by our San Juan and WFS-Milagro allocations. I printed the ID1 allocations, but did not get a chance to review. 2. Can someone review the critical notice posted on the internet for the LaPlata Compressor Station for April 2-5 with Darrell. The affected customer list shows Red Cedar's points on the 2nd, but not on the 3rd through 5th. Kim Thomas with Red Cedar does not know if her points will or will not be affected. Please call her tomorrow morning if possible to verify the posting. 3. Sempra's CR 26816 was adjusted Friday, 3/15, to have Calpine be a primary delivery point for 14,000/day; however, an error within CMS has kept the point as a secondary delivery and is being allocated by San Juan FMJ. I have sent an e-mail to Dennis, but could someone follow-up with him to see that it gets fixed. You may also have to "touch" the nom to have the change take effect in TMS. Jim will ask probably to extend the change in primary points for a longer period of time since the Bisti compressor may be down for 5 to 6 weeks. 4. Since the Evening cycle did not complete in a timely manner, I used preliminary numbers in Gaskit. Please review the numbers with Williams after the Non-Grid. 5. My Bruno may have to have surgery today (3/18) for a torn ACL so I may be running a bit late for the late shift. I will keep you informed. Sorry for all the problems I am leaving for the day shift.

See you later, Bert

Message 27 of 41

FW: Smart Pigging In Sections 7 & 8

Sender	darrell.schoolcraft@enron.com
Recipients	['controllers.dl-ets@enron.com']
File	schoolcraft-d/sent_items/19.

-----Original Message-----

From: Bailey, Arnie Sent: Wednesday, September 05, 2001 12:11 PM To: Jolly, Rich; Osborn, Roger; Roensch, David; Smith, Rick; Roswell, Team; Roswell-Capitan, Team; Mountainair, Team; Laguna, Team; Flagstaff, Team; Flagstaff-Sta2, Team; Flagstaff-Sta3, Team; San-Juan, Team; Gallup, Team; Panhandle, Team; Panhandle-P2, Team; Artesia, Team; Schoolcraft, Darrell; Brown, Max; Chanley, Earl; Kunkel, Laura; Tarter, Steve; Gormley, John; Holguin, Danny; McCracken, Mike; Blountm@pii-usa.com Subject: Smart Pigging In Sections 7 & 8

We will be running a PII Smart Pig in the mainline in section 8 and 7 during the week of September 17th. The proposed schedule is as follows:

Monday - 9-17-01 - Safety and tailgate meeting at 1:00/PM MDT at Station 8 (Corona). Load smart pig in station 8 mainline launcher. Set out AGM's Tuesday - 9-18-01 - Run smart pig from station 8 to station 7 (section 8 mainline). Relocate AGM's as needed. Receive pig at station 7, clean it and put it in shop. Retrieve all AGM's Wednesday - 9-19-01 - PII will retrieve data and prepare the pig for the next run. Load smart pig in station 7 mainline launcher. Set out AGM's. Thursday - 9-20-01 - Run smart pig from station 7 to station 6 (section 7 mainline). Relocate AGM's as needed. Receive pig at station 6, clean it and put it in shop. Retrieve all AGM's. Friday - 9-21-01 - PII will retrieve data and prepare the pig for shipping. Travel home.

Cleaning pigs have been run in both sections as gas flow allowed. A TD Williamson representative will be on site next week to witness cleaning runs to verify the pipe is clean enough to smart pig. TD Williamson Caliper Pigs have been run in both sections and indicate there are no restrictions in the pipe that will affect the smart pig.

Suggested lodging: Monday the 17th - Smokey Bear Motel - 505-354-2253. Located in downtown Capitan. Make your reservations now or you may have no room. Tuesday through Thursday - Best Western Oak Tree Inn - 505-861-0980. Located on West side of I-40 at the middle exit at Belen, NM. 30 miles South of Albuquerque.

You can contact me at 505-625-8005 (work), 505-626-1530 (cell) or 800-586-5735 (pager).

Thanks, Arnie

Message 28 of 41

RE: Change for Oneok Interconnect(Oneok Ward County)

Sender	darrell.schoolcraft@enron.com
Recipients	['elizabeth.brown@enron.com', 'john.buchanan@enron.com', 'karen.brostad@enron.com', 'jodie.floyd@enron.com']
File	schoolcraft-d/sent_items/276.

POI 500168 has been changed in CAS to 200,000 both receipt and delivery.

DS

-----Original Message-----

From: Brostad, Karen Sent: Thursday, August 30, 2001 12:21 PM To: Brown, Elizabeth; Buchanan, John; Cormier, Martha; Draemer, Mary ; Frazier, Perry; Hernandez, Bert; Hyatt, Kevin; Kowalke, Terry; Lee, Dennis; Lindberg, Lorraine; Lohman, TK; Lokay, Michelle; Macpherson, Sigrid; McEvoy, Christine; Mercaldo, Vernon; Miller, Beverly; Minter, Tracy; Mulligan, Amy; Ramsaran, Gale; Schoolcraft, Darrell; Spraggins, Gary; Studebaker, James ; Trevino, Linda; Vignaroli, Donald; Ward, Linda Cc: Floyd, Jodie Subject: FW: Change for Oneok Interconnect(Oneok Ward County)

Please note that the original POI 500168 is active/valid in PLE and available to nominate as a receipt or delivery. The new point we set up for the Interconnect (78161) has been inactivated, and will not be valid for transport.

If you have questions, please advise.

Karen Brostad

-----Original Message-----

From: Brostad, Karen Sent: Wednesday, August 29, 2001 9:10 AM To: Macpherson, Sigrid Cc: Panzer, Robin Subject: RE: Change for Oneok Interconnect(Oneok Ward County)

Yes, the volumes for the two physical meters should be summed and passed to POI 500168 as a net number, just like NNG does on their sum meters.

Karen

-----Original Message-----

From: Macpherson, Sigrid Sent: Wednesday, August 29, 2001 9:03 AM To: Brostad, Karen Cc: Panzer, Robin Subject: RE: Change for Oneok Interconnect(Oneok Ward County)

The SUM # for these two stations will be 0047109-00. Will this be used for both delivery and receipt? Sig

-----Original Message-----

From: Brostad, Karen Sent: Wednesday, 08 29, 2001 08:14 To: Brown, Elizabeth; Buchanan, John; Cormier, Martha; Draemer, Mary ; Frazier, Perry; Hernandez, Bert; Hyatt, Kevin; Kowalke, Terry; Lee, Dennis; Lindberg, Lorraine; Lohman, TK; Lokay, Michelle; Macpherson, Sigrid; McEvoy, Christine; Mercaldo, Vernon; Miller, Beverly; Minter, Tracy; Mulligan, Amy; Ramsaran, Gale; Schoolcraft, Darrell; Spraggins, Gary; Studebaker, James ; Trevino, Linda; Vignaroli, Donald; Ward, Linda Subject: Change for Oneok Interconnect(Oneok Ward County) Importance: High

It has been proposed by Marketing that the new interconnect (TW/Oneok Ward County - POI 78161) be not used for nominations, but would be removed from our PLE system and that the old POI 500168 be set up as a bi-directional point for nomination purposes to accept both receipts and deliveries at that point.

All flow through physical meter #10187 (new TW/Oneok Ward County POI 78161) and meter #9089 (Existing TW/Oneok(Westar) Ward County POI 500168) will need to be summed and a new sum meter established for POI 500168.

Kevin: Does this affect your interconnect agreement in any way?

Sigrid, can you please set up the sum meter and let me know what it is.

This change is to be in effect no later than Friday in order to be ready for September business.

If anyone has questions or concerns, please advise.

Karen Brostad

-----Original Message-----

From: Schoolcraft, Darrell Sent: Wednesday, August 29, 2001 7:30 AM To: Brostad, Karen Cc: Frazier, Perry; Lokay, Michelle; Hyatt, Kevin; Ratliff, Dale Subject: One Oak Ward County

Can we use a summation meter for the POI 500168 Westar Ward County Meter # 9089 and Meter # 10187 We can make this a bi-directional point in our system. This will make it transparent to our customers.

Thanks DS

Message 29 of 41

Beaver to Bushton configuration without the Bushton turbine -

Sender	john.sturn@enron.com
Recipients	['team.mullinville-maintenance@enron.com', 'david.gaines@enron.com', 'team.beaver-plant@enron.com', 'dean.hall...]
File	schoolcraft-d/deleted_items/18.

Well my plan lasted about 30 minutes.

I had missed that Clifton unit 32 has been mothballed. It is in a preserve= d state, requiring an estimated 12 hours to place it back in service.

Not running Clifton unit 32 would probably lower the B line throughput by a= bout 70 MM/D. Some of that 70 MM/D could be made up on the C and D in the = configuration below. My suggestion is for Gas Control to make a decision W= ednesday morning if the unit will be needed for the Thursday cold weather.

Please let me know of any better ideas.

John

----- Forwarded by John Sturn/ET&S/Enron on 10/22/2001 03:--

10 PM ----- From:=09John Sturn on 10/22/2001 02:48 PM To:=09Team Beaver-Plant/ET&S/Enron@ENRON, Team Mullinville-Maintenance/ET&S= /Enron@ENRON, Team Mullinville-Operations/ET&S/Enron@ENRON, Team Macksville= /ET&S/Enron@ENRON, Team Cunningham/ET&S/Enron@ENRON, Team Bushton-Operation= s/ET&S/Enron@ENRON, Team Tescott/ET&S/Enron@ENRON, Team Clifton/ET&S/Enron@= Enron, Team Beatrice-M&O/ET&S/Enron@ENRON, Team Palmyra-Plant/ET&S/Enron@En= ron, Jesse Alvarado/Enron@EnronXGate, Roy Armitage/Enron@EnronXGate, Rodney= Barnes/Enron@EnronXGate, Richard Barry/Enron@EnronXGate, Keith Braswell/En= ron@EnronXGate, Rory Calhoun/Enron@EnronXGate, Steve Coash/Enron@EnronXGate= , Jeffrey Cochran/Enron@EnronXGate, Helen Cummings/Enron@EnronXGate, Michae= l Ellington/Enron@EnronXGate, Jerry Graves/Enron@EnronXGate, Margaret Hall/= ENRON@enronXgate, Crandal Hardy/Enron@EnronXGate, Gaynel Henley/Enron@Enron= XGate, Bart Monden/Enron@EnronXGate, Jeff Moore/Enron@EnronXGate, Robert Mu= nson/Enron@EnronXGate, Alan Muntz/Enron@EnronXGate, Ron Spain/Enron@EnronXG= ate, Edward Welsh/Enron@EnronXGate, Steven January/Enron@EnronXGate, Dale R= atliff/Enron@EnronXGate, Darrell Schoolcraft/Enron@EnronXGate, Gary Spraggi= ns/Enron@EnronXGate cc:=09David Gaines/Enron@EnronXGate, Dean Hallowell/ET&S/Enron@ENRON, Greg = Mall/ET&S/Enron@ENRON, Mike Peschka/ET&S/Enron@ENRON, Randy LeBeau/ET&S/Enr= on@ENRON, Fred Jordan/ET&S/Enron@ENRON, LD Stephens/Enron@EnronXGate, David= Noyes/ET&S/Enron@ENRON, Ken Anderson/Enron@EnronXGate, Eric Fauchaux/Enro= n@EnronXGate, Perry Frazier/Enron@EnronXGate=20

Subject:=09Beaver to Bushton configuration without the Bushton turbine

Below is a system configuration I was asked to put together to flow 1600 MM= /D through Clifton without the Bushton turbine.

A system weighted temperature of 29 F is forecasted for Thursday (vs 49 F n= ormal) and the Bushton turbine is not scheduled to be back in-service until= 11/01/01. A 29 F temperature is not so cold per say, but north sources su= ch as Trailblazer (240 MM/D), Carlton (50 MM/D) and Redfield (on injection)= are still in the summer mode. This could result in a high rate through Cl= ifton.

SOURCES

Beaver C-D suction=09170 Beaver KB suction=09350 Net Mull interconnects=09 -15 Cunningham=09=09575 Bushton processing=09540 Lyons=09=09=09 -40 Pony Express=09=09 45 Trailblazer=09=09240

CONFIGURATION

=09=09=09Clifton flow A line=09 60 B line=09 210 C line=09 275 D line=09 475 E line=09 580

Total=091600

A Line - Bushton processing return free flowing to the A line with the two = Palmyra A suction to B suction turbines compressing and the Palmyra A block= valve open.

B Line - Bushton compressing one unit processing plant recompress to B and = cracking some to B. Clifton 32 B to B and two Beatrice B to B units, with = 75 - 100 Trailblazer flowing to the B discharge. Palmyra compressing three= units B to B or common B-C-D suction to D.

C Line - Bushton compressing two units recompress to C. Pony Express flowi= ng into the C line. Clifton and Beatrice three units C to C. Palmyra C-D = or B-C-D suction to D.

Bypass stream - Beaver compressing C-D suction and KB to D-E discharging 92= 5 PSIG or higher. Mullinville bypassed. Cunningham flowing to an 800 PSIG= Macksville E suction with Macksville turbines 2-3-4 discharging 950 PSIG o= r higher. Bushton controlling the D line pressure at Valve 4 to stay under= 860 PSIG MAOP.

D Line - Bushton bypassed on D. Clifton unit 30 D to D. Beatrice units 2= 3 - 25 D to D with about 150 MM/D of Trailblazer flowing into the D suction= . Palmyra B-C-D or C-D suction to D.

E Line - Bushton bypassed on E. Tescott unit 5, Clifton unit 31 and Beatri= ce unit 27 E to E. Palmyra regulating E to B-C.

THIS MEANS?

Be sure that the required units are ready to run. If not, let me and Gas C= ontrol know ASAP. There are alternatives to the above depending on actual = conditions. On 10/17/01, Clifton averaged 1418 MM/d with Tescott D to D an= d Clifton D-E to E.

If anyone has thoughts or comments, please let me know.

John

Message 30 of 41

RE: EGS Floor Meetings	
Sender	john.buchanan@enron.com
Recipients	['larry.berger@enron.com', 'lynn.blair@enron.com', 'terry.kowalke@enron.com', 'ava.garcia@enron.com']
File	schoolcraft-d/inbox/junk/101.

There will still be a short Team Leader meeting right after Stan's floor meeting.

John Buchanan -----Original Message----- From: Greaney, Chris Sent: Tuesday, February 05, 2002 10:29 AM To: Garcia, Ava; Buchanan, John; Kowalke, Terry Subject: FW: EGS Floor Meetings

Is this taking the place of the TL Meeting? -----Original Message----- From: ETS General Announcements Sent: Tuesday, February 05, 2002 10:19 AM To: DL-GA-all_egs_houston; DL-GA-all_ets Subject: EGS Floor Meetings

To: All ETS and EGS employees

Please mark your calendar for EGS floor meetings.

Employees on floors 11, 13, 39, 40, 42, and 43, please attend the floor meeting on Tuesday, February 5, from 2:30 - 3:30 near EB3922.

Employees on floors 33, 35, 44, 45, 46, and 47, please attend the floor meeting on Wednesday, February 6, from 9:30 - 10:30 near EB4712b.

A listen only domestic conference bridge has been reserved for the Tuesday, February 5, meeting. Field employees, please contact your regional administration staff for dial-in numbers and instructions. Omaha employees, please gather in 227 and dial 1-877-795-3687 and access code: 3131 to access the call. Washington D.C. employees, please dial

1-877-795-3687 and access code: 3131 to access the call. Please, no cell phones on the call.

A listen only international conference bridge has been reserved for the Wednesday, February 6, meeting. Please dial 1-888-422-7109 and access code: 107825 to access the call. Because of the limited amount of dial-in ports, please gather in groups and call from a land-line phone by 9:20 am CST. Please, no cell phones on the call.

Please contact Kimberly Nelson (713-853-3580) with questions.

Message 31 of 41

RE: Jan. 22 & 23, 2002

Sender	melinda.gallishaw@enron.com
Recipients	['steve.january@enron.com', 'jerry.graves@enron.com', 'darrell.schoolcraft@enron.com']
File	schoolcraft-d/deleted_items/483.

Steve, Sure. It's not a problem. I'll put you down on Jan. 22nd for the agenda. Thanks!

Melinda Gallishaw Enron Transportation Services Southwest Operations Loc: 3AC3205 Tel: 713-853-7688 Fax: 713-646-4808 melinda.gallishaw@enron.com

-----Original Message-----

From: January, Steve Sent: Wednesday, January 02, 2002 2:24 PM To: Gallishaw, Melinda Cc: Graves, Jerry; Schoolcraft, Darrell; Spraggins, Gary Subject: RE: Jan. 22 & 23, 2002

Can we be on the agenda the afternoon of the 22nd? We would not need more than 30 minutes. Unfortunately, I have to be at another meeting in Omaha, so the attendees will be; Jerry Graves, Darrell Schoolcraft, and Gary Spraggins. Let us know what time is best. thanks. sj

-----Original Message-----

From: Gallishaw, Melinda Sent: Wednesday, December 19, 2001 4:08 PM To: January, Steve; Brasher, Barney; Clark, Scott; Harkreader, Jerry ; Hernandez, Dahlia; Jolly, Rich; Lebeau, Randy; Stephens, LD Cc: Pribble, Dan Subject: Jan. 22 & 23, 2002 Importance: High

PLEASE NOTE:

Dan's Director/Staff meetings scheduled for January 22 - 23, 2002 will be held in the Enron building. Originally these meetings were going to be held at the Sheraton Houston North. I have canceled all reservations with the Sheraton.

You need to make your own hotel reservations at the hotel of your choice.

January 22 - 23, 2002 meetings will be held in EB13C2 (7:30AM - 5:00PM). Agenda will be distributed at a later date.

Call me if you have any questions. Thank you.

Melinda Gallishaw Enron Transportation Services Southwest Operations Loc: 3AC3205 Tel: 713-853-7688 Fax: 713-646-4808 melinda.gallishaw@enron.com

Message 32 of 41

REVISED: SW Directors Meeting Agenda-Jan. 22&23

Sender	melinda.gallishaw@enron.com
Recipients	['dan.pribble@enron.com', 'dahlia.hernandez@enron.com', 'max.brown@enron.com', 'kim.ladish@enron.com', 'jerry....']
File	schoolcraft-d/inbox/junk/327.

Please make note of the attached revised agenda for SW Region Director Meeting. Please make note of the new times on the agenda for some of you.

Phil Lowry is on our agenda right after lunch (12:30PM - 2:00PM) on Tuesday, January 22nd.

During this time with Phil, we ask that only Dan's directors be in attendance.

Thank you.

Melinda Gallishaw Enron Transportation Services Southwest Operations Loc: 3AC3205 Tel: 713-853-7688 Fax: 713-646-4808 melinda.gallishaw@enron.com

-----Original Message-----

From: Gallishaw, Melinda Sent: Tuesday, January 15, 2002 3:59 PM To: Graves, Jerry; Spraggins, Gary; Brown, Max; Nelson, Mike; Jeffers, Joe; Border, Robin; Nabors-Collins, Judy; Pool, Deelyn; Alters, Dennis; Brasher, Barney; Clark, Scott; Cowl, Ken; Davenport, Ronny; Harkreader, Jerry ; Hernandez, Dahlia; January, Steve; Lebeau, Randy; Maestas, Gary; Nelson, Mike; Schoolcraft, Darrell; Stephens, LD; Thompson, Charlie; Urban, Larry; Whippo, Jeff Cc: Ladish, Kim; Pribble, Dan Subject: SW Directors Meeting Agenda-Jan. 22&23

Attached is the agenda for Dan Pribble's SW Regional Directors Meeting scheduled for January 22nd & 23rd (Houston) in the Enron building ECN46C1.

Those of you that are NOT ON THE AGENDA and plan to attend these meetings, please notify me if you are staying for lunch.

Please note on Tuesday, January 22nd, breakfast will start at 7:30AM and Wednesday, January 23rd, breakfast will start at 7:00AM.

Thank you.

<< File: SW Ops Dir Agenda 012202.doc >>

Melinda Gallishaw Enron Transportation Services Southwest Operations Loc: 3AC3205 Tel: 713-853-7688 Fax: 713-646-4808 melinda.gallishaw@enron.com

Message 33 of 41

RE: New Transwestern POI's

Sender	elizabeth.brown@enron.com
Recipients	['darrell.schoolcraft@enron.com', 'karen.brostad@enron.com']
File	schoolcraft-d/inbox/junk/336.

Karen,

OK, so I'm a little slow. I am waiting for Darrell to get back with some additional information on Agave Dodd to verify the Lat ID and Mktg Lat ID, but here's what I see so far:

Because they are receipt points, the GRI indicator set at NO is ok since it's only applicable to delivery points The supply basin for both should be changed from West Texas to Central Verify which templates these points may have been added to and correct (s/b CE9REC)

Thanks, Elizabeth

-----Original Message-----

From: Brostad, Karen Sent: Friday, December 21, 2001 2:14 PM To: Brown, Elizabeth; Buchanan, John; Draemer, Mary ; Frazier, Perry; Hernandez, Bert; Hyatt, Kevin; Kowalke, Terry; Lee, Dennis; Lindberg, Lorraine; Lohman, TK; Lokay, Michelle; Macpherson, Sigrid; McEvoy, Christine; Mercaldo, Vernon; Miller, Beverly; Minter, Tracy; Mulligan, Amy; Ramsaran, Gale; Schoolcraft, Darrell; Spraggins, Gary; Studebaker, James ; Trevino, Linda; Vignaroli, Donald; Ward,

Linda Subject: New Transwestern POI's

Please be advised the following new points have been established for Transwestern

POI Name Agave Loco/Eddy County 12 in Loop POI Number 78311 Meter # 10188 DRN 316185 Location Sec 2, T17S, R29E, Eddy County NM Type PDC Operator Transwestern Pipeline

POI Name Agave Dodd POI Number 78308 Meter # 10189 DRN 315750 Location Sec 15, T17S, R29E Type PDC Operator Transwestern Pipeline

Elizabeth -please look over the lateral ID, marketing lateral ID, the supply basin, etc. and GRI flag and let me know if any changes need to be made. Thanks

Karen

Message 34 of 41

RE: Gas Day Map

Sender	darrell.schoolcraft@enron.com
Recipients	['audrey.robertson@enron.com']
File	schoolcraft-d/sent_items/94.

I do thank you for everything you do for the Logistics team. We will get you what you need in a more timely manner. Today I was running at a fast pace with TW, NNG, systems. Again thank you.

DS

-----Original Message-----

From: Robertson, Audrey Sent: Friday, October 05, 2001 3:41 PM To: Schoolcraft, Darrell Subject: RE: Gas Day Map

Darrell, you can win!!! We did receive it when Michelle got back from the morning meeting, but I am responsible for getting it to him first thing when he get's in. I make sure that he gets what he needs and if that means getting on you, I will do so.....(smile).

I heard that Jan Moore can access this map so I will make arrangements with her to get it to him as well, maybe as a backup.

We enjoyed you guys today and thanks for coming to our outing.....

adr

Audrey D. Robertson Transwestern Pipeline Company email address: audrey.robertson@enron.com (713) 853-5849 (713) 646-2551 Fax

-----Original Message-----

From: Schoolcraft, Darrell Sent: Friday, October 05, 2001 10:55 AM To: Robertson, Audrey Subject: RE: Gas Day Map

I did not send one first thing this morning, however I did give the map to Michelle in the morning. I told her I did not fax one down this morning. Sorry Steve didn't get his copy seems I can't win either way. He will get one from someone.

DS

-----Original Message-----

From: Robertson, Audrey Sent: Friday, October 05, 2001 9:41 AM To: Schoolcraft, Darrell Cc: Harris, Steven Subject: Gas Day Map

Darrell, we did not receive the gas day map this morning via fax.

Would you please make the necessary arrangements to have this document faxed to Steve every morning. It is essential that we receive this on a regular basis.

Thanks in advance for your assistance,

adr

Audrey D. Robertson Transwestern Pipeline Company email address: audrey.robertson@enron.com (713) 853-5849
(713) 646-2551 Fax

Message 35 of 41

Save \$50 and Register for GasMart/Power 2002 Today!

Sender	gasmart@gasmart.com
Recipients	[' darrell.schoolcraft@enron.com ']
File	schoolcraft-d/inbox/junk/84.

[IMAGE]

Register Today for GasMart/Power 2002 March 18-20, 2002 Reno, NV

Early Bird Registration Deadline is February 15, 2002

Register Online Today or call 1-800-427-5747 to save \$50!

Then book your room at the Nugget Hotel by February 15 to take advantage of the special GasMart/Power room rate. The Showcase and all Sessions will be held in the hotel. Call 1-800-648-1177 for hotel reservations. Don't forget to mention GasMart/Power!

Last Chance to Advertise or Sponsor activities in Reno, Nevada.

Limited Showcase space is still available-call 1-800-427-5747 for details. Don't forget...Your registration also INCLUDES a Monday afternoon activity of your choice.

[IMAGE] [IMAGE] SKI at Mt. Rose, Reno's closest ski area, averaging 34' of snow a year with a vertical drop of 1,500 feet. Stick around after the lifts close for the Apres-Ski Foggy Goggle Party. We'll provide the transportation and lift ticket, you provide the skis and courage. Skiing not for you? Then be one of the 144 golfers at the Red Hawk Golf Course for an afternoon of "best ball" tournament play. Following the round on this Robert Trent Jones, Jr. designed course, join your colleagues for the 19th hole festivities. Once again, we'll get you there and pay for your greens fees. All you need to do is bring your clubs and your "A" game.

Or, if you prefer...We'll arrange for a 30-minute spa session to help you relax and enjoy the surroundings of the beautiful Nugget Hotel. Call 1-800-427-5747 for more information or visit www.gasmart.com to register today! GasMart/Power is the energy industry's premier showcase and conference with 18 educational sessions and over 30 speakers addressing today's industry challenges. Showcasers include:

Allegro Development, Duke Energy, El Paso Corp., FIMAT USA, Gulfstream Natural Gas System, KWI, Morgan Stanley, Planalytics, Inc., Reliant Energy Services, Williams Energy Services--to mention a few.

<http://www.gasmart.com>

If you would prefer not to receive further messages from this sender: 1. Click on the Reply button. 2. Replace the Subject field with the word REMOVE. 3. Click the Send button. You will receive one additional e-mail message confirming your removal.

Message 36 of 41

FW: Alstom Motor - Gallup Station

Sender	darrell.schoolcraft@enron.com
Recipients	['steven.january@enron.com']
File	schoolcraft-d/sent_items/257.

-----Original Message-----

From: Ingalls, Todd Sent: Sunday, August 26, 2001 11:48 PM To: Jolly, Rich; Lowry, Phil; Harris, Steven; Rice, Randy; Stephens, LD; Schoolcraft, Darrell; Watson, Kimberly; Roensch, David; McCracken, Mike; Eisenstein, Arnold L.; Keller, John R.; Maestas, Gary; Gallup, Team; Gallup-Sta5, Team; Gallup-Sta4, Team; Hendricks, Jonny; Greider, Jeff; January, Steven; Norm Spalding/ENRON_DEVELOPMENT@ENRON; Ingalls, Todd; Cowl, Ken; Craig, Rick Cc: Lawrence, Ed; Nelson, Stan; Hostetler, Danny; Troyer, Richard; Rich, Stephen; Edge, Trey; Truex, Patrick Subject: Alstom Motor - Gallup Station Importance: High

The status of the Gallup motor is as follows. I will try to keep everyone updated as I find answers to any questions. Please feel free to call me at 505-238-6099

The motor is in the IRS shop in Farmington NM and has had the exciter and rotor removed. It is to the point that you can get inside and look at some of the damage but until the stator is torn down we will not be able to see anymore. This will be a destructive move and we don't want to start this until a final decision has been made as to the process of repairing the stator.

The stator is damaged to the extent of rewinding the motor in the opinion of the Alstom rep. The opinion of the shop foreman at IRS is that they can repair the motor but it will take 2 weeks to make the coils and 4 weeks to install them. The other option is to see what can be done at Rugby England. The following letter was sent to Alstom in Rugby along with some attachments of resin properties that we have on site. Paul Savory is going to contact them at 1:00am MST and discuss this with them. I have set up a conference call on our bridge for 6:30am in hopes to get some of these questions answered. The number is 877-795-3687 Pin 844699

The following is a copy of the letter that Paul Savory of Alstom sent his people in England.

The motor has been stripped at the IRS workshop at Farmington, New Mexico. 1 phase breaks down at around 500V. The fault appears to be at the bottom of a slot, approximately 1/3 of the way down the core. Therefore it would seem that the motor needs a rewind. Therefore there are several questions that Enron would like answers to urgently. 1 - IRS have told Enron & myself that they can manufacture new coils, strip & rewind the core & VPI the windings but this is obviously providing that we approve. attached is the spec. from the resin they use at their workshop. 2 - Would we supply a person to oversee the strip & rewind especially as Enron want to know why the motor has failed. 3 - What is the time scale for manufacture & delivery of coils from the UK. 4 - What is the time scale for a fully wound core from the UK. 5 - Is there another similar motor available that we can supply. Please keep in mind that this motor has to meet the same criteria if it is rewound & VPI impregnated here i.e. same rating, horsepower etc. Please respond by E-Mail to Todd.Ingalls@enron.com A conference call has been set up for 0630 hours USA time, Monday 27/8/01, which is 1330 hours UK time. Please arrange for whoever is necessary to sit in. You will have to call USA 877 795 3687. After this you will be asked to enter a pin No: - 844699. You will then be in on the conference. Should you have any problems please call Todd Ingalls on US 505 238 6099

Message 37 of 41

RE: 35830

Sender	darrell.schoolcraft@enron.com
Recipients	[gary.spraggins@enron.com', 'e..anderson@enron.com']
File	schoolcraft-d/sent_items/325.

Gary=20 Gary Spaggins and I have a presentation that we have to give to Stan. We c= annot attend, Steve January is on vac. There is no one else from our group.

-----Original Message-----

From: =09Anderson, Gary E. =20 Sent:=09Thursday, June 14, 2001 11:57 AM To:=09Buchanan, John; Spraggins, Gary; Williams, Sammy; Schoolcraft, Darrel= I; Brickman, Ronnie; January, Steven; LeBeau, Randy Subject:=09FW: 35830

-----Original Message-----

From: =09Anderson, Gary E. =20 Sent:=09Thursday, June 14, 2001 9:49 AM To:=09Anderson, Gary E.; Cc:=09Stern, Ellis; Cessac, Kenneth Subject:=09RE: 35830

Please plan to attend a meeting scheduled for June 20, 2001 @ 10:00AM to 12= :00, 3AC 0301, to discuss procedures for commissioning measurement faciliti= es. If you can't personally attend, please have someone attend in your plac= e. We would like to have a good cross section of representation from Operat= ions, Measurement Technology, Measurement Services, Gas Control, Market Ser= vices, and Marketing. Thanks- Gary=20

-----Original Message-----

From: =09Anderson, Gary E. =20 Sent:=09Friday, June 01, 2001 1:09 PM To:=09Rice, Randy; Buchanan, John; Spraggins, Gary; Williams, Sammy; School= craft, Darrell; Brickman, Ronnie; January, Steven Cc:=09Stern, Ellis; Barnes, Caroline Subject:=09FW: 35830

This was originally an Enron operated facility prior to selling of the gath= ering assets, which then became a Duke operated facility. This point was r= e-activated in December,2000, without Measurement's knowledge, and apparent= ly Market Services and others until April 2001. Had this been a new point, = the current procedures for assigning station number, POI numbers, etc. woul= d have probably prevented an incident such as this from occurring. Bottom l= ine, in addition to generating PPAs and distortion of the pipeline balance= report by improper accounting of all receipts and deliveries, this has rai= sed several areas of concern such as safety, transportation of unscheduled = volumes, and others. We would like to schedule a meeting sometime in June (= time and place to be announced), to address procedurally, what all departm= ental requirements are for volumes to enter and exit our pipeline facilitie= s. Please forward to contacts within you various organizations that you fee= l are necessary and critical to examination of current procedures, and poss= ibly adoption of new ones, and let me know and I will add them to the distr= ibution. Thanks- Gary =20 -----Original Message----- From: =09Sigrid MacPherson =20 Sent:=09Thursday, April 12, 2001 1:04 PM To:=09Brostad, Karen; Metzler, Verlene; Mulligan, Amy Cc:=09Gary Anderson Subject:=0935830

I have gone back through all my own removal (First and Final) history and I= didn't remove that one. My own history goes back to 9/98 so it was done b= efore then. The reset will be easy enough when we find something out assumi= ng we use the same number. Someone REALLY dropped the ball here! Sigrid ----- Forwarded by Sigrid MacPherson/GPGFIN/Enron on 04/12= /2001 07:56 AM -----

=09Verlene Metzler 04/11/2001 01:53 PM =09

To:=09Sigrid MacPherson/GPGFIN/Enron@ENRON <mailto:MacPherson/GPGFIN/Enron@= ENRON> cc:=09Karen Brostad/ET&S/Enron@ENRON <mailto:Brostad/ET&S/Enron@ENRON>=20

Subject:=0935830

Karen Brostad called about this point, Duke Schultz #1. It was supposed t= o have been reconnected Dec, Jan time frame. I called Ronnie and he said h= e remembers it but we had to assign a new number. He didn't know what it i= s seeing as he's here in Houston. I tried calling Sammy Williams, he too i= s in Houston. I talked to Danny Garvin he only knew of one

Duke connect and the name did not match up. I also paged Randy Fitzgerald, he has not returned my call. Karen is having the same problem getting hold of anyone. I didn't see it on your first and finals either. Anyway, if you know anything about this call Karen in the AM and let her know.

Thanks, verlene

<Embedded Picture (Metafile)> <Embedded Picture (Metafile)>

Message 38 of 41

TW Displacement Pointss

Sender	ramona.betancourt@enron.com
Recipients	['perry.frazier@enron.com', 'darrell.schoolcraft@enron.com']
File	schoolcraft-d/deleted_items/679.

In checking contract data on Sunday after we implemented, we have come across several delivery points that are in the old CBS system & they appear to be valid on pools and interruptible contracts. I know when we got together on our displacement list for the new system, these points did not come up from anyone as valid displacement points, so the new system does not have these points identified as displacement. Can you verify & let me know ASAP on Monday if these points below should be displacement points or not.

Thanks Ramona

POI Name

500517 Delhi Ward I/C 57274 ANR /TW Red Deer Del 500203 Continental Follett 8143 TW/Seven M Gas Sherman Count
12353 Westar Carson 500085 PNM Wingate TBS 58710 PNM Thompson

Message 39 of 41

FW: Citizens Griffith Meeting/Conf Call

Sender	darrell.schoolcraft@enron.com
Recipients	['eric.faucheaux@enron.com']
File	schoolcraft-d/sent_items/273.

-----Original Message-----

From: Robertson, Audrey Sent: Wednesday, August 29, 2001 11:09 AM To: Watson, Kimberly; Roensch, David; Jolly, Rich; Ulibarri, Russ; Tanner, Ben; Hill, Scott; Hawkins, Don; Smith, Sarabeth; Scott, Donna; Alters, Dennis; Schoolcraft, Darrell Cc: Robertson, Audrey Subject: Citizens Griffith Meeting/Conf Call

This note confirms a conference call discussion on the Griffith plant and some of the problems we have been having lately with respect to TW's responsibilities, EAMR's responsibilities and Trigon's responsibilities. Kim Watson would like to meet from 3:00 - 4:00pm today in EB-47C2 (Houston).

A conference bridge has been reserved as well. If you can not physically attend, please dial in to:

1-800-713-8600, Passcode - 6086

adr

Audrey D. Robertson Transwestern Pipeline Company email address: audrey.robertson@enron.com (713) 853-5849
(713) 646-2551 Fax

Message 40 of 41

FW: TW IT contracts - System implementation issues

Sender	ramona.betancourt@enron.com
Recipients	['linda.ward@enron.com', 'darrell.schoolcraft@enron.com', 'linda.trevino@enron.com']
File	schoolcraft-d/deleted_items/669.

Linda,

Here is another list of displacement points that marketing /gas control has approved for TW Interruptible contracts. PLease update & add to the Displace IT Group in PLE.

Thanks Ramona -----Original Message----- From: Lohman, TK Sent: Monday, March 11, 2002 1:55 PM To: Betancourt, Ramona Subject: RE: TW IT contracts - System implementation issues

yes. TK

-----Original Message-----

From: Betancourt, Ramona Sent: Sunday, March 10, 2002 10:54 AM To: Schoolcraft, Darrell; Frazier, Perry; Lohman, TK Subject: TW IT contracts - System implementation issues

In verifying IT point contract data this Sunday after our implementation, we came across some point differences in old system to new system. Looks like possible displacement points for interruptible contracts. Should the points listed below be valid displacement points for Interruptible contracts? Please let me know ASAP on Monday.

Thanks Ramona

POI Name

56698 Citizens Utilities Kingman 78069 Citizens Griffith Energy Del 78113 Calpine So, Point Power Del 500046 Flagstaff 89 North 500134 Flagstaff Delivery Point

Message 41 of 41

FW: TW Displacement Pointss

Sender	ramona.betancourt@enron.com
Recipients	['linda.ward@enron.com', 'darrell.schoolcraft@enron.com', 'linda.trevino@enron.com']
File	schoolcraft-d/deleted_items/670.

Linda.

Below is a list of additional TW displacement points that marketing/Gas Contral have approve for TW on IT & SP contracts. Please add to the Displacement IT Group and Displacement SP Groups.

Thanks Ramona -----Original Message----- From: Lohman, TK Sent: Wednesday, March 13, 2002 10:24 AM To: Betancourt, Ramona Subject: RE: TW Displacement Pointss

I have marked the ones below that I believe would be used as displacement points.

-----Original Message-----

From: Betancourt, Ramona Sent: Tuesday, March 12, 2002 3:21 PM To: Lohman, TK Subject: FW: TW Displacement Pointss

TK, Here is another list of differences from old to new system. Are they displacement points?

Thanks Ramona -----Original Message----- From: Betancourt, Ramona Sent: Sunday, March 10, 2002 10:21 AM To: Schoolcraft, Darrell; Frazier, Perry Subject: TW Displacement Pointss

In checking contract data on Sunday after we implemented, we have come across several delivery points that are in the old CBS system & they appear to be valid on pools and interruptible contracts. I know when we got together on our displacement list for the new system, these points did not come up from anyone as valid displacement points, so the new system does not have these points identified as displacement. Can you verify & let me know ASAP on Monday if these points below should be displacement points or not.

Thanks Ramona

POI Name

500517 Delhi Ward I/C YES 57274 ANR /TW Red Deer Del YES 500203 Continental Follett 8143 TW/Seven M Gas
Sherman Count 12353 Westar Carson YES 500085 PNM Wingate TBS YES 58710 PNM Thompson YES
