MCQ 1

```
Ques:- 1 What will be the output of the following code snippet?
def func(a, b):
return b if a == 0 else func(b % a, a)
print(func(30, 75))
a) 10
b) 20
c) 15
d) 0
Ques:-2 numbers = (4, 7, 19, 2, 89, 45, 72, 22)
sorted_numbers = sorted(numbers)
even = lambda a: a % 2 == 0
even_numbers = filter(even, sorted_numbers)
print(type(even_numbers))
a) Int
b) Filter
c) List
d) Tuple
Ques:-3) As what datatype are the *args stored, when passed into
a) Tuple
b) List
c) Dictionary
d) none
Ques:- 4) set1 = {14, 3, 55}
set2 = {82, 49, 62}
```

```
set3={99,22,17}
print(len(set1 + set2 + set3))
a) 105
b) 270
c) 0
d) Error
Ques:- 5) What keyword is used in Python to raise exceptions?
a) raise
b) try
c) goto
d) except
Ques:- 6) Which of the following modules need to be imported to handle date time computations in
Python?
a) timedate
b) date
c) datetime
d) time
Ques:- 7) What will be the output of the following code snippet?
print(4**3 + (7 + 5)**(1 + 1))
a) 248
b) 169
c) 208
d) 233
Ques:-8) Which of the following functions converts date to corresponding time in Python?
a) strptime
b) strftime
```

c) both a) and b)
d) None
Ques:- 9) The python tuple is in nature.
a) mutable
b)immutable
c)unchangeable
d) none
Ques:- 10) The is a built-in function that returns a range object that consists series of integer numbers, which we can iterate using a for loop.
A. range()
B. set()
C. dictionary{}
D. None of the mentioned above
Question 11 Amongst which of the following is a function which does not have any name?
A. Del function
B. Show function
C. Lambda function
D. None of the mentioned above Question
Ques:- 12 The module Pickle is used to
A. Serializing Python object structure
B. De-serializing Python object structure
C. Both A and B
D. None of the mentioned above
Question 13 Amongst which of the following is \prime are the method of convert Python objects for writing data in a binary file?
A. set() method

B. dump() method
C. load() method
D. None of the mentioned above
Ques:-14 Amongst which of the following is $/$ are the method used to unpickling data from a binary file?
A. load()
B. set() method
C. dump() method
D. None of the mentioned above
Ques:-15. A text file contains only textual information consisting of
A. Alphabets
B. Numbers
C. Special symbols
D. All of the mentioned above
Ques:-16 Which Python code could replace the ellipsis () below to get the following output?
(Select all that apply.)
captains = {
"Enterprise": "Picard",
"Voyager": "Janeway",
"Defiant": "Sisko",
}
Enterprise Picard,
Voyager Janeway
Defiant Sisko

a) for ship, captain in captains.items():

print(ship, captain)

```
b) for ship in captains:
    print(ship, captains[ship])
c) for ship in captains:
    print(ship, captains)
d) both a and b
Ques:-17 Which of the following lines of code will create an empty dictionary named captains?
a) captains = {dict}
b) type(captains)
c) captains.dict()
d) captains = {}
Ques:-18 Now you have your empty dictionary named captains. It's time to add some data!
Specifically, you want to add the key-value pairs "Enterprise": "Picard", "Voyager": "Janeway", and
"Defiant": "Sisko".
Which of the following code snippets will successfully add these key-value pairs to the existing
captains dictionary?
a)captains{"Enterprise" = "Picard"}
captains{"Voyager" = "Janeway"}
captains{"Defiant" = "Sisko"}
b) captains["Enterprise"] = "Picard"
captains["Voyager"] = "Janeway"
captains["Defiant"] = "Sisko"
```

c) captains = {

"Enterprise": "Picard",

```
"Voyager": "Janeway",
"Defiant": "Sisko",
}
d) None of the above
Ques:- 19 ) You're really building out the Federation Starfleet now! Here's what you have:
captains = {
"Enterprise": "Picard",
"Voyager": "Janeway",
"Defiant": "Sisko",
"Discovery": "unknown", }
Now, say you want to display the ship and captain names contained in the dictionary, but you also want
to provide some additional context. How could you do it?
 a) for item in captains.items():
    print(f"The [ship] is captained by [captain].")
b) for ship, captain in captains.items():
  print(f"The {ship} is captained by {captain}.")
c) for captain, ship in captains.items():
  print(f"The {ship} is captained by {captain}.")
d) All are correct
Ques:- 20 ) You've created a dictionary, added data, checked for the existence of keys, and iterated
over it with a for loop. Now you're ready to delete a key from this dictionary:
captains = {
"Enterprise": "Picard",
```

```
"Voyager": "Janeway",

"Defiant": "Sisko",

"Discovery": "unknown", }

What statement will remove the entry for the key "Discovery"?

a) del captains

b) captains.remove()

c) del captains["Discovery"]

d) captains["Discovery"].pop()
```