

One-To-Many

3 Ekim 2025 Cuma 11:49

```
from sqlalchemy import create_engine, Column, Integer, String, ForeignKey
from sqlalchemy.orm import declarative_base, relationship
```

```
Base = declarative_base()
```

```
# --- Ana tablo ---
```

```
class User(Base):
    __tablename__ = "users"

    id = Column(Integer, primary_key=True)
    name = Column(String(50), nullable=False)

    # ilişkili adresleri getir
    addresses = relationship("Address", back_populates="user")

    def __repr__(self):
        return f"<User(id={self.id}, name={self.name})>"
```

```
# --- Alt tablo ---
```

```
class Address(Base):
    __tablename__ = "addresses"

    id = Column(Integer, primary_key=True)
    email = Column(String(100), nullable=False)
    user_id = Column(Integer, ForeignKey("users.id"))

    # ilişkiyi ters yönde tanımla
    user = relationship("User", back_populates="addresses")

    def __repr__(self):
        return f"<Address(id={self.id}, email={self.email}, user_id={self.user_id})>"
```

```
# -----
```

```
# MSSQL bağlantısı (Trusted_Connection)
```

```
engine = create_engine(
    "mssql+pyodbc://localhost/VeritabaniAdi?driver=ODBC+Driver+17+for+SQL+Server&trusted_connection=yes"
)
```

```
# tabloları oluştur
```

```
Base.metadata.create_all(engine)
```