

Coursework Report

Cool Student 4008000@napier.ac.uk Edinburgh Napier University - Module Title (SET00000)

Abstract

Testing the POS git out

Keywords – Fill, These, In, So, google, can, find, your, report

1 Introduction

Referencing You should cite References like this: [1]. The references are saved in an external .bib file, and will automatically be added of the bibliography at the end once cited.




Figure 1: ImageTitle - Some Descriptive Text

2 Formatting

Some common formatting you may need uses these commands for **Bold Text**, *Italics*, and <u>underlined</u>.

2.1 LineBreaks

Here is a line

Here is a line followed by a double line break. This line is only one line break down from the above, Notice that latex can ignore this

We can force a break with the break operator.

2.2 Maths

Embedding Maths is Latex's bread and butter

$$J = \left[\frac{\delta e}{\delta \theta_0} \frac{\delta e}{\delta \theta_1} \frac{\delta e}{\delta \theta_2} \right] = e_{current} - e_{target}$$

2.3 Code Listing

You can load segments of code from a file, or embed them directly.

Listing 1: Hello World! in c++

```
1 #include <iostream>
2
3 int main() {
4    std::cout << "Hello World!" << std::endl;
5    std::cin.get();
6    return 0;
7 }</pre>
```

Listing 2: Hello World! in python script

1 print "Hello World!"

2.4 PseudoCode

```
for i = 0 to 100 do
    print_number = true;
    if i is divisible by 3 then
        print "Fizz";
        print_number = false;
    end
    if i is divisible by 5 then
        print "Buzz";
        print_number = false;
    end
    if print_number then
        print i;
    end
    print a newline;
end
```

Algorithm 1: FizzBuzz

3 Conclusion

References

[1] S. Keshav, "How to read a paper," SIGCOMM Comput. Commun. Rev., vol. 37, pp. 83–84, July 2007.