

Converting between Sequent Systems and Truth Trees

Andrew Nazareth and Andrii Bonenberger

March 20, 2026

Sequent System Rules (Propositional Calculus)

The sequent system we are using has the following rules of operation. Γ and Δ are sets (multisets) and A and B are atomics.

Operational Rules

Negation

$$\frac{\Gamma \Rightarrow \Delta, A}{\neg A, \Gamma \Rightarrow \Delta} \neg L \qquad \frac{A, \Gamma \Rightarrow \Delta}{\Gamma \Rightarrow \Delta, \neg A} \neg R$$

Conjunction

$$\frac{A, B, \Gamma \Rightarrow \Delta}{A \wedge B, \Gamma \Rightarrow \Delta} \wedge L \qquad \frac{\Gamma \Rightarrow \Delta, A \quad \Gamma \Rightarrow \Delta, B}{\Gamma \Rightarrow \Delta, A \wedge B} \wedge R$$

Disjunction

$$\frac{A, \Gamma \Rightarrow \Delta \quad B, \Gamma \Rightarrow \Delta}{A \vee B, \Gamma \Rightarrow \Delta} \vee L \qquad \frac{\Gamma \Rightarrow \Delta, A, B}{\Gamma \Rightarrow \Delta, A \vee B} \vee R$$

Implication

$$\frac{\Gamma \Rightarrow \Delta, A \quad B, \Pi \Rightarrow \Lambda}{A \rightarrow B, \Gamma, \Pi \Rightarrow \Delta, \Lambda} \rightarrow L \qquad \frac{A, \Gamma \Rightarrow \Delta, B}{\Gamma \Rightarrow \Delta, A \rightarrow B} \rightarrow R$$

Structural Rules

Weakening

$$\frac{\Gamma \Rightarrow \Delta}{A, \Gamma \Rightarrow \Delta} WL \qquad \frac{\Gamma \Rightarrow \Delta}{\Gamma \Rightarrow \Delta, A} WR$$

Contraction

$$\frac{A, A, \Gamma \Rightarrow \Delta}{A, \Gamma \Rightarrow \Delta} CL \qquad \frac{\Gamma \Rightarrow \Delta, A, A}{\Gamma \Rightarrow \Delta, A} CR$$

Exchange

$$\frac{\Gamma, A, B, \Pi \Rightarrow \Delta}{\Gamma, B, A, \Pi \Rightarrow \Delta} XL \qquad \frac{\Gamma \Rightarrow \Delta, A, B, \Lambda}{\Gamma \Rightarrow \Delta, B, A, \Lambda} XR$$

Truth Tree Rules (Propositional Calculus)

Decomposition Rules

Closure Rules

Putting them together