



Manage your Databricks jobs from your phone

Setup & User Guide

Access | Install | Features

Bedbricks is a mobile-first web app to monitor, trigger and fix your Databricks jobs from your phone - dashboard, run history, AI-powered diagnostics and notebook fixes - without ever opening Databricks. It is a Progressive Web App (PWA): no App Store, no Google Play, no server. You install it from your browser and it lives on your home screen.

Getting access

To use Bedbricks you need two things: (1) the Web App URL - shared by whoever deployed the app - and (2) a Databricks personal access token (PAT) for the workspace you want to manage.

1. Generate a Databricks token

- 1 In Databricks, open your user menu - Click your avatar in the top-right corner, then go to Settings.
- 2 Go to Developer > Access tokens - Open the "Developer" section and select "Access tokens".
- 3 Generate a new token - Click "Generate new token", give it a name, and copy the value (it starts with "dapi").
Copy it immediately - Databricks shows the token value only once.

2. First connection

- 1 Open the Web App URL on your phone - On first run, Bedbricks shows a short setup screen.
- 2 Enter your workspace Host and Token - Host looks like `https://adb-xxxx.azuredatabricks.net` . Paste the token you generated. Tap Connect.

! Your token is stored privately for your own Google account (in Google's per-user storage). It is never shared with other users of the app, and there is no external database.

3. Multiple workspaces

You can save several workspaces (for example dev / prod, or different regions) and switch between them. Go to Settings > Workspaces > "Add workspace" and enter a name, host and token. Tap any workspace to make it active - the

whole app reloads for that workspace. Each workspace keeps its own token, AI endpoint and pinned job.

Install on iPhone / iPad - Safari

! On iOS only Safari can install PWAs. Chrome, Firefox and Edge on iPhone do not have this option.

- 1 Open Safari - Open Safari and navigate to the Bedbricks URL.
 - 2 Tap the Share button - In Safari's toolbar, tap the Share icon - a square with an arrow pointing up.
 - 3 Select 'Add to Home Screen' - Scroll down in the share sheet and tap "Add to Home Screen".
If you don't see it, make sure you are on the app's root URL, not a sub-page.
 - 4 Confirm the name - Keep the name "Bedbricks" or change it, then tap "Add".
 - 5 Done - The Bedbricks icon appears on your home screen. Open it like any other app.
-

Install on Android - Chrome

Option A - Automatic install banner (easiest)

- 1 Open Chrome - Open Chrome and navigate to the Bedbricks URL.
- 2 Accept the install banner - Chrome shows a banner at the bottom: "Add Bedbricks to Home Screen".
If it doesn't appear at first, visit the app a couple of times - Chrome shows it after a few interactions.
- 3 Tap 'Install' - The icon is added to your home screen and app drawer.

Option B - Manual menu

- 1 Open Chrome - Navigate to the Bedbricks URL.
 - 2 Open the Chrome menu - Tap the three dots in the top-right corner.
 - 3 Select 'Install app' / 'Add to Home Screen' - Tap the option that appears (the label may vary by Chrome version).
 - 4 Confirm - Tap "Install" or "Add".
-

What you can do

A quick tour of the app, tab by tab.

- **Jobs dashboard**
All your jobs with status dots showing the last 5 runs (green = success, red = failed). Search, filter (All / Failed / Running), star favorites, and pin one job as a featured widget at the top with live progress. Run or schedule any job right from the list.
- **Runs**
A global history of recent runs across all jobs, newest first.

- **Job detail**

Open any job to see its status, run history, a performance chart of recent durations, the task dependency graph (DAG), and a per-task flakiness score (how often each task fails).

- **Fix a failed job - AI Diagnosis + Think Fix**

When a job fails, Bedbricks shows an AI diagnosis of the error. "Think Fix" asks an LLM to inspect the real table schemas and propose a concrete find-and-replace patch, which you can apply to the notebook with one tap. Before it diagnoses, you can optionally type a hint for the AI (for example, that a table was renamed) - leave it empty for a fully automatic diagnosis. If a table is missing, it searches for the right one or, as a last resort, comments out the offending line.

- **Repair**

Re-runs the failed task AND continues the downstream tasks it had blocked, so the whole pipeline resumes. If the failed task is a sub-job, a button takes you into the child job to fix it there.

- **Run with parameters**

The gear button in a job's detail opens an editor to change notebook parameters before launching a run.

- **Global search**

The magnifier in the header searches across job names, run IDs and job IDs. Tap a result to jump to it.

- **Run comparison**

Pick two runs of the same job and compare task durations side by side, with the delta in seconds (green = faster, red = slower).

- **Clusters**

See all workspace clusters with their state and start or terminate them without leaving the app.

- **Fixes log**

A history of every patch you applied, each expandable to a full red/green diff.

- **Settings**

Manage your workspaces and AI endpoint, pin a job, switch language (English / Spanish) and toggle light / dark theme.

! Updates are automatic: the Bedbricks URL never changes between versions, so you never need to reinstall. Just reopen the app.

Bedbricks - No server. No infra. Just a Web App URL.