

## 全國高級中等學校 100 學年度商業類科學生技藝競賽 【程式設計】職種【學科】模擬試卷

選手證號碼:


姓名:

<u> </u>
注意事項:請將答案劃記於答案卡,未依規定劃記者不予計分。
試題說明:(選擇題每題 4 分,共 100 分)
( )1. 在 VB 中,宣告陣列 Dim A(-5 To 1, -1 To 3) As Integer, Dim B(10) As Integer,其中 A 和 I 陣列一共可儲存的元素共有多少個? (A) 11 (B) 34 (C) 46 (D) 45
( ) 2. 下列 Visual Basic 程式片段,請問其執行結果爲何?(A) 0 (B) 1.5 (C) 5.5 (D) 3.5 Print 19 Mod 3 * 2 + 2 ^ (-1)
( ) 3. 執行以下 Visual Basic 程式片段,其結果爲何? (A) 0 (B) 1 (C) 4 (D) 16 Print 49 \ 6 / 2 Mod 2 * 2
( )4. 下列程式執行後,L的値爲多少?(A)40 (B)39 (C) 90 (D)91 Dim L = 35 Do Until Not (L < 40 Or L >= 90) If L < 40 Then L = L + 100 ElseIf L >= 90 Then L = L - 99 End If Loop
( )5. 下列 Visual Basic 程式中,若想使程式執行完成後,i 値為 5,應在空白處填入何値? (A)Exit For i=5 (B)Exit If i=5 (C)If i=5 Then Exit (D)If i=5 Then Exit For Dim i For i = 1 To 10

( )6. 執行以下 BASIC 程式,其結果爲何? (A)0 (B)64 (C)256 (D)512

```
Dim n As Integer
    n = 9
    i = 1
    For i = 1 To n
       j = j * ((i * 2) / (n - i + 1))
    Next i
    Print j
   )7. 對於重覆結構,以下何者敘述正確?
      (A)For…Next, While…Wend, Do…Loop, If…End If 均屬於重覆結構
      (B)While…Wend 與 Do While… Loop 執行過程是相同的
      (C)Do While…Loop 與 Do Until…Loop 執行過程是相同的
      (D)Do Until···Loop 與 Do···Loop Until 執行過程是相同的
( ) 8. 執行下列 BASIC 程式,其結果爲何? (A)0
                                                  (B) 140
                                                              (C) 156
                                                                           (D) 306
        Dim A(4, 4) As Integer
        Dim i, j As Integer
        For i = 1 To 4
            For j = 0 To 4
                A(i, j) = 2 * i + 4 * j
            Next j
        Next i
        PRINT A(1, 3) * A(3, 1)
( ) 9. 執行下列 BASIC 程式,其結果爲何? (A)15 (B)17 (C)22 (D)27
       Dim S As Integer, I As Integer, J As Integer
        S = 0
        I = 1
        While I \le 5
            For J = 1 To I
                S = S + J
            Next J
            I = I + 2
        End While
        PRINT S
```

Dim i, j As Double



```
For K = 1 To 4
           S = K ^2 - S
       Next K
       Print(S)
  )15. 下列 BASIC 程式之執行結果爲何?(A)42 (B)56 (C)72
                                                       (D)90
       Dim I As Integer, SUM As Integer
       I = 0 : SUM = 0
       While I < 20
          SUM = SUM + I
          I = I + 2
       End While
       Print(SUM)
 )16. 一雜湊函數爲 H(x)=x Mod 17,則 H(36)與下列何者會碰撞?
    (A) H (15) (B) H (19) (C) H (34) (D) H (51)
( )17. 下列何者不是物件導向的特性?
    (A) 多型性(Polymorphism)
    (B) 封裝性(Encapsulation)
    (C) 模組性(Modularization)
    (D) 繼承性(Inheritance)
( )18. 請問(1011 XOR 1011 XOR 1001)的結果爲何? (XOR: ExclusiveOR)
     (A) 1111 (B) 0000 (C) 1001 (D)1011
( ) 19. 將一個 ASCII 的字由大寫轉小寫時,你需要何種運算與通單(mask)?
     (A) OR, 00100000
                       (B) OR, 11011111
     (C) AND, 00100000
                       (D) AND, 11011111
( ) 20. A, B 分別爲八位元資料, XOR 的代表互斥或運算子, 下列何者錯誤?
     (A) A XOR A = 00000000
                                  (B) A XOR NOT A = 111111111
     (C) A XOR B XOR NOT A = NOT B (D) A XOR B XOR NOT A XOR NOT B = 111111111
( )21. A,B 分別爲八位元資料,下列八位元邏輯運算式,何者錯誤?
    (A) NOT( A AND B) == NOT X OR NOT B (B) NOT(NOT A OR NOT B) = A OR B
    (C) A AND NOT A = 00000000
                                      (D) A OR NOT A = 111111111
( )22. 下列敘述何者不正確?
```

(A) 原始程式→Compiler→目的程式

```
(C) 組合語言→Assembler→機器語言
      (D) 高階語言→ Compiler->機器語言
 )23. 下列程式三個變數 A,B,C,要找出其中最大值,則必須在空格處塡入
                 (B) C > A
      (A) A > B
                           (C) B > C
                                         (D) C > B
     If B > A Then Swap(A, B)
     If _____Then Swap(A, C)
      Print A
     Sub SWAP(ByRef A, ByRef B)
       Dim T As Integer
       T = B : B = A : A = T
     End Sub
( )24. 下列程式執行之結果爲:(A) 1024 (B) 512 (C) 1000
                                                         (D) 256
      While Z \le 1000
        Y = Y + 1 : Z = 2 ^ Y
      End While
      Print Z
( )25. 下列 BASIC 程式之執行結果爲何?(A)0 (B)8 (C)16 (D)19
      Dim i, j As Integer
      Dim a(4) As Integer
      Sub Main()
       For i = 1 To 3
            a(i) = 0
       Next
       a(2) = 8
       i = 2
       mess(a(i))
       Print (a(1)+a(2)+a(3))
      End Sub
      Private Sub mess(ByVal v)
        a(i) = 5
       v = v + 2
       i = 3
       a(i) = v + 1
```

(B) 高階語言→ Interpreter→機器語言

End Sub