


| | | |
|-------|--|-----------|
| Title | | |
| Size | Number | Revision |
| A | | |
| Date: | 11/01/2024 | Sheet of |
| File: | C:\Users\...\Switch_board_right.SchDoc | Drawn By: |



| Comment | Description | Designator | Footprint | LibRef | Quantity |
|--------------------|--|--|-------------------------------------|--------------------|----------|
| 100nF | General Purpose Ceramic Capacitor, 0805, 100nF, 10%, X7R, 15%, 100V | C1, C2, C3, C4 | FP-0805-L_2_01_0_2- W_1_25-IPC_B | CMP-2007-04174-2 | 4 |
| PEC11R-4215F-S0024 | ROTARY ENCODER MECHANICAL 24PPR | ENC1 | FP-PEC11R-4215F- S0024-MFG | CMP-1747-00012-2 | 1 |
| 30310-6002HB | Male Header, Pitch 2.54 mm, 2 x 5 Position, Height 9.3 mm, Tail Length 2.79 mm, -55 to 105 degC, RoHS, Bulk | P1 | 3M-30310-6002HB- 10_V | CMP-2000-05031-1 | 1 |
| 1k | | R1, R2, R3, R4, R5, R6, R7, R8, R9, R10 | RESC2013X50X30LL20 T20 | CMP-2001-04896-1 | 10 |
| FSM103 | SWITCH TACTILE SPST- NO 0.05A 24V | SW1, SW2, SW3 | FP-FSM103-MFG | CMP-03407-000037-1 | 3 |