





POWER



ST-LINK connector





Crystal oscillator











Mounting holes



USB input





STM32



Internal 5V power isolated input

Universal isolated inputs




Sheet: /Isolated inputs/
File: isolated_inputs.kicad_sch

Title:

Size: A4	Date:
KiCad E.D.A. 9.0.0	

Rev:
Id: 3/9

MOSFET outputs






MOS_OUT_1 1
MOS_OUT_2 2
MOS_OUT_3 3
MOS_OUT_4 4



J13
Phoenix

MOS_OUT_1 1
MOS_OUT_2 2
MOS_OUT_3 3
MOS_OUT_4 4

J14
Goldpin



GPIOs




GPIO_1_CONN 1
GPIO_2_CONN 2
GPIO_3_CONN 3
GPIO_4_CONN 4

J15
Phoenix

GPIO_1_CONN 1
GPIO_2_CONN 2
GPIO_3_CONN 3
GPIO_4_CONN 4

J16
Goldpin

LEDs



Sheet: /GPIO + LED/
File: GPIO.kicad_sch

Title:

Size: A4


Date:

KiCad E.D.A. 9.0.0

Rev:

Id: 4/9

CAN



Sheet: /CAN/
File: can.kicad_sch


Title:

Size: A4
KiCad E.D.A. 9.0.0


Date:

Rev:
Id: 5/9

RS422/485



RS232



Sheet: /RS422 + RS485 + RS232/
File: rs422_485_232.kicad_sch


Title:

Size: A4
KiCad E.D.A. 9.0.0



Date:

Rev:
Id: 6/9

Analog out



Analog in



Sheet: /Analog in + out/
File: analog.kicad_sch


Title:

Size: A4
KiCad E.D.A. 9.0.0


Date:

Rev:
Id: 7/9


Power input




Power out




Power status LEDs



DC Converters



Isolated input power



Sheet: /POWER/
File: power.kicad_sch


Title:

Size: A4
KiCad E.D.A. 9.0.0


Date:

Rev:
Id: 8/9


UART



I2C



SPI



Sheet: /I2C + SPI + UART/
File: uart_i2c_spi.kicad_sch

Title:

Size: A4
KiCad E.D.A. 9.0.0

Date:

Rev:
Id: 9/9