



Welcome to the Riot API Bootcamp!

KNOW MORE, WIN MORE.

RIOT API BOOTCAMP SYLLABUS

1. Basics (Python, GitHub, Notepad++)

1. Resources to get started
2. Setting up an environment
3. Downloading GitHub repos
4. JSON explanation & Notepad++ example
5. *Project: read csv file, convert to data frame, create graphs*

2. Riot API introduction

1. What is an API?
2. Getting access & Registering your App
3. What end points are there/what data is available?
4. Explanation of puuid/account name
5. *Project: make an API call on the website & download the data*

3. Automating API interactions

1. Introduction to libraries (Cassiopeia, Riot Watcher)
2. Getting help (documentation, Discord)
3. *Project: automate an API call using a library*

4. Single Endpoint Data


1. Use case explanation (e.g., in-depth match analysis, leaderboards)
2. Code example- getting challenger leaderboard
3. *Project: request last 25 games for an account and determine the most common champion(s)*

5. Large Scale Data Collection

1. Use case explanation (e.g., match history of top 50 players)
2. Setting up a process pipeline
3. Comparing 1 file approach vs. functions across files approach
4. *Project: determine number of roles (TOP, MID, etc) on the challenger ladder using the last 5 games*

5 Modules covering core topics

Project at the end of each



Module 4: Single Endpoint Data

RIOT API BOOTCAMP

Slide Deck



MODULE 4: SMALL SCALE DATA

4. Single Endpoint Data

1. Use case explanation
2. Code example- getting challenger leaderboard
3. *Project: request last 10 games for an account and determine the game duration(s)*

LET'S DIVE IN

The logo for OP.GG, featuring the text "OP.GG" in white, bold, sans-serif font on a bright blue rectangular background.

OP.GG

The logo for BLITZ, featuring a red lightning bolt icon followed by the word "BLITZ" in white, bold, sans-serif font on a dark blue rectangular background.

BLITZ

USE CASE EXPLANATIONS

Small-scale data typically means:

- 1 account
- One or two endpoints
- Focus is on detailed data

Use case examples:

- In-depth match analysis
- Leaderboards
- Tracking player progression

Checking your profile on a stats website is the most common application of small-scale data (*the Riot API gives more than what they show you though!*)

SMALL SCALE DATA EXAMPLE

DEMONSTRATION with

</lol/league/v4/challengerleagues/by-queue/{queue}>

Request challenger ladder, look at entries

LEAGUE-V4

[Collapse Operations](#) | [Expand Operations](#)

GET /lol/league/v4/challengerleagues/by-queue/{queue}

[Get the challenger league for given queue.](#)

[Jump to Inputs](#)

RESPONSE CLASSES

Return value: **LeagueListDTO**

LeagueListDTO

NAME	DATA TYPE	DESCRIPTION
leagueId	string	
entries	List[LeagueItemDTO]	
tier	string	
name	string	
queue	string	

QUESTIONS?

Contact me



RebirthNA#2359



@LoL-Genius



417devops@gmail.com

It is my hope that this course is easy to understand and follow

Have a question or want additional details?
Just reach out!

If you want to know more about my work (LoL Genius) or have questions about something you're building, LMK!