

Figure 4 - PNP Complementary Models
(42EF-D2MPAK-x, 42EF-P2MPB-x, 42EF-R2MPB-x, 42EF-S1MPB-x) ^(a)

Brown (1)	+V
White (2)	PNP dark operate or disabled (IO-Link operation default)
Black (4)	PNP light operate or IO-Link
Blue (3)	-V

Sheet: /Photoeye1/
File: photoeye.kicad_sch

Title:

Size: USLetter Date:
KiCad E.D.A. 9.0.2

Rev:
Id: 2/5




Figure 4 - PNP Complementary Models
(42EF-D2MPAK-x, 42EF-P2MPB-x, 42EF-R2MPB-x, 42EF-S1MPB-x) ^(a)

Brown (1)	+V
White (2)	PNP dark operate or disabled (IO-Link operation default)
Black (4)	PNP light operate or IO-Link
Blue (3)	-V

Sheet: /Photoeye2/
File: photoeye.kicad_sch

Title:

Size: USLetter Date:
KiCad E.D.A. 9.0.2

Rev:
Id: 3/5




Figure 4 - PNP Complementary Models
(42EF-D2MPAK-x, 42EF-P2MPB-x, 42EF-R2MPB-x, 42EF-S1MPB-x) ^(a)

Brown (1)	+V
White (2)	PNP dark operate or disabled (IO-Link operation default)
Black (4)	PNP light operate or IO-Link
Blue (3)	-V

Sheet: /Photoeye3/
File: photoeye.kicad_sch

Title:

Size: USLetter Date:
KiCad E.D.A. 9.0.2

Rev:
Id: 4/5




Figure 4 - PNP Complementary Models
(42EF-D2MPAK-x, 42EF-P2MPB-x, 42EF-R2MPB-x, 42EF-S1MPB-x) ^(a)

Brown (1)	+V
White (2)	PNP dark operate or disabled (IO-Link operation default)
Black (4)	PNP light operate or IO-Link
Blue (3)	-V

Sheet: /Photoeye4/
File: photoeye.kicad_sch

Title:

Size: USLetter Date:
KiCad E.D.A. 9.0.2

Rev:
Id: 5/5