


8024/6024 Chrono X3 170V - Exploded view



	PAGE 1 (4)	Spare parts list for Chrono X3 O 8024/6024.41.XXH	REF. NO. 24-897J- 2101- 02/1635	

POS	PART NO	DESCRIPTION	REMARKS
2	24.0611	CABLE COVER	
3	24.0803.1750	CONNECTION CABLE	
3	24.0803.3000	CONNECTION CABLE	Not valid for CAN communication
3	24.0803.5000	CONNECTION CABLE	Not valid for CAN communication
4	24.0653	CABLE COVER ACCESSORIES	
5	24.0720	S/Z SWITCH Assembly kit	
7	24.0721	ON/OFF SWITCH Assembly kit	
8	900.9355	O-RING	
9	28.0041	LIGHT GUIDE	
10	900.9375	PLUG	
11	900.0260	SCREW	
12	900.9375	PLUG	
13	24.0796.000L	TOP COVER	
14	900.0495	SCREW	
15	24.0718	QUICK RELEASE Assembly kit	
16	24.0605	SNAP IN CAGE	
17	24.0635.001	BRUSH HOLDER	Full threading
17	24.0635.002	BRUSH HOLDER	Half threading and non-threading
18	24.0590.001L	NOSE 30° COMPLETE	Full threading
18	24.0590.002L	NOSE 30° COMPLETE Polished	Full threading
19	900.0117	SCREW	
20	24.0591.001	EYELET	
20	24.0591.002	EYELET Polished	
21	24.0648.001	NOSE 30° COVER	Full threading
21	24.0648.002	NOSE 30° COVER Polished eyelet	Full threading
22	900.6163.001	EYELET	
22	900.6163.003	EYELET Polished	
23	900.0495	SCREW	
24	24.0590.004L	NOSE 42° COMPLETE Polished	Full threading
25	24.0591.001	EYELET	
25	24.0591.002	EYELET Polished	
26	900.0117	SCREW	
27	24.0649.001	NOSE 42° COVER	Full threading
27	24.0649.002	NOSE 42° COVER Polished eyelet	Full threading
28	900.6163.001	EYELET	
28	900.6163.003	EYELET Polished	
29	900.0495	SCREW	
30	24.0735.001L	NOSE 30°	Half and non-threading
30	24.0735.002L	NOSE 30° Polished eyelet	Half and non-threading
31	27.0479.001	EYELET	Half and non-threading
31	27.0479.002	EYELET Polished	Half and non-threading
32	900.0495	SCREW	
33	24.0585.001L	NOSE 42°	Half and non-threading
33	24.0585.002L	NOSE 42° Polished eyelet	Half and non-threading
34	27.0479.001	EYELET	Half and non-threading
34	27.0479.002	EYELET Polished	Half and non-threading
35	900.0495	SCREW	
36	24.0668	CYLINDER COMPLETE with air tube	For full threading brush ring push by air
37	900.0117	SCREW	
38	24.0709	AIR TUBE WITH RUBBER NIPPLE	For full threading with quick release open
39	27.0817	RUBBER NIPPLE	
44	09E00810R10	MOTOR CIRCUIT BOARD incl. sensor	
45	900.0117	SCREW	
46	24.0261.001	BRUSH SOFT, natural, z-rotation	
46	24.0261.201	BRUSH SOFT, natural, straight	
46	54T00774	BRUSH MEDIUM, natural, z-rotation	
46	54T00775	BRUSH MEDIUM, natural, s-rotation	

	PAGE 2 (4)	Spare parts list for Chrono X3 O 8024/6024.41.XXH	REF. NO. 24-897J- 2101- 02/1635	

POS	PART NO	DESCRIPTION	REMARKS
46	54T00773	BRUSH MEDIUM, natural, straight	
46	24.0261.004	BRUSH MEDIUM, synthetic, z-rotation	
46	24.0261.104	BRUSH MEDIUM, synthetic, s-rotation	
46	24.0261.204	BRUSH MEDIUM, synthetic, straight	
46	24.0261.005	BRUSH STIFF, synthetic, z-rotation	
46	24.0261.105	BRUSH STIFF, synthetic, s-rotation	
46	24.0261.205	BRUSH STIFF, synthetic, straight	
46	54T00783	BRUSH X-STIFF, synthetic, z-rotation	
46	54T00784	BRUSH X-STIFF, synthetic, s-rotation	
46	54T00782	BRUSH X-STIFF, synthetic, straight	
46	24.0261.007	BRUSH STIFF, synthetic, z-rotation	Recommend for fibreglass (diameter=110 mm)
46	24.0261.107	BRUSH STIFF, synthetic, s-rotation	Recommend for fibreglass (diameter=110 mm)
46	24.0261.207	BRUSH STIFF, synthetic, straight	Recommend for fibreglass (diameter=110 mm)
47	24.0252.001	E-FLEX, SOFT	(Strip only = 24.0253.001)
47	24.0252.102	E-FLEX, MEDIUM	(Strip only = 24.0253.002)
47	24.0281.003	E-FLEX, STIFF	(Strip only = 24.0253.007)
47	24.0281.103	E-FLEX, EXTRA STIFF	(Strip only = 24.0253.007)
48	54T01059	M-FLEX, Soft	
48	54T01060	M-FLEX, Medium	
48	54T01061	M-FLEX, Stiff	
49	24.0702.001	LAMELLA BRAKE Compl. soft, Z-rotation	
49	24.0702.002	LAMELLA BRAKE Compl. medium, Z-rotation	
49	24.0702.003	LAMELLA BRAKE Compl. stiff, Z-rotation	
50	26A00057	EYELET	
51	24.0603	PROTECTION COVER	
52	900.0117	SCREW	
53	900.9296	AIR CONNECTION	
54	24.0617.001	AIR VALVE for threading	Full threading
54	24.0617.002	AIR VALVE for threading	Half threading
54	24.0617.011	AIR VALVE for threading, polished eyelet	Full threading
54	24.0617.012	AIR VALVE for threading, polished eyelet	Half threading
54	24.0633.001	COVER with eyelet	
54	24.0633.011	COVER with eyelet, polished	
55	900.0218	SCREW	
56	900.6163.001	EYELET	
56	900.6163.003	EYELET polished	
57	24.0462	MOUNT COMPL.	
58	24.0592.001U	MOTOR COMPL.	
58	24.0592.002U	MOTOR COMPL. Polished, rotor and eyelet	
59	900.4061	BEARING	
60	900.9314	KEY	
61	900.6166	EYELET	
61	24.0319	EYELET, polished	
62	24.0557.001	ROTOR	
62	24.0557.002	ROTOR, polished	
63	900.4065	BEARING	
64	900.9073	CIRCLIP	
65	900.9099	CIRCLIP	
66	24.0384.501	WINDING DISC COMPL.	
66	24.0384.502	WINDING DISC COMPL. Polished eyelet	
67	24.0116	WASHER	
68	24.0287	MAGNET RING COMPLETE	
69	24.0741	MAGNET RING incl. ball bearing	
70	900.4065	BEARING	
71	24.0058	SPACER	
72	24.0124	GROUND STRIP	
73	900.0479	SCREW	

[illegible]