



# Observed and forecasted cumulative COVID-19 deaths in the US

The ensemble forecast shown here combines models that are either explicitly 'unconditional' on any particular interventions being in place or are conditional on existing social distancing measures continuing through the projected time-period. Intervals shown are at the 95% uncertainty level.




# Observed and forecasted cumulative COVID-19 deaths in the US

The ensemble forecast shown here combines models that are either explicitly 'unconditional' on any particular interventions being in place or are conditional on existing social distancing measures continuing through the projected time-period. Intervals shown are at the 95% uncertainty level.




# Observed and forecasted cumulative COVID-19 deaths in the US

The ensemble forecast shown here combines models that are either explicitly 'unconditional' on any particular interventions being in place or are conditional on existing social distancing measures continuing through the projected time-period. Intervals shown are at the 95% uncertainty level.




# Observed and forecasted cumulative COVID-19 deaths in the US

The ensemble forecast shown here combines models that are either explicitly 'unconditional' on any particular interventions being in place or are conditional on existing social distancing measures continuing through the projected time-period. Intervals shown are at the 95% uncertainty level.




# Observed and forecasted cumulative COVID-19 deaths in the US

The ensemble forecast shown here combines models that are either explicitly 'unconditional' on any particular interventions being in place or are conditional on existing social distancing measures continuing through the projected time-period. Intervals shown are at the 95% uncertainty level.



# Observed and forecasted cumulative COVID-19 deaths in the US

The ensemble forecast shown here combines models that are either explicitly 'unconditional' on any particular interventions being in place or are conditional on existing social distancing measures continuing through the projected time-period. Intervals shown are at the 95% uncertainty level.



# Observed and forecasted cumulative COVID-19 deaths in the US

The ensemble forecast shown here combines models that are either explicitly 'unconditional' on any particular interventions being in place or are conditional on existing social distancing measures continuing through the projected time-period. Intervals shown are at the 95% uncertainty level.

