


Observed and forecasted cumulative COVID-19 deaths in US states point estimates and 95% uncertainty intervals Alabama Alaska Forecasts are either 'unconditional' on any particular interventions being in place Forecasts are either 'unconditional' on any particular interventions being in place social distancing measures continuing through the projected time-period (IHME, social distancing measures continuing through the projected time-period (IHME, 100 50 0 Arizona Arkansas Forecasts are either 'unconditional' on any particular interventions being in place Forecasts are either 'unconditional' on any particular interventions being in place 400 social distancing measures continuing through the projected time-period (IHME, social distancing measures continuing through the projected time-period (IHME, 300 200 100 0 California Colorado Forecasts are either 'unconditional' on any particular interventions being in place Forecasts are either 'unconditional' on any particular interventions being in place social distancing measures continuing through the projected time-period (IHME, social distancing measures continuing through the projected time-period (IHME, 3,000 2,000 1,000 0 Connecticut Delaware 1,500 Forecasts are either 'unconditional' on any particular interventions being in place Forecasts are either 'unconditional' on any particular interventions being in place social distancing measures continuing through the projected time-period (IHME, social distancing measures continuing through the projected time-period (IHME, 1,000 500 0 District of Columbia Florida




Observed and forecasted cumulative COVID-19 deaths in US states point estimates and 95% uncertainty intervals Hawaii Forecasts are either 'unconditional' on any particular interventions being in place Forecasts are either 'unconditional' on any particular interventions being in place social distancing measures continuing through the projected time-period (IHME, social distancing measures continuing through the projected time-period (IHME, 6.000 300 200 100 0 0 Idaho Illinois Forecasts are either 'unconditional' on any particular interventions being in place Forecasts are either 'unconditional' on any particular interventions being in place social distancing measures continuing through the projected time-period (IHME, social distancing measures continuing through the projected time-period (IHME, 15,000 10,000 5,000 0 Indiana 1,250 Forecasts are either 'unconditional' on any particular interventions being in place Forecasts are either 'unconditional' on any particular interventions being in place social distancing measures continuing through the projected time-period (IHME, social distancing measures continuing through the projected time-period (IHME, 1,000 750 500 250 0 Kansas Kentucky Forecasts are either 'unconditional' on any particular interventions being in place Forecasts are either 'unconditional' on any particular interventions being in place 4,000 social distancing measures continuing through the projected time-period (IHME, social distancing measures continuing through the projected time-period (IHME, 3,000 2,000 1,000 0 0 Louisiana Maine Forecasts are either 'unconditional' on any particular interventions being in place Forecasts are either 'unconditional' on any particular interventions being in place 200 social distancing measures continuing through the projected time-period (IHME, social distancing measures continuing through the projected time-period (IHME, 150




Observed and forecasted cumulative COVID-19 deaths in US states point estimates and 95% uncertainty intervals Maryland Massachusetts Forecasts are either 'unconditional' on any particular interventions being in place Forecasts are either 'unconditional' on any particular interventions being in place 20,000 social distancing measures continuing through the projected time-period (IHME social distancing measures continuing through the projected time-period (IHME 6,000 15,000 10,000 5.000 0 Michigan Minnesota Forecasts are either 'unconditional' on any particular interventions being in place Forecasts are either 'unconditional' on any particular interventions being in place social distancing measures continuing through the projected time-period (IHME social distancing measures continuing through the projected time-period (IHME 1,500 1,000 500 Mississippi Missouri Forecasts are either 'unconditional' on any particular interventions being in place Forecasts are either 'unconditional' on any particular interventions being in place social distancing measures continuing through the projected time-period (IHME social distancing measures continuing through the projected time-period (IHME 3,000 2,000 1,000 0 Montana Nebraska Forecasts are either 'unconditional' on any particular interventions being in place Forecasts are either 'unconditional' on any particular interventions being in place



Observed and forecasted cumulative COVID-19 deaths in US states point estimates and 95% uncertainty intervals



Observed and forecasted cumulative COVID-19 deaths in US states point estimates and 95% uncertainty intervals



Observed and forecasted cumulative COVID-19 deaths in US states

point estimates and 95% uncertainty intervals

