1]
Write a program to print decimal value of the data present in a given byte. Take byte number from user.
Example num=289; byte 2
Binary--- 00000000 00000000 00000001 00100001
Output--- Decimal value of Data in second byte is 1.

2]
Write a program to print decimal value of the data present in a given nibble. Take nibble number from user.
Example num=289; nibble 2
Binary---- 00000000 00000000 00000001 00100001
Output------ Decimal value of data in second nibble is 2

3]
Write a program to swap nibble from given position in a given number.
Example: Pos1=2 Pos2=3
int num= 00000000 00000000 00001110 00110000
 Output:- 00000000 00000000 00000011 11100000
Take Pos1,Pos2 and num from user.

4]
Write a program to count set bit in a given nibble. Take a nibble position and number from user.
Example Pos=2
int num= 00000000 00000000 00001010 10111101
Output---Set bit count is 2.

5]
Write a program to rotate binary of a given number from right to left. Take number and how many bits to rotate from user.
 Example-- rot=3 num=14;
 Before----- 00000000 00000000 00000000 00001110
 After--------11000000 00000000 00000000 00000001

6]
Write a program to swap nibbles in each byte of a given integer number.
Example:
Input binary: 10100011 00111100 10101111 00001111
Output binaty:00111010 11000011 11111010 11110000
Note: Give input in hexadecimal format for understanding.

7]
Write a program to delete n bits from given position.
Take n ,position and number from user.
Example: num=505; n=4 Pos=3
Before----- 00000000 00000000 00000001 11110100
After ----- 00000000 00000000 00000000 00011100

8]
Write a program to clear n bits starting at position p in a number x. If n is negative then n bits to the left of p should be cleared otherwise n bits to the right should be cleared. If p=7 and n=4 then the bits to be cleared are 7th ,6th ,5th and 4th . If p=7 and n= -4 then the bits to be cleared are 7th ,8th ,9th ,10th .

9]
Write a program to check decimal value corresponding to given 2 nibble position. Take nibble position from user.
Example: pos1=2 pos2=4 num=384;
Binary---- 00000000 00000000 00000001 10000000
Data corrresponding to 2nd and 4th nibble is 00001000
Output-----Decimal value of the data is 8

10]
Write a program to convert little endian representation into big endian. Assume given representation is in little endian.
Example Input --num=0xABCDEF12------Little endian
Output --- 0x12EFCDAB------- Big Endian