SignIn.jsx

```jsx
import React from 'react';

const SignIn = () => {
  return (
    <div className="container">
      <h2>Sign In</h2>
      <form>
        <div className="mb-3">
          <label>Email</label>
          <input type="email" className="form-control" />
        </div>
        <div className="mb-3">
          <label>Password</label>
          <input type="password" className="form-control" />
        </div>
        <button className="btn btn-primary">Sign In</button>
      </form>
    </div>
  );
};

export default SignIn;
```

SignUp.jsx

```
import React from 'react';

const SignUp = () => {
  return (
    <div className="container">
      <h2>Sign Up</h2>
      <form>
        <div className="mb-3">
          <label>Name</label>
          <input type="text" className="form-control" />
        </div>
        <div className="mb-3">
          <label>Email</label>
          <input type="email" className="form-control" />
        </div>
        <div className="mb-3">
          <label>Password</label>
          <input type="password" className="form-control" />
        </div>
        <button className="btn btn-success">Sign Up</button>
      </form>
    </div>
  );
};

export default SignUp;
```

Product.jsx

```jsx
import React from 'react';

const Product = () => {
  return (
    <div className="container">
      <h2>Product Page</h2>
      <div className="card">
        <img src="https://via.placeholder.com/150" alt="Product" />
        <div className="card-body">
          <h5 className="card-title">Product Name</h5>
          <p className="card-text">$99.99</p>
          <button className="btn btn-primary">Add to Cart</button>
        </div>
      </div>
    </div>
  );
};

export default Product;
```

App.jsx

```jsx
import React from 'react';
import { BrowserRouter as Router, Routes, Route } from 'react-router-dom';
import SignIn from './pages/SignIn';
import SignUp from './pages/SignUp';
import Product from './pages/Product';

const App = () => {
  return (
    <Router>
      <Routes>
        <Route path="/" element={<SignIn />} />
        <Route path="/signup" element={<SignUp />} />
        <Route path="/product" element={<Product />} />
      </Routes>
    </Router>
  );
};

export default App;
```