

PATHLINE LABS PVT LTD.

H-1, Zygon Square, Sector -63, Noida. UP-201301
Email: info@nathlinelabs in

Email: info@pathlinelabs.in, Web: www.pathlinelabs.in

CUSTOMER CARE:+91 0120 4114023

C00000002-WALKIN-CLIENT

 Name
 : MR. AAZAR
 Age/Gender
 : 24 Yrs./MALE

 Reg No
 : 0001AH000499
 Barcode No
 : 100004869

 Sample Coll Dt
 : 07/01/2022 04:35 PM
 Reg Date
 : 07/01/2022 04:35 PM

 Sample Rcv Dt
 : 07/01/2022 04:41 PM
 Reported Date
 : 07/01/2022 09:32 PM

Report Status : Final Referred By : SELF

Tests Results Biological Reference Range Units

MOLECULAR DIAGNOSTICS

SARS COVID-19 RT PCR

COVID-19VIRUS QUALITATIVE RT-PCR NEGATIVE NEGATIVE

Specimen:

NASO/Oropharyngeal Swab

Advice:- CBC, Covid IgG, VitaminD3, Iron Profile, IgE Serum, Immunoglobin Profile (IgG, IgM, IgA).

Interpretation:-

Result	Remarks
POSITIVE	Indicates RNA from SARS COV-2 was detected and the Patient is presumed to harbour Infection of COVID-19 and could
	be contagious.
NEGATIVE	Indicates RNA from SARS COV-2 was not found in the specimen or not present in detectable limits, to have been
	picked up.

The threshold cutoff cycle Ct is 36.

Note:-

- . SARS COV-2 also known as 2019 nCOV is the causative agent of the corona virus disease 2019 (COVID -19).
- 2. ICMR approved kit/s is/are being used for reporting.
- 3. SARS COV-2 detection is being done by qualitative test method, based on Real Time PCR technology. It does not quantify viral load.
- 4. This assay uses a positive and negative control; RNaseP to indicate specimen acceptable quality; E gene and RdRp /N gene to detect SARS COV-2 infection.
- 5. Test performed on Bio-Rad CFX-96.
- **6.** ICMR Registration number for COVID-19 is **PATLPNUP**
- 7. All positive cases are notified to ICMR for future surveillance.

Comment :-

- Negative results do not rule out possibility of COVID 19 infection and should be in correlated with clinical observation, patient history and epidemiologicalinformation.
- 2. RT-PCR can only interpret the viral load if it is detectable.
- 3. Positive results will not rule out co-infection with other viruses.
- 4. Optimum sample type and the stage of infection in which sample was procured, plays an important role in reporting of COVID 19 infection
- Ct values are inversely proportional to the significant viral load(higher the Ct value lower will be the viral load).
- 6. Asymptomatic / Presymptomatic cases may show high Ct value with or without showcasing symptoms
- 7. Ct values are not absolute indication of viral load and are affected by variation of specimen collected.
- 8. In advent of delayed onset of symptoms or persisting ILI symptoms, kindly repeat test after an interval.

End Of Report







MC-4017





Dr. Chitra Chauhan

MD, Pathology (Gold Medalist) Chief of Laboratory

