



















































Cloud Storage

Store Audios Re



Storage (Azure)








to

Step 3: Compress  
Bytes

Status Log




conversion to  
bytes

Step 2: conversion to  
Bytes


Status Log

re

## Data Layer Architecture



Azure  
Database for  
MariaDB  
Servers



Azure Cache  
Redis














































Send Request to Speech to text

















































Speech to te

ext Algorithm



# Griffin-Lim reconstruction



Lin  
spe

n

near-scale  
electrogram
















































Attention is applied  
to all decoder e









Seq2seq target  
with  $r=3$

Decoder  
RNN

Attention  
RNN

t






































Ch

reflect





character embeddings

to all decoder s





steps





Pre-net







































Input To knowledge extraction










# Know



Azure Cache  
Redis

# Knowledge Extraction

---

















Ca

...

---

*Container on  
compute Engine*

.....

re

...



---

Speech to text









Con

ntainer on







Load  
balancers  
for  
searching


Virtual  
Machine

Virtual  
Machine


Virtual  
Machine



Redis




Azure Cache  
Redis



Azure Cache  
Redis

Convert to

Real Time  
Synchronization




Azure Database for MariaDB Server






ers



Yes



Answer Found

## Micro-Service Architecture

*ChatGPT*

*BARD*


*MetaGPT*

*Search Query on  
Google*

No →

YES

Answer Found




```
graph TD; A[ ] --> B[Rephrase the question and ask it to the client again for confirmation];
```

Rephrase the question  
and ask it to the client  
again for confirmation



voice  
r



the building  
request




---

Voice creation  
frontend


---






Custom  
processing  
(Optional)

# Cloud Storage






# Cloud Function

---

Model training  
trigger

---



# Physics Pipeline




Model building  
engine




















ervers












Voice

r


Voice



Voice synthesis  
frontend

---


.....





Synthesizer  
Backend

Container on  
Route Engine



Model  
deployment  
triggered

***Cloud Function***



el  
ment  
er

*actions*

Voice model  
storage

