TVBOX的XBiubiu规则

XBiubiu 使用方法

```
"name": "韩剧在线", //-----填网站名称
    "tihuan": "cnzz.com",
    "url": "https://www.52kpop1.com", //-----填网站链接
    "shouye": "4",
    "fenlei": "电影$/vodshow/1------#韩剧$/vodshow/2-----#韩踪$/vodshow/3-----", //-----网站列表的分类
    "houzhui": "---.html", //-----网站翻页链接的后缀
                        ▼ <div class="stui-pannel_hd">
                            ▼
                                   ::before
                                ▶ <1i>...</1i>
                               ▼ <1i>>
                                      <a href="/vodshow/1-----.html">全部</a> == $0
                                   ▼ 
                                       <a href="<mark>/vodshow/1---%E5%8A%A8%E4%BD%9C-----.html</mark>*>支所作</a>
                                   "shifouercijiequ": "0", //-----截取的列表数组是否需要二次截取,0不需要,1需要
    "jiequqian": "空", //----截取关键词前
     "jiequhou": "空",//----截取关键词后
            ▶ <style>...</style>
            > <div class="tz">,,,</div>
            \div class="module-adslist ads_w">...</div>
              ▼<div class="module-items module-poster-items-base"> == $0
                一起,需要二次截取
                      ▼ <div class="module-item-pic">
                          <img class="lazy lazyload" data-original="https://lain.bgm.tv/pic/cover/1/65/19/364450_9181T.jpg" alt="荊可丽丝" referrerpolicy="no-referrer" src="https://lain.bgm.tv/pic/co
                          ver/1/65/19/364450 91B1T.jpg" style>
                       </div>
                     </div>
                    <div class="module-poster-item-info">...</div>
                                                                                                                                                               "shifouercijieau": "1",
                "jiequqian": "class=\"module-items", //二次截取前
                 ▶<a href="<u>/voddetail/1239.html</u>" title="体操武士" class="module-poster-item module-item">...</a>
                                                                                                                                                               "jiequhou": "class=\"fixedGroup", //二次截取后
                 ▶<a href="<u>/voddetail/1238.html</u>" title="请在T台上微笑" class="module-poster-item module-item">...</a>
                                                                                                                                                              "jiequshuzuqian": "<a", //截取的列表数组的前
                ▶ <a href="<u>/voddetail/1237.html</u>" title="地搏少年花子君" class="module-poster-item module-item">...</a>
                *\(\rightarrow\) \(\rightarrow\) \(\rightarrow
                                                                                                                                                               "jiequshuzuhou": "</a>", //截取的列表数组的后
                ▶ <a href="/voddetail/1235.html" title="Lapis Re:LiGHTs" class="module-poster-item module-item">...</a:
                ▶<a href="<u>/voddetail/1234.html</u>" title="魔物娘的医生" class="module-poster-item module-item">...</a>
                ▶<a href="<u>/voddetail/1233.html</u>" title="魔法律事务所 第二季" class="module-poster-item module-item">...</a>
                </div>
              <div id="page">...</div>
             </div>
           </div>
      </div>
> <div class="fixedGroup" ...</div> == $0
> <div class="footer">...</div>
      ▶ <div>...</div>
    </div>
  </body>
```

"jiequshuzuqian": "class="stui-vodlist_box"", //------截取的列表数组的前关键词,截取的关键词有 " 的用 \ 进行转义

"jiegushuzuhou": "", //------截取的列表数组的后关键词

```
▼ 
             ▼ 
               ▼ <div class="stui-vodlist__box"> == $0
                ▶<a class="stui-vodlist__thumb lazyload" href="/hanju/8889.html" title="月球坠落" data-original=
                "https://tvax4.sinaimg.cn/mw690/005uPAF4gy1h2wu45coa3j307i0azt96.jpg" style="background-image:
                url("https://tvax4.sinaimg.cn/mw690/005uPAF4gy1h2wu45coa3j307i0azt96.jpg");">...</a>
                ▶ <div class="stui-vodlist__detail">...</div>
               </div>
                <!-- 列表-->
              "tupianqian": "data-original=\"", //-----列表中资源的图片前关键词,截取的关键词有 " 的用 \ 进行转义
 "tupianhou": "\"", //----列表中资源的图片后关键词
 "biaotiqian": "title=\"",
 "biaotihou": "\"",
 "lianjieqian": "href=\"",
 "lianjiehou": "\"",
             ▼
              ▼ <div class="stui-vodlist__box">
                ▶ <a class="stui-vodlist_thumb lazyload" href="hanju/8889.html" title="用球坠落" data-original=
                "https://tvax4.sinaimg.cn/mw690/005uPAF4gy1h2wu45coa3j307i0azt96.jpg" style="background-image:
                url("https://tvax4.sinaimg.cn/mw690/005uPAF4gy1h2wu45coa3j307i0azt96.jpg");">...</a> == $0
                ▶ <div class="stui-vodlist__detail">...</div>
                </div>
                <!-- 列表-->
              "sousuoqian": "/index.php/ajax/suggest?mid=1&wd=",//-----搜索部分基本不用动,现在网站基本都是苹果CMS,所有搜索是固定的。
  "sousuohou": "&limit=500",
  "sousuohouzhui": "/hanju/", //-----搜索页影片跳转详情页的中间标识链接部分,不是播放页面
  "ssmoshi": "0",
  "sousuoshifouercijiequ": "0",
  "jspic": "pic",
  "jsname": "name",
  "jsid": "id",
  "ssjiequqian": "空",
  "ssjiequhou": "空",
  "ssjiequshuzuqian": "空",
  "ssjiequshuzuhou": "空",
  "sstupianqian": "空",
  "sstupianhou": "空",
  "ssbiaotiqian": "空<sup>"</sup>,
  "ssbiaotihou": "空",
  "sslianjieqian": "空",
  "sslianjiehou": "空",
  "bfshifouercijiequ": "0",
  "bfjiequqian": "空",
  "bfjiequhou": "空",
← → C □ □ http://52kpop1.com/hanju/8309.html
```

```
"bfjiequshuzuqian": "class=\"stui-content__playlist", //------播放截取的列表数组的前关键词
"bfjiequshuzuhou": "
"zhuangtaiqian": "更新: </span>", //-----下面的是详情内容可以不动
"zhuangtaihou": "",
"daoyanqian": "导演: </span>",
"daoyanhou": "",
"zhuyanqian": "主演: </span>",
"zhuyanqian": "主演: </span>",
"zhuyanqian": "言演: </span>",
"zhuyanhou": "", <br/>"juqingqian": "简介: </span>",
"juqingqian": "(p)",
"bfyshifouercijiequ": "0",
"bfyjiequqian": "空",
"bfyjiequhou": "空",
```