Derivative of a Power Series

We can differentiate power series. For example, $\cos(x) = \sin'(x)$ so we can find a power series for $\cos(x)$ by differentiating the power series for $\sin(x)$ term by term — the same way we differentiate polynomials.

$$\sin(x) = x - \frac{x^3}{3!} + \frac{x^5}{5!} - \frac{x^7}{7!} + \cdots$$

$$\cos(x) = \sin'(x)$$

$$= 1 - 3\frac{x^2}{3!} + 5\frac{x^4}{5!} - 7\frac{x^6}{7!} + \cdots$$

$$\cos(x) = 1 - \frac{x^2}{2!} + \frac{x^4}{4!} - \frac{x^6}{6!} + \cdots$$

Notice how $3\frac{x^2}{3!}$ became $\frac{x^2}{2!}$ when we canceled the 3's. This happens with each term of the power series.

The radius of convergence of the derivative of a power series is the same as the radius of convergence of the power series you started with. Here R = 1.8

Of course, you could get this same formula using Taylor's formula and the derivatives of the cosine function.

MIT OpenCourseWare http://ocw.mit.edu

18.01SC Single Variable Calculus Fall 2010

For information about citing these materials or our Terms of Use, visit: http://ocw.mit.edu/terms.