

Proofs using vectors

1. The median of a triangle is a vector from a vertex to the midpoint of the opposite side.
Show the sum of the medians of a triangle = $\mathbf{0}$.


Answer: The median of side AB is the vector from vertex C to the midpoint of AB . Label this midpoint as P . As usual we write \mathbf{P} for the origin vector \overrightarrow{OP} .

The midpoint $\mathbf{P} = \frac{1}{2}(\mathbf{A} + \mathbf{B}) \Rightarrow \overrightarrow{CP} = \frac{1}{2}(\mathbf{B} + \mathbf{A}) - \mathbf{C}$.

Likewise: $\overrightarrow{BQ} = \frac{1}{2}(\mathbf{A} + \mathbf{C}) - \mathbf{B}$ and $\overrightarrow{AR} = \frac{1}{2}(\mathbf{B} + \mathbf{C}) - \mathbf{A}$.

\Rightarrow sum of medians is

$$\overrightarrow{CP} + \overrightarrow{BQ} + \overrightarrow{AR} = \left(\frac{1}{2}(\mathbf{B} + \mathbf{A}) - \mathbf{C} \right) + \left(\frac{1}{2}(\mathbf{A} + \mathbf{C}) - \mathbf{B} \right) + \left(\frac{1}{2}(\mathbf{B} + \mathbf{C}) - \mathbf{A} \right) = \mathbf{0}.$$



MIT OpenCourseWare
<http://ocw.mit.edu>

18.02SC Multivariable Calculus
Fall 2010

For information about citing these materials or our Terms of Use, visit: <http://ocw.mit.edu/terms>.