Solutions to Polynomial Input 2

Quiz: Which of the following are true about the differential equation $3x^{(4)} + 2x^{(3)} + x'' = 2t^2 + 1$?

 $\phi(s) = 3s^4 + 2s^3 + s^2 \Rightarrow \phi(0) = 0 \Rightarrow$ bump all degrees up by order of lowest derivative

Choices:

- a) It has no polynomial solutions.
- b) It has exactly one polynomial solution.
- c) It has many polynomial solutions.
- d) All its solutions are polynomials.
- e) We can't say from the information given.

Answer: The answer is c.

Because the smallest derivative in the differential operator is 2, the method of undetermined coefficients says we should look for a particular solution of the form $x_p = At^4 + Bt^3 + Ct^2$. Therefore there is at least one polynomial solution.

But, for any D, E the function Dt + E is a homogenous solution. (You can see this directly or because 0 is a double root of the characteristic equation.) Thus, there a lots of polynomial solutions.

Since there are nonzero roots of the characteristic equation not every solution is a polynomial.

By the way,
$$x_p = \frac{1}{12}t^4 - \frac{2}{3}t^3 + \frac{3}{2}t^2$$
.

MIT OpenCourseWare http://ocw.mit.edu

18.03SC Differential Equations Fall 2011

For information about citing these materials or our Terms of Use, visit: http://ocw.mit.edu/terms.