

PHYSICS

SECTION-A

- 1. A bullet is fired from a gun at the speed of 280 m s⁻¹ in the direction 30° above the horizontal. The maximum height attained by the bullet is ($q = 9.8 \text{ m s}^{-2}$, $\sin 30^\circ = 0.5$)
 - (1) 1000 m

(2) 3000 m

(3) 2800 m

(4) 2000 m

Answer (1)

- 2. A vehicle travels half the distance with speed v and the remaining distance with speed 2v. Its average speed is
 - (1) $\frac{4v}{3}$

(2) $\frac{3v}{4}$

(3) $\frac{v}{3}$


 $(4) \quad \frac{2v}{3}$

Answer (1)

- 3. The venturi-meter works on
 - (1) The principle of parallel axes
 - (2) The principle of perpendicular axes
 - (3) Huygen's principle
 - (4) Bernoulli's principle

Answer (4)

4. If the galvanometer G does not show any deflection in the circuit shown, the value of R is given by



(1) 100Ω

(2) 400Ω

(3) 200Ω

(4) 50Ω

Answer (1)

5. For Young's double slit experiment, two statements are given below:

Statement I : If screen is moved away from the plane of slits, angular separation of the fringes remains constant.

Statement II: If the monochromatic source is replaced by another monochromatic source of larger wavelength, the angular separation of fringes decreases.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Statement I is true but Statement II is false.
- (2) Statement I is false but Statement II is true.
- (3) Both Statement I and Statement II are true.
- (4) Both Statement I and Statement II are false.



NEE	T (UG)-2023	(Code-H5)		Aakash			
6.	In hydrogen Bracket serie	•	ength in the B	almer series is $\lambda.$ The shortest wavelength in th			
	(1) 9λ		(2)	16λ			
	(3) 2λ		(4)	4λ			
	Answer (4)						
7.			•	odes, a centre-tapped transformer, capacitor and ac ripple from the rectified output?			
	(1) Capaci	tor	(2)	Load resistance			
	(3) A centr	e-tapped transformer	(4)	p-n junction diodes			
	Answer (1)						
8.		of energy required to form a so pap solution = 0.03 N m ⁻¹)	oap bubble of r	radius 2 cm from a soap solution is nearly (surfac			
	(1) 3.01 ×	10 ⁻⁴ J	(2)	50.1 × 10 ⁻⁴ J			
	(3) 30.16 >	‹ 10 ^{−4} J	(4)	5.06 × 10 ⁻⁴ J			
	Answer (1)						
9.		radius of gyration of a solid spl		M and radius R about its own axis to the radius α about its axis is			
	(1) 2:5	(0)	(2)	5:2			
	(3) 3:5		(4)	5:3			
	Answer (3*)						
10.		ayer is moving southward and su at acts on the player while turnir		eastward with the same speed to avoid an opponen			
	(1) Along r	north-east	(2)	Along south-west			
	(3) Along 6	eastward	(4)	Along northward			
	Answer (1)						
11.	The half life	of a radioactive substance is 2	0 minutes. In	how much time, the activity of substance drops to			
	$\left(\frac{1}{16}\right)^{th}$ of its	initial value?					
	(1) 60 min	utes	(2)	80 minutes			
	(3) 20 min	utes	(4)	40 minutes			
	Answer (2)						
12.	•	-	•	he electric field component oscillates sinusoidally a en the amplitude of oscillating magnetic field is			
	(Speed of light in free space = $3 \times 10^8 \text{ m s}^{-1}$)						
	(1) 1.6 × 1	0 ⁻⁷ T	(2)	1.6 × 10 ⁻⁶ T			
	(3) 1.6 × 1	0−9 T	(4)	1.6 × 10 ⁻⁸ T			
	Answer (1)						
13.	The magnet	ic energy stored in an inductor c	of inductance 4	4 μH carrying a current of 2 A is			
	(1) 8 mJ		(2)	8 μJ			
	(3) 4 μJ		(4)	4 mJ			

Answer (2)



- 14. In a series *LCR* circuit, the inductance *L* is 10 mH, capacitance *C* is 1 μ F and resistance *R* is 100 Ω . The frequency at which resonance occurs is
 - (1) 1.59 rad/s

(2) 1.59 kHz

(3) 15.9 rad/s

(4) 15.9 kHz

Answer (2)

- 15. Light travels a distance x in time t_1 in air and t_2 in another denser medium. What is the critical angle for this medium?
 - $(1) \quad \sin^{-1}\left(\frac{t_1}{10 t_2}\right)$

 $(2) \quad \sin^{-1}\left(\frac{10 \ t_1}{t_2}\right)$

(3) $\sin^{-1}\left(\frac{t_2}{t_1}\right)$

 $(4) \quad \sin^{-1}\left(\frac{10t_2}{t_1}\right)$

Answer (2)

- 16. An ac source is connected to a capacitor C. Due to decrease in its operating frequency
 - (1) Displacement current decreases
- (2) Capacitive reactance remains constant
- (3) Capacitive reactance decreases
- (4) Displacement current increases

Answer (1)

- 17. If $\oint_{S} \vec{E} \cdot \vec{dS} = 0$ over a surface, then
 - (1) All the charges must necessarily be inside the surface
 - (2) The electric field inside the surface is necessarily uniform
 - (3) The number of flux lines entering the surface must be equal to the number of flux lines leaving it
 - (4) The magnitude of electric field on the surface is constant

Answer (3)

- 18. The potential energy of a long spring when stretched by 2 cm is *U*. If the spring is stretched by 8 cm, potential energy stored in it will be
 - (1) 8 *U*


(2) 16 L

(3) 2 U

(4) 4 U

Answer (2)

19. The equivalent capacitance of the system shown in the following circuit is



(1) $6 \mu F$

(2) $9 \mu F$

(3) $2 \mu F$

(4) $3 \mu F$

Answer (3)

- 20. The errors in the measurement which arise due to unpredictable fluctuations in temperature and voltage supply are
 - (1) Least count errors

(2) Random errors

(3) Instrumental errors

(4) Personal errors

Answer (2)



21. Given below are two statements:

Statement I: Photovoltaic devices can convert optical radiation into electricity.

Statement II: Zener diode is designed to operate under reverse bias in breakdown region.

In the light of the above statements, choose the *most appropriate* answer from the options given below.

- (1) Statement I is correct but Statement II is incorrect
- (2) Statement I is incorrect but Statement II is correct
- (3) Both Statement I and Statement II are correct
- (4) Both Statement I and Statement II are incorrect

Answer (3)

22.	The ratio of frequencies of fundamental harmonic produced by an open pipe to that of closed pipe having the
	same length is

(1) 1:3

(2) 3:1

(3) 1:2

(4) 2:1

Answer (4)

23. The minimum wavelength of *X*-rays produced by an electron accelerated through a potential difference of *V* volts is proportional to

(1) $\frac{1}{\sqrt{V}}$

(2) V

(3) \sqrt{V}

(4) $\frac{1}{\sqrt{100}}$

Answer (4)

24. The work functions of Caesium (Cs), Potassium (K) and Sodium (Na) are 2.14 eV, 2.30 eV and 2.75 eV respectively. If incident electromagnetic radiation has an incident energy of 2.20 eV, which of these photosensitive surfaces may emit photoelectrons?

(1) K only

(2) Na only

(3) Cs only

(4) Both Na and K

Answer (3)

25. A Carnot engine has an efficiency of 50% when its source is at a temperature 327°C. The temperature of the sink is

(1) 100°C

(2) 200°C

(3) 27°C

(4) 15°C

Answer (3)

26. The net magnetic flux through any closed surface is

(1) Infinity

(2) Negative

(3) Zero

(4) Positive

Answer (3)

27. An electric dipole is placed at an angle of 30° with an electric field of intensity 2×10^{5} N C⁻¹. It experiences a torque equal to 4 N m. Calculate the magnitude of charge on the dipole, if the dipole length is 2 cm.

(1) 4 mC

(2) 2 mC

(3) 8 mC

(4) 6 mC

Answer (2)

28. Resistance of a carbon resistor determined from colour codes is (22000 \pm 5%) Ω . The colour of third band must be

(1) Orange

(2) Yellow

(3) Red

(4) Green



- 29. A metal wire has mass (0.4 ± 0.002) g, radius (0.3 ± 0.001) mm and length (5 ± 0.02) cm. The maximum possible percentage error in the measurement of density will nearly be
 - (1) 1.6%


(2) 1.4%

(3) 1.2%

(4) 1.3%

Answer (1)

30. The magnitude and direction of the current in the following circuit is



(1) $\frac{5}{9}$ A from A to B through E

(2) 1.5 A from B to A through E

(3) 0.2 A from B to A through E

(4) 0.5 A from A to B through E

Answer (4)

- 31. The temperature of a gas is –50°C. To what temperature the gas should be heated so that the rms speed is increased by 3 times?
 - (1) 3097 K

(2) 223 K

(3) 669°C

(4) 3295°C

Answer (4)

- 32. A 12 V, 60 W lamp is connected to the secondary of a step-down transformer, whose primary is connected to ac mains of 220 V. Assuming the transformer to be ideal, what is the current in the primary winding?
 - (1) 3.7 A

(2) 0.37 A

(3) 0.27 A

(4) 2.7 A

Answer (3)

- 33. Two bodies of mass m and 9m are placed at a distance R. The gravitational potential on the line joining the bodies where the gravitational field equals zero, will be (G = gravitational constant)
 - $(1) \quad -\frac{16Gm}{R}$

(2) $-\frac{20\,Gm}{R}$

(3) $-\frac{8Gm}{R}$

 $(4) \quad -\frac{12Gm}{R}$

Answer (1)

- 34. Let a wire be suspended from the ceiling (rigid support) and stretched by a weight *W* attached at its free end. The longitudinal stress at any point of cross-sectional area *A* of the wire is
 - (1) W/2A

(2) Zero

(3) 2W/A

(4) W/A


Answer (4)

- 35. The angular acceleration of a body, moving along the circumference of a circle, is
 - (1) Along the tangent to its position
 - (2) Along the axis of rotation
 - (3) Along the radius, away from centre
 - (4) Along the radius towards the centre

Answer (2)

SECTION-B

36. For the following logic circuit, the truth table is



- A B Y
- ВΥ 0 0
- (1) 0 1 0

(2)

A B Y

ВΥ

(3) 0 1 1 0

Answer (4)


- Two thin lenses are of same focal lengths (f), but one is convex and the other one is concave. When they are 37. placed in contact with each other, the equivalent focal length of the combination will be
 - (1)

Infinite

(3) Zero

Answer (2)

An electric dipole is placed as shown in the figure. 38.




The electric potential (in 10² V) at point *P* due to the dipole is (ϵ_0 = permittivity of free space and $\frac{1}{4\pi \epsilon_0} = K$)

- (1) $\left(\frac{8}{5}\right)qK$
- (3) $\left(\frac{3}{8}\right)qK$
- (4) $\left(\frac{5}{8}\right)qK$



The x-t graph of a particle performing simple harmonic motion is shown in the figure. The acceleration of the particle at t = 2 s is



(2) $-\frac{\pi^2}{16}$ m s⁻²

(3) $\frac{\pi^2}{8}$ m s⁻²

(4) $-\frac{\pi^2}{\Omega}$ m s⁻²

Answer (2)

10 resistors, each of resistance R are connected in series to a battery of emf E and negligible internal 40. resistance. Then those are connected in parallel to the same battery, the current is increased n times. The value of *n* is

(1) 1

(2) 1000

(3) 10

(4) 100

Answer (4)

41. The resistance of platinum wire at 0°C is 2 Ω and 6.8 Ω at 80°C. The temperature coefficient of resistance of the wire is

(1) $3 \times 10^{-2} \, ^{\circ}\text{C}^{-1}$

(3) $3 \times 10^{-4} \, ^{\circ}\text{C}^{-1}$

Answer (1)

The radius of inner most orbit of hydrogen atom is 5.3×10^{-11} m. What is the radius of third allowed orbit of 42. hydrogen atom?


(1) 1.59 Å

(2) 4.77 Å (4) 1.06 Å

(3) 0.53 Å

Answer (2)

43. A very long conducting wire is bent in a semi-circular shape from A to B as shown in figure. The magnetic field at point P for steady current configuration is given by



- (1) $\frac{\mu_0 i}{4R} \left[1 \frac{2}{\pi} \right]$ pointed away from page
- pointed into the page

(3) $\frac{\mu_0 I}{4R}$ pointed into the page

(4) $\frac{\mu_0 I}{4R}$ pointed away from the page

Answer (1)

A satellite is orbiting just above the surface of the earth with period T. If d is the density of the earth and G is 44. the universal constant of gravitation, the quantity $\frac{3\pi}{Gd}$ represents

(1) T^3

(3) T

(4) T^2

- 45. A bullet from a gun is fired on a rectangular wooden block with velocity u. When bullet travels 24 cm through the block along its length horizontally, velocity of bullet becomes $\frac{u}{3}$. Then it further penetrates into the block in the same direction before coming to rest exactly at the other end of the block. The total length of the block is
 - (1) 28 cm


(2) 30 cm

(3) 27 cm

(4) 24 cm

Answer (3)

46. The net impedance of circuit (as shown in figure) will be



(1) $5\sqrt{5} \Omega$

(2) 25Ω

(3) $10\sqrt{2} \Omega$

(4) 15Ω

Answer (1)

- 47. A wire carrying a current l along the positive x-axis has length L. It is kept in a magnetic field $\vec{B} = (2\hat{i} + 3\hat{j} 4\hat{k}) T$. The magnitude of the magnetic force acting on the wire is
 - (1) 5 IL

(2) $\sqrt{3}$ IL

(3) 3 IL

(4) $\sqrt{5}$ IL

Answer (1)

- 48. Calculate the maximum acceleration of a moving car so that a body lying on the floor of the car remains stationary. The coefficient of static friction between the body and the floor is 0.15 ($g = 10 \text{ m s}^{-2}$).
 - (1) 1.5 m s^{-2}

(2) 50 m s⁻²

(3) 1.2 m s⁻²

(4) 150 m s⁻²

Answer (1)

 $n_1 = 1.5 -$

49. In the figure shown here, what is the equivalent focal length of the combination of lenses (Assume that all layers are thin)?



 $R_1 = R_2 = 20 \text{ cm}$

 $n_2 = 1.6$

(1) -100 cm

(2) -50 cm

(3) 40 cm

(4) -40 cm

Answer (1)

- 50. A horizontal bridge is built across a river. A student standing on the bridge throws a small ball vertically upwards with a velocity 4 m s⁻¹. The ball strikes the water surface after 4 s. The height of bridge above water surface is (Take $g = 10 \text{ m s}^{-2}$)
 - (1) 64 m

(2) 68 m

(3) 56 m

(4) 60 m



CHEMISTRY

SECTION-A

- 51. For a certain reaction, the rate = $k[A]^2[B]$, when the initial concentration of A is tripled keeping concentration of B constant, the initial rate would
 - (1) Increase by a factor of nine

(2) Increase by a factor of three

(3) Decrease by a factor of nine

(4) Increase by a factor of six

Answer (1)

- 52. Select the **correct** statements from the following
 - A. Atoms of all elements are composed of two fundamental particles.
 - B. The mass of the electron is 9.10939×10^{-31} kg.
 - C. All the isotopes of a given element show same chemical properties:
 - D. Protons and electrons are collectively known as nucleons.
 - E. Dalton's atomic theory, regarded the atom as an ultimate particles of matter

Choose the **correct** answer from the options given below

(1) A and E only

(2) B, C and E only

(3) A, B and C only

(4) C, D and E only

Answer (2)

53. Match List-I with List-II.

		-	
	- 14	21_	
_	-113	3L-	

List-II

A. Coke

Carbon atoms are sp³ hybridised

B. Diamond

II. Used as a dry lubricant

C. Fullerene

III. Used as a reducing agent

D. Graphite

IV. Cage like molecules

Choose the **correct** answer from the options given below :

(1) A-III, B-I, C-IV, D-II

(2) A-III, B-IV, C-I, D-II

(3) A-II, B-IV, C-I, D-III

(4) A-IV, B-I, C-II, D-III

Answer (1)

- 54. Which one is an example of heterogenous catalysis?
 - (1) Decomposition of ozone in presence of nitrogen monoxide
 - (2) Combination between dinitrogen and dihydrogen to form ammonia in the presence of finely divided iron
 - (3) Oxidation of sulphur dioxide into sulphur trioxide in the presence of oxides of nitrogen
 - (4) Hydrolysis of sugar catalysed by H+ ions

Answer (2)



55. The given compound

is an example of _____

(1) Allylic halide

(2) Vinylic halide

(3) Benzylic halide

(4) Aryl halide

Answer (1)

56. In Lassaigne's extract of an organic compound, both nitrogen and sulphur are present, which gives blood red colour with Fe³⁺ due to the formation of

(1) [Fe(CN)₅NOS]⁴⁻

(2) [Fe(SCN)]2+

(3) $Fe_4[Fe(CN)_6]_3 \cdot xH_2O$

(4) NaSCN

Answer (2)

57. Given below are two statements: one is labelled as Assertion A and the other is labelled as Reason R

Assertion A: Helium is used to dilute oxygen in diving apparatus.

Reason R: Helium has high solubility in O₂.

In the light of the above statements, choose the correct answer from the options given below

- (1) A is true but R is false
- (2) A is false but R is true
- (3) Both A and R are true and R is the correct explanation of A
- (4) Both A and R are true and R is NOT the correct explanation of A

Answer (4)

58. Which amongst the following molecules on polymerization produces neoprene?

(1)
$$H_2C = CH - C \equiv CH$$

(2)
$$H_2C = C - CH = CH_2$$

(3)
$$H_2C = CH - CH = CH_2$$

(4)
$$H_2C = C - CH = CH_2$$



59. Given below are two statements : one is labelled as **Assertion A** and the other is labelled as **Reason R**:

Assertion A : A reaction can have zero activation energy.

Reasons R: The minimum extra amount of energy absorbed by reactant molecules so that their energy becomes equal to threshold value, is called activation energy.

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) A is true but R is false
- (2) A is false but R is true
- (3) Both A and R are true and R is the correct explanation of A
- (4) Both A and R are true and R is NOT the correct explanation of A

Answer (4)

60. Given below are two statements: one is labelled as **Assertion A** and the other is labelled as **Reason R**

Assertion A: In equation $\Delta_r G = -nFE_{cell'}$ value of $\Delta_r G$ depends on n.

Reasons R: E_{cell} is an intensive property and $\Delta_r G$ is an extensive property.

In the light of the above statements, choose the correct answer from the options given below

- (1) A is true but R is false
- (2) A is false but R is true
- (3) Both A and R are true and R is the correct explanation of A
- (4) Both A and R are true and R is NOT the correct explanation of A

Answer (4)

61. Consider the following reaction and identify the product (P).

$$\begin{array}{c|c}
CH_3 - CH - CH - CH_3 & \xrightarrow{HBr} & Product (P) \\
CH_3 & OH
\end{array}$$

3-Methylbutan-2-ol

(1)
$$CH_3 - CH - CH - CH_3$$
 (2) $CH_3 - C - CH_2Br$ | CH_3 | C

Answer (3)

62. Given below are two statements:

Statement I: A unit formed by the attachment of a base to 1' position of sugar is known as nucleoside.

Statement II: When nucleoside is linked to phosphorous acid at 5'-position of sugar moiety, we get nucleotide.

In the light of the above statements, choose the **correct** answer from the options given below :

- (1) Statement I is true but Statement II is false
- (2) Statement I is false but Statement II is true
- (3) Both Statement I and Statement II are true
- (4) Both Statement I and Statement II are false



63. Given below are two statements : one is labelled as **Assertion A** and the other is labelled as **Reason R**:

Assertion A: Metallic sodium dissolves in liquid ammonia giving a deep blue solution, which is paramagnetic.

 $\mbox{\bf Reason}\mbox{\bf R}$: The deep blue solution is due to the formation of amide.

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) A is true but R is false
- (2) A is false but R is true
- (3) Both A and R are true and R is the correct explanation of A
- (4) Both A and R are true but R is NOT the correct explanation of A

Answer (1)

- 64. Homoleptic complex from the following complexes is
 - (1) Pentaamminecarbonatocobalt (III) chloride
- (2) Triamminetriaquachromium (III) chloride
- (3) Potassium trioxalatoaluminate (III)
- (4) Diamminechloridonitrito-N-platinum (II)

Answer (3)

- 65. Amongst the given options which of the following molecules/ ion acts as a Lewis acid?
 - (1) BF₃

(2) OH-

(3) NH₃

(4) H₂O

Answer (1)

- 66. The conductivity of centimolar solution of KCl at 25°C is 0.0210 ohm⁻¹ cm⁻¹ and the resistance of the cell containing the solution at 25°C is 60 ohm. The value of cell constant is
 - (1) 1.26 cm⁻¹

(2) 3.34 cm⁻¹

(3) 1.34 cm⁻¹

(4) 3.28 cm⁻¹

Answer (1)

- 67. The relation between n_m , (n_m = the number of permissible values of magnetic quantum number (m)) for a given value of azimuthal quantum number (l), is
 - (1) $n_m = 2l^2 + 1$

(2) $n_m = I + 2$

(3) $I = \frac{n_m - 1}{2}$

(4) $I = 2n_m + 1$

Answer (3)

68. Identify product (A) in the following reaction:

$$\xrightarrow{\text{Zn-Hg}}$$
 (A)+2H₂O



(1)
$$CH_2$$
 CH_2OH

Answer (3)

- 69. Which of the following statements are **NOT** correct?
 - A. Hydrogen is used to reduce heavy metal oxides to metals.
 - B. Heavy water is used to study reaction mechanism.
 - C. Hydrogen is used to make saturated fats from oils.
 - D. The H–H bond dissociation enthalpy is lowest as compared to a single bond between two atoms of any elements.
 - E. Hydrogen reduces oxides of metals that are more active than iron.

Choose the most appropriate answer from the options given below:

- (1) D, E only
- (2) A, B, C only
- (3) B, C, D, E only
- (4) B, D only

Answer (1)

- 70. The **right** option for the mass of CO₂ produced by heating 20 g of 20% pure limestone is (Atomic mass of Ca = 40) $\left[\text{CaCO}_3 \xrightarrow{1200 \text{ K}} \text{CaO} + \text{CO}_2 \right]$
 - (1) 2.64 g

(2) 1.32 g

(3) 1.12 g

(4) 1.76 g

Answer (4)

71. Complete the following reaction

$$(A) \longrightarrow (B) OH$$


$$(B) OH$$


$$(B) OH$$

$$\xrightarrow{\text{conc. H}_2 SO_4} [C]$$


[C] is _____











Answer (2)

- 72. The number of σ bonds, π bonds and lone pair of electrons in pyridine, respectively are:
 - (1) 11, 3, 1

(2) 12, 2, 1

(3) 11, 2, 0

(4) 12, 3, 0

Answer (1)

- 73. Which of the following reactions will NOT give primary amine as the product?
 - (1) $CH_3NC \xrightarrow{(i) LiAlH_4} Product$
 - (2) $CH_3CONH_2 \xrightarrow{\text{(i) LiAIH}_4} Product$
 - (3) $CH_3CONH_2 \xrightarrow{Br_2/KOH} Product$
 - (4) $CH_3CN \xrightarrow{(i) LiAlH_4} Product$

Answer (1)

- 74. Which one of the following statements is **correct**?
 - (1) The bone in human body is an inert and unchanging substance
 - (2) Mg plays roles in neuromuscular function and interneuronal transmission
 - (3) The daily requirement of Mg and Ca in the human body is estimated to be 0.2-0.3 g
 - (4) All enzymes that utilise ATP in phosphate transfer require Ca as the cofactor

Answer (3)

- 75. Taking stability as the factor, which one of the following represents correct relationship?
 - (1) AICI > AICI₃

(2) $TII > T\ell I_3$

(3) $T\ell Cl_3 > T\ell Cl$

(4) $lnl_3 > lnl$

Answer (2)

- 76. A compound is formed by two elements A and B. The element B forms cubic close packed structure and atoms of A occupy 1/3 of tetrahedral voids. If the formula of the compound is A_xB_y , then the value of x + y is in option
 - (1) 3

(2) 2

(3) 5

(4) 4



- 77. The element expected to form largest ion to achieve the nearest noble gas configuration is
 - (1) N

(2) Na

(3) O

(4) F

Answer (1)

- 78. The stability of Cu²⁺ is more than Cu⁺ salts in aqueous solution due to
 - (1) Hydration energy
 - (2) Second ionisation enthalpy
 - (3) First ionisation enthalpy
 - (4) Enthalpy of atomization

Answer (1)

- 79. Some tranquilizers are listed below. Which one from the following belongs to barbiturates?
 - (1) Valium

(2) Veronal

(3) Chlordiazepoxide

(4) Meprobamate

Answer (2)

- 80. Weight (g) of two moles of the organic compound, which is obtained by heating sodium ethanoate with sodium hydroxide in presence of calcium oxide is :
 - (1) 30

(2) 18

(3) 16

(4) 32

Answer (4)

81. Amongst the following the total number of species NOT having eight electrons around central atom in its outermost shell, is

NH₃, AlCl₃, BeCl₂, CCl₄, PCl₅:

(1) 4


(2) 1

(3) 3


(4) 2


Answer (3)


82. Identify the product in the following reaction:













Answer (4)


- 83. Intermolecular forces are forces of attraction and repulsion between interacting particles that will include:
 - A. dipole dipole forces
 - B. dipole induced dipole forces
 - C. hydrogen bonding
 - D. covalent bonding
 - E. dispersion forces


Choose the most appropriate answer from the options given below:


- (1) A, B, C, E are correct
- (2) A, C, D, E are correct
- (3) B, C, D, E are correct
- (4) A, B, C, D are correct


Answer (1)

84. Which amongst the following options is **correct** graphical representation of Boyle's law?











- 85. The correct order of energies of molecular orbitals of N2 molecule, is
 - (1) $\sigma 1s < \sigma^* 1s < \sigma 2s < \sigma^* 2s < \sigma 2p_z < \sigma^* 2p_z < (\pi 2p_x = \pi 2p_y) < (\pi^* 2p_x = \pi^* 2p_y)$
 - (2) $\sigma 1s < \sigma^* 1s < \sigma 2s < \sigma^* 2s < (\pi 2p_x = \pi 2p_y) < (\pi^* 2p_x = \pi^* 2p_y) < \sigma 2p_z < \sigma^* 2p_z$
 - (3) $\sigma 1s < \sigma^* 1s < \sigma 2s < \sigma^* 2s < (\pi 2p_x = \pi 2p_y) < \sigma 2p_z < (\pi^* 2p_x = \pi^* 2p_y) < \sigma^* 2p_z$
 - (4) $\sigma 1s < \sigma^* 1s < \sigma 2s < \sigma^* 2s < \sigma 2p_z < (\pi 2p_x = \pi 2p_y) < (\pi^* 2p_x = \pi^* 2p_y) < \sigma^* 2p_z$

Answer (3)

SECTION-B

- 86. The equilibrium concentrations of the species in the reaction $A + B \rightleftharpoons C + D$ are 2, 3, 10 and 6 mol L^{-1} , respectively at 300 K. ΔG^0 for the reaction is (R = 2 cal/mol K)
 - (1) -1381.80 cal

(2) -13.73 cal

(3) 1372.60 cal

(4) -137.26 cal

Answer (1)

- 87. What fraction of one edge centred octahedral void lies in one unit cell of fcc?
 - $(1) \frac{1}{4}$


(2) $\frac{1}{12}$

(3) $\frac{1}{2}$

 $(4) \frac{1}{3}$

Answer (1)

88. Consider the following compounds/species:
















The number of compounds/species which obey Huckel's rule is _____.

(1) 2

(2) 5

(3) 4

(4) 6

89. The reaction that does **NOT** take place in a blast furnace between 900 K to 1500 K temperature range during extraction of iron is:

(1)
$$C + CO_2 \rightarrow 2CO$$

(2)
$$CaO + SiO_2 \rightarrow CaSiO_3$$

(3)
$$Fe_2O_3 + CO \rightarrow 2FeO + CO_2$$

(4) FeO + CO
$$\rightarrow$$
 Fe + CO₂

Answer (3)

90. Which amongst the following will be most readily dehydrated under acidic conditions?

$$(1) \begin{array}{c} NO_2 H \\ OH \end{array}$$

Answer (4)

- 91. Which of the following statements are **INCORRECT**?
 - A. All the transition metals except scandium form MO oxides which are ionic.
 - B. The highest oxidation number corresponding to the group number in transition metal oxides is attained in Sc₂O₃ to Mn₂O₇.
 - C. Basic character increases from V₂O₃ to V₂O₄ to V₂O₅.
 - D. V_2O_4 dissolves in acids to give VO_4^{3-} salts.
 - E. CrO is basic but Cr₂O₃ is amphoteric.

Choose the correct answer from the options given below:

(1) C and D only

(2) B and C only

(3) A and E only

(4) B and D only

Answer (1)

- 92. Pumice stone is an example of
 - (1) Solid sol

(2) Foam

(3) Sol

(4) Gel

Answer (1)

93. Identify the major product obtained in the following reaction:

$$+ 2 \left[Ag(NH_3)_2 \right]^+ +$$

 $3^{-}OH \xrightarrow{\Delta} major product$



Answer (1)

94. Match List-I with List-II:

List-I (Oxoacids of Sulphur)

- A. Peroxodisulphuric acid
- B. Sulphuric acid
- C. Pyrosulphuric acid
- D. Sulphurous acid

List-II (Bonds)

- I. Two S-OH, Four S=O, One S-O-S
- II. Two S-OH, One S=O
- III. Two S-OH, Four S=O, One S-O-O-S
- IV. Two S-OH, Two S=O

Choose the **correct** answer from the options given below.

- (1) A-I, B-III, C-IV, D-II
- (2) A-III, B-IV, C-II, D-I
- (3) A-I, B-III, C-II, D-IV
- (4) A-III, B-IV, C-I, D-II

Answer (4)

95. Given below are two statements:

Statement I: The nutrient deficient water bodies lead to eutrophication

Statement II: Eutrophication leads to decrease in the level of oxygen in the water bodies.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Statement I is correct but Statement II is false.
- (2) Statement I is incorrect but Statement II is true.
- (3) Both Statement I and Statement II are true.
- (4) Both Statement I and Statement II are false.

Answer (2)

- 96. Which amongst the following options is the **correct** relation between change in enthalpy and change in internal energy?
 - (1) $\Delta H \Delta U = -\Delta nRT$
 - (2) $\Delta H + \Delta U = \Delta nR$
 - (3) $\Delta H = \Delta U \Delta n_q RT$
 - (4) $\Delta H = \Delta U + \Delta n_g RT$

- 97. Which complex compound is most stable?
 - (1) $\lceil CoCl_2(en)_2 \rceil NO_3$

(2) $\left[\text{Co}(\text{NH}_3)_6 \right]_2 (\text{SO}_4)_3$

(3) $\left[\operatorname{Co}(\operatorname{NH}_3)_4(\operatorname{H}_2\operatorname{O})\operatorname{Br}\right](\operatorname{NO}_3)_2$

 $(4) \quad \left[\text{Co}(\text{NH}_3)_3 (\text{NO}_3)_3 \right]$

Answer (1)

98. Consider the following reaction:

$$CH_2 - O \longrightarrow HI \longrightarrow A + B$$

Identify products A and B.

(1)
$$A = \bigcirc CH_2I$$
 and $B = \bigcirc OH$

(2)
$$A = \bigcirc CH_3$$
 and $B = \bigcirc$

(3)
$$A = \bigcirc CH_{3}$$
 and $B = \bigcirc OH_{3}$

(4)
$$A = \bigcirc CH_2OH \text{ and } B = \bigcirc I$$

Answer (1)

99. On balancing the given redox reaction,

$$aCr_2O_7^{2-} + bSO_3^{2-}(aq) + cH^+(aq) \rightarrow 2aCr^{3+}(aq) + bSO_4^{2-}(aq) + \frac{c}{2}H_2O(I)$$

the coefficients a, b and c are found to be, respectively-

(1) 1, 8, 3

(2) 8, 1, 3

(3) 1, 3, 8

(4) 3, 8, 1

Answer (3)

100. Identify the final product [D] obtained in the following sequence of reactions.

$$CH_3CHO \xrightarrow{i)LiAlH_4} [A] \xrightarrow{H_2SO_4} [B]$$

$$\xrightarrow{HBr} [C] \xrightarrow{\text{Na/dry ether}} [D]$$

- (1) C₄H₁₀
- (2) $HC \equiv C^{\Theta}Na^{+}$
- (3)
- (4)



BOTANY

SECTION-A

101. Given below are two statements:

Statement I : The forces generated transpiration can lift a xylem-sized column of water over 130 meters height.

Statement II: Transpiration cools leaf surfaces sometimes 10 to 15 degrees evaporative cooling.

In the light of the above statements, choose the **most appropriate** answer from the options given below:

- (1) Statement I is correct but Statement II is incorrect
- (2) Statement I is incorrect but Statement II is correct
- (3) Both Statement I and Statement II are correct
- (4) Both Statement I and Statement II are incorrect

Answer (3)

- 102. What is the function of tassels in the corn cob?
 - (1) To disperse pollen grains
 - (2) To protect seeds
 - (3) To attract insects
 - (4) To trap pollen grains

Answer (4)

- 103. Movement and accumulation of ions across a membrane against their concentration gradient can be explained by
 - (1) Passive Transport
 - (2) Active Transport
 - (3) Osmosis
 - (4) Facilitated Diffusion

Answer (2)

- 104. The reaction centre in PS II has an absorption maxima at
 - (1) 660 nm
 - (2) 780 nm
 - (3) 680 nm
 - (4) 700 nm

Answer (3)

- 105. Axile placentation is observed in
 - (1) Tomato, Dianthus and Pea
 - (2) China rose, Petunia and Lemon
 - (3) Mustard, Cucumber and Primrose
 - (4) China rose, Beans and Lupin

Answer (2)



106. Given below are two statements: One is labelled as Assertion A and the other is labelled as Reason R:

Assertion A: ATP is used at two steps in glycolysis.

Reason R: First ATP is used in converting glucose into glucose-6-phosphate and second ATP is used in conversion of fructose-6-phosphate into fructose-1, 6-diphosphate.

In the light of the above statements, choose the correct answer from the options given below:

- (1) A is true but R is false.
- (2) A is false but R is true.
- (3) Both A and R are true and R is the correct explanation of A.
- (4) Both A and R are true but R is NOT the correct explanation of A.

Answer (3)

- 107. Spraying of which of the following phytohormone on juvenile conifers helps in hastening the maturity period, that leads to early seed production?
 - (1) Zeatin
 - (2) Abscisic Acid
 - (3) Indole-3-butyric Acid
 - (4) Gibberellic Acid

Answer (4)

- 108. Which hormone promotes internode/petiole elongation in deep water rice?
 - (1) Ethylene
 - (2) 2, 4-D
 - (3) GA₃
 - (4) Kinetin

Answer (1)

- 109. How many ATP and NADPH2 are required for the synthesis of one molecule of Glucose during Calvin cycle?
 - (1) 12 ATP and 16 NADPH₂
 - (2) 18 ATP and 16 NADPH₂
 - (3) 12 ATP and 12 NADPH₂
 - (4) 18 ATP and 12 NADPH₂

Answer (4)

- 110. What is the role of RNA polymerase III in the process of transcription in Eukaryotes?
 - (1) Transcription of precursor of mRNA
 - (2) Transcription of only snRNAs
 - (3) Transcription of rRNAs (28S, 18S and 5.8S)
 - (4) Transcription of tRNA, 5S rRNA and snRNA

Answer (4)

- 111. The process of appearance of recombination nodules occurs at which sub stage of prophase I in meiosis?
 - (1) Diplotene
 - (2) Diakinesis
 - (3) Zygotene
 - (4) Pachytene



- 112. In angiosperm, the haploid, diploid and triploid structures of a fertilized embryo sac sequentially are:
 - (1) Synergids, Zygote and Primary endosperm nucleus
 - (2) Synergids, antipodals and Polar nuclei
 - (3) Synergids, Primary endosperm nucleus and zygote
 - (4) Antipodals, synergids, and primary endosperm nucleus

Answer (1)

- 113. Which of the following stages of meiosis involves division of centromere?
 - (1) Anaphase II
 - (2) Telophase
 - (3) Metaphase I
 - (4) Metaphase II

Answer (1)

114. In the equation GPP - R = NPP

GPP is Gross Primary Productivity

NPP is Net Primary Productivity

R here is _____.

- (1) Respiratory loss
- (2) Reproductive allocation
- (3) Photosynthetically active radiation
- (4) Respiratory quotient

Answer (1)

- 115. Cellulose does not form blue colour with Iodine because
 - (1) It does not contain complex helices and hence cannot hold iodine molecules
 - (2) It breaks down when iodine reacts with it
 - (3) It is a disaccharide
 - (4) It is a helical molecule

Answer (1)

- 116. The thickness of ozone in a column of air in the atmosphere is measured in terms of :
 - (1) Decameter
 - (2) Kilobase
 - (3) Dobson units
 - (4) Decibels

Answer (3)

- 117. Upon exposure to UV radiation, DNA stained with ethidium bromide will show
 - (1) Bright yellow colour
 - (2) Bright orange colour
 - (3) Bright red colour
 - (4) Bright blue colour

Answer (2)

- 118. Identify the pair of heterosporous pteridophytes among the following:
 - (1) Psilotum and Salvinia
 - (2) Equisetum and Salvinia
 - (3) Lycopodium and Selaginella
 - (4) Selaginella and Salvinia



- Unequivocal proof that DNA is the genetic material was first proposed by
 - (1) Avery, Macleoid and McCarthy
 - (2) Wilkins and Franklin
 - (3) Frederick Griffith
 - (4) Alfred Hershey and Martha Chase

Answer (4)

- 120. In gene gun method used to introduce alien DNA into host cells, microparticles of _____ metal are used.
 - (1) Tungsten or gold
 - (2) Silver
 - (3) Copper
 - (4) Zinc

Answer (1)

- 121. In tissue culture experiments, leaf mesophyll cells are put in a culture medium to form callus. This phenomenon may be called as
 - (1) Development
 - (2) Senescence
 - (3) Differentiation
 - (4) Dedifferentiation

Answer (4)

- 122. The phenomenon of pleiotropism refers to
 - (1) A single gene affecting multiple phenotypic expression
 - (2) More than two genes affecting a single character
 - (3) Presence of several alleles of a single gene controlling a single crossover
 - (4) Presence of two alleles, each of the two genes controlling a single trait

Answer (1)

123. Given below are two statements:

Statement I: Endarch and exarch are the terms often used for describing the position of secondary xylem in the plant body.

Statement II: Exarch condition is the most common feature of the root system.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Statement I is correct but Statement II is false
- (2) Statement I is incorrect but Statement II is true
- (3) Both Statement I and Statement II are true
- (4) Both Statement I and Statement II are false

Answer (2)

- 124. Family Fabaceae differs from Solanaceae and Liliaceae. With respect to the stamens, pick out the characteristics specific to family Fabaceae but not found in Solanaceae or Liliaceae.
 - (1) Monoadelphous and Monothecous anthers
 - (2) Epiphyllous and Dithecous anthers
 - (3) Diadelphous and Dithecous anthers
 - (4) Polyadelphous and epipetalous stamens



- 125. During the purification process for recombinant DNA technology, addition of chilled ethanol precipitates out
 - (1) Histones
 - (2) Polysaccharides
 - (3) RNA
 - (4) DNA

Answer (4)

- 126. Identify the correct statements:
 - A. Detrivores perform fragmentation.
 - B. The humus is further degraded by some microbes during mineralization.
 - C. Water soluble inorganic nutrients go down into the soil and get precipitated by a process called leaching.
 - D. The detritus food chain begins with living organisms.
 - E. Earthworms break down detritus into smaller particles by a process called catabolism.

Choose the **correct** answer from the options given below:

- (1) C, D, E only
- (2) D, E, A only
- (3) A, B, C only
- (4) B, C, D only

Answer (3)

- 127. Frequency of recombination between gene pairs on same chromosome as a measure of the distance between genes to map their position on chromosome, was used for the first time by
 - (1) Alfred Sturtevant
 - (2) Henking
 - (3) Thomas Hunt Morgan
 - (4) Sutton and Boveri

Answer (1)

- 128. Among 'The Evil Quartet', which one is considered the most important cause driving extinction of species?
 - (1) Alien species invasions
 - (2) Co-extinctions
 - (3) Habitat loss and fragmentation
 - (4) Over exploitation for economic gain

Answer (3)

129. Given below are two statements: One labelled as Assertion A and the other labelled as Reason R:

Assertion A: The first stage of gametophyte in the life cycle of moss is protonema stage.

Reason R: Protonema develops directly from spores produced in capsule.

In the light of the above statements, choose the **most appropriate** answer from options given below:

- (1) A is correct but R is not correct
- (2) A is not correct but R is correct
- (3) Both A and R are correct and R is the correct explanation of A
- (4) Both A and R are correct but R is NOT the correct explanation of A



- 130. Expressed Sequence Tags (ESTs) refers to
 - (1) All genes whether expressed or unexpressed.
 - (2) Certain important expressed genes.
 - (3) All genes that are expressed as RNA.
 - (4) All genes that are expressed as proteins.

Answer (3)

131. Given below are two statements: One is labelled as Assertion A and the other is labelled as Reason R:

Assertion A: Late wood has fewer xylary elements with narrow vessels.

Reason R: Cambium is less active in winters.

In the light of the above statements, choose the correct answer from the options given below :

- (1) A is true but R is false
- (2) A is false but R is true
- (3) Both A and R are true and R is the correct explanation of A
- (4) Both A and R are true but R is NOT the correct explanation of A

Answer (3)

- 132. The historic Convention on Biological Diversity, 'The Earth Summit' was held in Rio de Janeiro in the year
 - (1) 1986
 - (2) 2002
 - (3) 1985
 - (4) 1992

Answer (4)

- 133. Large, colourful, fragrant flowers with nectar are seen in
 - (1) Bat pollinated plants
 - (2) Wind pollinated plants
 - (3) Insect pollinated plants
 - (4) Bird pollinated plants

Answer (3)

- 134. Among eukaryotes, replication of DNA takes place in :
 - (1) G₁ phase
 - (2) G₂ phase
 - (3) M phase
 - (4) S phase

Answer (4)

- 135. Which micronutrient is required for splitting of water molecule during photosynthesis?
 - (1) Magnesium
 - (2) Copper
 - (3) Manganese
 - (4) Molybdenum



SECTION-B

- 136. Which one of the following statements is NOT correct?
 - (1) Water hyacinth grows abundantly in eutrophic water bodies and leads to an imbalance in the ecosystem dynamics of the water body
 - (2) The amount of some toxic substances of industrial waste water increases in the organisms at successive trophic levels
 - (3) The micro-organisms involved in biodegradation of organic matter in a sewage polluted water body consume a lot of oxygen causing the death of aquatic organisms
 - (4) Algal blooms caused by excess of organic matter in water improve water quality and promote fisheries

Answer (4)

- 137. Which of the following statements are correct about Klinefelter's Syndrome?
 - This disorder was first described by Langdon Down (1866).
 - B. Such an individual has overall masculine development. However, the feminine development is also expressed.
 - C. The affected individual is short statured.
 - D. Physical, psychomotor and mental development is retarded.
 - E. Such individuals are sterile.

Choose the **correct** answer from the options given below:

- (1) B and E only
- (2) A and E only
- (3) A and B only
- (4) C and D only

Answer (1)

- 138. Identify the correct statements:
 - A. Lenticels are the lens-shaped openings permitting the exchange of gases.
 - B. Bark formed early in the season is called hard bark.
 - C. Bark is a technical term that refers to all tissues exterior to vascular cambium.
 - D. Bark refers to periderm and secondary phloem.
 - E. Phellogen is single-layered in thickness.

Choose the correct answer from the options given below:

- (1) A, B and D only
- (2) B and C only
- (3) B, C and E only
- (4) A and D only

Answer (4)

- Melonate inhibits the growth of pathogenic bacteria by inhibiting the activity of
 - (1) Lipase
 - (2) Dinitrogenase
 - (3) Succinic dehydrogenase
 - (4) Amylase

- Main steps in the formation of Recombinant DNA are given below. Arrange these steps in a correct 140. sequence.
 - Insertion of recombinant DNA into the host cell
 - В Cutting of DNA at specific location by restriction enzyme
 - С Isolation of desired DNA fragment
 - D Amplification of gene of interest using PCR

Choose the correct answer from the options given below:

- (1) C, B, D, A
- (2) B, D, A, C
- (3) B, C, D, A
- (4) C, A, B, D

Answer (3)

Match List I with List II: 141.

List I

List II

- A. Iron
- I. Synthesis of auxin
- Zinc B.
- II. Component of nitrate reductase
- C. Boron
- III. Activator of catalase
- D.
- Molybdenum IV. Cell elongation and differentiation

Choose the correct answer from the options given below:

- (1) A-III, B-I, C-IV, D-II
- (2) A-II, B-IV, C-I, D-III
- (3) A-III, B-II, C-I, D-IV
- (4) A-II, B-III, C-IV, D-I

Answer (1)

142. Match List I with List II:

List I

- A. Cohesion
- B. Adhesion
- C. Surface tension
- D. Guttation

List II

- Ι. More attraction in liquid phase
- II. Mutual attraction among water molecules
- Water loss in liquid phase III.
- Attraction towards polar surfaces IV.

Choose the **correct** answer from the options given below:

- (1) A III, B I, C IV, D II
- (2) A II, B I, C IV, D III
- (3) A II, B IV, C I, D III
- (4) A IV, B III, C II, D I



143. Match List I with List II:

List I

- A. Oxidative decarboxylation
- B. Glycolysis
- C. Oxidative phosphorylation
- D. Tricarboxylic acid cycle

List II

- I. Citrate synthase
- II. Pyruvate dehydrogenase
- III. Electron transport system
- IV. EMP pathway

Choose the correct answer from the options given below:

- (1) A III, B I, C II, D IV
- (2) A II, B IV, C III, D I
- (3) A − III, B − IV, C − II, D − I
- (4) A II, B IV, C I, D III

Answer (2)

144. Match List I with List II:

List I

- A. M Phase
- B. G₂ Phase
- C. Quiescent stage
- D. G₁ Phase

List II

- I. Proteins are synthesized
- II. Inactive phase
- III. Interval between mitosis and initiation of DNA replication
- IV. Equational division

Choose the correct answer from the options given below:

- (1) A-IV, B-I, C-II, D-III
- (2) A-II, B-IV, C-I, D-III
- (3) A-III, B-II, C-IV, D-I
- (4) A-IV, B-II, C-I, D-III

Answer (1)

- 145. Which of the following combinations is required for chemiosmosis?
 - (1) Proton pump, electron gradient, ATP synthase
 - (2) Proton pump, electron gradient, NADP synthase
 - (3) Membrane, proton pump, proton gradient, ATP synthase
 - (4) Membrane, proton pump, proton gradient, NADP synthase

Answer (3)

146. Given below are two statements:

Statement I: Gause's 'Competitive Exclusion Principle' states that two closely related species competing for the same resources cannot co-exist indefinitely and competitively inferior one will be eliminated eventually.

Statement II: In general, carnivores are more adversely affected by competition than herbivores.

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Statement I is correct Statement II is false.
- (2) Statement I is incorrec but Statement II is true.
- (3) Both Statement I and Statement II are true.
- (4) Both Statement I and Statement II are false.



147. Given below are two statements: One labelled as Assertion A and the other labelled as Reason R:

Assertion A : In gymnosperms the pollen grains are released from the microsporangium and carried by air currents.

Reason R : Air currents carry the pollen grains to the mouth of the archegonia where the male gametes are discharged and pollen tube is not formed.

In the light of the above statements, choose the **correct** answer from the options given below :

- (1) A is true but R is false
- (2) A is false but R is true
- (3) Both A and R are true and R is the correct explanation of A
- (4) Both A and R are true but R is NOT the current explanation of A

Answer (1)

148. Match List I with List II:

List I			List II	
	(Interaction)		(Species A and B)	
A.	Mutualism	l.	+(A), 0(B)	
B.	Commensalism	II.	-(A), 0(B)	
C.	Amensalism	III.	+(A), -(B)	
D.	Parasitism	IV.	+(A), +(B)	

Choose the **correct** answer from the options given below:

- (1) A-IV, B-III, C-I, D-II
- (2) A-III, B-I, C-IV, D-II
- (3) A-IV, B-II, C-I, D-III
- (4) A-IV, B-I, C-II, D-III

Answer (4)

- 149. How many different proteins does the ribosome consist of?
 - (1) 40
 - (2) 20
 - (3) 80
 - (4) 60

Answer (3)

150. Given below are two statements: One is labelled as Assertion A and the other is labelled as Reason R:

Assertion A : A flower is defined as modified shoot wherein the shoot apical meristem changes to floral meristem.

Reason R: Internode of the shoot gets condensed to produce different floral appendages laterally at successive node instead of leaves.

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) A is true but R is false
- (2) A is false but R is true
- (3) Both A and R are true and R is the correct explanation of A
- (4) Both A and R are true but R is NOT the correct explanation of A



ZOOLOGY

SECTION-A

151. Given below are two statements:

Statement I: Ligaments are dense irregular tissue.

Statement II: Cartilage is dense regular tissue.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Statement I is true but Statement II is false
- (2) Statement I is false but Statement II is true
- (3) Both Statement I and Statement II are true
- (4) Both Statement I and Statement II are false

Answer (4)

152. Given below are two statements:

Statement I: RNA mutates at a faster rate.

Statement II: Viruses having RNA genome and shorter life span mutate and evolve faster.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Statement I is true but Statement II is false.
- (2) Statement I is false but Statement II is true.
- (3) Both Statement I and Statement II are true.
- (4) Both Statement I and Statement II are false.

Answer (3)

- 153. Which one of the following techniques does not serve the purpose of early diagnosis of a disease for its early treatment?
 - (1) Polymerase Chain Reaction (PCR) technique
 - (2) Enzyme Linked Immuno-Sorbent Assay (ELISA) technique
 - (3) Recombinant DNA Technology
 - (4) Serum and Urine analysis

Answer (4)

- 154. In which blood corpuscles, the HIV undergoes replication and produces progeny viruses?
 - (1) Basophils
 - (2) Eosinophils
 - (3) T_H cells
 - (4) B-lymphocytes

Answer (3)

- 155. Which of the following is not a cloning vector?
 - (1) pBR322

(2) Probe

(3) BAC

(4) YAC

Answer (2)



156. Given below are two statements:

> Statement I: A protein is imagined as a line, the left end represented by first amino acid (Cterminal) and the right end represented by last amino acid (N-terminal).

> Statement II: Adult human haemoglobin, consists of 4 subunits (two subunits of α type and two subunits of β type.)

In the light of the above statements, choose the correct answer from the options given below:

- (1) Statement I is true but Statement II is false.
- (2) Statement I is false but Statement II is true.
- (3) Both **Statement I** and **Statement II** are true
- (4) Both **Statement I** and **Statement II** are false.

Answer (2)

157. Given below are two statements:


Statement I: Vas deferens receives a duct from seminal vesicle and opens into urethra as the ejaculatory duct.

Statement II: The cavity of the cervix is called cervical canal which along with vagina forms birth canal. In the light of the above statements, choose the correct answer from the options given below:


- (1) Statement I is correct but Statement II is false. (2) Statement I is incorrect but Statement II is true.
- (3) Both Statement I and Statement II are true.
- (4) Both Statement I and Statement II are false.


Answer (3)

Which one of the following symbols represents mating between relatives in human pedigree analysis?









Answer (4)

- 159. Vital capacity of lung is
 - (1) IRV + ERV + TV RV

(2) IRV + ERV + TV

(3) IRV + ERV

(4) IRV + ERV + TV + RV

Answer (2)

160. Match List I with List II.

List I

List II

- A. P-wave
- I. Beginning of systole
- B. Q-wave
- Repolarisation of ventricles
- C. QRS complex III. Depolarisation of atria
- D. T-wave
- IV. Depolarisation of ventricles

Choose the **correct** answer from the options given below:

(1) A-II, B-IV, C-I, D-III

(2) A-I, B-II, C-III, D-IV

(3) A-III, B-I, C-IV, D-II

(4) A-IV, B-III, C-II, D-I



161.	Rad	lial symmetry is N	ОТ	found in adults of phy	/lum		
	(1)	Coelenterata				(2)	Echinodermata
	(3)	Ctenophora				(4)	Hemichordata
	Ans	swer (4)					
162.	Mat	ch List I with List	: II				
		List I			List	t II	
		(Cells)			(Se	creti	on)
	A.	Peptic cells			I.	Mud	cus
	B.	Goblet cells			II.	Bile	juice
	C.	C. Oxyntic cells		III.	Proenzyme pepsinogen		
	D. Hepatic cells			IV.	HCI	and intrinsic factor for absorption of vitamin $\ensuremath{B_{12}}$	
	Cho	ose the correct a	ansv	wer from the options o	given be	elow:	
	(1)	A-III, B-I, C-IV, D)-II			(2)	A-II, B-IV, C-I, D-III
	(3)	A-IV, B-III, C-II, I	D-I			(4)	A-II, B-I, C-III, D-IV
	Ans	swer (1)					
163.	Mat	ch List I with List	II.				
		List I					List II
	A.	Taenia				l.	Nephridia
	B.	Paramoecium				II.	Contractile vacuole
	C.	Periplaneta				III.	Flame cells
	D.	Pheretima				IV.	Urecose gland
	Cho	oose the correct a	ansv	wer from the options of	given be	elow:	
	(1)	A-III, B-II, C-IV, I	D-I			(2)	A-II, B-I, C-IV, D-III
	(3)	A-I, B-II, C-III, D	-IV			(4)	A-I, B-II, C-IV, D-III
	Ans	swer (1)					
164.	Match List I with List II.						
		List I					List II
	A.	Vasectomy				l.	Oral method
	B.	Coitus interruptu	JS			II.	Barrier method
	C.	Cervical caps				III.	Surgical method
	D.	Saheli					Natural method
				wer from the options of	given be		
	` '	A-II, B-III, C-I, D				` '	A-IV, B-II, C-I, D-III
		A-III, B-I, C-IV, D)-II			(4)	A-III, B-IV, C-II, D-I
		swer (4)					
165.	Mat	ch List I with List	i II.				
		List I		List II			
			l.	Kidney			
			II.	Heart			
			III.	Gastric gland			
				Pancreas			
				swer from the options	given b		
		A-II, B-IV, C-I, D					A-IV, B-II, C-III, D-I
		A-IV, B-III, C-II, I	U-I			(4)	A-III, B-II, C-IV, D-I
	Ans	swer (3)					



NEET	(UG	i)-2023 (Code-H5)		Aakash *(Edward)			
166.	Bro	Broad palm with single palm crease is visible in a person suffering from-					
	(1)	Klinefelter's syndrome	(2)	Thalassemia			
	(3)	Down's syndrome	(4)	Turner's syndrome			
	Ans	swer (3)					
167.	Mat	ch List I with List II.					
		List I		List II			
		(Interacting species)		(Name of interaction)			
	A.	A Leopard and a Lion in a forest/grassland	I.	Competition			
	B.	A Cuckoo laying egg in a Crow's nest	II.	Brood parasitism			
	C.	Fungi and root of a higher plant in Mycorrhizae	III.	Mutualism			
	D.	A cattle egret and a Cattle in a field	IV.	Commensalism			
	Cho	oose the correct answer from the options given be	elow.				
	(1)	A-III, B-IV, C-I, D-II	(2)	A-II, B-III, C-I, D-IV			
	(3)	A-I, B-II, C-III, D-IV	(4)	A-I, B-II, C-IV, D-III			
	Ans	swer (3)					
168.	Given below are two statements: one is labelled as Assertion A and the other is labelled as Reason R .						
	Assertion A: Endometrium is necessary for implantation of blastocyst.						
	Reason R: In the absence of fertilization, the corpus luteum degenerates that causes disintegration o endometrium.						
	In the light of the above statements, choose the correct answer from the options given below:						
	(1)	A is true but R is false.					
	(2)	A is false but R is true.	B				
	(3)	Both A and R are true and R is the correct expla	natio	n of A .			
	(4)	Both A and R are true but R is NOT the correct	expla	nation of A .			
	Ans	swer (4)					
169.	Given below are two statements: one is labelled as Assertion A and other is labelled as Reason R .						
	Assertion A : Amniocentesis for sex determination is one of the strategies of Reproductive and Child Health Care Programme.						
	Reason R: Ban on amniocentesis checks increasing menace of female foeticide.						
	In the light of the above statements, choose the correct answer from the options given below.						
	(1) A is true but R is false.						
	(2) A is false but R is true.						
	(3) Both A and R are true and R is the correct explanation of A .						
	(4) Both A and R are true and R is NOT the correct explanation of A .						
	Ans	swer (2)					
170.	Whi	ich of the following functions is carried out by cyto	skele	eton in a cell?			

(1) Motility

(2) Transportation

(3) Nuclear division

(4) Protein synthesis



- 171. Select the correct group/set of Australian Marsupials exhibiting adaptive radiation.
 - (1) Mole, Flying squirrel, Tasmanian tiger cat
- (2) Lemur, Anteater, Wolf
- (3) Tasmanian wolf, Bobcat, Marsupial mole
- (4) Numbat, Spotted cuscus, Flying phalanger

Answer (4)

- 172. Which of the following statements are correct regarding female reproductive cycle?
 - A. In non-primate mammals cyclical changes during reproduction are called oestrus cycle.
 - B. First menstrual cycle begins at puberty and is called menopause.
 - C. Lack of menstruation may be indicative of pregnancy.
 - D. Cyclic menstruation extends between menarche and menopause.

Choose the **most appropriate** answer from the options given below.

(1) A, B and C only

(2) A, C and D only

(3) A and D only

(4) A and B only

Answer (2)

173. Match List I with List II.

: I	List II
------------	---------

List I

A. Gene 'a'

I. β -galactosidase

B. Gene 'y'

II. Transacetylase

C. Gene 'i'

III. Permease

D. Gene 'z'

IV. Repressor protein

Choose the **correct** answer from the options given below:

(1) A-III, B-IV, C-I, D-II

(2) A-III, B-I, C-IV, D-II

(3) A-II, B-I, C-IV, D-III

(4) A-II, B-III, C-IV, D-I

Answer (4)

174. Match List I with List II.

List I (Type of Joint)

- A. Cartilaginous Joint
- B. Ball and Socket Joint
- C. Fibrous Joint
- D. Saddle Joint

List II (Found between)

- I. Between flat skull bones
- II. Between adjacent vertebrae in vertebral column
- III. Between carpal and metacarpal of thumb
- IV. Between Humerus and Pectoral girdle

Choose the **correct** answer from the options given below:

(1) A-I, B-IV, C-III, D-II

(2) A-II, B-IV, C-III, D-I

(3) A-III, B-I, C-II, D-IV

(4) A-II, B-IV, C-I, D-III

Answer (4)

175. Given below are two statements:

Statement I: Electrostatic precipitator is most widely used in thermal power plant.

Statement II: Electrostatic precipitator in thermal power plant removes ionising radiations.

In the light of the above statements, choose the *most appropriate* answer from the options given below:

- (1) Statement I is correct but Statement II is incorrect.
- (2) Statement I is incorrect but Statement II is correct.
- (3) Both Statement I and Statement II are correct.
- (4) Both Statement I and Statement II are incorrect.



- 176. Which one of the following common sexually transmitted diseases is completely curable when detected early and treated properly?
 - (1) Hepatitis-B

(2) HIV Infection

(3) Genital herpes

(4) Gonorrhoea

Answer (4)

- 177. Which of the following statements is correct?
 - (1) Presence of large amount of nutrients in water restricts 'Algal Bloom'
 - (2) Algal Bloom decreases fish mortality
 - (3) Eutrophication refers to increase in domestic sewage and waste water in lakes.
 - (4) Biomagnification refers to increase in concentration of the toxicant at successive trophic levels.

Answer (4)

178. Given below are two statements:

Statement I: Low temperature preserves the enzyme in a temporarily inactive state whereas high temperature destroys enzymatic activity because proteins are denatured by heat.

Statement II: When the inhibitor closely resembles the substrate in its molecular structure and inhibits the activity of the enzyme, it is known as competitive inhibitor.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Statement I is true but Statement II is false.
- (2) Statement I is false but Statement II is true.
- (3) Both Statement I and Statement II are true.
- (4) Both Statement I and Statement II are false.

Answer (3)

- 179. Once the undigested and unabsorbed substances enter the caecum, their backflow is prevented by
 - (1) Gastro-oesophageal sphincter
 - (2) Pyloric sphincter
 - (3) Sphincter of Oddi
 - (4) Ileo-caecal valve

Answer (4)

180. Match List I with List II.

List I		List	Ш

- A. Ringworm I. Haemophilus influenzae
- B. Filariasis II. Trichophyton
- C. Malaria III. Wuchereria bancroftiD. Pneumonia IV. Plasmodium vivax
- Choose the **correct** answer from the options given below:
- (1) A-III, B-II, C-I, D-IV

(2) A-III, B-II, C-IV, D-I

(3) A-II, B-III, C-IV, D-I

(4) A-II, B-III, C-I, D-IV

Answer (3)

- 181. Which of the following are NOT considered as the part of endomembrane system?
 - A. Mitochondria
 - B. Endoplasmic reticulum
 - C. Chloroplasts
 - D. Golgi complex
 - E. Peroxisomes

Choose the **most appropriate** answer from the options given below:

(1) A and D only

(2) A, D and E only

(3) B and D only

(4) A, C and E only



182. Match List I with List II with respect to human eye.

List I

List II

A. Fovea

 Visible coloured portion of eye that regulates diameter of pupil

B. Iris

II. External layer of eye formed of dense connective tissue.

C. Blind spot

III. Point of greatest visual acuity or resolution.

D. Sclera

IV. Point where optic nerve leaves the eyeball and photoreceptor cells are absent.

Choose the correct answer from the options given below:

(1) A-I, B-IV, C-III, D-II

(2) A-II, B-I, C-III, D-IV

(3) A-III, B-I, C-IV, D-II

(4) A-IV, B-III, C-II, D-I

Answer (3)

183. Given below are two statements:

Statement I: In prokaryotes, the positively charged DNA is held with some negatively charged proteins in a region called nucleoid.

Statement II: In eukaryotes, the negatively charged DNA is wrapped around the positively charged histone octamer to form nucleosome.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Statement I is correct but Statement II is false.
- (2) Statement I is incorrect but Statement II is true.
- (3) Both Statement I and Statement II are true.
- (4) Both Statement I and Statement II are false.

Answer (2)

184. Match List I with List II.

List I

Tffeet en consis

List II

A. Heroin

I. Effect on cardiovascular system

B. Marijuana

II. Slow down body function

C. Cocaine

III. Painkiller

D. Morphine

IV. Interfere with transport of dopamine

Choose the **correct** answer from the options given below:

(1) A-IV, B-III, C-II, D-I

(2) A-III, B-IV, C-I, D-II

(3) A-II, B-I, C-IV, D-III

(4) A-I, B-II, C-III, D-IV

Answer (3)

185. Given below are two statements: one is labelled as Assertion A and the other is labelled as Reason R.

Assertion A: Nephrons are of two types: Cortical & Juxta medullary, based on their relative position in cortex and medulla.

Reason R: Juxta medullary nephrons have short loop of Henle whereas, cortical nephrons have longer loop of Henle.

In the light of the above statements, choose the correct answer from the options given below:

- (1) A is true but R is false.
- (2) A is false but R is true.
- (3) Both A and R are true and R is the correct explanation of A.
- (4) Both A and R are true but R is NOT the correct explanation of A.



SECTION-B

- 186. Which one of the following is NOT an advantage of inbreeding?
 - (1) Elimination of less desirable genes and accumulation of superior genes takes place due to it.
 - (2) It decreases the productivity of inbred population, after continuous inbreeding.
 - It decreases homozygosity.
 - (4) It exposes harmful recessive genes but are eliminated by selection.

Answer (2)

187. Given below are two statements:

Statement I: During G₀ phase of cell cycle, the cell is metabolically inactive.

Statement II: The centrosome undergoes duplication during S phase of interphase.

In the light of the above statements, choose the **most appropriate** answer from the options given below:

- (1) Statement I is correct but Statement II is incorrect.
- (2) Statement I is incorrect but Statement II is correct.
- (3) Both Statement I and Statement II are correct
- (4) Both Statement I and Statement II are incorrect.

Answer (2)

- 188. The parts of human brain that helps in regulation of sexual behaviour, expression of excitement, pleasure, rage, fear etc. are:
 - (1) Brain stem and epithalamus

- (2) Corpus callosum and thalamus
- (3) Limbic system and hypothalamus
- (4) Corpora quadrigemina and hippocampus

Answer (3)

- 189. Which of the following is characteristic feature of cockroach regarding sexual dimorphism?
 - (1) Presence of sclerites

- (2) Presence of anal cerci
- (3) Dark brown body colour and anal cerci
- (4) Presence of anal styles

Answer (4)

- 190. The unique mammalian characteristics are:
 - (1) hairs, pinna and indirect development
 - (2) pinna, monocondylic skull and mammary glands
 - (3) hairs, tympanic membrane and mammary glands
 - (4) hairs, pinna and mammary glands

Answer (4)

- - (1) 5' ATCGATCGATCGATCGATCGATCG 3'
 - (2) 3' ATCGATCGATCGATCGATCGATCG 5'
 - (3) 5' UAGCUAGCUAGCUAGCUAGCUAGC 3'
 - (4) 3' UAGCUAGCUAGCUAGCUAGCUAGC 5'



□ BYJU'S				NEET (UG)-2023 (Code	e-H5)
192.	In c	ockroach, excretion is brought about by-			
	A.	Phallic gland			
	B.	Urecose gland			
	C.	Nephrocytes			
	D.	Fat body			
	E.	Collaterial glands			
		pose the correct answer from the options given be	low :		
	` ,	B, C and D only	(2)	•	
	` ,	A and E only	(4)	A, B and E only	
	Ans	swer (1)			
193.	Wh	ich of the following statements are correct regardir	ng sk	keletal muscle?	
	A.	Muscle bundles are held together by collagenou	s cor	nnective tissue layer called fascicle.	
	B.	Sarcoplasmic reticulum of muscle fibre is a store	hou	use of calcium ions.	
	C.	Striated appearance of skeletal muscle fibre is d			teins.
	D.	M line is considered as functional unit of contrac			
		pose the most appropriate answer from the option	ns gi	iven below:	
	` ,	A, C and D only			
	(2)	C and D only			
		A, B and C only			
		B and C only			
101		swer (4)	•		
194.		ich of the following are NOT under the control of the	nyroi	id hormone?	
	Α.	Maintenance of water and electrolyte balance			
	B.	Regulation of basal metabolic rate			
	C.	Normal rhythm of sleep-wake cycle			
	D. E.	Development of immune system Support the process of RBCs formation			
		pose the correct answer from the options given be	JOW.		
		C and D only	(2)		
	` ,	A and D only	(4)	•	
	` ,	swer (1)	(.)	2 and 3 any	
195.		ich of the following statements are correct?			
	A.	Basophils are most abundant cells of the to	tal V	WRCe	
	Α. В.	Basophils secrete histamine, serotonin and			
	С.	Basophils are involved in inflammatory response	-		
	D.	Basophils have kidney shaped nucleus	51100		
	E.	Basophils are agranulocytes			
		pose the correct answer from the options give	an h	nelow:	
		B and C only			
	(1)	D and E only	(2) (4)	,	
	` ,	swer (1)	(+)	o and E only	
		- \ ⁻ /			



- 196. Which of the following statements are correct?
 - A. An excessive loss of body fluid from the body switches off osmoreceptors.
 - B. ADH facilitates water reabsorption to prevent diuresis.
 - C. ANF causes vasodilation.
 - D. ADH causes increase in blood pressure.
 - E. ADH is responsible for decrease in GFR.

Choose the **correct** answer from the options given below:

- (1) A, B and E only
- (2) C, D and E only
- (3) A and B only
- (4) B, C and D only

Answer (4)

- 197. Select the correct statements with reference to chordates.
 - A. Presence of a mid-dorsal, solid and double nerve cord.
 - B. Presence of closed circulatory system.
 - C. Presence of paired pharyngeal gill slits.
 - D. Presence of dorsal heart
 - E. Triploblastic pseudocoelomate animals.

Choose the **correct** answer from the options given below:

- (1) B, D and E only
- (2) C, D and E only
- (3) A, C and D only
- (4) B and C only

Answer (4)

- 198. Select the correct statements.
 - A. Tetrad formation is seen during Leptotene.
 - B. During Anaphase, the centromeres split and chromatids separate.
 - C. Terminalization takes place during Pachytene.
 - D. Nucleolus, Golgi complex and ER are reformed during Telophase.
 - E. Crossing over takes place between sister chromatids of homologous chromosome.

Choose the **correct** answer from the options given below:

- (1) A, C and E only
- (2) B and E only
- (3) A and C only
- (4) B and D only



199. Match List I with List II.

List I List II

- A. Logistic growth I. Unlimited resource availability condition
- B. Exponential growth II. Limited resource availability condition
- C. Expanding age pyramid III. The percent individuals of pre-reproductive age is largest followed by reproductive and post reproductive age groups
- D. Stable age pyramid IV. The percent individuals of pre-reproductives and reproductive age group are same

Choose the **correct** answer from the options given below:

- (1) A-II, B-IV, C-I, D-III (2) A-II, B-IV, C-III, D-I
- (3) A-II, B-I, C-III, D-IV (4) A-II, B-III, C-I, D-IV

Answer (3)

200. Match List I with List II.

List I List II

- A. Mast cells I. Ciliated epithelium
- B. Inner surface of bronchiole
 C. Blood
 II. Areolar connective tissue
 III. Cuboidal epithelium
- D. Tubular parts of nephron IV. Specialised connective tissue

Choose the correct answer from the options give below:

- (1) A-II, B-I, C-IV, D-III
 (2) A-III, B-IV, C-II, D-I
 (3) A-I, B-II, C-IV, D-III
 (4) A-II, B-III, C-I, D-IV
- Answer (1)