



Home



Web Development



JavaScript Chapter 5

DOM Manipulation

Learn how JavaScript interacts with HTML elements using DOM methods and examples.

 Did You Know?

DOM stands for Document Object Model. It allows JavaScript to access and change HTML elements dynamically.

 What is DOM?

DOM (Document Object Model) is a programming interface that represents an HTML document as a tree structure. JavaScript uses DOM to interact with webpage elements.

 Why do we use DOM?

- Change HTML content
- Change CSS styles
- Add or remove elements
- Create interactive webpages
- Handle user actions



DOM Tree Structure

HTML elements are organized in a tree-like structure where each element is called a node.

Document

└ HTML

└ Head

└ Body

└ Heading

└ Paragraph



Selecting HTML Elements

JavaScript provides different methods to select elements from HTML.



getElementById()

Selects an element using its ID.

```
document.getElementById("title");
```



querySelector()

Selects the first matching HTML element.

```
document.querySelector(".box");
```



querySelectorAll()

Selects all matching elements.

```
document.querySelectorAll("p");
```

➡ Changing HTML Content

JavaScript can change the content of HTML elements using innerHTML.

```
document.getElementById("heading").innerHTML="Hello";
```



Changing CSS Style

JavaScript can also change CSS styles dynamically.

```
document.getElementById("box").style.color="red";
```

Creating New Elements

JavaScript can create new HTML elements using `createElement()`.

```
let heading = document.createElement("h1");
```

Removing Elements

Elements can be removed from a webpage using `remove()`.

```
element.remove();
```



Complete Example

Click Me



Common Mistakes

- Using wrong element ID
- Running JavaScript before HTML loads
- Missing brackets
- Selecting elements that do not exist



Interview Questions

Q1: What is DOM?

DOM is a way for JavaScript to interact with HTML documents.

Q2: Which method selects an element by ID?

`getElementById()`

Q3: What does `innerHTML` do?

It changes the HTML content of an element.

Q4: What is `querySelector()`?

It selects the first matching element.



Quick Revision

DOM: Document Object Model

Select: getElementById()

Change: innerHTML

Style: JavaScript CSS Control

Download JavaScript Chapter 5 PDF for offline study.
Download complete notes PDF and revise JavaScript concepts anytime.

↓ Download PDF

← Back to JavaScript Notes