

FIRST PERSON CONTROLLER

-

CONTROLADOR PRIMERA PERSONA

HOW TO USE

INDEX

3 - Step 1: Drag the Prefab into the Scene

4 - Step 2: Create ScriptableObject / Controller

5 - Step 3: Open the SO Inspector Window

6 - Step 4: Modify the Controller and Assign the SO

7 - Step 5: Use the Demo Scene to test your Controller

8 - Step 6: Use the created Controller or the existing one

Introduction



Hello! Welcome to this short document that aims to explain how to use the FPC CPP asset. I'll guide you step by step so there's no chance of getting lost along the way. Please note that this is not the technical document, if that's what you're looking to, to learn how to modify its code, there is a separate document for that.

(:

STEP 1

When you download the asset, you'll notice that inside the main folder there are several components, including a Prefab. I recommend using it so you don't have to create each component step by step in the hierarchy (Camera, Camera Support, UI elements, etc.).

Drag the prefab into the scene where you want to use it.




STEP 2

Right-click in the Project window and click the “Create” option. This will open a menu showing several options, but you only need to click the one called:


“PlayerConfiguration_ConfiguracionDelJugador”

It should be at the top, or at least near the top if you already have other **ScriptableObjects**.




STEP 3

Next, open the Inspector Window where you'll be able to customize your controller. You can open it directly from the **ScriptableObject** you just created, or by going to the top menu bar (on the same row as the "File" button) and clicking the button called "FPC CPP Window." From there, you'll be able to open the Inspector Window and assign the **ScriptableObject** (Controller) you want to customize.



or





STEP 4

From this point on, it's mainly about experimenting with what you want to tweak to achieve the experience you're aiming for with your controller. All the sections indicate what you can modify, and each variable has its own tooltip when you hover over it.


That said, I recommend first assigning the layers you want to use as ground and the tag for the objects you can interact with. Also, remember to assign your Controller (**ScriptableObject**) to the "Configuration_Configuracion" component in the "PlayerController_ControladorDelJugador" script inside the prefab.

I've also created some configs so you can load them and try them right away. I hope they're helpful.



STEP 5

Finally, I've included a Demo Scene so you can quickly test your controller if you'd like. You'll find this scene by entering the folder for your preferred language, then navigating to "Scenes," where you'll have three options. Choose the one that matches your render pipeline: Built-in, URP, or HDRP.





STEP 6

To test the scene, you can simply press Play and use the controller that is already in the hierarchy.

You can also disable that controller and assign the prefab where you added your **ScriptableObject**.

or

You can directly assign your **ScriptableObject** to the controller that is already in the scene, just as you did with the prefab.



I hope this helps! If you have any questions, you
know you can contact me:

48assetsandgames@gmail.com

:)