
What makes a top-rated gym in Baghdad?

Created 3 November 2026 with Data Boss · Data: Baghdad_gym_dataset.csv


100 Baghdad gyms from Google Maps. Ratings cluster high (median 4.4 of 5). Nothing in the listings (website, phone, category) clearly goes with a better rating; what matters most is how many reviews stand behind it.

How Baghdad gyms are rated




- 90 values. Mean 4.31, median 4.4, standard deviation 0.525.
- The middle 50% of values lie between 4.03 and 4.67.
- The distribution is left-skewed: most values are high with a tail of low values (skewness -1.20).
- With this much skew, the median is a better “typical value” than the mean.

Rating spread by number of reviews




- Highest median: 0–5 (4.5). Lowest: 20–100 (4.2).
- Overall median 4.4; middle 50% between 4.03 and 4.67.
- 4 point(s) fall outside the whiskers (1.5 × IQR).

Rating against number of reviews (log scale)



- Pearson r = -0.05: no clear linear relationship (90 points).
- Rank correlation (Spearman) is -0.27, so the relationship is not a straight line or is driven by a few extreme points.

Average rating by online presence



- Highest: own website (4.69). Lowest: social page (4.21).
- The highest group is 1.1× the lowest.

Top 10 by trust-adjusted rating

title	rating	reviews	adjusted
WOLF GYM	4.9	54	4.79
LUNA by wolf - Karrada	4.9	33	4.74
F45 Training Karada	4.9	31	4.74
Wolf Gym	4.7	448	4.69
Power Gym	4.7	155	4.67
GOLDEN GYM	5	9	4.61
Power GYM	4.9	12	4.61
Royal Gym	4.8	12	4.56
Snap GYM	4.6	50	4.54
MR. Olympia GYM	4.6	28	4.51

Spearman rank correlation: Do totalScore and reviewsCount move together?

> Rows with higher totalScore tend to have lower reviewsCount (ρ = -0.27, p = 0.01, 95% CI -0.45 to -0.07). The relationship is small.

0.01	-0.27	-0.4517 … -0.0664	90
p-value	Correlation ρ (small)	95% CI · Correlation ρ	Rows used

Why this test: Two number columns, at least one not normal-shaped: Spearman uses ranks and catches any steady up/down trend.

- The confidence interval for Spearman's ρ uses the Fisher z approximation.
- This data was observed, not from an experiment: a difference or relationship does not show what causes it.

Statistics are computed from the data as loaded and cleaned in Data Boss. Associations and differences describe this data; they do not by themselves show cause.