MCP PRODUCTION · SPEC REVISION 2026-07-28

Rejected-call triage

The triage table from lesson 1.3: each observation, the boundary it points to, and the evidence to collect next, without guessing at the server.

OBSERVATION	BOUNDARY	NEXT EVIDENCE
No usable response	Transport outcome uncertain	Connection diagnostics and application commit evidence
HTTP 404 without an MCP body	Endpoint or intermediary	Destination and routing logs
HTTP 404, `-32601`	Unknown protocol method	Server-supported methods
HTTP 400, `-32020`	Missing/malformed/mismatched mirror	Exact header/body comparison
HTTP 400, `-32022`	Unsupported version	`error.data.supported` and client support
`-32700`	JSON parse failure	Original bytes with sensitive values removed
`-32600`	Invalid request envelope	Object shape, method, and ID
`-32602`	Invalid parameters	Method/tool contract
`result.isError: true`	Tool execution failure	Tool result and application evidence

Synthetic examples, not captured incidents:

```
{"jsonrpc":"2.0","id":"diagnostic-a","error":{"code":-32020,"message":"Header mismatch: Mcp-Name"}}
```

```
{"jsonrpc":"2.0","id":"diagnostic-b","result":{"resultType":"complete","isError":true,"content":
[{"type":"text","text":"The requested document is unavailable."}]}}
```

Do not infer a committed write from a status code or infer no write from a timeout.

Sources: Envelope and errors, tool errors, checked 2026-09-09.

> **Where this goes next.** Lab 1 throws valid and malformed messages at a real server and checks each error code against the spec, so the table above is something you watch happen. The course: runsclean.com/courses/mcp-production/