



11111 North Scottsdale Road
Suite #205
Scottsdale, AZ 85254
(602) 351-5151
<https://dexabody.com>

William Craig

Measured: 10/01/2025

Age: 30.5

Gender: Male

Birth Date: 03/28/1995

Height: 68.0 in.

DEXA BODY COMPOSITION SUMMARY

Measured Date	Total Mass	Change	Lean Tissue	Change	Fat Tissue	Change	Total Body Fat	Change
10/01/2025	198.6 lbs	-3.4 lbs	147.6 lbs	2.7 lbs	44.7 lbs	-5.9 lbs	23.3%	-2.6%
09/28/2024	202.0 lbs	6.3 lbs	144.9 lbs	1.9 lbs	50.6 lbs	4.3 lbs	25.9%	1.4%
03/03/2022	195.7 lbs	-	143.0 lbs	-	46.3 lbs	-	24.5%	-

BODY FAT PERCENT RANGES

Ages	Average Body Fat *	10th	20th	30th	40th	50th*	60th	70th	80th	90th
Female										
16-20	35.2%	26.6%	29.0%	31.1%	32.9%	34.8%	37.0%	39.1%	41.7%	45.1%
21-30	36.8%	27.6%	30.7%	33.3%	35.6%	37.7%	39.5%	41.4%	43.4%	46.2%
31-40	38.0%	29.1%	33.0%	35.4%	37.1%	38.9%	40.7%	42.2%	44.5%	46.9%
41-50	39.5%	31.2%	34.8%	37.2%	39.2%	40.7%	42.1%	43.5%	45.3%	47.7%
51-60	40.4%	32.6%	36.3%	38.4%	40.4%	42.0%	43.3%	44.6%	46.3%	48.7%
61-70	42.6%	35.5%	38.2%	40.2%	41.7%	43.1%	44.3%	45.7%	47.4%	49.2%
71-80	42.2%	34.8%	37.6%	40.1%	41.6%	42.9%	44.3%	45.6%	47.0%	49.2%
81+	40.3%	32.7%	35.4%	37.7%	39.8%	41.0%	42.2%	43.5%	45.2%	47.6%
Male										
16-20	22.5%	14.6%	16.0%	17.4%	19.0%	20.7%	23.0%	25.9%	29.0%	33.5%
21-30	24.8%	16.2%	19.2%	21.5%	23.3%	25.2%	26.7%	28.5%	30.5%	33.7%
31-40	26.0%	18.2%	21.3%	23.7%	25.2%	26.8%	28.0%	29.4%	31.2%	33.9%
41-50	27.0%	19.6%	23.0%	24.8%	26.2%	27.6%	28.8%	30.2%	32.1%	34.3%
51-60	27.9%	20.3%	23.9%	25.9%	27.3%	28.6%	30.0%	31.3%	32.9%	35.4%
61-70	30.2%	23.5%	25.8%	27.5%	28.9%	30.3%	31.7%	33.0%	34.7%	37.2%
71-80	30.7%	24.3%	26.3%	28.1%	29.5%	30.8%	32.1%	33.4%	35.1%	37.5%
81+	30.8%	24.6%	26.8%	28.2%	29.5%	31.0%	32.2%	33.4%	35.1%	37.2%

This chart comes from an analysis of the 1999-2018 NHANES study that looked at populations of males and females between the ages of 8 and 85, with a total of 101,316 DXA scans. Our analysis displays ages 16-81+ and 33,049 participants who were considered eligible for the study. Body composition was measured using DXA technology, and averages and percentiles were calculated and constructed from the 33,049 participants.

Sources:

<https://www.cdc.gov/nchs/nhanes/search/datapage.aspx?Component=Examination>

Centers for Disease Control and Prevention. (n.d.). Examination data - continuous NHANES.

*The mean, also known as the average, in this case is the sum of all body fat percentages in the cohort divided by the total number of scans in the cohort, whereas the median is the middle value of all tested body fat percentages in the cohort.

Client	Sex	Facility	Birth Date	Height	Weight	Measured
William Craig	Male	Arizona Mobile	03/28/1995	68.0 in.	198.6	10/01/2025

Abdomen Composition




Subcutaneous fat is stored directly under the skin and is not as well associated with chronic disease. On the other hand, visceral fat is stored within the abdominal cavity with the digestive organs located in the android region. Visceral fat is associated with risk of developing conditions such as heart disease, stroke, diabetes, hypertension, gallstones and some types of cancer.


The android to gynoid (A/G) ratio is a secondary measurement used to assess potential risk of the above-mentioned health conditions in the event that a visceral fat measurement is unavailable. The ideal A/G ratio is less than 1.0 for optimal fat distribution.

Adipose Tissue
1 Visceral
2 Subcutaneous

Measured Date	Visceral Fat Pounds	Change	A/G Ratio
10/01/2025	0.50	-0.51	1.15
09/28/2024	1.01	0.04	1.25
03/03/2022	0.97	-	1.34



Head
Trunk
Android
Gynoid
Legs



Color Coding
Bone Lean Fat

Client	Sex	Facility	Birth Date	Height	Weight	Measured
William Craig	Male	Arizona Mobile	03/28/1995	68.0 in.	198.6	10/01/2025

Trunk

Trunk includes the neck, chest, abdominal and pelvic areas. Its upper perimeter is the inferior edge of the chin and the lower perimeter intersects the middle of the femoral necks without touching the brim of the pelvis.

Measured Date	Total Mass	Change	Lean Tissue	Change	Fat Tissue	Change	Region Fat	Change
10/01/2025	98.9 lbs	-3.0 lbs	71.7 lbs	1.7 lbs	25.3 lbs	-4.4 lbs	26.1%	-3.7%
09/28/2024	101.9 lbs	2.9 lbs	70.0 lbs	0.9 lbs	29.7 lbs	2.0 lbs	29.8%	1.2%
03/03/2022	99.0 lbs	-	69.1 lbs	-	27.7 lbs	-	28.6%	-

Android

Android is the area between the ribs and the pelvis and is totally enclosed by the trunk region.

Measured Date	Total Mass	Change	Lean Tissue	Change	Fat Tissue	Change	Region Fat	Change
10/01/2025	15.6 lbs	-0.7 lbs	11.3 lbs	0.1 lbs	4.2 lbs	-0.8 lbs	27.1%	-3.6%
09/28/2024	16.3 lbs	0.8 lbs	11.2 lbs	0.6 lbs	5.0 lbs	0.3 lbs	30.7%	0.4%
03/03/2022	15.5 lbs	-	10.6 lbs	-	4.7 lbs	-	30.3%	-

Gynoid

Gynoid includes the hips and upper thighs, and overlaps both the leg and trunk regions.
The total height of the gynoid region is two times the height of the android region.

Measured Date	Total Mass	Change	Lean Tissue	Change	Fat Tissue	Change	Region Fat	Change
10/01/2025	32.3 lbs	-1.3 lbs	24.0 lbs	-0.7 lbs	7.5 lbs	-0.6 lbs	23.2%	-1.1%
09/28/2024	33.6 lbs	1.0 lbs	24.7 lbs	0.1 lbs	8.1 lbs	0.8 lbs	24.3%	1.9%
03/03/2022	32.6 lbs	-	24.6 lbs	-	7.3 lbs	-	22.4%	-



11111 North Scottsdale Road
Suite #205
Scottsdale, AZ 85254
(602) 351-5151
<https://dexabody.com>

Client	Sex	Facility	Birth Date	Height	Weight	Measured
William Craig	Male	Arizona Mobile	03/28/1995	68.0 in.	198.6	10/01/2025

Arms (Total)

Arms consists of the arm and shoulder area formed by placing a line from the crease of the axilla and through the glenohumeral joint.

Measured Date	(e)	Total Mass	Change	Lean Tissue	Change	Fat Tissue	Change	Region Fat	Change
10/01/2025	(e)	23.8 lbs	-0.6 lbs	17.9 lbs	-0.7 lbs	4.9 lbs	0.1 lbs	21.5%	0.9%
09/28/2024		24.4 lbs	1.1 lbs	18.6 lbs	0.6 lbs	4.8 lbs	0.5 lbs	20.6%	1.4%
03/03/2022		23.3 lbs	-	18.0 lbs	-	4.3 lbs	-	19.2%	-

Arms (Right)

Measured Date	(e)	Total Mass	Change	Lean Tissue	Change	Fat Tissue	Change	Region Fat	Change
10/01/2025		11.9 lbs	-0.6 lbs	8.9 lbs	-0.6 lbs	2.5 lbs	-0.1 lbs	21.5%	0.2%
09/28/2024		12.5 lbs	0.8 lbs	9.5 lbs	0.5 lbs	2.6 lbs	0.4 lbs	21.3%	1.7%
03/03/2022		11.7 lbs	-	9.0 lbs	-	2.2 lbs	-	19.6%	-

Arms (Left)

Measured Date	(e)	Total Mass	Change	Lean Tissue	Change	Fat Tissue	Change	Region Fat	Change
10/01/2025	(e)	11.9 lbs	0.1 lbs	8.9 lbs	-0.2 lbs	2.5 lbs	0.2 lbs	21.5%	1.6%
09/28/2024		11.8 lbs	0.2 lbs	9.1 lbs	0.1 lbs	2.3 lbs	0.2 lbs	19.9%	1.0%
03/03/2022		11.6 lbs	-	9.0 lbs	-	2.1 lbs	-	18.8%	-



11111 North Scottsdale Road
Suite #205
Scottsdale, AZ 85254
(602) 351-5151
<https://dexabody.com>

Client	Sex	Facility	Birth Date	Height	Weight	Measured
William Craig	Male	Arizona Mobile	03/28/1995	68.0 in.	198.6	10/01/2025

Legs (Total)

Legs includes all of the area below the lines that form the lower borders of the trunk.

Measured Date	(e)	Total Mass	Change	Lean Tissue	Change	Fat Tissue	Change	Region Fat	Change
10/01/2025		65.9 lbs	0.5 lbs	51.0 lbs	1.8 lbs	12.5 lbs	-1.5 lbs	19.7%	-2.3%
09/28/2024		65.4 lbs	2.3 lbs	49.2 lbs	0.6 lbs	14.0 lbs	1.7 lbs	22.1%	1.9%
03/03/2022		63.1 lbs	-	48.6 lbs	-	12.3 lbs	-	20.2%	-

Legs (Right)

Measured Date	(e)	Total Mass	Change	Lean Tissue	Change	Fat Tissue	Change	Region Fat	Change
10/01/2025		33.2 lbs	0.2 lbs	25.8 lbs	1.0 lbs	6.2 lbs	-0.8 lbs	19.3%	-2.5%
09/28/2024		33.0 lbs	0.9 lbs	24.8 lbs	0.2 lbs	7.0 lbs	0.7 lbs	21.9%	1.4%
03/03/2022		32.1 lbs	-	24.6 lbs	-	6.3 lbs	-	20.4%	-

Legs (Left)

Measured Date	(e)	Total Mass	Change	Lean Tissue	Change	Fat Tissue	Change	Region Fat	Change
10/01/2025		32.7 lbs	0.2 lbs	25.2 lbs	0.9 lbs	6.4 lbs	-0.6 lbs	20.2%	-2.1%
09/28/2024		32.5 lbs	1.5 lbs	24.3 lbs	0.3 lbs	7.0 lbs	1.1 lbs	22.3%	2.3%
03/03/2022		31.0 lbs	-	24.0 lbs	-	5.9 lbs	-	19.9%	-


	Sex	Facility	Birth Date	Height	Weight	Measured
William Craig	Male	Arizona Mobile	03/28/1995	68.0 in.	198.6	10/01/2025

TOTAL BODY BONE DENSITY REPORT

Bone Mineral Density (BMD) is a measurement of minerals (mainly calcium and phosphorus) contained in a certain volume of bone. BMD is strongly linked to bone strength and resistance to fracture but people with low bone mass are not always at high risk of fracture. The BMD report predicts risk for osteopenia (mild bone loss, usually without symptoms) and osteoporosis (more severe bone loss) but it is NOT a diagnosis.

This is a full body bone density scan which can provide a general indication of relative bone density. This is not a replacement for a detailed bone density assessment ordered by your physician. If you have concerns with your numbers or want to assess your fracture risk, please contact your physician.

Total Body Bone Density



Bone Density: USA (Combined NHANES/Lunar)

The chart below provides a Total Body Bone Mineral Density (BMD) T-Score. The T-Score compares your bones to a healthy 30-year old adult of your sex.

T-Score: 1.4	
-1 and above	Normal
- 1.0 to -2.5	Potential Osteopenia
-2.5 and below	Potential Osteoporosis

Measure Date	BMD T-Score
10/01/2025	1.4
09/28/2024	1.4
03/03/2022	0.8

The Z-Score listed in the below table compares your BMD to a person of your same age and of the same sex. The values are measured in standard deviations, and they show how your BMD compares to the given reference population.

Z Score: 1.0	% Population (Greater Than)
-1.5 to -0.5	7% - 30%
-0.5 to 0.0	30% - 50%
0.0 to 0.5	50% - 69%
0.5 to 1.5	69% - 93%
1.5 to 2.0	93% - 97%
2.0 and above	97% - 99%

Measure Date	BMD Z-Score
10/01/2025	1.0
09/28/2024	1.0
03/03/2022	0.4

Client	Sex	Facility	Birth Date	Height	Weight	Measured
William Craig	Male	Arizona Mobile	03/28/1995	68.0 in.	198.6	10/01/2025

METABOLISM & NUTRITION INFORMATION

Resting Metabolic Rate (RMR) is an estimate of how many calories a person would burn if they were to do nothing but rest for 24 hours. This is an estimated number using the Mifflin St. Jeor equation. Generally speaking, most people are not sitting in bed all day, every day. To support weight or fat loss, it is generally recommended to consume 300-500 calories less than your Total Daily Energy Expenditure (TDEE). However, individual needs may vary.

Use the chart below to determine your *estimated* energy needs based off of your daily living and physical activity. For *most* people, the actual energy requirement falls within ± 200 kcal.

RMR	Estimated Energy Requirements	Total Daily Energy Expenditure (TDEE)	Daily Activity Category
1,788 cal/day For a more accurate RMR measurement schedule an appointment for a RMR Analysis Test with a staff member.	1,788 X 1.25		Sedentary - Only those physical activities required for typical daily living + little to no exercise
	1,788 X 1.375		Lightly Active - Daily living + 1-3 hours per week of easy exercise Example - walking 20-30 minutes per day a few times per week
	1,788 X 1.55		Moderately Active - Daily living + 3-5 hours per week of moderate exercise Example - brisk walking, cycling, or weight training 45-60 minutes
	1,788 X 1.725		Very Active - Daily living + 6-7 hours per week of vigorous exercise Example - running, HIIT, competitive sports

This graph is adapted from the *Institute of Medicine (2002)*, and *Dietary Reference Intakes for energy, Carbohydrate, Fiber, Fat, Fatty Acids, Cholesterol, Protein, and Amino Acids (Washington, D.C.: National Academies Press, 2005)*

We strongly advise consulting with your doctor or a registered dietitian before making any changes to your diet, or exercise routine, especially if you have any underlying health conditions or concerns. This recommendation is not intended to replace medical advice, diagnosis, or treatment.

FREQUENTLY ASKED QUESTIONS

Q: What is considered a healthy body fat %?

A: DEXA data shows healthy body fat is about 18–24% for men and 25–31% for women, according to groups like the American Council on Exercise and ACSM, but the best goal is one that fits your, gender, age, body type, and lifestyle.

Q: Which tissues make up the lean tissue category, and what percentage of that is actual muscle?

A: Lean tissue is comprised of mostly muscle, but also includes other tissues such as organs, fluids (blood and water), connective tissue like skin, cartilage, tendons & ligaments, and even the food you consume. For most people, around 70% of lean tissue is skeletal muscle.

Q: How do we calculate overall body fat %?

A: Total mass - bone mass divided by total fat Mass.

Q: How do I calculate my overall bone mass?

A: Total mass - (lean Tissue + total fat Mass).

Q: What's a realistic and effective rate of composition change?

A: With dedication and focus, we can see an average of 1 - 3 % composition change per month.

Q: What's the best way to see realistic changes in my composition?

A: Nutrition + Exercise. Maintaining a healthy balanced diet with 60 mins/day of exercise, with 3–5 resistance training sessions per week and regular cardio.

Q: What is a healthy amount of visceral fat?


A: Research isn't specific, but the "less is more" principal applies here. The goal should simply be to carry as little visceral fat as possible. This can be achieved with a healthy, balanced diet, improved sleep, reduced stress, and minimizing smoking/alcohol consumption.

NEXT STEPS

Now that you've received your DEXA scan, what's next? We recommend scheduling a follow up DEXA Scan within 3 to 6 months, as well as our additional services below. Maintaining a healthy balanced diet with 60 mins/day of exercise, with 3-5 resistance training sessions per week and regular cardio should allow you to make progress and ultimately reach your goals.



VO2 MAX Testing



DNA Testing



Resting Metabolic Testing

Does your company have a wellness program? Talk to your HR team about hosting a mobile DEXA body composition event at your location! Only 16 minimum signups required. Email sales@dexabody.com with any questions.



Thank you for partnering with Dexa Body to improve your health! Check our website dexabody.com for health tips and our additional wellness offerings.

**DexaBody is not a medical facility, nor do we represent the views of any medical practitioner. The data provided in this report is for information purposes only and is not meant to be used for any type of medical diagnosis. If you have any concerns regarding the data or metrics in this report, please consult your physician.

