

# My Quarto Report

Dr. Bjorn

```
library(tidyverse)
```

```
-- Attaching core tidyverse packages ----- tidyverse 2.0.0 --
v dplyr      1.1.4      v readr      2.1.5
v forcats    1.0.0      v stringr    1.5.1
v ggplot2    3.5.1      v tibble     3.2.1
v lubridate  1.9.3      v tidyr      1.3.1
v purrr      1.0.2
-- Conflicts ----- tidyverse_conflicts() --
x dplyr::filter() masks stats::filter()
x dplyr::lag()     masks stats::lag()
i Use the conflicted package (<http://conflicted.r-lib.org/>) to force all conflicts to become
```

```
library(here)
```

here() starts at /home/bjorn/ownCloud/tudelft/carpentries/workshops/2024-06-20\_dc-ldev/workshop

```
interviews <- read_csv(here("data/SAFI_clean.csv"), na = "NULL")
```

Rows: 131 Columns: 14

```
-- Column specification -----
```

Delimiter: ","

chr (7): village, respondent\_wall\_type, memb\_assoc, affect\_conflicts, items...

dbl (6): key\_ID, no\_membrs, years\_liv, rooms, liv\_count, no\_meals

dtm (1): interview\_date

i Use `spec()` to retrieve the full column specification for this data.  
i Specify the column types or set `show\_col\_types = FALSE` to quiet this message.

# Title

## Heading

### Subheading

#### Subsubheading

## Introduction

This is an *introduction*. A **VERY** brief introduction. This text is just filler because I need to show how line breaks work.

Oh yea, we should talk about SAFI.  
The dataset.

## Materials and methods

The SAFI dataset has the following variables:

- village
  - name of village
- interview\_\_date
  - date of the interview
  - \* self-explanatory
- no\_\_members
- years\_\_liv

Here are my favourite variables:

1. no\_\_members
2. village
3. years\_\_liv

## Results

```
interviews %>%
  filter(!is.na(memb_assoc)) %>% # remove NAs
  group_by(village, memb_assoc) %>%
  summarise(mean_no_membrs = mean(no_membrs))
```

`summarise()` has grouped output by 'village'. You can override using the  
`.groups` argument.

```
# A tibble: 6 x 3
# Groups:   village [3]
  village memb_assoc mean_no_membrs
  <chr>    <chr>          <dbl>
1 Chirodzo no           8.06
2 Chirodzo yes          7.82
3 God     no           7.13
4 God     yes            8
5 Ruaca   no           7.18
6 Ruaca   yes           9.5
```