BLINK 2026 · SITE 3.3

CHURCH WALL

PROJECTOR STUDY

04/23/2026

OVERVIEW



EQUIPMENT

PROJECTOR	LENS	SERVER
×2	×2	GX3
Panasonic RQ32K	ET-D75LE20	

DIMENSIONS

BUILDING	
WIDTH	63'-0"
HEIGHT	67'-0"
FROM GROUND	0'-0"

COVERAGE	
WIDTH	66'-0"
HEIGHT	81'-10"
AVG LUMINANCE	12 fc

RESOLUTION	
RESOLUTION	4000 × 3746 px

ROUGH COVERAGE

OVERLAP ZONES



LUMINANCE HEATMAP



DELIVERY



PROJECTORS

PJ 3.3.2
Panasonic RQ32K · ET-D75LE20

PLACEMENT

ORIENTATION
Landscape

LENS TO GROUND
15'-0"

THROW DISTANCE
132'-0"

ANGLE
14°

FOCUS
TOP

OPTICS

EST. THROW RATIO 2.00 : 1
1.8 — 2.6

RESOLUTION
3840x2400

LENS SHIFT

VERTICAL 0%
-59% 0 +59%

HORIZONTAL 0%
-29% 0 +29%

PJ 3.3.2
Panasonic RQ32K · ET-D75LE20

PLACEMENT

ORIENTATION
Landscape

LENS TO GROUND
15'-0"

THROW DISTANCE
132'-0"

ANGLE
2°

FOCUS
BOTTOM

OPTICS

EST. THROW RATIO 2.00 : 1
1.8 — 2.6

RESOLUTION
3840x2400

LENS SHIFT

VERTICAL 0%
-59% 0 +59%

HORIZONTAL 0%
-29% 0 +29%

NOTES

- Includes a 5% "Bleed" on all sides to ensure full coverage of the building surfaces. Please fill content to the full bleed dimensions to avoid any gaps in coverage.

VERSION HISTORY

VERSION 1 04/23/2026 *Ted Brown*

Initial Version