BLINK 2026 · SITE 5.5

HAILE FOUNDATION

PROJECTOR STUDY

04/27/2026

OVERVIEW

EQUIPMENT

PROJECTOR	LENS	SERVER
×4	×4	GX1
Epson L25000	ELPLW07	

DIMENSIONS

BUILDING	
WIDTH	98'-0"
HEIGHT	74'-0"
FROM GROUND	0'-0"

COVERAGE	
WIDTH	98'-0"
HEIGHT	74'-0"
AVG LUMINANCE	15 fc

RESOLUTION	
RESOLUTION	2961 × 1968 px

ROUGH COVERAGE



OVERLAP ZONES

LUMINANCE HEATMAP



DELIVERY





PROJECTORS

PJ 5.5.1

Epson L25000 · ELPLW07

PLACEMENT

ORIENTATION
Portait

LENS TO GROUND
15'-0"

THROW DISTANCE
120'-0"

ANGLE
10°

FOCUS
Left

OPTICS

EST. THROW RATIO **1.60 : 1**

1.29 — 1.76

RESOLUTION
1920x1200

LENS SHIFT

VERTICAL **0%**

-65% — 0 — +65%

HORIZONTAL **0%**

-30% — 0 — +30%

PJ 5.5.2
Epson L25000 · ELPLW07

PLACEMENT
ORIENTATION
Portrait
LENS TO GROUND
15'-0"
THROW DISTANCE
120'-0"
ANGLE
10°
FOCUS
Left

OPTICS
EST. THROW RATIO 1.60 : 1
1.29 1.76
RESOLUTION
1920x1200

LENS SHIFT
VERTICAL 0%
-65% 0 +65%
HORIZONTAL 0%
-30% 0 +30%

PJ 5.5.3
Epson L25000 · ELPLW07

PLACEMENT
ORIENTATION
Landscape
LENS TO GROUND
15'-0"
THROW DISTANCE
120'-0"
ANGLE
4°
FOCUS
Right

OPTICS
EST. THROW RATIO 1.60 : 1
1.29 1.76
RESOLUTION
1920x1200

LENS SHIFT
VERTICAL 0%
-65% 0 +65%
HORIZONTAL 0%
-30% 0 +30%

PJ 5.5.4
Epson L25000 · ELPLW07

PLACEMENT
ORIENTATION
Landscape
LENS TO GROUND
15'-0"
THROW DISTANCE
120'-0"
ANGLE
4°
FOCUS
Right

OPTICS
EST. THROW RATIO 1.60 : 1
1.29 1.76
RESOLUTION
1920x1200

LENS SHIFT
VERTICAL 0%
-65% 0 +65%
HORIZONTAL 0%
-30% 0 +30%

VERSION HISTORY

VERSION 1 04/27/2026 *Cheyenne Doczi*