BLINK 2026 · SITE 1.2

NATALIA RAK MURAL

PROJECTOR STUDY

04/27/2026

OVERVIEW



EQUIPMENT

PROJECTOR	LENS	SERVER
×2	×2	GX1
Panasonic RZ21K	ET-D75LE6	

DIMENSIONS

BUILDING	
WIDTH	75'-0"
HEIGHT	31'-0"
FROM GROUND	0'-0"

COVERAGE	
WIDTH	80'-0"
HEIGHT	50'-0"
AVG LUMINANCE	10 fc

RESOLUTION	
RESOLUTION	2986 × 1130 px

ROUGH COVERAGE



OVERLAP ZONES

LUMINANCE HEATMAP



DELIVERY







PROJECTORS

PJ-1.2.1

Panasonic RZ21K · ET-D75LE6

PLACEMENT

ORIENTATION
Landscape

LENS TO GROUND
10'-0"

THROW DISTANCE
52'-0"

ANGLE
5°

FOCUS
Left

OPTICS

EST. THROW RATIO **1.02 : 1**

0.924 — 1.1

RESOLUTION
1920x1200

LENS SHIFT

VERTICAL **0%**

-44% — 0 — +44%

HORIZONTAL **0%**

-15% — 0 — +15%

PJ-1.2.2

Panasonic RZ21K · ET-D75LE6

PLACEMENT

ORIENTATION
Landscape

LENS TO GROUND
10'-0"

THROW DISTANCE
52'-0"

ANGLE
5°

FOCUS
Right

OPTICS

EST. THROW RATIO **1.02 : 1**

0.924 — 1.1

RESOLUTION
1920x1200

LENS SHIFT

VERTICAL **0%**

-44% — 0 — +44%

HORIZONTAL **0%**

-15% — 0 — +15%

NOTES

- Includes a 5% "Bleed" on all sides to ensure full coverage of the building surfaces. Please fill content to the full bleed dimensions to avoid any gaps in coverage.
- Projectors are rotated towards the edges of the building.

VERSION HISTORY

VERSION 1 04/27/2026 *Ted Brown*

Initial Version