BLINK 2026 · SITE 2.4

# SCPA

PROJECTOR STUDY

04/25/2026

## OVERVIEW



## EQUIPMENT

| PROJECTOR | LENS | SERVER |
|---|---|---|
| ×1 | ×1 | BEEBOX OSMIA |
| Epson Pro L1755U | ELPLW08 | |

## DIMENSIONS

| BUILDING | |
|---|---|
| WIDTH | 26'-0" |
| HEIGHT | 35'-0" |
| FROM GROUND | 13'-8" |

| COVERAGE | |
|---|---|
| WIDTH | 28'-5" |
| HEIGHT | 45'-5" |
| AVG LUMINANCE | 10 fc |

| RESOLUTION | |
|---|---|
| RESOLUTION | 1220 × 1624 px |

## ROUGH COVERAGE

## OVERLAP ZONES

## LUMINANCE HEATMAP




## DELIVERY








## 2.3.1

Epson Pro L1755U · ELPLW08

### PLACEMENT

ORIENTATION
Portrait

LENS TO GROUND
6'-0"

THROW DISTANCE
50'-0"

ANGLE
30°

FOCUS
Whole Wall

### OPTICS

EST. THROW RATIO 1.15 : 1

0.86 — 1.21

RESOLUTION
1920x1200

### LENS SHIFT

VERTICAL 0%

-60% — 0 — +60%

HORIZONTAL 0%

-18% — 0 — +18%

## NOTES

- Includes a 5% "Bleed" on all sides to ensure full coverage of the building surfaces. Please fill content to the full bleed dimensions to avoid any gaps in coverage.

## VERSION HISTORY

**VERSION 1** 04/25/2026 *Ted Brown*

Initial version