BLINK 2026 · SITE 3.11

VINCE FRASER

PROJECTOR STUDY

04/27/2026

OVERVIEW



EQUIPMENT

PROJECTOR	LENS	SERVER
×4	×4	VX4
Barco 4K32	R9862020	

DIMENSIONS

BUILDING	
WIDTH	81'-0"
HEIGHT	118'-0"
FROM GROUND	58'-0"

COVERAGE	
WIDTH	92'-0"
HEIGHT	110'-0"
AVG LUMINANCE	15 fc

RESOLUTION	
RESOLUTION	3450 × 5040 px

ROUGH COVERAGE



OVERLAP ZONES



LUMINANCE HEATMAP



DELIVERY





3.18.1
Barco 4K32 · R9862020

PLACEMENT

ORIENTATION
Landscape

LENS TO GROUND
20'-0"

THROW DISTANCE
190'-0"

ANGLE
32°

FOCUS
Top

OPTICS

EST. THROW RATIO **2.50 : 1**

2.01 — 2.75

RESOLUTION
3840x2400

LENS SHIFT

VERTICAL **0%**

-100% — 0 — +130%

HORIZONTAL **0%**

-30% — 0 — +30%

3.18.2
Barco 4K32 · R9862020

PLACEMENT

ORIENTATION
Landscape

LENS TO GROUND
20'-0"

THROW DISTANCE
190'-0"

ANGLE
32°

FOCUS
Top

OPTICS

EST. THROW RATIO **2.50 : 1**

2.01 — 2.75

RESOLUTION
3840x2400

LENS SHIFT

VERTICAL **0%**

-100% — 0 — +130%

HORIZONTAL **0%**

-30% — 0 — +30%

3.18.3
Barco 4K32 · R9862020

PLACEMENT

ORIENTATION
Landscape

LENS TO GROUND
18'-0"

THROW DISTANCE
190'-0"

ANGLE
25°

FOCUS
Bottom

OPTICS

EST. THROW RATIO **2.25 : 1**

2.01 — 2.75

RESOLUTION
3840x2400

LENS SHIFT

VERTICAL **0%**

-100% — 0 — +130%

HORIZONTAL **0%**

-30% — 0 — +30%

3.18.4

Barco 4K32 · R9862020

PLACEMENT

ORIENTATION
Landscape

LENS TO GROUND
15'-0"

THROW DISTANCE
190'-0"

ANGLE
25°

FOCUS
Bottom

OPTICS

EST. THROW RATIO **2.25 : 1**

2.01 — 2.75

RESOLUTION
3840x2400

LENS SHIFT

VERTICAL **0%**

-100% — 0 — +130%

HORIZONTAL **0%**

-30% — 0 — +30%

NOTES

- Includes a 5% "Bleed" on all sides to ensure full coverage of the building surfaces. Please fill content to the full bleed dimensions to avoid any gaps in coverage.

VERSION HISTORY

VERSION 1 04/27/2026

Ted Brown

Initial Version