BLINK 2026 · SITE 3.4

YWCA

PROJECTOR STUDY

04/24/2026

OVERVIEW



EQUIPMENT

PROJECTOR	LENS	SERVER
×4	×4	GX3
Barco 4K32	R9862010	

DIMENSIONS

BUILDING	
WIDTH	100'-0"
HEIGHT	118'-0"
FROM GROUND	33'-0"

COVERAGE	
WIDTH	100'-0"
HEIGHT	115'-0"
AVG LUMINANCE	10 fc

RESOLUTION	
RESOLUTION	1920 × 2180 px

ROUGH COVERAGE

OVERLAP ZONES



LUMINANCE HEATMAP



DELIVERY



PJ 3.4.1
Barco 4K32 · R9862010

PLACEMENT
ORIENTATION
Portrait
LENS TO GROUND
22'-0"
THROW DISTANCE
227'-0"
ANGLE
25°
FOCUS
Top

OPTICS
EST. THROW RATIO 1.90 : 1
1.49 2.02
RESOLUTION
1920x1200

LENS SHIFT
VERTICAL 0%
-100% 0 +130%
HORIZONTAL 0%
-30% 0 +30%

PJ 3.4.2
Barco 4K32 · R9862010

PLACEMENT
ORIENTATION
Portrait
LENS TO GROUND
22'-0"
THROW DISTANCE
227'-0"
ANGLE
30°
FOCUS
Top (Double)

OPTICS
EST. THROW RATIO 1.90 : 1
1.49 2.02
RESOLUTION
1920x1200

LENS SHIFT
VERTICAL 0%
-100% 0 +130%
HORIZONTAL 0%
-30% 0 +30%

PJ 3.4.3
Barco 4K32 · R9862010

PLACEMENT
ORIENTATION
Portrait
LENS TO GROUND
17'-0"
THROW DISTANCE
207'-0"
ANGLE
15°
FOCUS
Bottom

OPTICS
EST. THROW RATIO 1.75 : 1
1.49 2.02
RESOLUTION
1920x1200

LENS SHIFT
VERTICAL 0%
-100% 0 +130%
HORIZONTAL 0%
-30% 0 +30%

PJ 3.4.4

Barco 4K32 · R9862010

PLACEMENT

ORIENTATION
Portrait

LENS TO GROUND
17'-0"

THROW DISTANCE
207'-0"

ANGLE
15°

FOCUS
Bottom (Double)

OPTICS

EST. THROW RATIO **1.75 : 1**

1.49 — 2.02

RESOLUTION
1920x1200

LENS SHIFT

VERTICAL **0%**

-100% — 0 — +130%

HORIZONTAL **0%**

-30% — 0 — +30%

NOTES

- Includes a 5% "Bleed" on all sides to ensure full coverage of the building surfaces. Please fill content to the full bleed dimensions to avoid any gaps in coverage.

VERSION HISTORY

VERSION 1 04/24/2026 *William Milligan*