# Functional Specification of EURent

Rieks Joosten (rieks.joosten@tno.nl)

7 June 2014

# Contents

# Chapter 1

# Introduction

This document specifies automated support for the EU-Rent example as described in 'DEMO-3 Way of Working (version 3, 1 September 2009)' by Jan L.G. Dietz. The purpose of the effort that resulted in this document is to provide case material to support statements regarding the extent that the DEMO approach and the Ampersand approach interfere and/or support one another.

We use the notation 'slide n' to refer to a specific slide in the DEMO-3 document mentioned above. In this notation, n is the slide number that can be found at the bottom of the slide. We use 'Slide n,m' to refer to slides n and m.

We use the notation 'Px:y', to refer to a specific sentence in the EU-Rent description of slide 3. In this notation, x identifies the paragraph number, and y identifies the sentence in that paragraph. Occasionally, the letter 'a' or 'b' may be appended to indicate the first or second part of (long) sentences. The notation 'Px:y-z' is used to refer to sentences y through z of paragraph x.

P2:1 states: "A car may be rented by a reservation in advance or by a 'walk-in' customer on the day of renting". The Note on slide 10 says that there is no difference between these two. We will follow this idea so as not to digress too much from the case. The consequence of this is that making a reservation in advance does not mean that there is a higher chance that a car of the requested type will be available.

This document[1] defines the functionality of an information system called 'EU-Rent'. It defines the database and the business services of EURent by means of business rules[2]. Those rules are listed in chapter 2, ordered by theme. , ordered by theme.

The diagnosis in chapter 3 is meant to help the authors identify shortcomings in their Ampersand script.

---

[1]This document was generated at 7-6-2014 on 22:37:51, using Ampersand v3.0.2.1357, build time: 06-Jun-14 14:50:03 UTC.

[2]Rule based design characterizes the Ampersand approach, which has been used to produce this document.

# Chapter 2

# Shared Language

This chapter defines the natural language, in which functional requirements of 'EURent' can be discussed and expressed. The purpose of this chapter is to create shared understanding among stakeholders. The language of 'EURent' consists of concepts and basic sentences. All functional requirements are expressed in these terms. When stakeholders can agree upon this language, at least within the scope of 'EURent', they share precisely enough language to have meaningful discussions about functional requirements. All definitions have been numbered for the sake of traceability.

## 2.1 EU-Rent

This pattern models the organizational structure of rental companies (limited to EU-Rent), as well as company-wide policies such as the maximum rental duration and rental and penalty tariffs.

At this point, the definitions of *branch*, *carRentalCompany*, *rentalCase*, *location*, *carType*, *brand*, *model*, and *amount* are given.

This system is designed for companies that rent cars according to the business essence as described in the DEMO document.

**Definition 1:** a company whose business is renting cars.      *CarRentalCompany*

Car rental companies operate from branch offices at different geographical locations, each of which must be identifiable.

**Definition 2:** an office of a car rental company at a specific location.      *Branch*

Branch offices are at different geographical locations. In order to compute penalties for dropping off cars at another branch than contractually agreed, the locations of such branches must be known.

**Definition 3:** a city (at which a branch office is located). *Location*

Rental charges (and penalties) depend on the type of a car.

**Definition 4:** the brand and model of a car. *CarType*

Car types are composed of a brand and a model. Examples of brands are: 'Volkswagen', 'Audi'.

**Definition 5:** the brand of a car. *Brand*

Car types are composed of a brand and a model. Examples of models are: 'Polo' or 'Beetle'.

**Definition 6:** the model of a car. *Model*

Tariffs, charges etc. are amounts of money. It is necessary to be specific about the nature of amounts, such as the sum and the currency.

**Definition 7:** a sum of money, expressed in 'Euro'. *Amount*

A common practice in case management is to define an anchorpoint for everything whose life cycle has to be managed, monitored, etc. To this end, we introduce such an anchorpoint for rentals, and call it a 'RentalCase'.

**Definition 8:** an information object that contains all information about a rental, *RentalCase* including contractual items, rental items, billing items etc.

EU-Rent is a company that rents cars to persons, operating from geographically *P1:1* dispersed braches. Therefore, we must know what branches exist with EU-Rent.

**Agreement 9:** Every branch is part of a car rental company.

Phrases that can be made are for instance:

AMS is a branch of EU-Rent.

DHG is a branch of EU-Rent.

RTD is a branch of EU-Rent.

EU-Rent operates from geographically dispersed braches. We need to know *P1:1, P4:5* where such locations are in order to compute penalty charges for drivers that drop off their car at a location other than is contracted, because such charges depend on the distance between the actual and the contracted drop-off branch.

**Agreement 10:** Every branch operates from a geographical location.

Phrases that can be made are for instance:

AMS is located in Amsterdam.

DHG is located in Den Haag.

RTD is located in Rotterdam.

Since only cars that are available at the pick-up branch may be rented, the *P3.4* availability of these cars at the branches must be known.

**Agreement 11:** It is known which cars are available at a branch.

Phrases that can be made are for instance:

Car with license plate 1-AMS-11 is available at EU-Rent branch AMS.

Car with license plate 1-AMS-12 is available at EU-Rent branch AMS.

Car with license plate 1-AMS-13 is available at EU-Rent branch AMS.

In order for the renter/driver to specify the car (s)he wants to rent, but also to correctly compute rental charges, the type of every car must be known.

**Agreement 12:** Every car is of a specific type (brand, model).

Phrases that can be made are for instance:

Car with license plate 1-AMS-11 is a VW Polo.

Car with license plate 1-AMS-12 is a VW Polo.

Car with license plate 1-AMS-13 is a VW Passat.

The cars of EU-Rent are divided in car types (brands and models). *P1:2a*

**Agreement 13:** A cartype has a specific brand.

Phrases that can be made are for instance:

The brand of Audi A4 is Audi.

The brand of VW Beetle is Volkswagen.

The brand of VW Passat is Volkswagen.

The cars of EU-Rent are divided in car types (brands and models). *P1:2a*

**Agreement 14:** A cartype has a specific model.

Phrases that can be made are for instance:

The model of Audi A4 is A4.

The model of VW Beetle is Beetle.

The model of VW Passat is Passat.

For every car type there is a particular rental tariff per day.

**Agreement 15:** All car types have a specified rental tariff (Euros/day).

Phrases that can be made are for instance:

The rental tariff for Audi A4 is 93 Euros/day.

The rental tariff for VW Beetle is 60 Euros/day.

The rental tariff for VW Passat is 90 Euros/day.

In order to compute the penalty charge for exceeding the contracted rental duration, for each type of car it is specified what the excess charge per day will be.

**Agreement 16:** All car types have a specified excess tariff (Euro/day)

Phrases that can be made are for instance:

For cars of type Audi A4 the extra charge for a late drop-off is 56 Euro/day.

For cars of type VW Beetle the extra charge for a late drop-off is 38 Euro/day.

For cars of type VW Passat the extra charge for a late drop-off is 47 Euro/day.

Since EURent has specified a maximum duration for a rental, rental contracts must state whether or not the period between the specified pick-up and drop-off dates exceeds this maximum duration.

**Agreement 17:** the date interval (e.g.: [start date,end date]) is within the maximum rental duration as specified by EURent.

Phrases that can be made are for instance:

The period between 01-06-2014 and 07-06-2014 does not exceed the maximum allowed rental duration.

The period between 01-07-2014 and 10-07-2014 does not exceed the maximum allowed rental duration.

In order to compute the correct charge for renting a car, the start date must be known. Note that the meaning of this date depends on whether or not the rental has already started. If the rental has not yet started, it is the date that the rental is foreseen to start. If the rental has started, it is the date on which the rental actually started.

**Agreement 18:** Rental contracts may specify the actual (and contractual) start date of the rental.

Phrases that can be made are for instance:

The contractual and/or actual starting date of the rental of RC_AMS_123 is 01-07-2014.

The contractual and/or actual starting date of the rental of RC_RTD_262 is 01-06-2014.

In order to determine whether or not a penalty has to be paid for a late drop-off, the end date before which the car will be dropped off must be contractually administrated.

**Agreement 19:** Rental contracts may specify the (contractual) end date of the rental.

Phrases that can be made are for instance:

The contractual end date of the rental of RC_AMS_123 is 10-07-2014.

The contractual end date of the rental of RC_RTD_262 is 07-06-2014.

In order to keep track of the cars that EU-Rent owns, every case must specify the car that is being rented.

**Agreement 20:** Rental contracts specify the car that is (to be) issued to the driver.

Phrases that can be made are for instance:

The car that will be, or has been issued under RC_AMS_123 has license plate 1-AMS-12.

The car that will be, or has been issued under RC_RTD_262 has license plate 3-RTD-18.

During the lifetime of a rental, i.e. between the start and end of a rental, the renter has the right to make use of the rented car. For this reason, it is necessary to know which rentals have been started. Other reasons include that from the time of the start of a rental, payment is due, and the car that is mentioned in the rental case is no longer available for rent.

The transaction result B-R01 ([rental] has been started) must be modeled.

**Agreement 21:** Rental cases may have the property 'rental has been started'.

A phrase that can be formed is for instance:

RC_RTD_262 has the property 'rental has started', meaning that the rental associated with RC_RTD_262 has started.

During the lifetime of a rental, i.e. between the start and end of a rental, the *P4:2* renter has the right to make use of the rented car. For this reason, it is necessary to know which rentals have been ended. Other reasons include that at the time a rental is ended

- the bill can be made up,
- payment can be requested, and
- the returned car is again available for rent.

The transaction result B-R02 ([rental] has been ended) must be modeled. *Slides 4-5*

Slide 26 states that the rental ends after the rental has been paid. According *Slides 26, 30* to slide 4, P4:2, the renter has the right to make use of the rented car between the start and end of a rental. However, when rental payment is stated, it must be checked that 'everything is ok' (slide 30), which takes time. In that time, according to Slide 4, P4:2, the renter still has the right to make use of the rented car, and if he does so, it is undefined what will happen.

The transaction result B-R02 ([rental] has been ended) must be modeled. *Slides 4-5*

Slide 26 states that the rental ends after the rental has been paid. According *Slides 26, 30* to slide 4, P4:2, the renter has the right to make use of the rented car between the start and end of a rental. However, when rental payment is stated, it must be checked that 'everything is ok' (slide 30), which takes time. In that time, according to Slide 4, P4:2, the renter still has the right to make use of the rented car, and if he does so, it is undefined what will happen.

**Agreement 22:** Rental cases may have the property 'rental has been ended'.

While our scope is limited to EU-Rent, we need to explicitly model it as a *P2:3* company in order to be able to define company policy that holds for all branches. An example of this would be the maximum rental period.

**Agreement 23:** The system is limited to branches that are part of EU-Rent.

In order to ensure that cars are not lost 'administratively', every car must be accounted for.

**Agreement 24:** All cars must either be rented, or in stock at one of the branches.

Since EURent has specified a maximum duration for a rental, it must be checked *P2:3*
(computed) whether or not the period between the specified pick-up and drop-off dates exceeds this maximum duration.

**Agreement 25:** The difference between the contracted end date and start date may bot exceed the maximum duration for rentals.

In order to prevent errors from occurring when Yes/No answers are answered differently, it is necessary to check whether such answers are either 'Yes' or 'No'.

**Agreement 26:** A Yes/No answer may only take the values 'Yes' or 'No'.

## 2.2   Rental Contracts

This pattern defines the contents of rental contracts and any constraints that must apply. It was decided not to introduce a specific concept 'RentalContract' because such an information object was also not mentioned in the slides.

The sequel introduces the language of Rental Contracts.

In order to be sure that a driver has a valid driving license, an identification number of the driving license must be known.

**Definition 27:** the identification number of a (valid) driving license. *DrivingLicense*

Since the daily charges depend on the car type, the contract must mention what *P2:2*
type of car is (going to be) rented.

**Agreement 28:** Rental contracts may specify the car type of the rental.

Phrases that can be made are for instance:

The contractual type of the car being rented under RC_AMS_123 is VW Polo.

The contractual type of the car being rented under RC_RTD_262 is VW Polo.

Drivers can only rent cars that are available at the pick-up branch. Therefore, it *P2:2*
must be known which branch this is.

**Agreement 29:** Rental contracts may specify the branch where the rental starts (i.e.: the car is picked up).

Phrases that can be made are for instance:

The contractual and/or actual pick-up branch for the rental of RC_AMS_123 is AMS.

The contractual and/or actual pick-up branch for the rental of RC_RTD_262 is RTD.

In order to allow branches to plan their stock of available cars, it helps to know what cars will be dropped off at what branch. *P2:2*

**Agreement 30:** Rental contracts may specify the branch where the rental supposedly ends (i.e.: the car is dropped off).

Phrases that can be made are for instance:

The contractual drop-off branch for the rental of RC_AMS_123 is DHG.

The contractual drop-off branch for the rental of RC_RTD_262 is UTR.

The person that will be held accountable for the rent, in particular for the payment thereof, must be administered. *P3.1*

**Agreement 31:** The person who rents the car is called the renter.

Phrases that can be made are for instance:

The renter for RC_AMS_123 is Richard Enter.

The renter for RC_RTD_262 is Richard Enter.

The person that will be held driving the rented car, must be administered, allowing amongst others that his driving license is checked. *P3.2*

**Agreement 32:** The person who is going to drive is called the driver.

Phrases that can be made are for instance:

The driver for RC_AMS_123 is Dick River.

The driver for RC_RTD_262 is Dick River.

Since rentals may only be started if the driver has a valid driving license, the number of such a license will be registered. Registration must imply that the license is valid. *P3.3*

**Agreement 33:** A person may have a valid driving license.

A phrase that can be formed is for instance:

The driving license of Dick River , with number DL01235467 , is valid.

Whenever the driver in a rental contract is known, his/her driving license must be checked for validity. If it is valid, the license number must be registered.

**Agreement 34:** Drivers must have a valid driving license.

In order to ensure that the information contents of the cases are valid, it must be checked whether the car that is issued is of the type that is mentioned in the contract.

**Agreement 35:** The type of a rented car must be the same as the type mentioned in the contract.

## 2.3   Promising Rentals

This process models the interaction between a renter and/or branch office employee as they prepare a request for obtaining a car rental. The bulk of the work consists of filling in most parts of the contract. The result of the process is that the rental has been promised (B-T01).

The sequel introduces the language of Promising Rentals.

Some questions should only be answered with 'Yes' or 'No'. For automated reasoning it is necessary to be certain that no other answers can be given.

**Definition 36:** the answer to a question that must be 'Yes' or 'No'.     *YesNoAnswer*

Before a rental may start, it must be known that the corresponding rules are satisfied. Rental cases that have the property of having been promised satisfy these rules.

**Agreement 37:** Rental cases may have the property 'rental has been promised'

A phrase that can be formed is for instance:

RC_RTD_262 corresponds to RC_RTD_262 in relation rentalHasBeen-Promised.

The rules that need to be satisfied in order for a rental case to have the property 'rental has been promised', are as follows:

1. the following contractual items must all have been filled in:

   - the pick-up branch;
   - the drop-off branch;
   - the start date;
   - the end date;
   - the car type;
   - the driver;
   - the renter.

2. it must have been ascertained that the driver has a valid driving license.

3. the drop-off branch must have a car available of the type specified in the contract.

**Agreement 38:** A rental will be promised when the form is filled in, the driver is qualified and the pick-up branch has a car of the requested type.

**Agreement 39:** When a rental has been promised, the request form is completely filled in, the driver is qualified and the pick-up branch has a car of the requested type.

## 2.4   Starting Rentals

This process models the work for the car rental company employee, starting with a filled in rental request and leading up to the result that the car of a rental has been picked up (B-R03) and the rental has started (B-R01).

*Results: B-R01, B-R03*

Note that since the transactional parts as stated in slides 11 and 18 are manual, they are not modeled here.

The transaction result B-R03 (the car of [rental] has been picked up) must be modeled.

*Slides 12-13*

**Agreement 41:** Rental cases may have the property 'rental has been started'.

A phrase that can be formed is for instance:

RC_RTD_262 has the property 'car of rental has been picked up', meaning that the keys of the car associated with RC_RTD_262 have been handed over to the driver.

A rental starts when a driver has been handed the car keys. In order for the system to keep track of its cars (amongst other things), this (manual) action must be registered. Registration of this action presupposes that the information as registered in the rental contract is in accordance with reality, which the issuer of the keys must check. Note that when a rental is started, the car is no longer available for rent.

**Agreement 42:** Branches must register the handover of car keys (i.e. the responsibility for the car).

A phrase that can be formed is for instance:

The answer to the question 'have the keys of the car rented under RC_RTD_262 been handed over to the designated driver?' is Yes.

The rules that need to be satisfied in order for a rental case to have the property 'rental has been started', are as follows:

*Slides 4-5,18*

1. the rental case has the property 'rental has been promised'.
2. a car (of the type as listed in the contract) has been assigned to the rental case;
3. keys of that car are handed to the driver, which we assume to imply that
   - the driver has picked up the car at the contracted start date;
   - the driver has promised to drop off the car according to the contractual constraints.

**Agreement 43:** A rental starts when the rental has been promised, a car of the correct type has been assigned and the driver has received the keys for this car.

**Agreement 44:** When a rental has been started, a car of the correct type has been assigned and the driver has received the keys for this car.

The type of car that is requested can only be one for which the pick-up branch has cars available.

*P3.4*

**Agreement 45:** Rentals may only be promised if a car of the type specified in the contract is available at the pick-up branch.

For sanity reasons, the question of whether or not the keys are handed over can only be answered if the driver is known.

**Agreement 46:** Keys may only be handed over to the driver that is mentioned in the contract.

When the keys are handed to the driver, and the renter is not specified, we may assume that the driver also fulfills the role of renter, and fill this in the contract.

## 2.5 Dropping off Cars

This process models the work for the car rental company employee when a car is being dropped off and leading up to the results where the car of the rental has been dropped off (B-R04).

In order to allow checking whether or not the dropped off car is the same car as was rented, the dropped off car must be identified.

**Agreement 48:** Rental cases may specify the car that has actually been dropped off.

A phrase that can be formed is for instance:

The car that has been dropped-off for RC_RTD_262 is 3-RTD-18.

In order to make up the bill for the rental, the date at which the rented car is dropped off must be known.

**Agreement 49:** Rented cars are dropped off on specific dates.

A phrase that can be formed is for instance:

The car rented under RC_RTD_262 has been dropped off on 14-06-2014.

In order to make up the bill for the rental, the branch at which the rented car is dropped off must be known.

**Agreement 50:** Rental cases may specify the branch that the drop-off has taken place.

A phrase that can be formed is for instance:

The car rented under RC_RTD_262 has been dropped off at AMS.

**Agreement 51:** Dropping off a car means: identifying the dropped off car, and registering the branch and date of the drop-off.

**Agreement 52:** When a car has been dropped off, the car is identified, the drop-off date is known, and the branch where the drop-off took place is known.

**Agreement 53:** The car that is dropped off must be the one that has been issued.

## 2.6 Paying Rentals

This process models the work for the car rental company, starting when the rental charge is computed (the renter is presented the bill), and leading up to the result that the rental has ended (B-R05).

Before a payment may be requested, it must be known that the corresponding rules are satisfied. Rental cases that have the property that payment has been requested satisfy these rules.

**Agreement 54:** Rental cases may have the property 'payment has been requested'.

In order to be able to terminate the rental, it must be known that payment is received.

**Agreement 55:** Payments for rental contracts need to be accepted (or declined).

**Agreement 56:** Payment for a rental may only be accepted after payment is requested.

## 2.7 Ending Rentals

This process models the work for the car rental company employee when a car is being dropped off and leading up to the results where the car of the rental has been dropped off (B-R04) and the rental has ended (B-R02).

**Agreement 58:** When a rental has ended, the rented car has been dropped off and the rental has been paid.

## 2.8 Session Initialization

This theme describes how sessions are initialized. Traditionally, this is done by a user-login. However, since this system is only for prototyping purposes, we have chosen to provide the User and Branch interfaces with a box in which the (session) variables that are appropriate for that interface, such as the User (id) or the Branch (id) can be set and/or modified.

17

Since some computations depend on today's date, we need to ensure such a value is available. However, since this system is only for prototyping purposes, we need a rule that ensures there is a (reasonable) value for today's date, but it is not enforced to be the actual date of today: this allows us to run prototype sessions and change this date if necessary.

**Agreement 59:** Every session must have a value for 'today'

## 2.9   User Interface: Handling New Rentals

This process describes the automated features for filling in or changing the contents of forms that are presented in the interface 'New User Rental'. The assumption is that this interface is provided over the Internet, allowing users to request a rental in advance (see P2:1) from any location of their choosing (e.g. at home).

## 2.10   Branch Interface:  Handling New Rentals and Pickups

This process describes the automated features for filling in or changing the contents of forms that are presented in the interface 'New Branch Rental'. The assumption is that this interface is only provided within branch offices, allowing EU-Rent employees to create new rental applications for 'walk in customers' (see P2:1).

When a rental request in a branch is filled in, and they keys have already been handed over, the request is considered to be submitted.

When a rental request is submitted by a branch, this branch will play the role of pick-up branch.

When a rental request (for which the rental has not started) is being processed by a branch, the contracted start date is automatically adjusted to the date of today.

## 2.11 Branch Interface: Handling Drop-offs and Payment

This process describes the automated features for filling in or changing the contents of forms that are presented in the interface 'Drop-off (Car)'. The assumption is that this interface is only provided within branch offices, allowing EU-Rent employees to handle the dropping off of cars and obtaining rental payments.

In order to be sure that the car that is presented for a drop-off should be processed, it must be verified that there is a rental contract for this car for which the rental has started but is not yet ended.

**Agreement 68:** A car can only be returned if it is actually in the possession of the renter or driver

Handling a dropped-off car means that payment for the associated rental is to be obtained.

When a car is returned to a branch, this branch will play the role of drop-off branch.

When a car is returned to a branch, that date is the drop-off date.

# Chapter 3

# Diagnosis

This chapter provides an analysis of the Ampersand script of 'EURent'. This analysis is intended for the authors of this script. It can be used to complete the script or to improve possible flaws.

EURent does not specify which roles may change the contents of which relations.

EURent assigns rules to roles. The following table shows the rules that are being maintained by a given role.

| rule | ExecEngine | Developer | User | Branch |
|------|:----------:|:---------:|:----:|:------:|
| Promising rental requests | × | | | |
| Compute max rental duration | × | | | |
| Starting the rental | × | | | |
| Auto fill in renter in rental contract | × | | | |
| Dropping off Cars | × | | | |
| Ending Rentals | × | | | |
| Initialize today's date | × | | | |
| Submit rental request | | | × | |
| Fill in default renter | × | | | |
| Complete branch rental request | | | | × |
| Hand the car keys to the driver | | | | × |
| Auto submit new branch request | × | | | |
| Fill in default renter (at a branch) | × | | | |
| The branch that fills in the request is the pick-up branch | × | | | |
| The contracted start date is set to today | × | | | |
| Car drop-off handling | | | | × |
| Return cars to drop-off branch | × | | | |
| Drop-off date is date of car return | × | | | |

Concepts Car, Integer, Date, and Person remain without a purpose.

The purpose of relations *maxRentalDuration*, *rcUserRequestedQ*, *rcBranchRequestedQ*, *rcCarHasBeenDroppedOff*, *rcMaxRentalDuration*, *sessionUser*, *sessionToday*, *sessionNewUserRC*, *sessionBranch*, *sessionNewBranchRC*, and *sessionDroppedoffCar* is not documented.

Relations *branchLocation*, *brand*, *model*, and *rentalHasBeenPickedUp* are not used in any rule.

Figure 3.1 shows a conceptual diagram with all relations declared in 'EU-Rent'.



Figure 3.1: Concept diagram of the rules in EU-RentDiagnosisConceptualDiagram

Figure 3.2 shows a conceptual diagram with all relations declared in 'Rental Contracts'.



Figure 3.2: Concept diagram of the rules in Rental ContractsDiagnosisConceptualDiagram

On line numbers 139, 191, 228, 239, 251, 347, and 367 of file .\EURent Ontology.adl rules are defined without documenting their purpose. On line number 214 of file .\EURent Ontology.adl and on line numbers 163, 175, 183, 251, 257, and 264 of file .\EURent BRANCH interface.adl rules are defined, the meaning

of which is documented by means of computer generated language. On line numbers 160 and 360 of file .\EURent Ontology.adl, on line numbers 79 and 85 of file .\EURent RENTER interface.adl, and on line numbers 153, 157, and 169 of file .\EURent BRANCH interface.adl rules are defined without any explanation.

The table below shows for each theme (i.e. process or pattern) the number of relations and rules, followed by the number and percentage that have a reference. Relations declared in multiple themes are counted multiple times.

| Theme | Relations | With reference | % | Rules | With |
|---|---|---|---|---|---|
| EU-Rent | 10 | 7 | 70% | 4 | |
| Rental Contracts | 9 | 8 | 88% | 2 | |
| Promising Rentals | 3 | 1 | 33% | 3 | |
| Starting Rentals | 3 | 2 | 66% | 5 | |
| Dropping off Cars | 4 | 1 | 25% | 3 | |
| Billing Rentals | 8 | 7 | 87% | 6 | |
| Paying Rentals | 1 | 0 | 0% | 1 | |
| Ending Rentals | 1 | 1 | 100% | 2 | |
| Enforcing maximum rental duration | 2 | 0 | 0% | 1 | |
| Compute total rental charge | 4 | 0 | 0% | 3 | |
| Compute number of regular days (period) | 3 | 0 | 0% | 3 | |
| Compute tariffed (regular or excess) charge | 3 | 0 | 0% | 4 | |
| Compute number of excess days (period) | 3 | 0 | 0% | 3 | |
| Distance computations | 2 | 0 | 0% | 1 | |
| Developer rules | 0 | 0 | - | 1 | |
| Session Initialization | 0 | 0 | - | 1 | |
| Computing Projected Costs | 2 | 0 | 0% | 4 | |
| User Interface: Handling New Rentals | 0 | 0 | - | 2 | |
| Branch Interface: Handling New Rentals and Pickups | 0 | 0 | - | 6 | |
| Branch Interface: Handling Drop-offs and Payment | 0 | 0 | - | 4 | |
| Entire context | 66 | 27 | 40% | 59 | |

The following table shows which rules are not linked to a role within a particular process. This has as consequence that these rule(s) will be maintained by the computer.

| process | rule |
|---|---|
| Promising Rentals | Promised rental requests |
| Starting Rentals | Started rentals, Rentable cars, Keys must be handed o |
| Dropping off Cars | Dropped off Cars, Dropped-off car type integrity, UNI |
| Paying Rentals | Rental payment amount is known |
| Ending Rentals | Ended Rentals |
| Branch Interface: Handling Drop-offs and Payment | Dropped off car sanity check |

The role-rule assignments in any of the described processes have been assigned
to rules within that same process.

The population in this script does not specify any work in progress.

The population in this script violates no rule.

# Chapter 4

# Conceptual Analysis

This chapter defines the formal language, in which functional requirements of 'EURent' can be analysed and expressed.The purpose of this formalisation is to obtain a buildable specification. This chapter allows an independent professional with sufficient background to check whether the agreements made correspond to the formal rules and definitions.

This document specifies automated support for the EU-Rent example as described in 'DEMO-3 Way of Working (version 3, 1 September 2009)' by Jan L.G. Dietz. The purpose of the effort that resulted in this document is to provide case material to support statements regarding the extent that the DEMO approach and the Ampersand approach interfere and/or support one another.

We use the notation 'slide n' to refer to a specific slide in the DEMO-3 document mentioned above. In this notation, n is the slide number that can be found at the bottom of the slide. We use 'Slide n,m' to refer to slides n and m.

We use the notation 'Px:y', to refer to a specific sentence in the EU-Rent description of slide 3. In this notation, x identifies the paragraph number, and y identifies the sentence in that paragraph. Occasionally, the letter 'a' or 'b' may be appended to indicate the first or second part of (long) sentences. The notation 'Px:y-z' is used to refer to sentences y through z of paragraph x.

P2:1 states: "A car may be rented by a reservation in advance or by a 'walk-in' customer on the day of renting". The Note on slide 10 says that there is no difference between these two. We will follow this idea so as not to digress too much from the case. The consequence of this is that making a reservation in advance does not mean that there is a higher chance that a car of the requested type will be available.

## 4.1   EU-Rent

This pattern models the organizational structure of rental companies (limited to EU-Rent), as well as company-wide policies such as the maximum rental duration and rental and penalty tariffs.

Figure 4.1 shows a conceptual diagram of this pattern.



Figure 4.1: Concept diagram of EU-Rent

The definitions of concepts can be found in the glossary.

### 4.1.1 Declared relations

This section itemizes the declared relations with properties and a meaning.

EU-Rent is a company that rents cars to persons, operating from geographically dispersed braches. Therefore, we must know what branches exist with EU-Rent.

For this purpose, the following function has been defined

$$branchOf \quad : \quad Branch \rightarrow CarRentalCompany \qquad (4.1)$$

Every branch is part of a car rental company.

EU-Rent operates from geographically dispersed braches. We need to know where such locations are in order to compute penalty charges for drivers that drop off their car at a location other than is contracted, because such charges depend on the distance between the actual and the contracted drop-off branch.

For this purpose, the following function has been defined

$$branchLocation \quad : \quad Branch \rightarrow Location \qquad (4.2)$$

Every branch operates from a geographical location.

Since only cars that are available at the pick-up branch may be rented, the availability of these cars at the branches must be known. *P3.4*

For this purpose, the following univalent relation has been defined

$$carAvailableAt \quad : \quad Car \times Branch \tag{4.3}$$

It is known which cars are available at a branch.

In order for the renter/driver to specify the car (s)he wants to rent, but also to correctly compute rental charges, the type of every car must be known.

For this purpose, the following function has been defined

$$carType \quad : \quad Car \rightarrow CarType \tag{4.4}$$

Every car is of a specific type (brand, model).

The cars of EU-Rent are divided in car types (brands and models). *P1:2a*

For this purpose, the following function has been defined

$$brand \quad : \quad CarType \rightarrow Brand \tag{4.5}$$

A cartype has a specific brand.

The cars of EU-Rent are divided in car types (brands and models). *P1:2a*

For this purpose, the following function has been defined

$$model \quad : \quad CarType \rightarrow Model \tag{4.6}$$

A cartype has a specific model.

For every car type there is a particular rental tariff per day. *P1:2b*

For this purpose, the following function has been defined

$$rentalTariffPerDay \quad : \quad CarType \rightarrow Amount \tag{4.7}$$

All car types have a specified rental tariff (Euros/day).

In order to compute the penalty charge for exceeding the contracted rental duration, for each type of car it is specified what the excess charge per day will be.

For this purpose, the following function has been defined

$$excessTariffPerDay \quad : \quad CarType \rightarrow Amount \tag{4.8}$$

All car types have a specified excess tariff (Euro/day)

The following relation has been defined

$$maxRentalDuration \quad : \quad CarRentalCompany \times Integer \qquad (4.9)$$

Rental companies must have specified the maximum duration of a rental.

Since EURent has specified a maximum duration for a rental, rental contracts <span style="float:right;">*P2:3*</span> must state whether or not the period between the specified pick-up and drop-off dates exceeds this maximum duration.

For this purpose, the following relation has been defined

$$dateIntervalIsWithinMaxRentalDuration \quad : \quad Date \times Date \quad (4.10)$$

the date interval (e.g.: [start date,end date]) is within the maximum rental duration as specified by EURent.

In order to keep track of the cars that EU-Rent owns, every case must specify the car that is being rented.

For this purpose, the following univalent relation has been defined

$$rcAssignedCar \quad : \quad RentalCase \times Car \qquad (4.11)$$

Rental contracts specify the car that is (to be) issued to the driver.

During the lifetime of a rental, i.e. between the start and end of a rental, the <span style="float:right;">*P4:2*</span> renter has the right to make use of the rented car. For this reason, it is necessary to know which rentals have been started. Other reasons include that from the time of the start of a rental, payment is due, and the car that is mentioned in the rental case is no longer available for rent.

The transaction result B-R01 ([rental] has been started) must be modeled. <span style="float:right;">*Slides 4-5*</span>

For this purpose, the following relation has been defined

$$rentalHasBeenStarted \quad : \quad RentalCase \times RentalCase \qquad (4.12)$$

Rental cases may have the property 'rental has been started'.

During the lifetime of a rental, i.e. between the start and end of a rental, the <span style="float:right;">*P4:2*</span> renter has the right to make use of the rented car. For this reason, it is necessary to know which rentals have been ended. Other reasons include that at the time a rental is ended

- the bill can be made up,
- payment can be requested, and
- the returned car is again available for rent.

The transaction result B-R02 ([rental] has been ended) must be modeled. *Slides 4-5*

Slide 26 states that the rental ends after the rental has been paid. According *Slides 26, 30* to slide 4, P4:2, the renter has the right to make use of the rented car between the start and end of a rental. However, when rental payment is stated, it must be checked that 'everything is ok' (slide 30), which takes time. In that time, according to Slide 4, P4:2, the renter still has the right to make use of the rented car, and if he does so, it is undefined what will happen.

For this purpose, the following relation has been defined

$$rentalHasBeenEnded \quad : \quad RentalCase \times RentalCase \qquad (4.13)$$

Rental cases may have the property 'rental has been ended'.

In order to compute the correct charge for renting a car, the start date must *P2:2* be known. Note that the meaning of this date depends on whether or not the rental has already started. If the rental has not yet started, it is the date that the rental is foreseen to start. If the rental has started, it is the date on which the rental actually started.

For this purpose, the following univalent relation has been defined

$$contractedStartDate \quad : \quad RentalCase \times Date \qquad (4.14)$$

Rental contracts may specify the actual (and contractual) start date of the rental.

In order to determine whether or not a penalty has to be paid for a late drop-off, *P2:2* the end date before which the car will be dropped off must be contractually administrated.

For this purpose, the following univalent relation has been defined

$$contractedEndDate \quad : \quad RentalCase \times Date \qquad (4.15)$$

Rental contracts may specify the (contractual) end date of the rental.

### 4.1.2 Formal rules

This section itemizes the formal rules with a reference to the shared language of stakeholders for the sake of traceability.

While our scope is limited to EU-Rent, we need to explicitly model it as a company in order to be able to define company policy that holds for all branches. An example of this would be the maximum rental period.
Therefore the following requirement has been defined in section 2.1 p. 8:
The system is limited to branches that are part of EU-Rent.
This is formalized - using relations 5.10 - as

*P2:3*

$$branchOf \vdash branchOf;' tEU - Rent' \tag{4.16}$$

In order to ensure that cars are not lost 'administratively', every car must be accounted for.
Therefore the following requirement has been defined in section 2.1 p. 9:
All cars must either be rented, or in stock at one of the branches.
This is formalized - using relations 5.13, 4.12, 4.13, 5.16 - as

$$I_{Car} \vdash rcAssignedCar^{\smile}; (rentalHasBeenStarted \cap \overline{rentalHasBeenEnded}); rcAssignedCar \cup carAvailableAt; \tag{4.17}$$

Since EURent has specified a maximum duration for a rental, it must be checked (computed) whether or not the period between the specified pick-up and drop-off dates exceeds this maximum duration.
Therefore the following requirement has been defined in section 2.1 p. 9:
The difference between the contracted end date and start date may bot exceed the maximum duration for rentals.
This is formalized - using relations 5.3, 5.4, 4.10 - as

*P2:3*

$$contractedStartDate^{\smile}; contractedEndDate \vdash dateIntervalIsWithinMaxRentalDuration \tag{4.18}$$

In order to prevent errors from occurring when Yes/No answers are answered differently, it is necessary to check whether such answers are either 'Yes' or 'No'.
Therefore the following requirement has been defined in section 2.1 p. 9:
A Yes/No answer may only take the values 'Yes' or 'No'.
This is formalized - using relations - as

$$I_{YesNoAnswer} \vdash' tYes' \cup' tNo' \tag{4.19}$$

## 4.2 Rental Contracts

This pattern defines the contents of rental contracts and any constraints that must apply. It was decided not to introduce a specific concept 'RentalContract' because such an information object was also not mentioned in the slides.

Figure 4.2: Concept diagram of Rental Contracts

Figure 4.2 shows a conceptual diagram of this pattern.

The definitions of concepts can be found in the glossary.

## 4.2.1 Declared relations

This section itemizes the declared relations with properties and a meaning.

In order to compute the correct charge for renting a car, the start date must *P2:2*
be known. Note that the meaning of this date depends on whether or not
the rental has already started. If the rental has not yet started, it is the
date that the rental is foreseen to start. If the rental has started, it is the
date on which the rental actually started.
For this purpose, the following univalent relation has been defined

$$contractedStartDate \quad : \quad RentalCase \times Date \qquad (4.20)$$

Rental contracts may specify the actual (and contractual) start date of the
rental.

In order to determine whether or not a penalty has to be paid for a late drop-off, *P2:2*
the end date before which the car will be dropped off must be contractually
administrated.
For this purpose, the following univalent relation has been defined

$$contractedEndDate \quad : \quad RentalCase \times Date \qquad (4.21)$$

Rental contracts may specify the (contractual) end date of the rental.

Since the daily charges depend on the car type, the contract must mention *P2:2*
what type of car is (going to be) rented.
For this purpose, the following univalent relation has been defined

$$contractedCarType \quad : \quad RentalCase \times CarType \qquad (4.22)$$

Rental contracts may specify the car type of the rental.

Drivers can only rent cars that are available at the pick-up branch. Therefore, *P2:2*
it must be known which branch this is.
For this purpose, the following univalent relation has been defined

$$contractedPickupBranch \quad : \quad RentalCase \times Branch \qquad (4.23)$$

Rental contracts may specify the branch where the rental starts (i.e.: the
car is picked up).

In order to allow branches to plan their stock of available cars, it helps to know *P2:2*
what cars will be dropped off at what branch.
For this purpose, the following univalent relation has been defined

$$contractedDropoffBranch \quad : \quad RentalCase \times Branch \qquad (4.24)$$

Rental contracts may specify the branch where the rental supposedly ends
(i.e.: the car is dropped off).

The person that will be held accountable for the rent, in particular for the *P3.1*
payment thereof, must be administered.
For this purpose, the following univalent relation has been defined

$$rcRenter \quad : \quad RentalCase \times Person \qquad (4.25)$$

The person who rents the car is called the renter.

The person that will be held driving the rented car, must be administered, *P3.2*
allowing amongst others that his driving license is checked.
For this purpose, the following univalent relation has been defined

$$rcDriver \quad : \quad RentalCase \times Person \qquad (4.26)$$

The person who is going to drive is called the driver.

Since rentals may only be started if the driver has a valid driving license, the *P3.3*
number of such a license will be registered. Registration must imply that
the license is valid.
For this purpose, the following relation has been defined

$$validDrivingLicense \quad : \quad Person \times DrivingLicense \qquad (4.27)$$

A person may have a valid driving license.

In order to keep track of the cars that EU-Rent owns, every case must specify
the car that is being rented.
For this purpose, the following univalent relation has been defined

$$rcAssignedCar \quad : \quad RentalCase \times Car \qquad (4.28)$$

Rental contracts specify the car that is (to be) issued to the driver.

In order for the renter/driver to specify the car (s)he wants to rent, but also to correctly compute rental charges, the type of every car must be known. For this purpose, the following function has been defined

$$carType \quad : \quad Car \rightarrow CarType \tag{4.29}$$

Every car is of a specific type (brand, model).

## 4.2.2 Formal rules

This section itemizes the formal rules with a reference to the shared language of stakeholders for the sake of traceability.

Whenever the driver in a rental contract is known, his/her driving license must be checked for validity. If it is valid, the license number must be registered. *P3.3*
Therefore the following requirement has been defined in section 2.2 p. 11: Drivers must have a valid driving license.
This is formalized - using relations 5.6, 4.27 - as

$$rcDriver \vdash rcDriver; (I_{Person} \cap validDrivingLicense; validDrivingLicense^{\smile}) \tag{4.30}$$

In order to ensure that the information contents of the cases are valid, it must be checked whether the car that is issued is of the type that is mentioned in the contract.
Therefore the following requirement has been defined in section 2.2 p. 11: The type of a rented car must be the same as the type mentioned in the contract.
This is formalized - using relations 5.13, 5.5, 5.17 - as

$$rcAssignedCar \vdash contractedCarType; carType^{\smile} \tag{4.31}$$

# Chapter 5

# Process Analysis

This document specifies automated support for the EU-Rent example as described in 'DEMO-3 Way of Working (version 3, 1 September 2009)' by Jan L.G. Dietz. The purpose of the effort that resulted in this document is to provide case material to support statements regarding the extent that the DEMO approach and the Ampersand approach interfere and/or support one another.

We use the notation 'slide n' to refer to a specific slide in the DEMO-3 document mentioned above. In this notation, n is the slide number that can be found at the bottom of the slide. We use 'Slide n,m' to refer to slides n and m.

We use the notation 'Px:y', to refer to a specific sentence in the EU-Rent description of slide 3. In this notation, x identifies the paragraph number, and y identifies the sentence in that paragraph. Occasionally, the letter 'a' or 'b' may be appended to indicate the first or second part of (long) sentences. The notation 'Px:y-z' is used to refer to sentences y through z of paragraph x.

P2:1 states: "A car may be rented by a reservation in advance or by a 'walk-in' customer on the day of renting". The Note on slide 10 says that there is no difference between these two. We will follow this idea so as not to digress too much from the case. The consequence of this is that making a reservation in advance does not mean that there is a higher chance that a car of the requested type will be available.

EURent does not specify which roles may change the contents of which relations.

EURent assigns rules to roles. The following table shows the rules that are being maintained by a given role.

| Role | Rule |
|---|---|
| ExecEngine | Promising rental requests |
|  | Compute max rental duration |
|  | Starting the rental |
|  | Auto fill in renter in rental contract |
|  | Dropping off Cars |
|  | Rental period computation |
|  | Basic charge computation |
|  | Excess period computation |
|  | Excess charge computation |
|  | Location penalty computation |
|  | Requesting payment |
|  | Ending Rentals |
|  | Trigger interval computation |
|  | Trigger rental charge computation |
|  | Compute rental charge |
|  | Trigger rental period computation |
|  | Compute number of days in period |
|  | Trigger regular charge computation |
|  | Trigger excess charge computation |
|  | Compute charge based on number of days |
|  | Trigger excess period computation |
|  | Compute number of excess period days |
|  | Initialize today's date |
|  | Trigger projected rental period computation |
|  | projectedRentalPeriod computation |
|  | Trigger projected basic charge computation |
|  | projectedBasicCharge computation |
|  | Fill in default renter |
|  | Auto submit new branch request |
|  | Fill in default renter (at a branch) |
|  | The branch that fills in the request is the pick-up branch |
|  | The contracted start date is set to today |
|  | Return cars to drop-off branch |
|  | Drop-off date is date of car return |
| Developer | Dummy rule |
| User | Submit rental request |
| Branch | Complete branch rental request |
|  | Hand the car keys to the driver |
|  | Car drop-off handling |

## 5.1 Promising Rentals

This process models the interaction between a renter and/or branch office employee as they prepare a request for obtaining a car rental. The bulk of the work consists of filling in most parts of the contract. The result of the process is that the rental has been promised (B-T01).

Figure 5.1 shows the process model.

Figure 5.1: Process model of Promising RentalstxtProcess

The conceptual diagram of figure 5.2 provides an overview of the language in which this process is expressed.

Figure 5.2: Basic sentences of Promising RentalsConceptualProcess

**Promising rental requests** The rules that need to be satisfied in order for a rental case to have the property 'rental has been promised', are as follows: *Slide 11*

1. the following contractual items must all have been filled in:
   - the pick-up branch;
   - the drop-off branch;
   - the start date;
   - the end date;
   - the car type;
   - the driver;
   - the renter.

2. it must have been ascertained that the driver has a valid driving license.

3. the drop-off branch must have a car available of the type specified in the contract.

Drivers can only rent cars that are available at the pick-up branch. Therefore, it must be known which branch this is. *P2:2*

In order to allow branches to plan their stock of available cars, it helps to know what cars will be dropped off at what branch. *P2:2*

In order to compute the correct charge for renting a car, the start date must be known. Note that the meaning of this date depends on whether or not the rental has already started. If the rental has not yet started, it is the date that the rental is foreseen to start. If the rental has started, it is the date on which the rental actually started. *P2:2*

In order to determine whether or not a penalty has to be paid for a late drop-off, the end date before which the car will be dropped off must be contractually administrated. *P2:2*

Since the daily charges depend on the car type, the contract must mention what type of car is (going to be) rented. *P2:2*

The person that will be held driving the rented car, must be administered, allowing amongst others that his driving license is checked. *P3.2*

The person that will be held accountable for the rent, in particular for the payment thereof, must be administered. *P3.1*

To arrive at the formalization in equation 5.8, the following 7 relations are introduced.

$$
\begin{array}{rcll}
contractedPickupBranch & : & RentalCase \times Branch & (5.1) \\
contractedDropoffBranch & : & RentalCase \times Branch & (5.2) \\
contractedStartDate & : & RentalCase \times Date & (5.3) \\
contractedEndDate & : & RentalCase \times Date & (5.4) \\
contractedCarType & : & RentalCase \times CarType & (5.5) \\
rcDriver & : & RentalCase \times Person & (5.6) \\
rcRenter & : & RentalCase \times Person & (5.7)
\end{array}
$$

We also use definitions **??** ($rentalHasBeenPromised$), **??** ($rcUserRequestedQ$), and **??** ($rcBranchRequestedQ$).

Activities that are defined by this rule are finished when:

$$
I_{RentalCase} \cap (rcUserRequestedQ;'tYes'; rcUserRequestedQ^{\smile} \cup rcBranchRequestedQ;'tYes'; rcBranchRe
$$
(5.8)

This corresponds to 'Promising rental requests' (2.3 op pg. 12).

**Promised rental requests** We use definitions 5.1 ($contractedPickupBranch$), 5.2 ($contractedDropoffBranch$), 5.3 ($contractedStartDate$), 5.4 ($contractedEndDate$), 5.5 ($contractedCarType$), 5.6 ($rcDriver$), 5.7 ($rcRenter$), **??** ($rentalHasBeenPromised$), **??** ($rcUserRequestedQ$), and **??** ($rcBranchRequestedQ$).

This means:

$$
rentalHasBeenPromised \vdash (rcUserRequestedQ;'tYes'; rcUserRequestedQ^{\smile} \cup rcBranchRequestedQ;'tYes';
$$
(5.9)

**Compute max rental duration** EU-Rent is a company that rents cars to persons, operating from geographically dispersed braches. Therefore, we must know what branches exist with EU-Rent.  *P1:1*

To arrive at the formalization in equation 5.12, the following two relations are introduced.

$$
\begin{array}{rcll}
branchOf & : & Branch \rightarrow CarRentalCompany & (5.10) \\
maxRentalDuration & : & CarRentalCompany \times Integer & (5.11)
\end{array}
$$

We also use definitions 5.1 ($contractedPickupBranch$) and **??** ($rcMaxRentalDuration$).

Activities that are defined by this rule are finished when:

$$
contractedPickupBranch; branchOf; maxRentalDuration \vdash rcMaxRentalDuration
$$
(5.12)

This corresponds to 'Compute max rental duration' (**??** op pg. **??**).

## 5.2 Starting Rentals

This process models the work for the car rental company employee, starting with a filled in rental request and leading up to the result that the car of a rental has been picked up (B-R03) and the rental has started (B-R01).

Note that since the transactional parts as stated in slides 11 and 18 are manual, they are not modeled here.

Figure 5.3 shows the process model.

Figure 5.3: Process model of Starting RentalstxtProcess

The conceptual diagram of figure 5.4 provides an overview of the language in which this process is expressed.

Figure 5.4: Basic sentences of Starting RentalsConceptualProcess

**Starting the rental** The rules that need to be satisfied in order for a rental case to have the property 'rental has been started', are as follows:

1. the rental case has the property 'rental has been promised'.

2. a car (of the type as listed in the contract) has been assigned to the rental case;

3. keys of that car are handed to the driver, which we assume to imply that

   - the driver has picked up the car at the contracted start date;
   - the driver has promised to drop off the car according to the contractual constraints.

In order to keep track of the cars that EU-Rent owns, every case must specify the car that is being rented.

In order to formalize this, a relation rcAssignedCar is introduced (5.13):

$$rcAssignedCar \quad : \quad RentalCase \times Car \tag{5.13}$$

We also use definitions 5.1 ($contractedPickupBranch$), **??** ($rentalHasBeenPromised$), 4.12 ($rentalHasBeenStarted$), and **??** ($rcKeysHandedOverQ$) to formalize requirement 2.4 (page 13):

Activities that are defined by this rule are finished when:

$$I_{RentalCase} \cap rentalHasBeenPromised \cap rcAssignedCar; rcAssignedCar^{\smile} \cap rcKeysHandedOverQ;' tYes'; r$$
$$\tag{5.14}$$

**Started rentals** We use definitions 5.13 (*rcAssignedCar* ), **??** (*rentalHasBeenPromised* ), 4.12 (*rentalHasBeenStarted* ), and **??** (*rcKeysHandedOverQ* ).

This means:

$$rentalHasBeenStarted \vdash rentalHasBeenPromised \cap rcAssignedCar; rcAssignedCar^{\smallsmile} \cap rcKeysHandedOverQ$$

(5.15)

**Rentable cars** The type of car that is requested can only be one for which the pick-up branch has cars available. *P3.4*

Since only cars that are available at the pick-up branch may be rented, the availability of these cars at the branches must be known. *P3.4*

In order for the renter/driver to specify the car (s)he wants to rent, but also to correctly compute rental charges, the type of every car must be known.

To arrive at the formalization in equation 5.18, the following two relations are introduced.

$$
\begin{aligned}
carAvailableAt &: Car \times Branch \quad &(5.16)\\
carType &: Car \to CarType \quad &(5.17)
\end{aligned}
$$

We also use definitions 5.1 (*contractedPickupBranch* ), 5.5 (*contractedCarType* ), **??** (*rentalHasBeenPromised* ), and **??** (*rcKeysHandedOverQ* ).

This means:

$$contractedPickupBranch^{\smallsmile}; (I_{RentalCase} \cap rentalHasBeenPromised \cap \overline{(rcKeysHandedOverQ;' tYes'; rcKey}$$

(5.18)

This corresponds to the requirement on page 13:

Rentals may only be promised if a car of the type specified in the contract is available at the pick-up branch.

**Keys must be handed over to driver** For sanity reasons, the question of whether or not the keys are handed over can only be answered if the driver is known.

We use definitions 5.6 (*rcDriver* ) and **??** (*rcKeysHandedOverQ* ).

This means:

$$I_{RentalCase} \cap rcKeysHandedOverQ;' tYes'; rcKeysHandedOverQ^{\smallsmile} \vdash rcDriver; rcDriver^{\smallsmile}$$

(5.19)

**Auto fill in renter in rental contract** When the keys are handed to the driver, and the renter is not specified, we may assume that the driver also fulfills the role of renter, and fill this in the contract.

We use definitions 5.6 (*rcDriver* ), 5.7 (*rcRenter* ), and **??** (*rcKeysHandedOverQ*
).

Activities that are defined by this rule are finished when:

$$I_{RentalCase} \cap rcKeysHandedOverQ;' tYes'; rcKeysHandedOverQ^{\smile} \vdash rcRenter; rcRenter^{\smile}$$
$$(5.20)$$

## 5.3   Dropping off Cars

This process models the work for the car rental company employee when a car is    *Result: B-R04*
being dropped off and leading up to the results where the car of the rental has
been dropped off (B-R04).

Figure 5.5 shows the process model.

Figure 5.5: Process model of Dropping off CarstxtProcess

The conceptual diagram of figure 5.6 provides an overview of the language in
which this process is expressed.

Figure 5.6: Basic sentences of Dropping off CarsConceptualProcess

**Dropping off Cars** We   use   definitions   4.12   (*rentalHasBeenStarted*
), **??** (*rcCarHasBeenDroppedOff* ), **??** (*rcDroppedOffCar* ), **??**
(*rcDroppedOffDate* ), and **??** (*rcDroppedOffBranch* ).
Activities that are defined by this rule are finished when:

$$I_{RentalCase} \cap rentalHasBeenStarted \cap rcDroppedOffCar; rcDroppedOffCar^{\smile} \cap rcDroppedOffDate; rcDropp$$
$$(5.21)$$

**Dropped off Cars** We   use   definitions   4.12   (*rentalHasBeenStarted* ), **??**
(*rcCarHasBeenDroppedOff* ), **??** (*rcDroppedOffCar* ), **??** (*rcDroppedOffDate*
), and **??** (*rcDroppedOffBranch* ).
This means:

$$rcCarHasBeenDroppedOff \vdash rentalHasBeenStarted \cap rcDroppedOffCar; rcDroppedOffCar^{\smile} \cap rcDroppedO_f$$
$$(5.22)$$

**Dropped-off car type integrity** We use definitions 5.13 (*rcAssignedCar* )
and **??** (*rcDroppedOffCar* ).
This means:

$$rcDroppedOffCar \vdash rcAssignedCar \qquad (5.23)$$

## 5.4 Paying Rentals

This process models the work for the car rental company, starting when the rental charge is computed (the renter is presented the bill), and leading up to the result that the rental has ended (B-R05).

Figure 5.7 shows the process model.

Figure 5.7: Process model of Paying RentalstxtProcess

The conceptual diagram of figure 5.8 provides an overview of the language in which this process is expressed.

Figure 5.8: Basic sentences of Paying RentalsConceptualProcess

**Rental payment amount is known** We use definitions **??** (*paymentHasBeenRequested*) and **??** (*rentalIsPaidQ* ).
This means:

$$I_{RentalCase}{}^{\cap}rentalIsPaidQ;' tYes'; rentalIsPaidQ^{\smile} \vdash paymentHasBeenRequested$$
(5.24)

## 5.5 Ending Rentals

This process models the work for the car rental company employee when a car is being dropped off and leading up to the results where the car of the rental has been dropped off (B-R04) and the rental has ended (B-R02).

Figure 5.9 shows the process model.

Figure 5.9: Process model of Ending RentalstxtProcess

The conceptual diagram of figure 5.10 provides an overview of the language in which this process is expressed.

**Ending Rentals** We use definitions **??** (*rcCarHasBeenDroppedOff* ), **??** (*rentalIsPaidQ* ), and 4.13 (*rentalHasBeenEnded* ).
Activities that are defined by this rule are finished when:

$$I_{RentalCase}{}^{\cap}rcCarHasBeenDroppedOff^{\cap}rentalIsPaidQ;' tYes'; rentalIsPaidQ^{\smile} \vdash rentalHasBeenEnded$$
(5.25)

Figure 5.10: Basic sentences of Ending RentalsConceptualProcess

**Ended Rentals** We use definitions **??** ($rcCarHasBeenDroppedOff$ ), **??** ($rentalIsPaidQ$ ), and 4.13 ($rentalHasBeenEnded$ ).
This means:

$$rentalHasBeenEnded \vdash rcCarHasBeenDroppedOff \cap rentalIsPaidQ;' tYes'; rentalIsPaidQ^{\smile}$$
(5.26)

## 5.6 Session Initialization

This theme describes how sessions are initialized. Traditionally, this is done by a user-login. However, since this system is only for prototyping purposes, we have chosen to provide the User and Branch interfaces with a box in which the (session) variables that are appropriate for that interface, such as the User (id) or the Branch (id) can be set and/or modified.

Figure 5.11 shows the process model.

Figure 5.11: Process model of Session InitializationtxtProcess

The conceptual diagram of figure 5.12 provides an overview of the language in which this process is expressed.

Figure 5.12: Basic sentences of Session InitializationConceptualProcess

**Initialize today's date** Since some computations depend on today's date, we need to ensure such a value is available. However, since this system is only for prototyping purposes, we need a rule that ensures there is a (reasonable) value for today's date, but it is not enforced to be the actual date of today: this allows us to run prototype sessions and change this date if necessary. In order to formalize this, a relation sessionToday is introduced (5.27):

$$sessionToday \quad : \quad SESSION \times Date$$
(5.27)

Activities that are defined by this rule are finished when:

$$I_{SESSION} \vdash sessionToday; sessionToday^{\smile}$$
(5.28)

## 5.7   User Interface: Handling New Rentals

This process describes the automated features for filling in or changing the contents of forms that are presented in the interface 'New User Rental'. The assumption is that this interface is provided over the Internet, allowing users to request a rental in advance (see P2:1) from any location of their choosing (e.g. at home).

Figure 5.13 shows the process model.

Figure 5.13: Process model of User Interface: Handling New RentalstxtProcess

The conceptual diagram of figure 5.14 provides an overview of the language in which this process is expressed.

Figure 5.14: Basic sentences of User Interface: Handling New RentalsConceptualProcess

**Submit rental request** In order to formalize this, a relation session-NewUserRC is introduced (5.29):

$$sessionNewUserRC \quad : \quad SESSION \times RentalCase \qquad (5.29)$$

Beside that, we use definition **??** (rcUserRequestedQ) to formalize requirement **??** (page **??**):
Activities that are defined by this rule are finished when:

$$'t_S ESSION'; sessionNewUserRC \vdash sessionNewUserRC; rcUserRequestedQ;'tYes'; V_{YesNoAnswer_{imes}}$$
$$(5.30)$$

**Fill in default renter** In order to formalize this, a relation sessionUser is introduced (5.31):

$$sessionUser \quad : \quad SESSION \times Person \qquad (5.31)$$

We also use definitions 5.29 ($sessionNewUserRC$ ), 5.7 ($rcRenter$ ), and **??** ($rcUserRequestedQ$ ) to formalize requirement **??** (page **??**):
Activities that are defined by this rule are finished when:

$$I_{RentalCase} \cap rcUserRequestedQ;'tYes'; rcUserRequestedQ^{\smile} \vdash rcRenter; rcRenter^{\smile}$$
$$(5.32)$$

## 5.8 Branch Interface: Handling New Rentals and Pickups

This process describes the automated features for filling in or changing the contents of forms that are presented in the interface 'New Branch Rental'. The assumption is that this interface is only provided within branch offices, allowing EU-Rent employees to create new rental applications for 'walk in customers' (see P2:1).

Figure 5.15 shows the process model.

Figure 5.15: Process model of Branch Interface: Handling New Rentals and PickupstxtProcess

The conceptual diagram of figure 5.16 provides an overview of the language in which this process is expressed.

Figure 5.16: Basic sentences of Branch Interface: Handling New Rentals and PickupsConceptualProcess

**Complete branch rental request** In order to formalize this, a relation sessionNewBranchRC is introduced (5.33):

$$sessionNewBranchRC \quad : \quad SESSION \times RentalCase \qquad (5.33)$$

Beside that, we use definition **??** (rcBranchRequestedQ) to formalize requirement **??** (page **??**):
Activities that are defined by this rule are finished when:

$$'t_S ESSION'; sessionNewBranchRC \vdash sessionNewBranchRC; rcBranchRequestedQ;' tYes'; V_{YesNoAns}$$
$$(5.34)$$

**Hand the car keys to the driver** We use definitions 5.33 (*sessionNewBranchRC* ), 5.13 (*rcAssignedCar* ), 5.6 (*rcDriver* ), **??** (*rentalHasBeenPromised* ), and **??** (*rcKeysHandedOverQ* ).
Activities that are defined by this rule are finished when:

$$'t_S ESSION'; sessionNewBranchRC; (rentalHasBeenPromised \cap rcAssignedCar; rcAssignedCar^{\smile}) \vdash sess$$
$$(5.35)$$

**Auto submit new branch request** When a rental request in a branch is filled in, and they keys have already been handed over, the request is considered to be submitted.
We use definitions 5.33 (*sessionNewBranchRC* ), 5.13 (*rcAssignedCar* ), **??** (*rcBranchRequestedQ* ), and **??** (*rcKeysHandedOverQ* ).

Activities that are defined by this rule are finished when:

$$sessionNewBranchRC; (I_{RentalCase} \cap rcAssignedCar; rcAssignedCar^{\smile}); rcKeysHandedOverQ;' tYes' \vdash s$$
(5.36)

**Fill in default renter (at a branch)** We use definitions 5.6 (*rcDriver* ), 5.7 (*rcRenter* ), and **??** (*rcBranchRequestedQ* ).
Activities that are defined by this rule are finished when:

$$I_{RentalCase} \cap rcBranchRequestedQ;' tYes'; rcBranchRequestedQ^{\smile} \cap rcDriver; rcDriver^{\smile} \vdash rcRenter; rcR$$
(5.37)

**The branch that fills in the request is the pick-up branch** When a rental request is submitted by a branch, this branch will play the role of pick-up branch.
In order to formalize this, a relation sessionBranch is introduced (5.38):

$$sessionBranch \quad : \quad SESSION \times Branch$$
(5.38)

We also use definitions 5.33 (*sessionNewBranchRC* ), 5.1 (*contractedPickupBranch* ), and **??** (*rcBranchRequestedQ* ) to formalize requirement **??** (page **??**):
Activities that are defined by this rule are finished when:

$$(I_{RentalCase} \cap rcBranchRequestedQ;' tYes'; rcBranchRequestedQ^{\smile}); sessionNewBranchRC^{\smile};' t_S ESSIO$$
(5.39)

**The contracted start date is set to today** When a rental request (for which the rental has not started) is being processed by a branch, the contracted start date is automatically adjusted to the date of today.
We use definitions 5.33 (*sessionNewBranchRC* ), 5.27 (*sessionToday* ), 5.3 (*contractedStartDate* ), and **??** (*rcBranchRequestedQ* ).
Activities that are defined by this rule are finished when:

$$(I_{RentalCase} \cap rcBranchRequestedQ;' tYes'; rcBranchRequestedQ^{\smile}); sessionNewBranchRC^{\smile};' t_S ESSIO$$
(5.40)

## 5.9 Branch Interface: Handling Drop-offs and Payment

This process describes the automated features for filling in or changing the contents of forms that are presented in the interface 'Drop-off (Car)'. The assumption is that this interface is only provided within branch offices, allowing EU-Rent employees to handle the dropping off of cars and obtaining rental payments.

Figure 5.17 shows the process model.

The conceptual diagram of figure 5.18 provides an overview of the language in which this process is expressed.

Figure 5.17: Process model of Branch Interface: Handling Drop-offs and Payment txtProcess

Figure 5.18: Basic sentences of Branch Interface: Handling Drop-offs and PaymentConceptualProcess

**Dropped off car sanity check** In order to be sure that the car that is presented for a drop-off should be processed, it must be verified that there is a rental contract for this car for which the rental has started but is not yet ended.

In order to formalize this, a relation sessionDroppedoffCar is introduced (5.41):

$$sessionDroppedoffCar \quad : \quad SESSION \times Car \qquad (5.41)$$

We also use definitions 5.16 ($carAvailableAt$), 5.13 ($rcAssignedCar$), 4.12 ($rentalHasBeenStarted$), and 4.13 ($rentalHasBeenEnded$) to formalize requirement 2.11 (page 17):

This means:

$$'t_SESSION'; sessionDroppedoffCar \vdash sessionDroppedoffCar; (I_{Car} \cap rcAssignedCar^{\smile}; (rentalHasBeenS \qquad (5.42)$$

**Car drop-off handling** Handling a dropped-off car means that payment for the associated rental is to be obtained.

We use definitions 5.41 ($sessionDroppedoffCar$), 5.13 ($rcAssignedCar$), **??** ($rcCarHasBeenDroppedOff$), **??** ($rentalIsPaidQ$), and 4.13 ($rentalHasBeenEnded$).

Activities that are defined by this rule are finished when:

$$'t_SESSION'; sessionDroppedoffCar; rcAssignedCar^{\smile}; (I_{RentalCase} \cap rcCarHasBeenDroppedOff \cap \overline{rental} \qquad (5.43)$$

**Return cars to drop-off branch** When a car is returned to a branch, this branch will play the role of drop-off branch.

We use definitions 5.41 ($sessionDroppedoffCar$), 5.38 ($sessionBranch$), 5.16 ($carAvailableAt$), 5.13 ($rcAssignedCar$), and **??** ($rcDroppedOffBranch$).

Activities that are defined by this rule are finished when:

$$rcAssignedCar; (I_{Car} \cap \overline{(carAvailableAt; carAvailableAt^{\smile})}); sessionDroppedoffCar^{\smile}; sessionBranch \vdash rcI \qquad (5.44)$$

**Drop-off date is date of car return** When a car is returned to a branch, that date is the drop-off date.

We use definitions 5.41 (*sessionDroppedoffCar* ), 5.27 (*sessionToday* ), 5.16 (*carAvailableAt* ), 5.13 (*rcAssignedCar* ), and **??** (*rcDroppedOffDate* ). Activities that are defined by this rule are finished when:

$$rcAssignedCar; (I_{Car} \cap \overline{(carAvailableAt; carAvailableAt^{\smile})}); sessionDroppedoffCar^{\smile}; sessionToday \vdash rcD$$
(5.45)

# Chapter 6

# Data structure

This chapter contains the result of the data analisys. It is structured as follows:

We start with the classification model, followed by a list of all relations, that are the foundation of the rest of the analisys. Finally, the logical and technical data model are discussed.

## 6.1 Classifications

No classifications have been defined

## 6.2 Fact types

This section enumerates the fact types, that have been used in the design of the datastructure. For each fact type its name, the source and target concept and the properties are documented.

***branchOf*** : ***Branch*** × ***CarRentalCompany*** Every branch is part of a car rental company.

  **Properties**: UNI, TOT

***branchLocation*** : ***Branch*** × ***Location*** Every branch operates from a geographical location.

  **Properties**: UNI, TOT

***carAvailableAt*** : ***Car*** × ***Branch*** It is known which cars are available at a branch.

  **Properties**: UNI, TOT

***carType*** : ***Car*** × ***CarType*** Every car is of a specific type (brand, model).

  **Properties**: UNI, TOT

**brand** : **CarType** × **Brand**  A cartype has a specific brand.

> **Properties**: UNI, TOT

**model** : **CarType** × **Model**  A cartype has a specific model.

> **Properties**: UNI, TOT

**rentalTariffPerDay** : **CarType** × **Amount**  All car types have a specified rental tariff (Euros/day).

> **Properties**: UNI, TOT

**excessTariffPerDay** : **CarType** × **Amount**  All car types have a specified excess tariff (Euro/day)

> **Properties**: UNI, TOT

**maxRentalDuration** : **CarRentalCompany** × **Integer**  Rental companies must have specified the maximum duration of a rental.

> **Properties**: --

**dateIntervalIsWithinMaxRentalDuration** : **Date** × **Date**  the date interval (e.g.: [start date,end date]) is within the maximum rental duration as specified by EURent.

> **Properties**: --

**contractedStartDate** : **RentalCase** × **Date**  Rental contracts may specify the actual (and contractual) start date of the rental.

> **Properties**: UNI

**contractedEndDate** : **RentalCase** × **Date**  Rental contracts may specify the (contractual) end date of the rental.

> **Properties**: UNI

**contractedCarType** : **RentalCase** × **CarType**  Rental contracts may specify the car type of the rental.

> **Properties**: UNI

**contractedPickupBranch** : **RentalCase** × **Branch**  Rental contracts may specify the branch where the rental starts (i.e.: the car is picked up).

> **Properties**: UNI

**contractedDropoffBranch** : **RentalCase** × **Branch**  Rental contracts may specify the branch where the rental supposedly ends (i.e.: the car is dropped off).

> **Properties**: UNI

**rcRenter** : **RentalCase** × **Person**  The person who rents the car is called the renter.

> **Properties**: UNI

**rcDriver** : **RentalCase** × **Person**  The person who is going to drive is called the driver.

> **Properties**: UNI

***validDrivingLicense*** : ***Person*** × ***DrivingLicense*** A person may have a valid driving license.

**Properties**: --

***rcAssignedCar*** : ***RentalCase*** × ***Car*** Rental contracts specify the car that is (to be) issued to the driver.

**Properties**: UNI, SUR

***rentalHasBeenPromised*** : ***RentalCase*** × ***RentalCase*** Rental cases may have the property 'rental has been promised'

**Properties**: --

***rcUserRequestedQ*** : ***RentalCase*** × ***YesNoAnswer*** A user has requested a new rental to be started, and has provided all necessary information for that.

**Properties**: --

***rcBranchRequestedQ*** : ***RentalCase*** × ***YesNoAnswer*** A branch office has requested a new rental to be started, and has provided all necessary information for that.

**Properties**: --

***rentalHasBeenPickedUp*** : ***RentalCase*** × ***RentalCase*** Rental cases may have the property 'rental has been started'.

**Properties**: --

***rentalHasBeenStarted*** : ***RentalCase*** × ***RentalCase*** Rental cases may have the property 'rental has been started'.

**Properties**: --

***rcKeysHandedOverQ*** : ***RentalCase*** × ***YesNoAnswer*** Branches must register the handover of car keys (i.e. the responsibility for the car).

**Properties**: --

***rcCarHasBeenDroppedOff*** : ***RentalCase*** × ***RentalCase*** Rental cases may have the property 'car has been dropped off'.

**Properties**: --

***rcDroppedOffCar*** : ***RentalCase*** × ***Car*** Rental cases may specify the car that has actually been dropped off.

**Properties**: UNI

***rcDroppedOffDate*** : ***RentalCase*** × ***Date*** Rented cars are dropped off on specific dates.

**Properties**: UNI

***rcDroppedOffBranch*** : ***RentalCase*** × ***Branch*** Rental cases may specify the branch that the drop-off has taken place.

**Properties**: UNI

***paymentHasBeenRequested*** : **RentalCase × RentalCase** Rental cases may have the property 'payment has been requested'.

> **Properties**: --

***rentalIsPaidQ*** : **RentalCase × YesNoAnswer** Payments for rental contracts need to be accepted (or declined).

> **Properties**: --

***rentalHasBeenEnded*** : **RentalCase × RentalCase** Rental cases may have the property 'rental has been ended'.

> **Properties**: --

***rcMaxRentalDuration*** : **RentalCase × Integer** Rental contracts may specify the maximum rental duration.

> **Properties**: UNI

***sessionUser*** : **SESSION × Person** **Properties**: UNI

***sessionToday*** : **SESSION × Date** **Properties**: UNI

***sessionNewUserRC*** : **SESSION × RentalCase** **Properties**: INJ, UNI

***sessionBranch*** : **SESSION × Branch** **Properties**: UNI

***sessionNewBranchRC*** : **SESSION × RentalCase** **Properties**: UNI

***sessionDroppedoffCar*** : **SESSION × Car** **Properties**: UNI

## 6.3   Logical datamodel

The functional requirements have been translated into a data model. This model is shown by figure 6.1.



Figure 6.1: Logical data model of EURent

50

There are five entity types.The details of each entity type are described (in alfabetical order) in the following paragraphs:

### 6.3.1 Entity type: *Branch*

This entity type has the following attributes:

| Attribute | Type | |
|---|---|---|
| Id | Branch | Primary key |
| branchOf | CarRentalCompany | Mandatory |
| branchLocation | Location | Mandatory |

Branch has the following associations:

1. Every *Car* 'carAvailableAt' zero or more *Branch.* For the other way round, for this relation holds that each *Branch* at most one *Car.*

2. Every *RentalCase* 'contractedPickupBranch' zero or more *Branch.* For the other way round, for this relation holds that each *Branch* at most one *RentalCase.*

3. Every *RentalCase* 'contractedDropoffBranch' zero or more *Branch.* For the other way round, for this relation holds that each *Branch* at most one *RentalCase.*

4. Every *RentalCase* 'rcDroppedOffBranch' zero or more *Branch.* For the other way round, for this relation holds that each *Branch* at most one *RentalCase.*

5. Every *SESSION* 'sessionBranch' zero or more *Branch.* For the other way round, for this relation holds that each *Branch* at most one *SESSION.*

### 6.3.2 Entity type: *Car*

This entity type has the following attributes:

| Attribute | Type | |
|---|---|---|
| Id | Car | Primary key |
| carAvailableAt | Branch | Optional |
| carType | CarType | Mandatory |

Car has the following associations:

1. Every *Car* 'carAvailableAt' zero or more *Branch*. For the other way round, for this relation holds that each *Branch* at most one *Car*.

2. Every *Car* must 'carType' at least one *CarType*. For the other way round, for this relation holds that each *CarType* at most one *Car*.

3. Every *RentalCase* 'rcAssignedCar' zero or more *Car*. For the other way round, for this relation holds that each *Car* at most one *RentalCase*.

4. Every *RentalCase* 'rcDroppedOffCar' zero or more *Car*. For the other way round, for this relation holds that each *Car* at most one *RentalCase*.

5. Every *SESSION* 'sessionDroppedoffCar' zero or more *Car*. For the other way round, for this relation holds that each *Car* at most one *SESSION*.

### 6.3.3   Entity type: *CarType*

This entity type has the following attributes:

| Attribute | Type | |
|---|---|---|
| Id | CarType | Primary key |
| brand | Brand | Mandatory |
| model | Model | Mandatory |
| rentalTariffPerDay | Amount | Mandatory |
| excessTariffPerDay | Amount | Mandatory |

CarType has the following associations:

1. Every *Car* must 'carType' at least one *CarType*. For the other way round, for this relation holds that each *CarType* at most one *Car*.

2. Every *RentalCase* 'contractedCarType' zero or more *CarType*. For the other way round, for this relation holds that each *CarType* at most one *RentalCase*.

### 6.3.4   Entity type: *RentalCase*

This entity type has the following attributes:

| Attribute | Type | |
|---|---|---|
| Id | RentalCase | Primary key |
| rcAssignedCar | Car | Optional |
| contractedStartDate | Date | Optional |

| | | |
|---|---|---|
| contractedEndDate | Date | Optional |
| contractedCarType | CarType | Optional |
| contractedPickupBranch | Branch | Optional |
| contractedDropoffBranch | Branch | Optional |
| rcRenter | Person | Optional |
| rcDriver | Person | Optional |
| rcMaxRentalDuration | Integer | Optional |
| rcDroppedOffCar | Car | Optional |
| rcDroppedOffDate | Date | Optional |
| rcDroppedOffBranch | Branch | Optional |
| sessionNewUserRC | SESSION | Optional |

RentalCase has the following associations:

1. Every *RentalCase* 'rcAssignedCar' zero or more *Car*. For the other way round, for this relation holds that each *Car* at most one *RentalCase*.

2. Every *RentalCase* 'rentalHasBeenStarted' zero or more *RentalCase*. For the other way round, for this relation holds that each *RentalCase* zero or more *RentalCase*.

3. Every *RentalCase* 'rentalHasBeenEnded' zero or more *RentalCase*. For the other way round, for this relation holds that each *RentalCase* zero or more *RentalCase*.

4. Every *RentalCase* 'contractedCarType' zero or more *CarType*. For the other way round, for this relation holds that each *CarType* at most one *RentalCase*.

5. Every *RentalCase* 'contractedPickupBranch' zero or more *Branch*. For the other way round, for this relation holds that each *Branch* at most one *RentalCase*.

6. Every *RentalCase* 'contractedDropoffBranch' zero or more *Branch*. For the other way round, for this relation holds that each *Branch* at most one *RentalCase*.

7. Every *RentalCase* 'rentalHasBeenPromised' zero or more *RentalCase*. For the other way round, for this relation holds that each *RentalCase* zero or more *RentalCase*.

8. Every *RentalCase* 'rentalHasBeenPickedUp' zero or more *RentalCase*. For the other way round, for this relation holds that each *RentalCase* zero or more *RentalCase*.

9. Every *RentalCase* 'rcCarHasBeenDroppedOff' zero or more *RentalCase*. For the other way round, for this relation holds that each *RentalCase* zero or more *RentalCase*.

10. Every *RentalCase* 'rcDroppedOffCar' zero or more *Car*. For the other way round, for this relation holds that each *Car* at most one *RentalCase*.

11. Every *RentalCase* 'rcDroppedOffBranch' zero or more *Branch*. For the other way round, for this relation holds that each *Branch* at most one *RentalCase*.

12. Every *RentalCase* 'paymentHasBeenRequested' zero or more *RentalCase*. For the other way round, for this relation holds that each *RentalCase* zero or more *RentalCase*.

13. Every *SESSION* 'sessionNewUserRC' at most one *RentalCase*. For the other way round, for this relation holds that each *RentalCase* at most one *SESSION*.

14. Every *SESSION* 'sessionNewBranchRC' zero or more *RentalCase*. For the other way round, for this relation holds that each *RentalCase* at most one *SESSION*.

### 6.3.5   Entity type: *SESSION*

This entity type has the following attributes:

| Attribute | Type | |
| --- | --- | --- |
| Id | SESSION | Primary key |
| sessionToday | Date | Optional |
| sessionUser | Person | Optional |
| sessionNewBranchRC | RentalCase | Optional |
| sessionBranch | Branch | Optional |
| sessionDroppedoffCar | Car | Optional |

SESSION has the following associations:

1. Every *SESSION* 'sessionNewUserRC' at most one *RentalCase*. For the other way round, for this relation holds that each *RentalCase* at most one *SESSION*.

2. Every *SESSION* 'sessionNewBranchRC' zero or more *RentalCase*. For the other way round, for this relation holds that each *RentalCase* at most one *SESSION*.

3. Every *SESSION* 'sessionBranch' zero or more *Branch*. For the other way round, for this relation holds that each *Branch* at most one *SESSION*.

4. Every *SESSION* 'sessionDroppedoffCar' zero or more *Car*. For the other way round, for this relation holds that each *Car* at most one *SESSION*.

## 6.4   Technical datamodel

The functional requirements have been translated into a technical data model. This model is shown by figure 6.2.



Figure 6.2: Technical data model of EURent

The technical datamodel consists of the following 36tables:

### 6.4.1   Table: Amount

This table has the following 1 fields:

- **Amount**
  This attribute is the primary key.
  `SQLVarchar` 255, Mandatory, Unique.

### 6.4.2 Table: Branch

This table has the following 3 fields:

- **Branch**
  This attribute is the primary key.
  `SQLVarchar` 255, Mandatory, Unique.

- **branchOf**
  This attribute implements the relation $Branch \xrightarrow{branchOf} CarRentalCompany$.
  `SQLVarchar` 255, Optional.

- **branchLocation**
  This attribute implements the relation $Branch \xrightarrow{branchLocation} Location$.
  `SQLVarchar` 255, Optional.

### 6.4.3 Table: Brand

This table has the following 1 fields:

- **Brand**
  This attribute is the primary key.
  `SQLVarchar` 255, Mandatory, Unique.

### 6.4.4 Table: Car

This table has the following 3 fields:

- **Car**
  This attribute is the primary key.
  `SQLVarchar` 255, Mandatory, Unique.

- **carAvailableAt**
  This attribute implements the relation $Car \xrightarrow{carAvailableAt} Branch$.
  `SQLVarchar` 255, Optional.

- **carType**
  This attribute implements the relation $Car \xrightarrow{carType} CarType$.
  `SQLVarchar` 255, Optional.

### 6.4.5 Table: CarRentalCompany

This table has the following 1 fields:

- **CarRentalCompany**
  This attribute is the primary key.
  `SQLVarchar` 255, Mandatory, Unique.

### 6.4.6 Table: CarType

This table has the following 5 fields:

- **CarType**
  This attribute is the primary key.
  `SQLVarchar 255`, Mandatory, Unique.

- **brand**
  This attribute implements the relation $CarType \xrightarrow{brand} Brand$.
  `SQLVarchar 255`, Optional.

- **model**
  This attribute implements the relation $CarType \xrightarrow{model} Model$.
  `SQLVarchar 255`, Optional.

- **rentalTariffPerDay**
  This attribute implements the relation $CarType \xrightarrow{rentalTariffPerDay} Amount$.
  `SQLVarchar 255`, Optional.

- **excessTariffPerDay**
  This attribute implements the relation $CarType \xrightarrow{excessTariffPerDay} Amount$.
  `SQLVarchar 255`, Optional.

### 6.4.7 Table: CompRentalCharge

This table has the following 5 fields:

- **CompRentalCharge**
  This attribute is the primary key.
  `SQLVarchar 255`, Mandatory, Unique.

- **arg1**
  This attribute implements the relation $CompRentalCharge \xrightarrow{arg1} Amount$.
  `SQLVarchar 255`, Optional.

- **arg2**
  This attribute implements the relation $CompRentalCharge \xrightarrow{arg2} Amount$.
  `SQLVarchar 255`, Optional.

- **arg3**
  This attribute implements the relation $CompRentalCharge \xrightarrow{arg3} Amount$.
  `SQLVarchar 255`, Optional.

- **computedRentalCharge**
  This attribute implements the relation $CompRentalCharge \xrightarrow{computedRentalCharge} Amount$.
  `SQLVarchar 255`, Optional.

### 6.4.8 Table: CompTariffedCharge

This table has the following 4 fields:

- **CompTariffedCharge**
  This attribute is the primary key.
  `SQLVarchar` 255, Mandatory, Unique.

- **ctcNrOfDays**
  This attribute implements the relation $CompTariffedCharge \xrightarrow{ctcNrOfDays} Integer$.
  `SQLVarchar` 255, Optional.

- **ctcDailyAmount**
  This attribute implements the relation $CompTariffedCharge \xrightarrow{ctcDailyAmount} Amount$.
  `SQLVarchar` 255, Optional.

- **computedTariffedCharge**
  This attribute implements the relation $CompTariffedCharge \xrightarrow{computedTariffedCharge} Amount$.
  `SQLVarchar` 255, Optional.

### 6.4.9 Table: Date

This table has the following 1 fields:

- **Date**
  This attribute is the primary key.
  `SQLVarchar` 255, Mandatory, Unique.

### 6.4.10 Table: DateDifference

This table has the following 4 fields:

- **DateDifference**
  This attribute is the primary key.
  `SQLVarchar` 255, Mandatory, Unique.

- **firstDate**
  This attribute implements the relation $DateDifference \xrightarrow{firstDate} Date$.
  `SQLVarchar` 255, Optional.

- **lastDate**
  This attribute implements the relation $DateDifference \xrightarrow{lastDate} Date$.
  `SQLVarchar` 255, Optional.

- **computedNrOfExcessDays**
  This attribute implements the relation $DateDifference \xrightarrow{computedNrOfExcessDays} Integer$.
  `SQLVarchar` 255, Optional.

### 6.4.11 Table: DateDifferencePlusOne

This table has the following 4 fields:

- **DateDifferencePlusOne**
  This attribute is the primary key.
  `SQLVarchar 255`, Mandatory, Unique.

- **earliestDate**
  This attribute implements the relation $DateDifferencePlusOne \xrightarrow{earliestDate} Date$.
  `SQLVarchar 255`, Optional.

- **latestDate**
  This attribute implements the relation $DateDifferencePlusOne \xrightarrow{latestDate} Date$.
  `SQLVarchar 255`, Optional.

- **computedRentalPeriod**
  This attribute implements the relation $DateDifferencePlusOne \xrightarrow{computedRentalPeriod} Integer$.
  `SQLVarchar 255`, Optional.

### 6.4.12 Table: Distance

This table has the following 1 fields:

- **Distance**
  This attribute is the primary key.
  `SQLVarchar 255`, Mandatory, Unique.

### 6.4.13 Table: DistanceBetweenLocations

This table has the following 3 fields:

- **DistanceBetweenLocations**
  This attribute is the primary key.
  `SQLVarchar 255`, Mandatory, Unique.

- **computedLocationPenaltyCharge**
  This attribute implements the relation $DistanceBetweenLocations \xrightarrow{computedLocationPenaltyCharge} Amou$
  `SQLVarchar 255`, Optional.

- **distance**
  This attribute implements the relation $DistanceBetweenLocations \xrightarrow{distance} Distance$.
  `SQLVarchar 255`, Optional.

### 6.4.14 Table: DrivingLicense

This table has the following 1 fields:

- **DrivingLicense**
  This attribute is the primary key.
  `SQLVarchar` 255, Mandatory, Unique.

### 6.4.15 Table: Integer

This table has the following 1 fields:

- **Integer**
  This attribute is the primary key.
  `SQLVarchar` 255, Mandatory, Unique.

### 6.4.16 Table: Location

This table has the following 1 fields:

- **Location**
  This attribute is the primary key.
  `SQLVarchar` 255, Mandatory, Unique.

### 6.4.17 Table: Model

This table has the following 1 fields:

- **Model**
  This attribute is the primary key.
  `SQLVarchar` 255, Mandatory, Unique.

### 6.4.18 Table: Person

This table has the following 1 fields:

- **Person**
  This attribute is the primary key.
  `SQLVarchar` 255, Mandatory, Unique.

### 6.4.19 Table: RentalCase

This table has the following 21 fields:

- **RentalCase**
  This attribute is the primary key.
  `SQLVarchar 255`, Mandatory, Unique.

- **contractedStartDate**
  This attribute implements the relation $RentalCase \xrightarrow{contractedStartDate} Date$.
  `SQLVarchar 255`, Optional.

- **contractedEndDate**
  This attribute implements the relation $RentalCase \xrightarrow{contractedEndDate} Date$.
  `SQLVarchar 255`, Optional.

- **contractedCarType**
  This attribute implements the relation $RentalCase \xrightarrow{contractedCarType} CarType$.
  `SQLVarchar 255`, Optional.

- **contractedPickupBranch**
  This attribute implements the relation $RentalCase \xrightarrow{contractedPickupBranch} Branch$.
  `SQLVarchar 255`, Optional.

- **contractedDropoffBranch**
  This attribute implements the relation $RentalCase \xrightarrow{contractedDropoffBranch} Branch$.
  `SQLVarchar 255`, Optional.

- **rcRenter**
  This attribute implements the relation $RentalCase \xrightarrow{rcRenter} Person$.
  `SQLVarchar 255`, Optional.

- **rcDriver**
  This attribute implements the relation $RentalCase \xrightarrow{rcDriver} Person$.
  `SQLVarchar 255`, Optional.

- **rcAssignedCar**
  This attribute implements the relation $RentalCase \xrightarrow{rcAssignedCar} Car$.
  `SQLVarchar 255`, Optional.

- **rcDroppedOffCar**
  This attribute implements the relation $RentalCase \xrightarrow{rcDroppedOffCar} Car$.
  `SQLVarchar 255`, Optional.

- **rcDroppedOffDate**
  This attribute implements the relation $RentalCase \xrightarrow{rcDroppedOffDate} Date$.
  `SQLVarchar 255`, Optional.

- **rcDroppedOffBranch**
  This attribute implements the relation $RentalCase \xrightarrow{rcDroppedOffBranch} Branch$.
  `SQLVarchar 255`, Optional.

- **rentalPeriod**
  This attribute implements the relation $RentalCase \xrightarrow{rentalPeriod} Integer$.
  `SQLVarchar 255`, Optional.

- **rentalBasicCharge**

  This attribute implements the relation $RentalCase \xrightarrow{rentalBasicCharge} Amount$.
  `SQLVarchar 255`, Optional.

- **rentalExcessPeriod**
  This attribute implements the relation $RentalCase \xrightarrow{rentalExcessPeriod} Integer$.
  `SQLVarchar 255`, Optional.

- **rentalPenaltyCharge**

  This attribute implements the relation $RentalCase \xrightarrow{rentalPenaltyCharge} Amount$.
  `SQLVarchar 255`, Optional.

- **rentalLocationPenaltyCharge**

  This attribute implements the relation $RentalCase \xrightarrow{rentalLocationPenaltyCharge} Amount$.
  `SQLVarchar 255`, Optional.

- **rentalCharge**

  This attribute implements the relation $RentalCase \xrightarrow{rentalCharge} Amount$.
  `SQLVarchar 255`, Optional.

- **rcMaxRentalDuration**
  This attribute implements the relation $RentalCase \xrightarrow{rcMaxRentalDuration} Integer$.
  `SQLVarchar 255`, Optional.

- **projectedRentalPeriod**

  This attribute implements the relation $RentalCase \xrightarrow{projectedRentalPeriod} Integer$.
  `SQLVarchar 255`, Optional.

- **projectedBasicCharge**

  This attribute implements the relation $RentalCase \xrightarrow{projectedBasicCharge} Amount$.
  `SQLVarchar 255`, Optional.

### 6.4.20 Table: SESSION

This table has the following 9 fields:

- **SESSION**
  This attribute is the primary key.
  `SQLVarchar 255`, Mandatory, Unique.

- **sessionUser**
  This attribute implements the relation $SESSION \xrightarrow{sessionUser} Person$.
  `SQLVarchar 255`, Optional.

- **sessionToday**

  This attribute implements the relation $SESSION \xrightarrow{sessionToday} Date$.
  `SQLVarchar 255`, Optional.

- **sessionNewUserRC**
  This attribute implements the relation $SESSION \xrightarrow{sessionNewUserRC} RentalCase$.
  `SQLVarchar 255`, Optional, Unique.

- **sessionBranch**
  This attribute implements the relation $SESSION \xrightarrow{sessionBranch} Branch$.
  `SQLVarchar 255`, Optional.

- **sessionNewBranchRC**
  This attribute implements the relation $SESSION \xrightarrow{sessionNewBranchRC} RentalCase$.
  `SQLVarchar 255`, Optional.

- **sessionPickupPerson**
  This attribute implements the relation $SESSION \xrightarrow{sessionPickupPerson} Person$.
  `SQLVarchar 255`, Optional.

- **sessionDroppedoffCar**
  This attribute implements the relation $SESSION \xrightarrow{sessionDroppedoffCar} Car$.
  `SQLVarchar 255`, Optional.

- **sessionDroppedoffPerson**
  This attribute implements the relation $SESSION \xrightarrow{sessionDroppedoffPerson} Person$.
  `SQLVarchar 255`, Optional.

### 6.4.21   Table: YesNoAnswer

This table has the following 1 fields:

- **YesNoAnswer**
  This attribute is the primary key.
  `SQLVarchar 255`, Mandatory, Unique.

### 6.4.22   Table: dateIntervalCompTrigger

This is a link-table, implementing the relation $Date \xrightarrow{dateIntervalCompTrigger} Date$.
It contains the following columns:

- **SrcDate**
  This attribute is a foreign key to Date
  `SQLVarchar 255`, Mandatory.

- **TgtDate**
  This attribute implements the relation $Date \xrightarrow{dateIntervalCompTrigger} Date$.
  `SQLVarchar 255`, Mandatory.

### 6.4.23 Table: dateIntervalIsWithinMaxRentalDuration

This is a link-table, implementing the relation $Date \xrightarrow{dateIntervalIsWithinMaxRentalDuration} Date$.
It contains the following columns:

- **SrcDate**
  This attribute is a foreign key to Date
  `SQLVarchar 255`, Mandatory.

- **TgtDate**
  This attribute implements the relation $Date \xrightarrow{dateIntervalIsWithinMaxRentalDuration} Date$.
  `SQLVarchar 255`, Mandatory.

### 6.4.24 Table: distbranch

This is a link-table, implementing the relation $DistanceBetweenLocations \xrightarrow{distbranch} Branch$.
It contains the following columns:

- **DistanceBetweenLocations**
  This attribute is the primary key.
  `SQLVarchar 255`, Optional.

- **Branch**
  This attribute implements the relation $DistanceBetweenLocations \xrightarrow{distbranch} Branch$.
  `SQLVarchar 255`, Optional.

### 6.4.25 Table: maxRentalDuration

This is a link-table, implementing the relation $CarRentalCompany \xrightarrow{maxRentalDuration} Integer$.
It contains the following columns:

- **CarRentalCompany**
  This attribute is a foreign key to CarRentalCompany
  `SQLVarchar 255`, Mandatory.

- **Integer**
  This attribute implements the relation $CarRentalCompany \xrightarrow{maxRentalDuration} Integer$.
  `SQLVarchar 255`, Mandatory.

### 6.4.26 Table: paymentHasBeenRequested

This is a link-table, implementing the relation $RentalCase \xrightarrow{paymentHasBeenRequested} RentalCase$.
It contains the following columns:

- **SrcRentalCase**
  This attribute is a foreign key to RentalCase
  `SQLVarchar 255`, Mandatory.

- **TgtRentalCase**
  This attribute implements the relation $RentalCase \xrightarrow{paymentHasBeenRequested} RentalCase$.
  `SQLVarchar 255`, Mandatory.

### 6.4.27   Table: rcBranchRequestedQ

This is a link-table, implementing the relation $RentalCase \xrightarrow{rcBranchRequestedQ} YesNoAnswer$.
It contains the following columns:

- **RentalCase**
  This attribute is a foreign key to RentalCase
  `SQLVarchar 255`, Mandatory.

- **YesNoAnswer**
  This attribute implements the relation $RentalCase \xrightarrow{rcBranchRequestedQ} YesNoAnswer$.
  `SQLVarchar 255`, Mandatory.

### 6.4.28   Table: rcCarHasBeenDroppedOff

This is a link-table, implementing the relation $RentalCase \xrightarrow{rcCarHasBeenDroppedOff} RentalCase$.
It contains the following columns:

- **SrcRentalCase**
  This attribute is a foreign key to RentalCase
  `SQLVarchar 255`, Mandatory.

- **TgtRentalCase**
  This attribute implements the relation $RentalCase \xrightarrow{rcCarHasBeenDroppedOff} RentalCase$.
  `SQLVarchar 255`, Mandatory.

### 6.4.29   Table: rcKeysHandedOverQ

This is a link-table, implementing the relation $RentalCase \xrightarrow{rcKeysHandedOverQ} YesNoAnswer$.
It contains the following columns:

- **RentalCase**
  This attribute is a foreign key to RentalCase
  `SQLVarchar 255`, Mandatory.

- **YesNoAnswer**
  This attribute implements the relation $RentalCase \xrightarrow{rcKeysHandedOverQ} YesNoAnswer$.
  `SQLVarchar 255`, Mandatory.

### 6.4.30 Table: rcUserRequestedQ

This is a link-table, implementing the relation $RentalCase \xrightarrow{rcUserRequestedQ} YesNoAnswer$. It contains the following columns:

- **RentalCase**
  This attribute is a foreign key to RentalCase
  `SQLVarchar` 255, Mandatory.

- **YesNoAnswer**
  This attribute implements the relation $RentalCase \xrightarrow{rcUserRequestedQ} YesNoAnswer$.
  `SQLVarchar` 255, Mandatory.

### 6.4.31 Table: rentalHasBeenEnded

This is a link-table, implementing the relation $RentalCase \xrightarrow{rentalHasBeenEnded} RentalCase$. It contains the following columns:

- **SrcRentalCase**
  This attribute is a foreign key to RentalCase
  `SQLVarchar` 255, Mandatory.

- **TgtRentalCase**
  This attribute implements the relation $RentalCase \xrightarrow{rentalHasBeenEnded} RentalCase$.
  `SQLVarchar` 255, Mandatory.

### 6.4.32 Table: rentalHasBeenPickedUp

This is a link-table, implementing the relation $RentalCase \xrightarrow{rentalHasBeenPickedUp} RentalCase$. It contains the following columns:

- **SrcRentalCase**
  This attribute is a foreign key to RentalCase
  `SQLVarchar` 255, Mandatory.

- **TgtRentalCase**
  This attribute implements the relation $RentalCase \xrightarrow{rentalHasBeenPickedUp} RentalCase$.
  `SQLVarchar` 255, Mandatory.

### 6.4.33 Table: rentalHasBeenPromised

This is a link-table, implementing the relation $RentalCase \xrightarrow{rentalHasBeenPromised} RentalCase$. It contains the following columns:

- **SrcRentalCase**
  This attribute is a foreign key to RentalCase
  `SQLVarchar` 255, Mandatory.

- **TgtRentalCase**
  This attribute implements the relation $RentalCase \xrightarrow{rentalHasBeenPromised} RentalCase$.
  `SQLVarchar` 255, Mandatory.

### 6.4.34 Table: rentalHasBeenStarted

This is a link-table, implementing the relation $RentalCase \xrightarrow{rentalHasBeenStarted} RentalCase$.
It contains the following columns:

- **SrcRentalCase**
  This attribute is a foreign key to RentalCase
  `SQLVarchar` 255, Mandatory.

- **TgtRentalCase**
  This attribute implements the relation $RentalCase \xrightarrow{rentalHasBeenStarted} RentalCase$.
  `SQLVarchar` 255, Mandatory.

### 6.4.35 Table: rentalIsPaidQ

This is a link-table, implementing the relation $RentalCase \xrightarrow{rentalIsPaidQ} YesNoAnswer$.
It contains the following columns:

- **RentalCase**
  This attribute is a foreign key to RentalCase
  `SQLVarchar` 255, Mandatory.

- **YesNoAnswer**
  This attribute implements the relation $RentalCase \xrightarrow{rentalIsPaidQ} YesNoAnswer$.
  `SQLVarchar` 255, Mandatory.

### 6.4.36 Table: validDrivingLicense

This is a link-table, implementing the relation $Person \xrightarrow{validDrivingLicense} DrivingLicense$.
It contains the following columns:

- **Person**
  This attribute is a foreign key to Person
  `SQLVarchar` 255, Mandatory.

- **DrivingLicense**
  This attribute implements the relation $Person \xrightarrow{validDrivingLicense} DrivingLicense$.
  `SQLVarchar` 255, Mandatory.

# Chapter 7

# ECA rules (Flash points)

This chapter lists the ECA rules.

ECA rules:
temporarily not documented

```
        ON INSERT Delta IN branchOf[Branch*CarRentalCompany] EXECUTE    -- (ECA rule 1)
        BLOCK
        (CANNOT CHANGE 'EU-Rent'[CarRentalCompany] FROM EURent branches)
```

------ Derivation ----->

```
    BLOCK
    (CANNOT CHANGE 'EU-Rent'[CarRentalCompany] FROM EURent branches)
```

<------End Derivation --

```
        ON DELETE Delta FROM branchOf[Branch*CarRentalCompany] EXECUTE    -- (ECA rule 2
        ONE OF DELETE FROM branchOf[Branch*CarRentalCompany]
             SELECTFROM -((branchOf /\ -Delta);'EU-Rent'[CarRentalCompany]) /\ branch(

             (TO MAINTAIN  -branchOf \/ branchOf;'EU-Rent'[CarRentalCompany] FROM EURe
             DELETE FROM branchOf[Branch*CarRentalCompany]
              SELECTFROM ((-branchOf /\ branchOf;'EU-Rent'[CarRentalCompany]) \/ (Delt

             (TO MAINTAIN  -(branchOf;'EU-Rent'[CarRentalCompany]) \/ branchOf FROM EU
             DELETE FROM Isn{detyp=Branch}
              SELECTFROM -((branchOf /\ -Delta);'EU-Rent'[CarRentalCompany];(branchOf /

             (TO MAINTAIN  -I[Branch] \/ branchOf;'EU-Rent'[CarRentalCompany];branchOf
```

```
                    DELETE FROM Isn{detyp=Branch}
                     SELECTFROM -((branchOf /\ -Delta);(branchOf /\ -Delta)~) /\ I[Branch]

                  (TO MAINTAIN  -I[Branch] \/ branchOf;I[CarRentalCompany];branchOf~ FROM UI
          (MAINTAINING -branchOf \/ branchOf;'EU-Rent'[CarRentalCompany] FROM EURent branch
          (MAINTAINING -branchOf \/ branchOf;'EU-Rent'[CarRentalCompany] FROM EURent branch
          (MAINTAINING -branchOf \/ branchOf;'EU-Rent'[CarRentalCompany] FROM EURent branch
          (MAINTAINING -(branchOf~;branchOf) \/ I[CarRentalCompany] FROM UNI branchOf::Bra
          (MAINTAINING -I[Branch] \/ branchOf;branchOf~ FROM TOT branchOf::Branch*CarRental


------ Derivation ----->


      ONE OF DELETE FROM branchOf[Branch*CarRentalCompany]
              SELECTFROM -((branchOf /\ -Delta);'EU-Rent'[CarRentalCompany]) /\ branchOf

              (TO MAINTAIN  -branchOf \/ branchOf;'EU-Rent'[CarRentalCompany] FROM EURent br
              DELETE FROM branchOf[Branch*CarRentalCompany]
               SELECTFROM ((-branchOf /\ branchOf;'EU-Rent'[CarRentalCompany]) \/ (Delta /\

              (TO MAINTAIN  -(branchOf;'EU-Rent'[CarRentalCompany]) \/ branchOf FROM EURent
              DELETE FROM Isn{detyp=Branch}
               SELECTFROM -((branchOf /\ -Delta);'EU-Rent'[CarRentalCompany];(branchOf /\ -D

              (TO MAINTAIN  -I[Branch] \/ branchOf;'EU-Rent'[CarRentalCompany];branchOf~ FRO
              DELETE FROM Isn{detyp=Branch}
               SELECTFROM -((branchOf /\ -Delta);(branchOf /\ -Delta)~) /\ I[Branch]

                  (TO MAINTAIN  -I[Branch] \/ branchOf;I[CarRentalCompany];branchOf~ FROM UNI br
          (MAINTAINING -branchOf \/ branchOf;'EU-Rent'[CarRentalCompany] FROM EURent branches)
          (MAINTAINING -branchOf \/ branchOf;'EU-Rent'[CarRentalCompany] FROM EURent branches)
          (MAINTAINING -branchOf \/ branchOf;'EU-Rent'[CarRentalCompany] FROM EURent branches)
          (MAINTAINING -(branchOf~;branchOf) \/ I[CarRentalCompany] FROM UNI branchOf::Branch*C
          (MAINTAINING -I[Branch] \/ branchOf;branchOf~ FROM TOT branchOf::Branch*CarRentalComp


<------End Derivation --


              ON INSERT Delta IN branchLocation[Branch*Location] EXECUTE     -- (ECA rule 3)
              ONE OF INSERT INTO Isn{detyp=Location}
                      SELECTFROM ((branchLocation \/ Delta)~;branchLocation /\ -I[Location]) \

                      (TO MAINTAIN  -(branchLocation~;branchLocation) \/ I[Location] FROM UNI b
                      INSERT INTO Isn{detyp=Branch}
                       SELECTFROM (Delta;Delta~ /\ I[Branch]) - I[Branch]

                      INSERT INTO Isn{detyp=Location}
                       SELECTFROM (Delta~;Delta /\ I[Location]) - I[Location]


                                    69
```

```
              (MAINTAINING -(branchLocation~;branchLocation) \/ I[Location] FROM UNI branchLoca
              (MAINTAINING -I[Branch] \/ branchLocation;branchLocation~ FROM TOT branchLocatio

------ Derivation ----->


       ONE OF INSERT INTO Isn{detyp=Location}
               SELECTFROM ((branchLocation \/ Delta)~;branchLocation /\ -I[Location]) \/ ((b

               (TO MAINTAIN  -(branchLocation~;branchLocation) \/ I[Location] FROM UNI branch
               INSERT INTO Isn{detyp=Branch}
                SELECTFROM (Delta;Delta~ /\ I[Branch]) - I[Branch]


               INSERT INTO Isn{detyp=Location}
                SELECTFROM (Delta~;Delta /\ I[Location]) - I[Location]

       (MAINTAINING -(branchLocation~;branchLocation) \/ I[Location] FROM UNI branchLocation
       (MAINTAINING -I[Branch] \/ branchLocation;branchLocation~ FROM TOT branchLocation::Br

<------End Derivation --


           ON DELETE Delta FROM branchLocation[Branch*Location] EXECUTE     -- (ECA rule 4)
           DELETE FROM Isn{detyp=Branch}
            SELECTFROM -((branchLocation /\ -Delta);(branchLocation /\ -Delta)~) /\ I[Branc

           (TO MAINTAIN  -(branchLocation~;branchLocation) \/ I[Location] FROM UNI branchLo
           (TO MAINTAIN  -I[Branch] \/ branchLocation;branchLocation~ FROM TOT branchLocati

------ Derivation ----->


       DELETE FROM Isn{detyp=Branch}
        SELECTFROM -((branchLocation /\ -Delta);(branchLocation /\ -Delta)~) /\ I[Branch]

       (TO MAINTAIN  -(branchLocation~;branchLocation) \/ I[Location] FROM UNI branchLocatio
       (TO MAINTAIN  -I[Branch] \/ branchLocation;branchLocation~ FROM TOT branchLocation::B

<------End Derivation --


           ON INSERT Delta IN carAvailableAt[Car*Branch] EXECUTE    -- (ECA rule 5)
           ALL of INSERT INTO rcDroppedOffBranch[RentalCase*Branch]
                  SELECTFROM rcAssignedCar;(I[Car] /\ -(carAvailableAt;(carAvailableAt \/ I

                  (TO MAINTAIN  -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~
                  INSERT INTO Isn{detyp=Branch}
                   SELECTFROM (rcDroppedOffBranch~;rcAssignedCar;(I[Car] /\ -(carAvailableAt
```

```
                    (TO MAINTAIN  -(rcDroppedOffBranch~;rcAssignedCar;(I[Car] /\ -(carAvailab
                    (TO MAINTAIN  -(carAvailableAt~;carAvailableAt) \/ I[Branch] FROM UNI car
                    INSERT INTO rcDroppedOffDate[RentalCase*Date]
                     SELECTFROM rcAssignedCar;(I[Car] /\ -(carAvailableAt;(carAvailableAt \/ I

                    (TO MAINTAIN  -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~;
                    INSERT INTO Isn{detyp=Date}
                     SELECTFROM rcDroppedOffDate~;rcAssignedCar;(I[Car] /\ -(carAvailableAt;(

                    (TO MAINTAIN  -(rcDroppedOffDate~;rcAssignedCar;(I[Car] /\ -(carAvailable
                    INSERT INTO Isn{detyp=Car}
                     SELECTFROM (Delta;Delta~ /\ I[Car]) - I[Car]

          (MAINTAINING -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));sessi
          (MAINTAINING -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));sessi
          (MAINTAINING -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));sessi
          (MAINTAINING -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));sessi
          (MAINTAINING -(carAvailableAt~;carAvailableAt) \/ I[Branch] FROM UNI carAvailabl

------ Derivation ----->


        ALL of INSERT INTO rcDroppedOffBranch[RentalCase*Branch]
               SELECTFROM rcAssignedCar;(I[Car] /\ -(carAvailableAt;(carAvailableAt \/ Delta

               (TO MAINTAIN  -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));se
               INSERT INTO Isn{detyp=Branch}
                SELECTFROM (rcDroppedOffBranch~;rcAssignedCar;(I[Car] /\ -(carAvailableAt;(ca

               (TO MAINTAIN  -(rcDroppedOffBranch~;rcAssignedCar;(I[Car] /\ -(carAvailableAt;
               (TO MAINTAIN  -(carAvailableAt~;carAvailableAt) \/ I[Branch] FROM UNI carAvail
               INSERT INTO rcDroppedOffDate[RentalCase*Date]
                SELECTFROM rcAssignedCar;(I[Car] /\ -(carAvailableAt;(carAvailableAt \/ Delta

               (TO MAINTAIN  -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));se
               INSERT INTO Isn{detyp=Date}
                SELECTFROM rcDroppedOffDate~;rcAssignedCar;(I[Car] /\ -(carAvailableAt;(carAv

               (TO MAINTAIN  -(rcDroppedOffDate~;rcAssignedCar;(I[Car] /\ -(carAvailableAt;ca
               INSERT INTO Isn{detyp=Car}
                SELECTFROM (Delta;Delta~ /\ I[Car]) - I[Car]

        (MAINTAINING -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));sessionDro
        (MAINTAINING -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));sessionDro
        (MAINTAINING -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));sessionDro
        (MAINTAINING -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));sessionDro
        (MAINTAINING -(carAvailableAt~;carAvailableAt) \/ I[Branch] FROM UNI carAvailableAt::

    <------End Derivation --
```

71

```
ON DELETE Delta FROM carAvailableAt[Car*Branch] EXECUTE     -- (ECA rule 6)
ALL of DELETE FROM Isn{detyp=Car}
        SELECTFROM -((carAvailableAt /\ -Delta);(carAvailableAt /\ -Delta)~) /\

        (TO MAINTAIN  -I[Car] \/ carAvailableAt;carAvailableAt~ \/ rcAssignedCar~
        ONE OF DELETE FROM contractedPickupBranch[RentalCase*Branch]
              SELECTFROM (I[RentalCase] /\ rentalHasBeenPromised /\ -(rcKeysHan

              (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ rentalHas
              DELETE FROM Isn{detyp=RentalCase}
               SELECTFROM contractedPickupBranch;(-((carAvailableAt /\ -Delta)~;

              (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ rentalHas
              DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
               SELECTFROM contractedPickupBranch;(-((carAvailableAt /\ -Delta)~;

              (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ rentalHas
              ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM contractedPickupBranch;(-
                      THEN INSERT INTO rcKeysHandedOverQ[RentalCase*YesNoAnswer]
                          SELECTFROM 'a'[RentalCase]*'b'[YesNoAnswer]

                          (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase]
                      PICK a,b FROM rcKeysHandedOverQ~;contractedPickupBranch;(-(
                      THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
                              THEN BLOCK
                                  (CANNOT CHANGE 'Yes'[YesNoAnswer] F
                              PICK a,b FROM 'Yes'[YesNoAnswer];('a'[Ye
                              THEN INSERT INTO rcKeysHandedOverQ[Rental
                                  SELECTFROM 'b'[RentalCase]*'a'[Yes

                                  (TO MAINTAIN  -(contractedPickupBran
                          (MAINTAINING -(contractedPickupBranch~;(I[Renta
                          NEW x:YesNoAnswer;
                            ALL of BLOCK
                                  (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM
                                  INSERT INTO rcKeysHandedOverQ[RentalCa
                                   SELECTFROM 'b'[RentalCase]*'a'[YesNoAn

                                  (TO MAINTAIN  -(contractedPickupBranch
                          (MAINTAINING -(contractedPickupBranch~;(I[Rent
                          (MAINTAINING -(contractedPickupBranch~;(I[Renta
                      (MAINTAINING -(contractedPickupBranch~;(I[RentalCase]
              (MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHas
              NEW x:YesNoAnswer;
                ALL of INSERT INTO rcKeysHandedOverQ[RentalCase*YesNoAnswer]
                        SELECTFROM (contractedPickupBranch;(-((carAvailableAt /\

                      (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\
                      ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'[YesNoAnswe
```

```
                                        THEN BLOCK
                                            (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM Rentab
                                            PICK a,b FROM 'Yes'[YesNoAnswer];('x'[YesNoAnswer]=
                                            THEN INSERT INTO rcKeysHandedOverQ[RentalCase*YesN
                                                SELECTFROM 'b'[RentalCase]*'a'[YesNoAnswer]

                                        (TO MAINTAIN  -(contractedPickupBranch~;(I[Re
                        (MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ :
                    (MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHa
                  (MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHas
                DELETE FROM contractedCarType[RentalCase*CarType]
                 SELECTFROM (I[RentalCase] /\ rentalHasBeenPromised~ /\ -(rcKeysHa

                        (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ rentalHa
                (MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeenPro
        (MAINTAINING -I[Car] \/ carAvailableAt;carAvailableAt~ \/ rcAssignedCar~;(rental
        (MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeenPromised /\

------ Derivation ----->


        ALL of DELETE FROM Isn{detyp=Car}
                SELECTFROM -((carAvailableAt /\ -Delta);(carAvailableAt /\ -Delta)~) /\ -(rcA

            (TO MAINTAIN  -I[Car] \/ carAvailableAt;carAvailableAt~ \/ rcAssignedCar~;(ren
            ONE OF DELETE FROM contractedPickupBranch[RentalCase*Branch]
                    SELECTFROM (I[RentalCase] /\ rentalHasBeenPromised /\ -(rcKeysHandedOv

                    (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeen
                    DELETE FROM Isn{detyp=RentalCase}
                     SELECTFROM contractedPickupBranch;(-((carAvailableAt /\ -Delta)~;carTy

                    (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeen
                    DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
                     SELECTFROM contractedPickupBranch;(-((carAvailableAt /\ -Delta)~;carTy

                    (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeen
                    ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM contractedPickupBranch;(-((ca
                            THEN INSERT INTO rcKeysHandedOverQ[RentalCase*YesNoAnswer]
                                SELECTFROM 'a'[RentalCase]*'b'[YesNoAnswer]

                                (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ r
                            PICK a,b FROM rcKeysHandedOverQ~;contractedPickupBranch;(-((carA
                            THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[YesNo
                                        THEN BLOCK
                                            (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM R
                                            PICK a,b FROM 'Yes'[YesNoAnswer];('a'[YesNoAn
                                            THEN INSERT INTO rcKeysHandedOverQ[RentalCase
                                                SELECTFROM 'b'[RentalCase]*'a'[YesNoAns

                                73
```

```
                                        (TO MAINTAIN  -(contractedPickupBranch~;
                    (MAINTAINING -(contractedPickupBranch~;(I[RentalCase
                    NEW x:YesNoAnswer;
                       ALL of BLOCK
                                (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM Rent
                                INSERT INTO rcKeysHandedOverQ[RentalCase*Ye
                                 SELECTFROM 'b'[RentalCase]*'a'[YesNoAnswer

                                (TO MAINTAIN  -(contractedPickupBranch~;(I[
                         (MAINTAINING -(contractedPickupBranch~;(I[RentalCa
                         (MAINTAINING -(contractedPickupBranch~;(I[RentalCase
                  (MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ re
         (MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeenP
                 NEW x:YesNoAnswer;
                    ALL of INSERT INTO rcKeysHandedOverQ[RentalCase*YesNoAnswer]
                             SELECTFROM (contractedPickupBranch;(-((carAvailableAt /\ -Del

                             (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ rent
                       ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'[YesNoAnswer]*(c
                            THEN BLOCK
                                   (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM Rentable ca
                             PICK a,b FROM 'Yes'[YesNoAnswer];('x'[YesNoAnswer]*(con
                             THEN INSERT INTO rcKeysHandedOverQ[RentalCase*YesNoAnsw
                                      SELECTFROM 'b'[RentalCase]*'a'[YesNoAnswer]

                                (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalC
                       (MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ renta
                 (MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBee
                (MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeenP
                DELETE FROM contractedCarType[RentalCase*CarType]
                 SELECTFROM (I[RentalCase] /\ rentalHasBeenPromised~ /\ -(rcKeysHandedO

                                (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeen
                  (MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeenPromised
          (MAINTAINING -I[Car] \/ carAvailableAt;carAvailableAt~ \/ rcAssignedCar~;(rentalHasBe
          (MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeenPromised /\ -(r

      <------End Derivation --


          ON INSERT Delta IN carType[Car*CarType] EXECUTE    -- (ECA rule 7)
          ONE OF INSERT INTO Isn{detyp=CarType}
                  SELECTFROM (contractedCarType~;rcAssignedCar;carType /\ -I[CarType]) \/

                  (TO MAINTAIN  -(contractedCarType~;rcAssignedCar;carType) \/ I[CarType] F
              INSERT INTO contractedCarType[RentalCase*CarType]
                  SELECTFROM (rcAssignedCar;carType /\ -contractedCarType) \/ (rcAssignedCa
```

```
                         (TO MAINTAIN  -(rcAssignedCar;carType) \/ contractedCarType FROM Rented ca
                         INSERT INTO rentalBasicCharge[RentalCase*Amount]
                          SELECTFROM ((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;rentalTar

                         (TO MAINTAIN  -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;renta
                         INSERT INTO Isn{detyp=Amount}
                          SELECTFROM (rentalBasicCharge~;(rentalPeriod;ctcNrOfDays~ /\ rcAssignedCa

                         (TO MAINTAIN  -(rentalBasicCharge~;(rentalPeriod;ctcNrOfDays~ /\ rcAssigne
                         INSERT INTO rentalPenaltyCharge[RentalCase*Amount]
                          SELECTFROM ((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;exc

                         (TO MAINTAIN  -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType
                         INSERT INTO Isn{detyp=Amount}
                          SELECTFROM (rentalPenaltyCharge~;(rentalExcessPeriod;ctcNrOfDays~ /\ rcAs

                         (TO MAINTAIN  -(rentalPenaltyCharge~;(rentalExcessPeriod;ctcNrOfDays~ /\ :
                         INSERT INTO Isn{detyp=CarType}
                          SELECTFROM ((carType \/ Delta)~;carType /\ -I[CarType]) \/ ((carType \/ I

                         (TO MAINTAIN  -(carType~;carType) \/ I[CarType] FROM UNI carType::Car*CarT
                         INSERT INTO Isn{detyp=Car}
                          SELECTFROM (Delta;Delta~ /\ I[Car]) - I[Car]

                         INSERT INTO Isn{detyp=CarType}
                          SELECTFROM (Delta~;Delta /\ I[CarType]) - I[CarType]

             (MAINTAINING -rcAssignedCar \/ contractedCarType;carType~ FROM Rented car type i
             (MAINTAINING -rcAssignedCar \/ contractedCarType;carType~ FROM Rented car type i
             (MAINTAINING -rcAssignedCar \/ contractedCarType;carType~ FROM Rented car type i
             (MAINTAINING -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;rentalTariffP
             (MAINTAINING -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;rentalTariffP
             (MAINTAINING -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;excessT
             (MAINTAINING -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;excessT
             (MAINTAINING -(carType~;carType) \/ I[CarType] FROM UNI carType::Car*CarType)
             (MAINTAINING -I[Car] \/ carType;carType~ FROM TOT carType::Car*CarType)

------ Derivation ----->


        ONE OF INSERT INTO Isn{detyp=CarType}
                  SELECTFROM (contractedCarType~;rcAssignedCar;carType /\ -I[CarType]) \/ (cont

                  (TO MAINTAIN  -(contractedCarType~;rcAssignedCar;carType) \/ I[CarType] FROM R
                  INSERT INTO contractedCarType[RentalCase*CarType]
                   SELECTFROM (rcAssignedCar;carType /\ -contractedCarType) \/ (rcAssignedCar;De

                  (TO MAINTAIN  -(rcAssignedCar;carType) \/ contractedCarType FROM Rented car ty
                  INSERT INTO rentalBasicCharge[RentalCase*Amount]
```

SELECTFROM ((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;rentalTariffP

     (TO MAINTAIN  -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;rentalTari
     INSERT INTO Isn{detyp=Amount}
      SELECTFROM (rentalBasicCharge~;(rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;ca

     (TO MAINTAIN  -(rentalBasicCharge~;(rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar
     INSERT INTO rentalPenaltyCharge[RentalCase*Amount]
      SELECTFROM ((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;excessT

     (TO MAINTAIN  -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;exce
     INSERT INTO Isn{detyp=Amount}
      SELECTFROM (rentalPenaltyCharge~;(rentalExcessPeriod;ctcNrOfDays~ /\ rcAssign

     (TO MAINTAIN  -(rentalPenaltyCharge~;(rentalExcessPeriod;ctcNrOfDays~ /\ rcAss
     INSERT INTO Isn{detyp=CarType}
      SELECTFROM ((carType \/ Delta)~;carType /\ -I[CarType]) \/ ((carType \/ Delta

     (TO MAINTAIN  -(carType~;carType) \/ I[CarType] FROM UNI carType::Car*CarType)
     INSERT INTO Isn{detyp=Car}
      SELECTFROM (Delta;Delta~ /\ I[Car]) - I[Car]

     INSERT INTO Isn{detyp=CarType}
      SELECTFROM (Delta~;Delta /\ I[CarType]) - I[CarType]

(MAINTAINING -rcAssignedCar \/ contractedCarType;carType~ FROM Rented car type integr
(MAINTAINING -rcAssignedCar \/ contractedCarType;carType~ FROM Rented car type integr
(MAINTAINING -rcAssignedCar \/ contractedCarType;carType~ FROM Rented car type integr
(MAINTAINING -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;rentalTariffPerDay
(MAINTAINING -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;rentalTariffPerDay
(MAINTAINING -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;excessTariff
(MAINTAINING -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;excessTariff
(MAINTAINING -(carType~;carType) \/ I[CarType] FROM UNI carType::Car*CarType)
(MAINTAINING -I[Car] \/ carType;carType~ FROM TOT carType::Car*CarType)

<------End Derivation --


     ON DELETE Delta FROM carType[Car*CarType] EXECUTE     -- (ECA rule 8)
     ONE OF DELETE FROM rcAssignedCar[RentalCase*Car]
         SELECTFROM -(contractedCarType;(carType /\ -Delta)~) /\ rcAssignedCar

        (TO MAINTAIN  -rcAssignedCar \/ contractedCarType;carType~ FROM Rented ca
        DELETE FROM contractedCarType[RentalCase*CarType]
         SELECTFROM rcAssignedCar;(-(carType /\ -Delta) /\ rcAssignedCar~;contrac

        (TO MAINTAIN  -(contractedCarType~;rcAssignedCar) \/ carType~ FROM Rented
        DELETE FROM rcAssignedCar[RentalCase*Car]
         SELECTFROM contractedCarType;(-(carType /\ -Delta)~ /\ contractedCarType

```
(TO MAINTAIN  -(contractedCarType~;rcAssignedCar) \/ carType~ FROM Rented
DELETE FROM contractedPickupBranch[RentalCase*Branch]
 SELECTFROM (I[RentalCase] /\ rentalHasBeenPromised /\ -(rcKeysHandedOver(

(TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeenPro
DELETE FROM Isn{detyp=RentalCase}
 SELECTFROM contractedPickupBranch;(-(carAvailableAt~;(carType /\ -Delta)

(TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeenPro
DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
 SELECTFROM contractedPickupBranch;(-(carAvailableAt~;(carType /\ -Delta)

(TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeenPro
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM contractedPickupBranch;(-(carAv
        THEN INSERT INTO rcKeysHandedOverQ[RentalCase*YesNoAnswer]
              SELECTFROM 'a'[RentalCase]*'b'[YesNoAnswer]

                (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ ren
        PICK a,b FROM rcKeysHandedOverQ~;contractedPickupBranch;(-(carAvail
        THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[YesNoAn
                       THEN BLOCK
                             (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM Ren
                          PICK a,b FROM 'Yes'[YesNoAnswer];('a'[YesNoAnswe
                          THEN INSERT INTO rcKeysHandedOverQ[RentalCase*Y
                                SELECTFROM 'b'[RentalCase]*'a'[YesNoAnswe

                             (TO MAINTAIN  -(contractedPickupBranch~;(I
                   (MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /
                   NEW x:YesNoAnswer;
                     ALL of BLOCK
                             (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM Rentabl
                             INSERT INTO rcKeysHandedOverQ[RentalCase*YesNo
                              SELECTFROM 'b'[RentalCase]*'a'[YesNoAnswer]*

                             (TO MAINTAIN  -(contractedPickupBranch~;(I[Ren
                   (MAINTAINING -(contractedPickupBranch~;(I[RentalCase]
                   (MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /
              (MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rent
(MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeenProm
NEW x:YesNoAnswer;
  ALL of INSERT INTO rcKeysHandedOverQ[RentalCase*YesNoAnswer]
          SELECTFROM (contractedPickupBranch;(-(carAvailableAt~;(carType /

        (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ rentall
        ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'[YesNoAnswer]*(cont
              THEN BLOCK
                    (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM Rentable cars
                 PICK a,b FROM 'Yes'[YesNoAnswer];('x'[YesNoAnswer]*(contra
                 THEN INSERT INTO rcKeysHandedOverQ[RentalCase*YesNoAnswer]
```

77

```
                              SELECTFROM 'b'[RentalCase]*'a'[YesNoAnswer]

                        (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCas
             (MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHa
       (MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeenP:
     (MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeenPron
     DELETE FROM contractedCarType[RentalCase*CarType]
      SELECTFROM (I[RentalCase] /\ rentalHasBeenPromised~ /\ -(rcKeysHandedOve:

     (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeenPro
     DELETE FROM rcAssignedCar[RentalCase*Car]
      SELECTFROM (-((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;(carType /\ -D

     (TO MAINTAIN  -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod
     DELETE FROM rcAssignedCar[RentalCase*Car]
      SELECTFROM (-(V[RentalCase*CompTariffedCharge];(ctcNrOfDays;rentalPeriod

     (TO MAINTAIN  -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod
     DELETE FROM rentalPeriod[RentalCase*Integer]
      SELECTFROM (-((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;(carType /\ -D

     (TO MAINTAIN  -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod
     DELETE FROM rentalPeriod[RentalCase*Integer]
      SELECTFROM (-(V[RentalCase*CompTariffedCharge];(ctcNrOfDays;rentalPeriod

     (TO MAINTAIN  -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod
     DELETE FROM Isn{detyp=RentalCase}
      SELECTFROM -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;(carType /\ -Del

     (TO MAINTAIN  -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod
     DELETE FROM rentalExcessPeriod[RentalCase*Integer]
      SELECTFROM (-((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;(carType

     (TO MAINTAIN  -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[RentalCase]) '
     DELETE FROM rentalExcessPeriod[RentalCase*Integer]
      SELECTFROM (-(V[RentalCase*CompTariffedCharge];(ctcNrOfDays;rentalExcessl

     (TO MAINTAIN  -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[RentalCase]) '
     DELETE FROM Isn{detyp=RentalCase}
      SELECTFROM -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;(carType ,

     (TO MAINTAIN  -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[RentalCase]) '
     DELETE FROM Isn{detyp=Car}
      SELECTFROM -((carType /\ -Delta);(carType /\ -Delta)~) /\ I[Car]

     (TO MAINTAIN  -I[Car] \/ carType;I[CarType];carType~ FROM UNI carType::Ca:
 (MAINTAINING -rcAssignedCar \/ contractedCarType;carType~ FROM Rented car type i:
 (MAINTAINING -rcAssignedCar \/ contractedCarType;carType~ FROM Rented car type i:
 (MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeenPromised /
 (MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod~ /\ I[R
```

78

```
            (MAINTAINING -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[RentalCase]) \/ (rent
            (MAINTAINING -(carType~;carType) \/ I[CarType] FROM UNI carType::Car*CarType)
            (MAINTAINING -I[Car] \/ carType;carType~ FROM TOT carType::Car*CarType)


------ Derivation ----->


        ONE OF DELETE FROM rcAssignedCar[RentalCase*Car]
              SELECTFROM -(contractedCarType;(carType /\ -Delta)~) /\ rcAssignedCar

            (TO MAINTAIN  -rcAssignedCar \/ contractedCarType;carType~ FROM Rented car typ
            DELETE FROM contractedCarType[RentalCase*CarType]
             SELECTFROM rcAssignedCar;(-(carType /\ -Delta) /\ rcAssignedCar~;contractedCa

            (TO MAINTAIN  -(contractedCarType~;rcAssignedCar) \/ carType~ FROM Rented car
            DELETE FROM rcAssignedCar[RentalCase*Car]
             SELECTFROM contractedCarType;(-(carType /\ -Delta)~ /\ contractedCarType~;rcA

            (TO MAINTAIN  -(contractedCarType~;rcAssignedCar) \/ carType~ FROM Rented car
            DELETE FROM contractedPickupBranch[RentalCase*Branch]
             SELECTFROM (I[RentalCase] /\ rentalHasBeenPromised /\ -(rcKeysHandedOverQ;'Ye

            (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeenPromise
            DELETE FROM Isn{detyp=RentalCase}
             SELECTFROM contractedPickupBranch;(-(carAvailableAt~;(carType /\ -Delta)) /\

            (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeenPromise
            DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
             SELECTFROM contractedPickupBranch;(-(carAvailableAt~;(carType /\ -Delta)) /\

            (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeenPromise
            ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM contractedPickupBranch;(-(carAvailab
                    THEN INSERT INTO rcKeysHandedOverQ[RentalCase*YesNoAnswer]
                          SELECTFROM 'a'[RentalCase]*'b'[YesNoAnswer]

                        (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ rentalHa
                    PICK a,b FROM rcKeysHandedOverQ~;contractedPickupBranch;(-(carAvailable
                    THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[YesNoAnswer]
                                THEN BLOCK
                                      (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM Rentable
                                PICK a,b FROM 'Yes'[YesNoAnswer];('a'[YesNoAnswer]*'
                                THEN INSERT INTO rcKeysHandedOverQ[RentalCase*YesNoA
                                      SELECTFROM 'b'[RentalCase]*'a'[YesNoAnswer]

                                    (TO MAINTAIN  -(contractedPickupBranch~;(I[Rent
                          (MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ re
                          NEW x:YesNoAnswer;
                            ALL of BLOCK
                                  (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM Rentable ca


                            79
```

```
                                  INSERT INTO rcKeysHandedOverQ[RentalCase*YesNoAnsw
                                   SELECTFROM 'b'[RentalCase]*'a'[YesNoAnswer]*'x'[Y

                          (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalC
                     (MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\
                    (MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ re
               (MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHas
(MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeenPromised
NEW x:YesNoAnswer;
   ALL of INSERT INTO rcKeysHandedOverQ[RentalCase*YesNoAnswer]
            SELECTFROM (contractedPickupBranch;(-(carAvailableAt~;(carType /\ -D


          (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBe
          ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'[YesNoAnswer]*(contract
                  THEN BLOCK
                       (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM Rentable cars)
                  PICK a,b FROM 'Yes'[YesNoAnswer];('x'[YesNoAnswer]*(contracted
                  THEN INSERT INTO rcKeysHandedOverQ[RentalCase*YesNoAnswer]
                        SELECTFROM 'b'[RentalCase]*'a'[YesNoAnswer]


                        (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\
            (MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBee
    (MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeenPromis
(MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeenPromised
DELETE FROM contractedCarType[RentalCase*CarType]
 SELECTFROM (I[RentalCase] /\ rentalHasBeenPromised~ /\ -(rcKeysHandedOverQ;'Y


(TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeenPromise
DELETE FROM rcAssignedCar[RentalCase*Car]
 SELECTFROM (-((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;(carType /\ -Delta)


(TO MAINTAIN  -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod~ /\
DELETE FROM rcAssignedCar[RentalCase*Car]
 SELECTFROM (-(V[RentalCase*CompTariffedCharge];(ctcNrOfDays;rentalPeriod~ /\


(TO MAINTAIN  -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod~ /\
DELETE FROM rentalPeriod[RentalCase*Integer]
 SELECTFROM (-((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;(carType /\ -Delta)


(TO MAINTAIN  -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod~ /\
DELETE FROM rentalPeriod[RentalCase*Integer]
 SELECTFROM (-(V[RentalCase*CompTariffedCharge];(ctcNrOfDays;rentalPeriod~ /\


(TO MAINTAIN  -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod~ /\
DELETE FROM Isn{detyp=RentalCase}
 SELECTFROM -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;(carType /\ -Delta);


(TO MAINTAIN  -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod~ /\
DELETE FROM rentalExcessPeriod[RentalCase*Integer]
 SELECTFROM (-((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;(carType /\ -
```

```
                    (TO MAINTAIN  -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[RentalCase]) \/ (r
                    DELETE FROM rentalExcessPeriod[RentalCase*Integer]
                     SELECTFROM (-(V[RentalCase*CompTariffedCharge];(ctcNrOfDays;rentalExcessPerio

                    (TO MAINTAIN  -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[RentalCase]) \/ (r
                    DELETE FROM Isn{detyp=RentalCase}
                     SELECTFROM -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;(carType /\ -D

                    (TO MAINTAIN  -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[RentalCase]) \/ (r
                    DELETE FROM Isn{detyp=Car}
                     SELECTFROM -((carType /\ -Delta);(carType /\ -Delta)~) /\ I[Car]

                    (TO MAINTAIN  -I[Car] \/ carType;I[CarType];carType~ FROM UNI carType::Car*Car
        (MAINTAINING -rcAssignedCar \/ contractedCarType;carType~ FROM Rented car type integr
        (MAINTAINING -rcAssignedCar \/ contractedCarType;carType~ FROM Rented car type integr
        (MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeenPromised /\ -(r
        (MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod~ /\ I[Rental
        (MAINTAINING -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[RentalCase]) \/ (rentalExc
        (MAINTAINING -(carType~;carType) \/ I[CarType] FROM UNI carType::Car*CarType)
        (MAINTAINING -I[Car] \/ carType;carType~ FROM TOT carType::Car*CarType)

<------End Derivation --


            ON INSERT Delta IN brand[CarType*Brand] EXECUTE    -- (ECA rule 9)
            ONE OF INSERT INTO Isn{detyp=Brand}
                      SELECTFROM ((brand \/ Delta)~;brand /\ -I[Brand]) \/ ((brand \/ Delta)~;

                    (TO MAINTAIN  -(brand~;brand) \/ I[Brand] FROM UNI brand::CarType*Brand)
                    INSERT INTO Isn{detyp=CarType}
                     SELECTFROM (Delta;Delta~ /\ I[CarType]) - I[CarType]

                    INSERT INTO Isn{detyp=Brand}
                     SELECTFROM (Delta~;Delta /\ I[Brand]) - I[Brand]

            (MAINTAINING -(brand~;brand) \/ I[Brand] FROM UNI brand::CarType*Brand)
            (MAINTAINING -I[CarType] \/ brand;brand~ FROM TOT brand::CarType*Brand)

------ Derivation ----->


        ONE OF INSERT INTO Isn{detyp=Brand}
                SELECTFROM ((brand \/ Delta)~;brand /\ -I[Brand]) \/ ((brand \/ Delta)~;Delta

                (TO MAINTAIN  -(brand~;brand) \/ I[Brand] FROM UNI brand::CarType*Brand)
                INSERT INTO Isn{detyp=CarType}
                 SELECTFROM (Delta;Delta~ /\ I[CarType]) - I[CarType]
```

```
                    INSERT INTO Isn{detyp=Brand}
                     SELECTFROM (Delta~;Delta /\ I[Brand]) - I[Brand]

        (MAINTAINING -(brand~;brand) \/ I[Brand] FROM UNI brand::CarType*Brand)
        (MAINTAINING -I[CarType] \/ brand;brand~ FROM TOT brand::CarType*Brand)
```

<------End Derivation --

```
            ON DELETE Delta FROM brand[CarType*Brand] EXECUTE    -- (ECA rule 10)
            DELETE FROM Isn{detyp=CarType}
             SELECTFROM -((brand /\ -Delta);(brand /\ -Delta)~) /\ I[CarType]

            (TO MAINTAIN  -(brand~;brand) \/ I[Brand] FROM UNI brand::CarType*Brand)
            (TO MAINTAIN  -I[CarType] \/ brand;brand~ FROM TOT brand::CarType*Brand)
```

------ Derivation ----->

```
        DELETE FROM Isn{detyp=CarType}
         SELECTFROM -((brand /\ -Delta);(brand /\ -Delta)~) /\ I[CarType]

        (TO MAINTAIN  -(brand~;brand) \/ I[Brand] FROM UNI brand::CarType*Brand)
        (TO MAINTAIN  -I[CarType] \/ brand;brand~ FROM TOT brand::CarType*Brand)
```

<------End Derivation --

```
            ON INSERT Delta IN model[CarType*Model] EXECUTE     -- (ECA rule 11)
            ONE OF INSERT INTO Isn{detyp=Model}
                    SELECTFROM ((model \/ Delta)~;model /\ -I[Model]) \/ ((model \/ Delta)~;

                    (TO MAINTAIN  -(model~;model) \/ I[Model] FROM UNI model::CarType*Model)
                    INSERT INTO Isn{detyp=CarType}
                     SELECTFROM (Delta;Delta~ /\ I[CarType]) - I[CarType]

                    INSERT INTO Isn{detyp=Model}
                     SELECTFROM (Delta~;Delta /\ I[Model]) - I[Model]

            (MAINTAINING -(model~;model) \/ I[Model] FROM UNI model::CarType*Model)
            (MAINTAINING -I[CarType] \/ model;model~ FROM TOT model::CarType*Model)
```

------ Derivation ----->

```
        ONE OF INSERT INTO Isn{detyp=Model}
                SELECTFROM ((model \/ Delta)~;model /\ -I[Model]) \/ ((model \/ Delta)~;Delta
```

```
            (TO MAINTAIN  -(model~;model) \/ I[Model] FROM UNI model::CarType*Model)
          INSERT INTO Isn{detyp=CarType}
           SELECTFROM (Delta;Delta~ /\ I[CarType]) - I[CarType]

          INSERT INTO Isn{detyp=Model}
           SELECTFROM (Delta~;Delta /\ I[Model]) - I[Model]

      (MAINTAINING -(model~;model) \/ I[Model] FROM UNI model::CarType*Model)
      (MAINTAINING -I[CarType] \/ model;model~ FROM TOT model::CarType*Model)


<------End Derivation --


          ON DELETE Delta FROM model[CarType*Model] EXECUTE    -- (ECA rule 12)
          DELETE FROM Isn{detyp=CarType}
           SELECTFROM -((model /\ -Delta);(model /\ -Delta)~) /\ I[CarType]

          (TO MAINTAIN  -(model~;model) \/ I[Model] FROM UNI model::CarType*Model)
          (TO MAINTAIN  -I[CarType] \/ model;model~ FROM TOT model::CarType*Model)


------ Derivation ----->


      DELETE FROM Isn{detyp=CarType}
       SELECTFROM -((model /\ -Delta);(model /\ -Delta)~) /\ I[CarType]

      (TO MAINTAIN  -(model~;model) \/ I[Model] FROM UNI model::CarType*Model)
      (TO MAINTAIN  -I[CarType] \/ model;model~ FROM TOT model::CarType*Model)


<------End Derivation --


          ON INSERT Delta IN rentalTariffPerDay[CarType*Amount] EXECUTE    -- (ECA rule 13
          ONE OF INSERT INTO rentalBasicCharge[RentalCase*Amount]
               SELECTFROM ((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;rentalTar

               (TO MAINTAIN  -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;renta
               INSERT INTO Isn{detyp=Amount}
                SELECTFROM (rentalBasicCharge~;(rentalPeriod;ctcNrOfDays~ /\ rcAssignedC

               (TO MAINTAIN  -(rentalBasicCharge~;(rentalPeriod;ctcNrOfDays~ /\ rcAssigne
               INSERT INTO projectedBasicCharge[RentalCase*Amount]
                SELECTFROM ((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;ren

               (TO MAINTAIN  -((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;
               INSERT INTO Isn{detyp=Amount}
                SELECTFROM (projectedBasicCharge~;(projectedRentalPeriod;ctcNrOfDays~ /\
```

83

```
                        (TO MAINTAIN  -(projectedBasicCharge~;(projectedRentalPeriod;ctcNrOfDays~
                        INSERT INTO Isn{detyp=Amount}
                         SELECTFROM ((rentalTariffPerDay \/ Delta)~;rentalTariffPerDay /\ -I[Amoun

                        (TO MAINTAIN  -(rentalTariffPerDay~;rentalTariffPerDay) \/ I[Amount] FROM
                        INSERT INTO Isn{detyp=CarType}
                         SELECTFROM (Delta;Delta~ /\ I[CarType]) - I[CarType]

                        INSERT INTO Isn{detyp=Amount}
                         SELECTFROM (Delta~;Delta /\ I[Amount]) - I[Amount]

            (MAINTAINING -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;rentalTariffP
            (MAINTAINING -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;rentalTariffP
            (MAINTAINING -((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;rentalTa
            (MAINTAINING -((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;rentalTa
            (MAINTAINING -(rentalTariffPerDay~;rentalTariffPerDay) \/ I[Amount] FROM UNI ren
            (MAINTAINING -I[CarType] \/ rentalTariffPerDay;rentalTariffPerDay~ FROM TOT rent
```

------ Derivation ----->


```
        ONE OF INSERT INTO rentalBasicCharge[RentalCase*Amount]
                SELECTFROM ((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;rentalTariffP

                (TO MAINTAIN  -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;rentalTari
                INSERT INTO Isn{detyp=Amount}
                 SELECTFROM (rentalBasicCharge~;(rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;ca

                (TO MAINTAIN  -(rentalBasicCharge~;(rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar
                INSERT INTO projectedBasicCharge[RentalCase*Amount]
                 SELECTFROM ((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;rentalTa

                (TO MAINTAIN  -((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;renta
                INSERT INTO Isn{detyp=Amount}
                 SELECTFROM (projectedBasicCharge~;(projectedRentalPeriod;ctcNrOfDays~ /\ cont

                (TO MAINTAIN  -(projectedBasicCharge~;(projectedRentalPeriod;ctcNrOfDays~ /\ c
                INSERT INTO Isn{detyp=Amount}
                 SELECTFROM ((rentalTariffPerDay \/ Delta)~;rentalTariffPerDay /\ -I[Amount])

                (TO MAINTAIN  -(rentalTariffPerDay~;rentalTariffPerDay) \/ I[Amount] FROM UNI
                INSERT INTO Isn{detyp=CarType}
                 SELECTFROM (Delta;Delta~ /\ I[CarType]) - I[CarType]

                INSERT INTO Isn{detyp=Amount}
                 SELECTFROM (Delta~;Delta /\ I[Amount]) - I[Amount]

        (MAINTAINING -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;rentalTariffPerDay
        (MAINTAINING -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;rentalTariffPerDay
```

```
(MAINTAINING -((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;rentalTariffP
(MAINTAINING -((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;rentalTariffP
(MAINTAINING -(rentalTariffPerDay~;rentalTariffPerDay) \/ I[Amount] FROM UNI rentalTa
(MAINTAINING -I[CarType] \/ rentalTariffPerDay;rentalTariffPerDay~ FROM TOT rentalTar


<------End Derivation --


        ON DELETE Delta FROM rentalTariffPerDay[CarType*Amount] EXECUTE    -- (ECA rule
        ONE OF DELETE FROM rcAssignedCar[RentalCase*Car]
               SELECTFROM (-((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;(renta

               (TO MAINTAIN  -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod
               DELETE FROM rcAssignedCar[RentalCase*Car]
                SELECTFROM (-(V[RentalCase*CompTariffedCharge];(ctcNrOfDays;rentalPeriod

               (TO MAINTAIN  -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod
               DELETE FROM rentalPeriod[RentalCase*Integer]
                SELECTFROM (-((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;(renta

               (TO MAINTAIN  -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod
               DELETE FROM rentalPeriod[RentalCase*Integer]
                SELECTFROM (-(V[RentalCase*CompTariffedCharge];(ctcNrOfDays;rentalPeriod

               (TO MAINTAIN  -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod
               DELETE FROM Isn{detyp=RentalCase}
                SELECTFROM -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;(rental

               (TO MAINTAIN  -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod
               DELETE FROM contractedCarType[RentalCase*CarType]
                SELECTFROM (-((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;(

               (TO MAINTAIN  -(contractedCarType;contractedCarType~ /\ projectedRentalPe
               DELETE FROM contractedCarType[RentalCase*CarType]
                SELECTFROM (-(V[RentalCase*CompTariffedCharge];(ctcNrOfDays;projectedRen

               (TO MAINTAIN  -(contractedCarType;contractedCarType~ /\ projectedRentalPe
               DELETE FROM projectedRentalPeriod[RentalCase*Integer]
                SELECTFROM (-((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;(

               (TO MAINTAIN  -(contractedCarType;contractedCarType~ /\ projectedRentalPe
               DELETE FROM projectedRentalPeriod[RentalCase*Integer]
                SELECTFROM (-(V[RentalCase*CompTariffedCharge];(ctcNrOfDays;projectedRen

               (TO MAINTAIN  -(contractedCarType;contractedCarType~ /\ projectedRentalPe
               DELETE FROM Isn{detyp=RentalCase}
                SELECTFROM -((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;(r

               (TO MAINTAIN  -(contractedCarType;contractedCarType~ /\ projectedRentalPe
```

85

```
                        DELETE FROM Isn{detyp=CarType}
                         SELECTFROM -((rentalTariffPerDay /\ -Delta);(rentalTariffPerDay /\ -Delta

                    (TO MAINTAIN  -I[CarType] \/ rentalTariffPerDay;I[Amount];rentalTariffPer
            (MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod~ /\ I[R
            (MAINTAINING -(contractedCarType;contractedCarType~ /\ projectedRentalPeriod;pro
            (MAINTAINING -(rentalTariffPerDay~;rentalTariffPerDay) \/ I[Amount] FROM UNI ren
            (MAINTAINING -I[CarType] \/ rentalTariffPerDay;rentalTariffPerDay~ FROM TOT rent


------ Derivation ----->


        ONE OF DELETE FROM rcAssignedCar[RentalCase*Car]
                SELECTFROM (-((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;(rentalTari

                (TO MAINTAIN  -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod~ /\
                DELETE FROM rcAssignedCar[RentalCase*Car]
                 SELECTFROM (-(V[RentalCase*CompTariffedCharge];(ctcNrOfDays;rentalPeriod~ /\

                (TO MAINTAIN  -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod~ /\
                DELETE FROM rentalPeriod[RentalCase*Integer]
                 SELECTFROM (-((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;(rentalTari

                (TO MAINTAIN  -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod~ /\
                DELETE FROM rentalPeriod[RentalCase*Integer]
                 SELECTFROM (-(V[RentalCase*CompTariffedCharge];(ctcNrOfDays;rentalPeriod~ /\

                (TO MAINTAIN  -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod~ /\
                DELETE FROM Isn{detyp=RentalCase}
                 SELECTFROM -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;(rentalTarif

                (TO MAINTAIN  -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod~ /\
                DELETE FROM contractedCarType[RentalCase*CarType]
                 SELECTFROM (-((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;(renta

                (TO MAINTAIN  -(contractedCarType;contractedCarType~ /\ projectedRentalPeriod;
                DELETE FROM contractedCarType[RentalCase*CarType]
                 SELECTFROM (-(V[RentalCase*CompTariffedCharge];(ctcNrOfDays;projectedRentalPe

                (TO MAINTAIN  -(contractedCarType;contractedCarType~ /\ projectedRentalPeriod;
                DELETE FROM projectedRentalPeriod[RentalCase*Integer]
                 SELECTFROM (-((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;(renta

                (TO MAINTAIN  -(contractedCarType;contractedCarType~ /\ projectedRentalPeriod;
                DELETE FROM projectedRentalPeriod[RentalCase*Integer]
                 SELECTFROM (-(V[RentalCase*CompTariffedCharge];(ctcNrOfDays;projectedRentalPe

                (TO MAINTAIN  -(contractedCarType;contractedCarType~ /\ projectedRentalPeriod;
                DELETE FROM Isn{detyp=RentalCase}
```

```
                            SELECTFROM -((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;(rental

                    (TO MAINTAIN  -(contractedCarType;contractedCarType~ /\ projectedRentalPeriod;
               DELETE FROM Isn{detyp=CarType}
                 SELECTFROM -((rentalTariffPerDay /\ -Delta);(rentalTariffPerDay /\ -Delta)~)

                    (TO MAINTAIN  -I[CarType] \/ rentalTariffPerDay;I[Amount];rentalTariffPerDay~
      (MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod~ /\ I[Rental
      (MAINTAINING -(contractedCarType;contractedCarType~ /\ projectedRentalPeriod;projecte
      (MAINTAINING -(rentalTariffPerDay~;rentalTariffPerDay) \/ I[Amount] FROM UNI rentalTa
      (MAINTAINING -I[CarType] \/ rentalTariffPerDay;rentalTariffPerDay~ FROM TOT rentalTar
```

<------End Derivation --

```
            ON INSERT Delta IN excessTariffPerDay[CarType*Amount] EXECUTE      -- (ECA rule 15
            ONE OF INSERT INTO rentalPenaltyCharge[RentalCase*Amount]
                    SELECTFROM ((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;exc

                    (TO MAINTAIN  -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType
                    INSERT INTO Isn{detyp=Amount}
                     SELECTFROM (rentalPenaltyCharge~;(rentalExcessPeriod;ctcNrOfDays~ /\ rcA

                    (TO MAINTAIN  -(rentalPenaltyCharge~;(rentalExcessPeriod;ctcNrOfDays~ /\
                    INSERT INTO Isn{detyp=Amount}
                     SELECTFROM ((excessTariffPerDay \/ Delta)~;excessTariffPerDay /\ -I[Amou

                    (TO MAINTAIN  -(excessTariffPerDay~;excessTariffPerDay) \/ I[Amount] FROM
                    INSERT INTO Isn{detyp=CarType}
                     SELECTFROM (Delta;Delta~ /\ I[CarType]) - I[CarType]

                    INSERT INTO Isn{detyp=Amount}
                     SELECTFROM (Delta~;Delta /\ I[Amount]) - I[Amount]

            (MAINTAINING -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;excessTa
            (MAINTAINING -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;excessTa
            (MAINTAINING -(excessTariffPerDay~;excessTariffPerDay) \/ I[Amount] FROM UNI exce
            (MAINTAINING -I[CarType] \/ excessTariffPerDay;excessTariffPerDay~ FROM TOT exce
```

----- Derivation ----->

```
        ONE OF INSERT INTO rentalPenaltyCharge[RentalCase*Amount]
                SELECTFROM ((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;excessT

                (TO MAINTAIN  -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;exce
                INSERT INTO Isn{detyp=Amount}
                 SELECTFROM (rentalPenaltyCharge~;(rentalExcessPeriod;ctcNrOfDays~ /\ rcAssign
```

                                    87

```
                        (TO MAINTAIN  -(rentalPenaltyCharge~;(rentalExcessPeriod;ctcNrOfDays~ /\ rcAss
                        INSERT INTO Isn{detyp=Amount}
                         SELECTFROM ((excessTariffPerDay \/ Delta)~;excessTariffPerDay /\ -I[Amount])

                        (TO MAINTAIN  -(excessTariffPerDay~;excessTariffPerDay) \/ I[Amount] FROM UNI
                        INSERT INTO Isn{detyp=CarType}
                         SELECTFROM (Delta;Delta~ /\ I[CarType]) - I[CarType]

                        INSERT INTO Isn{detyp=Amount}
                         SELECTFROM (Delta~;Delta /\ I[Amount]) - I[Amount]

        (MAINTAINING -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;excessTariff
        (MAINTAINING -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;excessTariff
        (MAINTAINING -(excessTariffPerDay~;excessTariffPerDay) \/ I[Amount] FROM UNI excessTa
        (MAINTAINING -I[CarType] \/ excessTariffPerDay;excessTariffPerDay~ FROM TOT excessTar

<------End Derivation --


          ON DELETE Delta FROM excessTariffPerDay[CarType*Amount] EXECUTE    -- (ECA rule
          ONE OF DELETE FROM rentalExcessPeriod[RentalCase*Integer]
                  SELECTFROM (-((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;

                  (TO MAINTAIN  -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[RentalCase])
                  DELETE FROM rentalExcessPeriod[RentalCase*Integer]
                   SELECTFROM (-(V[RentalCase*CompTariffedCharge];(ctcNrOfDays;rentalExcess

                  (TO MAINTAIN  -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[RentalCase])
                  DELETE FROM Isn{detyp=RentalCase}
                   SELECTFROM -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;(

                  (TO MAINTAIN  -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[RentalCase])
                  DELETE FROM Isn{detyp=CarType}
                   SELECTFROM -((excessTariffPerDay /\ -Delta);(excessTariffPerDay /\ -Delt

                  (TO MAINTAIN  -I[CarType] \/ excessTariffPerDay;I[Amount];excessTariffPer
        (MAINTAINING -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[RentalCase]) \/ (rent
        (MAINTAINING -(excessTariffPerDay~;excessTariffPerDay) \/ I[Amount] FROM UNI exc
        (MAINTAINING -I[CarType] \/ excessTariffPerDay;excessTariffPerDay~ FROM TOT exce

------ Derivation ----->


      ONE OF DELETE FROM rentalExcessPeriod[RentalCase*Integer]
              SELECTFROM (-((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;(exce

              (TO MAINTAIN  -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[RentalCase]) \/ (r
              DELETE FROM rentalExcessPeriod[RentalCase*Integer]
               SELECTFROM (-(V[RentalCase*CompTariffedCharge];(ctcNrOfDays;rentalExcessPerio
```

```
                    (TO MAINTAIN  -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[RentalCase]) \/ (r
                    DELETE FROM Isn{detyp=RentalCase}
                     SELECTFROM -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;(exces

                    (TO MAINTAIN  -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[RentalCase]) \/ (r
                    DELETE FROM Isn{detyp=CarType}
                     SELECTFROM -((excessTariffPerDay /\ -Delta);(excessTariffPerDay /\ -Delta)~)

                    (TO MAINTAIN  -I[CarType] \/ excessTariffPerDay;I[Amount];excessTariffPerDay~
            (MAINTAINING -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[RentalCase]) \/ (rentalExc
            (MAINTAINING -(excessTariffPerDay~;excessTariffPerDay) \/ I[Amount] FROM UNI excessTa
            (MAINTAINING -I[CarType] \/ excessTariffPerDay;excessTariffPerDay~ FROM TOT excessTar


    <------End Derivation --


                ON INSERT Delta IN maxRentalDuration[CarRentalCompany*Integer] EXECUTE    -- (EC
                ALL of INSERT INTO rcMaxRentalDuration[RentalCase*Integer]
                        SELECTFROM (contractedPickupBranch;branchOf;maxRentalDuration /\ -rcMaxR

                    (TO MAINTAIN  -(contractedPickupBranch;branchOf;maxRentalDuration) \/ rcMa
                    INSERT INTO Isn{detyp=Integer}
                     SELECTFROM (rcMaxRentalDuration~;contractedPickupBranch;branchOf;maxRenta

                    (TO MAINTAIN  -(rcMaxRentalDuration~;contractedPickupBranch;branchOf;maxRe
                    INSERT INTO Isn{detyp=CarRentalCompany}
                     SELECTFROM (Delta;Delta~ /\ I[CarRentalCompany]) - I[CarRentalCompany]

                (MAINTAINING -(contractedPickupBranch;branchOf;maxRentalDuration) \/ rcMaxRental
                (MAINTAINING -(contractedPickupBranch;branchOf;maxRentalDuration) \/ rcMaxRental


    ------ Derivation ----->


        ALL of INSERT INTO rcMaxRentalDuration[RentalCase*Integer]
                SELECTFROM (contractedPickupBranch;branchOf;maxRentalDuration /\ -rcMaxRental

            (TO MAINTAIN  -(contractedPickupBranch;branchOf;maxRentalDuration) \/ rcMaxRen
            INSERT INTO Isn{detyp=Integer}
             SELECTFROM (rcMaxRentalDuration~;contractedPickupBranch;branchOf;maxRentalDur

            (TO MAINTAIN  -(rcMaxRentalDuration~;contractedPickupBranch;branchOf;maxRental
            INSERT INTO Isn{detyp=CarRentalCompany}
             SELECTFROM (Delta;Delta~ /\ I[CarRentalCompany]) - I[CarRentalCompany]

        (MAINTAINING -(contractedPickupBranch;branchOf;maxRentalDuration) \/ rcMaxRentalDurat
        (MAINTAINING -(contractedPickupBranch;branchOf;maxRentalDuration) \/ rcMaxRentalDurat
```

<------End Derivation --


            ON INSERT Delta IN dateIntervalIsWithinMaxRentalDuration[Date*Date] EXECUTE    --
            INSERT INTO Isn{detyp=Date}
             SELECTFROM (Delta;Delta~ /\ I[Date]) - I[Date] \/ (Delta~;Delta /\ I[Date]) - I


------ Derivation ----->


        INSERT INTO Isn{detyp=Date}
         SELECTFROM (Delta;Delta~ /\ I[Date]) - I[Date] \/ (Delta~;Delta /\ I[Date]) - I[Date


<------End Derivation --


            ON DELETE Delta FROM dateIntervalIsWithinMaxRentalDuration[Date*Date] EXECUTE
            ONE OF DELETE FROM contractedStartDate[RentalCase*Date]
                    SELECTFROM contractedEndDate;((-dateIntervalIsWithinMaxRentalDuration~ /

                    (TO MAINTAIN  -(contractedStartDate~;contractedEndDate) \/ dateIntervalIsW
                    DELETE FROM contractedEndDate[RentalCase*Date]
                     SELECTFROM contractedStartDate;((-dateIntervalIsWithinMaxRentalDuration ,

                    (TO MAINTAIN  -(contractedStartDate~;contractedEndDate) \/ dateIntervalIsW
            (MAINTAINING -(contractedStartDate~;contractedEndDate) \/ dateIntervalIsWithinMa


------ Derivation ----->


        ONE OF DELETE FROM contractedStartDate[RentalCase*Date]
                SELECTFROM contractedEndDate;((-dateIntervalIsWithinMaxRentalDuration~ /\ con

                (TO MAINTAIN  -(contractedStartDate~;contractedEndDate) \/ dateIntervalIsWithi
                DELETE FROM contractedEndDate[RentalCase*Date]
                 SELECTFROM contractedStartDate;((-dateIntervalIsWithinMaxRentalDuration /\ co

                (TO MAINTAIN  -(contractedStartDate~;contractedEndDate) \/ dateIntervalIsWithi
        (MAINTAINING -(contractedStartDate~;contractedEndDate) \/ dateIntervalIsWithinMaxRent


<------End Derivation --


            ON INSERT Delta IN contractedStartDate[RentalCase*Date] EXECUTE    -- (ECA rule
            ONE OF INSERT INTO dateIntervalIsWithinMaxRentalDuration[Date*Date]


90

```
SELECTFROM (contractedStartDate \/ Delta)~;contractedEndDate /\ -dateInt

(TO MAINTAIN  -(contractedStartDate~;contractedEndDate) \/ dateIntervalIsV
INSERT INTO rentalHasBeenPromised[RentalCase*RentalCase]
 SELECTFROM (rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType

(TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCar
INSERT INTO rentalHasBeenPromised[RentalCase*RentalCase]
 SELECTFROM (rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType

(TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCar
INSERT INTO contractedStartDate[RentalCase*Date]
 SELECTFROM rentalHasBeenPromised~;(contractedStartDate \/ Delta) /\ -con

(TO MAINTAIN  -(contractedStartDate~;rentalHasBeenPromised) \/ contracted
INSERT INTO Isn{detyp=Date}
 SELECTFROM ((contractedStartDate \/ Delta)~;rentalHasBeenPromised;contra

(TO MAINTAIN  -(contractedStartDate~;rentalHasBeenPromised;contractedStar
INSERT INTO contractedStartDate[RentalCase*Date]
 SELECTFROM (rentalHasBeenPromised;contractedStartDate /\ -contractedStar

(TO MAINTAIN  -(rentalHasBeenPromised;contractedStartDate) \/ contractedS
INSERT INTO rentalPeriod[RentalCase*Integer]
 SELECTFROM ((contractedStartDate;earliestDate~ /\ rcDroppedOffDate;lates

(TO MAINTAIN  -((contractedStartDate;earliestDate~ /\ rcDroppedOffDate;la
INSERT INTO Isn{detyp=Integer}
 SELECTFROM (rentalPeriod~;(contractedStartDate;earliestDate~ /\ rcDroppe

(TO MAINTAIN  -(rentalPeriod~;(contractedStartDate;earliestDate~ /\ rcDro
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rcMaxRentalDuration;rcMaxRent
         THEN INSERT INTO contractedStartDate[RentalCase*Date]
                SELECTFROM 'a'[RentalCase]*'b'[Date]

                 (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ c
            PICK a,b FROM contractedStartDate~;((rcMaxRentalDuration;rcMaxRent
            THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[Date]*'
                            THEN INSERT INTO dateIntervalCompTrigger[Date*Da
                                SELECTFROM 'a'[Date]*'b'[Date]

                                 (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxR
                            PICK a,b FROM dateIntervalCompTrigger~;('a'[Date
                            THEN INSERT INTO contractedEndDate[RentalCase*Da
                                SELECTFROM 'b'[RentalCase]*'a'[Date]

                                 (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxR
                    (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration
                    NEW x:Date;
                      ALL of INSERT INTO dateIntervalCompTrigger[Date*Date]
```

91

```
                                         SELECTFROM 'a'[Date]*'b'[RentalCase]*'x'[Date

                                   (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRent
                                   INSERT INTO contractedEndDate[RentalCase*Date
                                    SELECTFROM 'b'[RentalCase]*'a'[Date]*'x'[Date

                                   (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRent
                        (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuratio
                          (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration
                  (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ co
    (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEndD
NEW x:Date;
    ALL of INSERT INTO contractedStartDate[RentalCase*Date]
             SELECTFROM ((rcMaxRentalDuration;rcMaxRentalDuration~ /\ contrac

                 (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ conti
             ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'[Date]*((rcM
                           THEN INSERT INTO dateIntervalCompTrigger[Date*Date
                              SELECTFROM 'a'[Date]*'b'[Date]

                                (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRent
                          PICK a,b FROM dateIntervalCompTrigger~;('x'[Date]*
                          THEN INSERT INTO contractedEndDate[RentalCase*Date
                              SELECTFROM 'b'[RentalCase]*'a'[Date]

                                (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRent
                      (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /
                      NEW x:Date;
                         ALL of INSERT INTO dateIntervalCompTrigger[Date*Date]
                               SELECTFROM 'x'[Date]*((rcMaxRentalDuration;rcMa

                                  (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalD
                              INSERT INTO contractedEndDate[RentalCase*Date]
                               SELECTFROM ((rcMaxRentalDuration;rcMaxRentalDur

                                  (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalD
                        (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~
                        (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /
                (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contra
      (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEn
(MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEndDa
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (((contractedStartDate \/ Delta
        THEN INSERT INTO dateIntervalCompTrigger[Date*Date]
             SELECTFROM 'a'[Date]*'b'[Date]

                 (TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMa
            PICK a,b FROM dateIntervalCompTrigger~;(((contractedStartDate \/ D
            THEN INSERT INTO contractedEndDate[RentalCase*Date]
                 SELECTFROM 'b'[RentalCase]*'a'[Date]
```

```
                        (TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMa
(MAINTAINING -(contractedStartDate~;rcMaxRentalDuration;rcMaxRentalDurati
INSERT INTO dateIntervalCompTrigger[Date*Date]
 SELECTFROM ((contractedStartDate \/ Delta)~;rcMaxRentalDuration;rcMaxRent

(TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRentalDurat
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rcMaxRentalDuration;rcMaxRenta
        THEN INSERT INTO contractedStartDate[RentalCase*Date]
             SELECTFROM 'a'[RentalCase]*'b'[Date]

                (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~;conti
        PICK a,b FROM contractedStartDate~;((rcMaxRentalDuration;rcMaxRenta
        THEN INSERT INTO dateIntervalCompTrigger[Date*Date]
             SELECTFROM 'a'[Date]*'b'[Date]

                (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~;conti
(MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~;contractedEndDate
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rcDroppedOffDate;rcDroppedOffI
        THEN ALL of ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
                                THEN INSERT INTO contractedStartDate[Ren
                                    SELECTFROM 'a'[RentalCase]*'b'[Dat

                                (TO MAINTAIN  -(rcDroppedOffDate;rcI
                            PICK a,b FROM contractedStartDate~;('a'[
                            THEN INSERT INTO earliestDate[DateDiffere
                                    SELECTFROM 'b'[DateDifferencePlusO

                                (TO MAINTAIN  -(rcDroppedOffDate;rcI
                    (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate
                    NEW x:Date;
                     ALL of INSERT INTO contractedStartDate[RentalC
                                SELECTFROM 'a'[RentalCase]*'b'[DateDi

                                (TO MAINTAIN  -(rcDroppedOffDate;rcDroj
                            INSERT INTO earliestDate[DateDifference
                             SELECTFROM 'b'[DateDifferencePlusOne]

                                (TO MAINTAIN  -(rcDroppedOffDate;rcDroj
                        (MAINTAINING -(rcDroppedOffDate;rcDroppedOffD
                    (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate
                (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ c
                ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
                            THEN INSERT INTO rcDroppedOffDate[RentalC
                                SELECTFROM 'a'[RentalCase]*'b'[Dat

                                (TO MAINTAIN  -(rcDroppedOffDate;rcI
                        PICK a,b FROM rcDroppedOffDate~;('a'[Rent
                        THEN INSERT INTO latestDate[DateDifferenc
                                SELECTFROM 'b'[DateDifferencePlusO
```

93

```
                                  (TO MAINTAIN  -(rcDroppedOffDate;rc
                    (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate
                    NEW x:Date;
                      ALL of INSERT INTO rcDroppedOffDate[RentalCase
                              SELECTFROM 'a'[RentalCase]*'b'[DateDi

                                  (TO MAINTAIN  -(rcDroppedOffDate;rcDro
                                  INSERT INTO latestDate[DateDifferenceP
                                    SELECTFROM 'b'[DateDifferencePlusOne]

                                  (TO MAINTAIN  -(rcDroppedOffDate;rcDro
                    (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDa
                    (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate
                (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ c
            (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contracte
        PICK a,b FROM (earliestDate;contractedStartDate~ /\ latestDate;rcD
        THEN BLOCK
                    (CANNOT CHANGE V[DateDifferencePlusOne*RentalCase] FROM Trigg
    (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedStartDate;
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((contractedEndDate;contractedE
        THEN ALL of ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
                              THEN INSERT INTO contractedStartDate[Ren
                                    SELECTFROM 'a'[RentalCase]*'b'[Date

                                  (TO MAINTAIN  -(contractedEndDate;co
                            PICK a,b FROM contractedStartDate~;('a'[
                            THEN INSERT INTO earliestDate[DateDiffere
                                    SELECTFROM 'b'[DateDifferencePlusO

                                  (TO MAINTAIN  -(contractedEndDate;co
                    (MAINTAINING -(contractedEndDate;contractedEndDa
                    NEW x:Date;
                      ALL of INSERT INTO contractedStartDate[RentalC
                              SELECTFROM 'a'[RentalCase]*'b'[DateDi

                                  (TO MAINTAIN  -(contractedEndDate;cont
                                  INSERT INTO earliestDate[DateDifference
                                    SELECTFROM 'b'[DateDifferencePlusOne]

                                  (TO MAINTAIN  -(contractedEndDate;cont
                    (MAINTAINING -(contractedEndDate;contractedEnd
                    (MAINTAINING -(contractedEndDate;contractedEndDa
                (MAINTAINING -(contractedEndDate;contractedEndDate~ /\
                ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
                              THEN INSERT INTO contractedEndDate[Renta
                                    SELECTFROM 'a'[RentalCase]*'b'[Date

                                  (TO MAINTAIN  -(contractedEndDate;co
                            PICK a,b FROM contractedEndDate~;('a'[Re
                            THEN INSERT INTO latestDate[DateDifferen
```

94

```
                                          SELECTFROM 'b'[DateDifferencePlusO

                              (TO MAINTAIN  -(contractedEndDate;c
                    (MAINTAINING -(contractedEndDate;contractedEndD
                    NEW x:Date;
                      ALL of INSERT INTO contractedEndDate[RentalCa
                          SELECTFROM 'a'[RentalCase]*'b'[DateDi

                              (TO MAINTAIN  -(contractedEndDate;conti
                              INSERT INTO latestDate[DateDifferenceP
                               SELECTFROM 'b'[DateDifferencePlusOne]

                              (TO MAINTAIN  -(contractedEndDate;conti
                        (MAINTAINING -(contractedEndDate;contractedEn
                          (MAINTAINING -(contractedEndDate;contractedEndD
                    (MAINTAINING -(contractedEndDate;contractedEndDate~ /\
              (MAINTAINING -(contractedEndDate;contractedEndDate~ /\ contra
            PICK a,b FROM (earliestDate;contractedStartDate~ /\ latestDate;con
            THEN BLOCK
                (CANNOT CHANGE V[DateDifferencePlusOne*RentalCase] FROM Trigge
    (MAINTAINING -(contractedEndDate;contractedEndDate~ /\ contractedStartDate
    INSERT INTO projectedRentalPeriod[RentalCase*Integer]
     SELECTFROM ((contractedStartDate;earliestDate~ /\ contractedEndDate;late

    (TO MAINTAIN  -((contractedStartDate;earliestDate~ /\ contractedEndDate;l
    INSERT INTO Isn{detyp=Integer}
     SELECTFROM (projectedRentalPeriod~;(contractedStartDate;earliestDate~ /\

    (TO MAINTAIN  -(projectedRentalPeriod~;(contractedStartDate;earliestDate~
    INSERT INTO Isn{detyp=Date}
     SELECTFROM (contractedStartDate \/ Delta)~;(I[RentalCase] /\ rcBranchReq

    (TO MAINTAIN  -(contractedStartDate~;(I[RentalCase] /\ rcBranchRequestedQ
    INSERT INTO Isn{detyp=Date}
     SELECTFROM ((contractedStartDate \/ Delta)~;contractedStartDate /\ -I[Da

    (TO MAINTAIN  -(contractedStartDate~;contractedStartDate) \/ I[Date] FROM
    INSERT INTO Isn{detyp=RentalCase}
     SELECTFROM (Delta;Delta~ /\ I[RentalCase]) - I[RentalCase]

    INSERT INTO Isn{detyp=Date}
     SELECTFROM (Delta~;Delta /\ I[Date]) - I[Date]

(MAINTAINING -(contractedStartDate~;contractedEndDate) \/ dateIntervalIsWithinMa
(MAINTAINING -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;con
(MAINTAINING -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;con
(MAINTAINING -rentalHasBeenPromised \/ contractedStartDate;contractedStartDate~
(MAINTAINING -rentalHasBeenPromised \/ contractedStartDate;contractedStartDate~
(MAINTAINING -rentalHasBeenPromised \/ contractedStartDate;contractedStartDate~
(MAINTAINING -rentalHasBeenPromised \/ contractedStartDate;contractedStartDate~
```

95

```
             (MAINTAINING -((contractedStartDate;earliestDate~ /\ rcDroppedOffDate;latestDate
             (MAINTAINING -((contractedStartDate;earliestDate~ /\ rcDroppedOffDate;latestDate
             (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEndDate;con
             (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEndDate;con
             (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEndDate;con
             (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEndDate;con
             (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedStartDate;contrac
             (MAINTAINING -(contractedEndDate;contractedEndDate~ /\ contractedStartDate;contra
             (MAINTAINING -((contractedStartDate;earliestDate~ /\ contractedEndDate;latestDate
             (MAINTAINING -((contractedStartDate;earliestDate~ /\ contractedEndDate;latestDate
             (MAINTAINING -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchR
             (MAINTAINING -(contractedStartDate~;contractedStartDate) \/ I[Date] FROM UNI con

------ Derivation ----->


         ONE OF INSERT INTO dateIntervalIsWithinMaxRentalDuration[Date*Date]
                 SELECTFROM (contractedStartDate \/ Delta)~;contractedEndDate /\ -dateInterval

                 (TO MAINTAIN  -(contractedStartDate~;contractedEndDate) \/ dateIntervalIsWithi
                 INSERT INTO rentalHasBeenPromised[RentalCase*RentalCase]
                  SELECTFROM (rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;con

                 (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;
                 INSERT INTO rentalHasBeenPromised[RentalCase*RentalCase]
                  SELECTFROM (rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;con

                 (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;
                 INSERT INTO contractedStartDate[RentalCase*Date]
                  SELECTFROM rentalHasBeenPromised~;(contractedStartDate \/ Delta) /\ -contract

                 (TO MAINTAIN  -(contractedStartDate~;rentalHasBeenPromised) \/ contractedStart
                 INSERT INTO Isn{detyp=Date}
                  SELECTFROM ((contractedStartDate \/ Delta)~;rentalHasBeenPromised;contractedS

                 (TO MAINTAIN  -(contractedStartDate~;rentalHasBeenPromised;contractedStartDate
                 INSERT INTO contractedStartDate[RentalCase*Date]
                  SELECTFROM (rentalHasBeenPromised;contractedStartDate /\ -contractedStartDate

                 (TO MAINTAIN  -(rentalHasBeenPromised;contractedStartDate) \/ contractedStartD
                 INSERT INTO rentalPeriod[RentalCase*Integer]
                  SELECTFROM ((contractedStartDate;earliestDate~ /\ rcDroppedOffDate;latestDate

                 (TO MAINTAIN  -((contractedStartDate;earliestDate~ /\ rcDroppedOffDate;latestD
                 INSERT INTO Isn{detyp=Integer}
                  SELECTFROM (rentalPeriod~;(contractedStartDate;earliestDate~ /\ rcDroppedOffD

                 (TO MAINTAIN  -(rentalPeriod~;(contractedStartDate;earliestDate~ /\ rcDroppedO
                 ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rcMaxRentalDuration;rcMaxRentalDur
```

```
                        THEN INSERT INTO contractedStartDate[RentalCase*Date]
                           SELECTFROM 'a'[RentalCase]*'b'[Date]

                    (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contra
              PICK a,b FROM contractedStartDate~;((rcMaxRentalDuration;rcMaxRentalDur
              THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[Date]*'b'[Re
                              THEN INSERT INTO dateIntervalCompTrigger[Date*Date]
                                  SELECTFROM 'a'[Date]*'b'[Date]

                                    (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRental
                           PICK a,b FROM dateIntervalCompTrigger~;('a'[Date]*'b
                           THEN INSERT INTO contractedEndDate[RentalCase*Date]
                                  SELECTFROM 'b'[RentalCase]*'a'[Date]

                                    (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRental
                     (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\
                     NEW x:Date;
                        ALL of INSERT INTO dateIntervalCompTrigger[Date*Date]
                              SELECTFROM 'a'[Date]*'b'[RentalCase]*'x'[Date]

                                    (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDur
                              INSERT INTO contractedEndDate[RentalCase*Date]
                               SELECTFROM 'b'[RentalCase]*'a'[Date]*'x'[Date]

                                    (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDur
                       (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /
                       (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\
                 (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contrac
        (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEndDate;c
        NEW x:Date;
           ALL of INSERT INTO contractedStartDate[RentalCase*Date]
                     SELECTFROM ((rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedE

                    (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contracte
                 ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'[Date]*((rcMaxRe
                              THEN INSERT INTO dateIntervalCompTrigger[Date*Date]
                                  SELECTFROM 'a'[Date]*'b'[Date]

                                    (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDur
                           PICK a,b FROM dateIntervalCompTrigger~;('x'[Date]*((rcM
                           THEN INSERT INTO contractedEndDate[RentalCase*Date]
                                  SELECTFROM 'b'[RentalCase]*'a'[Date]

                                    (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDur
                       (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ con
                       NEW x:Date;
                          ALL of INSERT INTO dateIntervalCompTrigger[Date*Date]
                                  SELECTFROM 'x'[Date]*((rcMaxRentalDuration;rcMaxRent

                                    (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDurati
```

```
                                   INSERT INTO contractedEndDate[RentalCase*Date]
                                    SELECTFROM ((rcMaxRentalDuration;rcMaxRentalDuration

                           (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDurati
                    (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ c
                 (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ con
            (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contracted
      (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEndDate
   (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEndDate;c
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (((contractedStartDate \/ Delta)~;rc
      THEN INSERT INTO dateIntervalCompTrigger[Date*Date]
            SELECTFROM 'a'[Date]*'b'[Date]


             (TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRent
        PICK a,b FROM dateIntervalCompTrigger~;(((contractedStartDate \/ Delta)
        THEN INSERT INTO contractedEndDate[RentalCase*Date]
              SELECTFROM 'b'[RentalCase]*'a'[Date]


             (TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRent
(MAINTAINING -(contractedStartDate~;rcMaxRentalDuration;rcMaxRentalDuration~ /
INSERT INTO dateIntervalCompTrigger[Date*Date]
 SELECTFROM ((contractedStartDate \/ Delta)~;rcMaxRentalDuration;rcMaxRentalDu


(TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRentalDuration~;
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rcMaxRentalDuration;rcMaxRentalDur
      THEN INSERT INTO contractedStartDate[RentalCase*Date]
            SELECTFROM 'a'[RentalCase]*'b'[Date]


             (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~;contracte
        PICK a,b FROM contractedStartDate~;((rcMaxRentalDuration;rcMaxRentalDur
        THEN INSERT INTO dateIntervalCompTrigger[Date*Date]
              SELECTFROM 'a'[Date]*'b'[Date]


             (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~;contracte
(MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~;contractedEndDate /\ c
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rcDroppedOffDate;rcDroppedOffDate~
        THEN ALL of ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[Renta
                             THEN INSERT INTO contractedStartDate[RentalCa
                                   SELECTFROM 'a'[RentalCase]*'b'[Date]


                             (TO MAINTAIN  -(rcDroppedOffDate;rcDropp
                        PICK a,b FROM contractedStartDate~;('a'[Renta
                        THEN INSERT INTO earliestDate[DateDifferenceP
                              SELECTFROM 'b'[DateDifferencePlusOne]*'


                             (TO MAINTAIN  -(rcDroppedOffDate;rcDropp
                        (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\
                        NEW x:Date;
                          ALL of INSERT INTO contractedStartDate[RentalCase*
                                SELECTFROM 'a'[RentalCase]*'b'[DateDiffere
```

98

```
                                     (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedO
                                     INSERT INTO earliestDate[DateDifferencePlus
                                      SELECTFROM 'b'[DateDifferencePlusOne]*'a'[

                                     (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedO
                             (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~
                          (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\
                   (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contra
          ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[Renta
                          THEN INSERT INTO rcDroppedOffDate[RentalCase*
                               SELECTFROM 'a'[RentalCase]*'b'[Date]

                                   (TO MAINTAIN  -(rcDroppedOffDate;rcDropp
                          PICK a,b FROM rcDroppedOffDate~;('a'[RentalCa
                          THEN INSERT INTO latestDate[DateDifferencePlu
                               SELECTFROM 'b'[DateDifferencePlusOne]*'

                                   (TO MAINTAIN  -(rcDroppedOffDate;rcDropp
                          (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\
                          NEW x:Date;
                            ALL of INSERT INTO rcDroppedOffDate[RentalCase*Dat
                                   SELECTFROM 'a'[RentalCase]*'b'[DateDiffere

                                     (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedO
                                     INSERT INTO latestDate[DateDifferencePlusOn
                                      SELECTFROM 'b'[DateDifferencePlusOne]*'a'[

                                     (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedO
                             (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~
                          (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\
                   (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contra
          (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedSta
      PICK a,b FROM (earliestDate;contractedStartDate~ /\ latestDate;rcDroppe
          THEN BLOCK
              (CANNOT CHANGE V[DateDifferencePlusOne*RentalCase] FROM Trigger re
  (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedStartDate;contr
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((contractedEndDate;contractedEndDat
          THEN ALL of ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[Renta
                                 THEN INSERT INTO contractedStartDate[RentalCa
                                      SELECTFROM 'a'[RentalCase]*'b'[Date]

                                   (TO MAINTAIN  -(contractedEndDate;contra
                          PICK a,b FROM contractedStartDate~;('a'[Renta
                          THEN INSERT INTO earliestDate[DateDifferenceP
                               SELECTFROM 'b'[DateDifferencePlusOne]*'

                                   (TO MAINTAIN  -(contractedEndDate;contra
                          (MAINTAINING -(contractedEndDate;contractedEndDate~
                          NEW x:Date;
```

99

```
                              ALL of INSERT INTO contractedStartDate[RentalCase*
                                  SELECTFROM 'a'[RentalCase]*'b'[DateDiffere

                            (TO MAINTAIN  -(contractedEndDate;contracte
                            INSERT INTO earliestDate[DateDifferencePlus
                             SELECTFROM 'b'[DateDifferencePlusOne]*'a'[

                            (TO MAINTAIN  -(contractedEndDate;contracte
                      (MAINTAINING -(contractedEndDate;contractedEndDate
                    (MAINTAINING -(contractedEndDate;contractedEndDate~
              (MAINTAINING -(contractedEndDate;contractedEndDate~ /\ cont
            ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[Renta
                      THEN INSERT INTO contractedEndDate[RentalCase
                           SELECTFROM 'a'[RentalCase]*'b'[Date]

                              (TO MAINTAIN  -(contractedEndDate;contra
                          PICK a,b FROM contractedEndDate~;('a'[RentalC
                          THEN INSERT INTO latestDate[DateDifferencePlu
                              SELECTFROM 'b'[DateDifferencePlusOne]*'

                              (TO MAINTAIN  -(contractedEndDate;contra
                      (MAINTAINING -(contractedEndDate;contractedEndDate~
                      NEW x:Date;
                        ALL of INSERT INTO contractedEndDate[RentalCase*Da
                                SELECTFROM 'a'[RentalCase]*'b'[DateDiffere

                              (TO MAINTAIN  -(contractedEndDate;contracte
                              INSERT INTO latestDate[DateDifferencePlusOn
                               SELECTFROM 'b'[DateDifferencePlusOne]*'a'[

                              (TO MAINTAIN  -(contractedEndDate;contracte
                        (MAINTAINING -(contractedEndDate;contractedEndDate
                        (MAINTAINING -(contractedEndDate;contractedEndDate~
                   (MAINTAINING -(contractedEndDate;contractedEndDate~ /\ cont
              (MAINTAINING -(contractedEndDate;contractedEndDate~ /\ contractedS
          PICK a,b FROM (earliestDate;contractedStartDate~ /\ latestDate;contract
          THEN BLOCK
                  (CANNOT CHANGE V[DateDifferencePlusOne*RentalCase] FROM Trigger pr
(MAINTAINING -(contractedEndDate;contractedEndDate~ /\ contractedStartDate;con
INSERT INTO projectedRentalPeriod[RentalCase*Integer]
 SELECTFROM ((contractedStartDate;earliestDate~ /\ contractedEndDate;latestDat

(TO MAINTAIN  -((contractedStartDate;earliestDate~ /\ contractedEndDate;latest
INSERT INTO Isn{detyp=Integer}
 SELECTFROM (projectedRentalPeriod~;(contractedStartDate;earliestDate~ /\ cont

(TO MAINTAIN  -(projectedRentalPeriod~;(contractedStartDate;earliestDate~ /\ c
INSERT INTO Isn{detyp=Date}
 SELECTFROM (contractedStartDate \/ Delta)~;(I[RentalCase] /\ rcBranchRequeste
```

```
                    (TO MAINTAIN  -(contractedStartDate~;(I[RentalCase] /\ rcBranchRequestedQ;'Yes
                    INSERT INTO Isn{detyp=Date}
                     SELECTFROM ((contractedStartDate \/ Delta)~;contractedStartDate /\ -I[Date])

                    (TO MAINTAIN  -(contractedStartDate~;contractedStartDate) \/ I[Date] FROM UNI
                    INSERT INTO Isn{detyp=RentalCase}
                     SELECTFROM (Delta;Delta~ /\ I[RentalCase]) - I[RentalCase]

                    INSERT INTO Isn{detyp=Date}
                     SELECTFROM (Delta~;Delta /\ I[Date]) - I[Date]

            (MAINTAINING -(contractedStartDate~;contractedEndDate) \/ dateIntervalIsWithinMaxRent
            (MAINTAINING -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;contract
            (MAINTAINING -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;contract
            (MAINTAINING -rentalHasBeenPromised \/ contractedStartDate;contractedStartDate~ FROM
            (MAINTAINING -rentalHasBeenPromised \/ contractedStartDate;contractedStartDate~ FROM
            (MAINTAINING -rentalHasBeenPromised \/ contractedStartDate;contractedStartDate~ FROM
            (MAINTAINING -rentalHasBeenPromised \/ contractedStartDate;contractedStartDate~ FROM
            (MAINTAINING -((contractedStartDate;earliestDate~ /\ rcDroppedOffDate;latestDate~);co
            (MAINTAINING -((contractedStartDate;earliestDate~ /\ rcDroppedOffDate;latestDate~);co
            (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEndDate;contract
            (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEndDate;contract
            (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEndDate;contract
            (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEndDate;contract
            (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedStartDate;contractedSt
            (MAINTAINING -(contractedEndDate;contractedEndDate~ /\ contractedStartDate;contracted
            (MAINTAINING -((contractedStartDate;earliestDate~ /\ contractedEndDate;latestDate~);c
            (MAINTAINING -((contractedStartDate;earliestDate~ /\ contractedEndDate;latestDate~);c
            (MAINTAINING -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchReques
            (MAINTAINING -(contractedStartDate~;contractedStartDate) \/ I[Date] FROM UNI contract

        <------End Derivation --


                ON DELETE Delta FROM contractedStartDate[RentalCase*Date] EXECUTE     -- (ECA rul
                ALL of DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
                        SELECTFROM -((contractedStartDate /\ -Delta);(contractedStartDate /\ -Del

                        (TO MAINTAIN  -rentalHasBeenPromised \/ contractedStartDate;contractedSta
                        ONE OF DELETE FROM contractedStartDate[RentalCase*Date]
                                SELECTFROM rentalHasBeenPromised;(-(contractedStartDate /\ -Delta

                            (TO MAINTAIN  -(contractedStartDate~;rentalHasBeenPromised) \/ con
                            DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
                             SELECTFROM contractedStartDate;(-(contractedStartDate /\ -Delta)~

                            (TO MAINTAIN  -(contractedStartDate~;rentalHasBeenPromised) \/ con
                    (MAINTAINING -(contractedStartDate~;rentalHasBeenPromised) \/ contractedSt
                    ONE OF DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
```

101

```
            SELECTFROM ((-contractedStartDate /\ rentalHasBeenPromised;contra

            (TO MAINTAIN  -(rentalHasBeenPromised;contractedStartDate) \/ cont
            DELETE FROM contractedStartDate[RentalCase*Date]
             SELECTFROM rentalHasBeenPromised~;((-contractedStartDate /\ renta

            (TO MAINTAIN  -(rentalHasBeenPromised;contractedStartDate) \/ cont
   (MAINTAINING -(rentalHasBeenPromised;contractedStartDate) \/ contractedSt
  ONE OF DELETE FROM rcMaxRentalDuration[RentalCase*Integer]
            SELECTFROM (-((contractedStartDate /\ -Delta);dateIntervalCompTri

            (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contra
            DELETE FROM rcMaxRentalDuration[RentalCase*Integer]
             SELECTFROM (-(contractedEndDate;dateIntervalCompTrigger~;(contrac

            (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contra
            DELETE FROM contractedEndDate[RentalCase*Date]
             SELECTFROM (-((contractedStartDate /\ -Delta);dateIntervalCompTri

            (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contra
            DELETE FROM contractedEndDate[RentalCase*Date]
             SELECTFROM (-(contractedEndDate;dateIntervalCompTrigger~;(contrac

            (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contra
            DELETE FROM contractedStartDate[RentalCase*Date]
             SELECTFROM (-((contractedStartDate /\ -Delta);dateIntervalCompTri

            (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contra
            DELETE FROM contractedStartDate[RentalCase*Date]
             SELECTFROM (-(contractedEndDate;dateIntervalCompTrigger~;(contrac

            (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contra
            DELETE FROM Isn{detyp=RentalCase}
             SELECTFROM -((contractedStartDate /\ -Delta);dateIntervalCompTrig

            (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contra
   (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEndDa
  ONE OF DELETE FROM rcMaxRentalDuration[RentalCase*Integer]
            SELECTFROM (-((contractedStartDate /\ -Delta);dateIntervalCompTri

            (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~;contracte
            DELETE FROM rcMaxRentalDuration[RentalCase*Integer]
             SELECTFROM contractedEndDate;(-(dateIntervalCompTrigger~;(contrac

            (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~;contracte
            DELETE FROM contractedEndDate[RentalCase*Date]
             SELECTFROM rcMaxRentalDuration;rcMaxRentalDuration~;(-((contracte

            (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~;contracte
            DELETE FROM contractedEndDate[RentalCase*Date]

                       102
```

```
                    SELECTFROM (-((contractedStartDate /\ -Delta);dateIntervalCompTri

           (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~;contracte
           DELETE FROM contractedEndDate[RentalCase*Date]
            SELECTFROM contractedEndDate;(-(dateIntervalCompTrigger~;(contrac

           (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~;contracte
           DELETE FROM contractedEndDate[RentalCase*Date]
            SELECTFROM contractedEndDate;contractedEndDate~;(-((contractedSta

           (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~;contracte
           DELETE FROM contractedStartDate[RentalCase*Date]
            SELECTFROM (-((contractedStartDate /\ -Delta);dateIntervalCompTri

           (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~;contracte
           DELETE FROM contractedStartDate[RentalCase*Date]
            SELECTFROM contractedEndDate;(-(dateIntervalCompTrigger~;(contrac

           (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~;contracte
           DELETE FROM contractedEndDate[RentalCase*Date]
            SELECTFROM contractedStartDate;contractedStartDate~;(-((contracte

           (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~;contracte
           DELETE FROM contractedEndDate[RentalCase*Date]
            SELECTFROM -((contractedStartDate /\ -Delta);dateIntervalCompTrig

           (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~;contracte
(MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~;contractedEndDate
ONE OF DELETE FROM rcDroppedOffDate[RentalCase*Date]
            SELECTFROM (-(((contractedStartDate /\ -Delta);earliestDate~ /\ r

           (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedSt
           DELETE FROM rcDroppedOffDate[RentalCase*Date]
            SELECTFROM (-(V[RentalCase*DateDifferencePlusOne];(earliestDate;(

           (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedSt
           DELETE FROM contractedStartDate[RentalCase*Date]
            SELECTFROM (-(((contractedStartDate /\ -Delta);earliestDate~ /\ r

           (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedSt
           DELETE FROM contractedStartDate[RentalCase*Date]
            SELECTFROM (-(V[RentalCase*DateDifferencePlusOne];(earliestDate;(

           (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedSt
           DELETE FROM Isn{detyp=RentalCase}
            SELECTFROM -(((contractedStartDate /\ -Delta);earliestDate~ /\ rc

           (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedSt
(MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedStartDate;
ONE OF DELETE FROM contractedEndDate[RentalCase*Date]
```

```
                              SELECTFROM (-((((contractedStartDate /\ -Delta);earliestDate~ /\ c

                    (TO MAINTAIN  -(contractedEndDate;contractedEndDate~ /\ contracted
                    DELETE FROM contractedEndDate[RentalCase*Date]
                     SELECTFROM (-(V[RentalCase*DateDifferencePlusOne];(earliestDate;(

                    (TO MAINTAIN  -(contractedEndDate;contractedEndDate~ /\ contracted
                    DELETE FROM contractedStartDate[RentalCase*Date]
                     SELECTFROM (-((((contractedStartDate /\ -Delta);earliestDate~ /\ c

                    (TO MAINTAIN  -(contractedEndDate;contractedEndDate~ /\ contracted
                    DELETE FROM contractedStartDate[RentalCase*Date]
                     SELECTFROM (-(V[RentalCase*DateDifferencePlusOne];(earliestDate;(

                    (TO MAINTAIN  -(contractedEndDate;contractedEndDate~ /\ contracted
                    DELETE FROM Isn{detyp=RentalCase}
                     SELECTFROM -((((contractedStartDate /\ -Delta);earliestDate~ /\ co

                    (TO MAINTAIN  -(contractedEndDate;contractedEndDate~ /\ contracted
            (MAINTAINING -(contractedEndDate;contractedEndDate~ /\ contractedStartDate
            ONE OF DELETE FROM Isn{detyp=RentalCase}
                     SELECTFROM ((-contractedStartDate /\ (I[RentalCase] /\ rcBranchRe

                    (TO MAINTAIN  -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAn
                    DELETE FROM rcBranchRequestedQ[RentalCase*YesNoAnswer]
                     SELECTFROM ((-contractedStartDate /\ (I[RentalCase] /\ rcBranchRe

                    (TO MAINTAIN  -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAn
                    DELETE FROM rcBranchRequestedQ[RentalCase*YesNoAnswer]
                     SELECTFROM sessionNewBranchRC~;'_SESSION'[SESSION];sessionToday;(

                    (TO MAINTAIN  -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAn
                    DELETE FROM sessionNewBranchRC[SESSION*RentalCase]
                     SELECTFROM '_SESSION'[SESSION];sessionToday;((-contractedStartDat

                    (TO MAINTAIN  -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAn
                    DELETE FROM sessionToday[SESSION*Date]
                     SELECTFROM '_SESSION'[SESSION];sessionNewBranchRC;(I[RentalCase] /

                    (TO MAINTAIN  -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAn
            (MAINTAINING -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rc
(MAINTAINING -rentalHasBeenPromised \/ contractedStartDate;contractedStartDate~
(MAINTAINING -rentalHasBeenPromised \/ contractedStartDate;contractedStartDate~
(MAINTAINING -rentalHasBeenPromised \/ contractedStartDate;contractedStartDate~
(MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEndDate;con
(MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEndDate;con
(MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedStartDate;contrac
(MAINTAINING -(contractedEndDate;contractedEndDate~ /\ contractedStartDate;contra
(MAINTAINING -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchR
```

104

------ Derivation ----->

```
          ALL of DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
                 SELECTFROM -((contractedStartDate /\ -Delta);(contractedStartDate /\ -Delta)~

            (TO MAINTAIN  -rentalHasBeenPromised \/ contractedStartDate;contractedStartDat
            ONE OF DELETE FROM contractedStartDate[RentalCase*Date]
                     SELECTFROM rentalHasBeenPromised;(-(contractedStartDate /\ -Delta) /\

                  (TO MAINTAIN  -(contractedStartDate~;rentalHasBeenPromised) \/ contract
                  DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
                     SELECTFROM contractedStartDate;(-(contractedStartDate /\ -Delta)~ /\ c

                  (TO MAINTAIN  -(contractedStartDate~;rentalHasBeenPromised) \/ contract
            (MAINTAINING -(contractedStartDate~;rentalHasBeenPromised) \/ contractedStartD
            ONE OF DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
                     SELECTFROM ((-contractedStartDate /\ rentalHasBeenPromised;contractedS

                  (TO MAINTAIN  -(rentalHasBeenPromised;contractedStartDate) \/ contracte
                  DELETE FROM contractedStartDate[RentalCase*Date]
                     SELECTFROM rentalHasBeenPromised~;((-contractedStartDate /\ rentalHasB

                  (TO MAINTAIN  -(rentalHasBeenPromised;contractedStartDate) \/ contracte
            (MAINTAINING -(rentalHasBeenPromised;contractedStartDate) \/ contractedStartDa
            ONE OF DELETE FROM rcMaxRentalDuration[RentalCase*Integer]
                     SELECTFROM (-((contractedStartDate /\ -Delta);dateIntervalCompTrigger;

                  (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedE
                  DELETE FROM rcMaxRentalDuration[RentalCase*Integer]
                     SELECTFROM (-(contractedEndDate;dateIntervalCompTrigger~;(contractedSt

                  (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedE
                  DELETE FROM contractedEndDate[RentalCase*Date]
                     SELECTFROM (-((contractedStartDate /\ -Delta);dateIntervalCompTrigger;

                  (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedE
                  DELETE FROM contractedEndDate[RentalCase*Date]
                     SELECTFROM (-(contractedEndDate;dateIntervalCompTrigger~;(contractedSt

                  (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedE
                  DELETE FROM contractedStartDate[RentalCase*Date]
                     SELECTFROM (-((contractedStartDate /\ -Delta);dateIntervalCompTrigger;

                  (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedE
                  DELETE FROM contractedStartDate[RentalCase*Date]
                     SELECTFROM (-(contractedEndDate;dateIntervalCompTrigger~;(contractedSt

                  (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedE
                  DELETE FROM Isn{detyp=RentalCase}
```

105

```
                    SELECTFROM -((contractedStartDate /\ -Delta);dateIntervalCompTrigger;c

                (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedE
(MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEndDate;c
ONE OF DELETE FROM rcMaxRentalDuration[RentalCase*Integer]
                SELECTFROM (-((contractedStartDate /\ -Delta);dateIntervalCompTrigger)


                (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~;contractedEndD
                DELETE FROM rcMaxRentalDuration[RentalCase*Integer]
                 SELECTFROM contractedEndDate;(-(dateIntervalCompTrigger~;(contractedSt


                (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~;contractedEndD
                DELETE FROM contractedEndDate[RentalCase*Date]
                 SELECTFROM rcMaxRentalDuration;rcMaxRentalDuration~;(-((contractedStar


                (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~;contractedEndD
                DELETE FROM contractedEndDate[RentalCase*Date]
                 SELECTFROM (-((contractedStartDate /\ -Delta);dateIntervalCompTrigger)


                (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~;contractedEndD
                DELETE FROM contractedEndDate[RentalCase*Date]
                 SELECTFROM contractedEndDate;(-(dateIntervalCompTrigger~;(contractedSt


                (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~;contractedEndD
                DELETE FROM contractedEndDate[RentalCase*Date]
                 SELECTFROM contractedEndDate;contractedEndDate~;(-((contractedStartDat


                (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~;contractedEndD
                DELETE FROM contractedStartDate[RentalCase*Date]
                 SELECTFROM (-((contractedStartDate /\ -Delta);dateIntervalCompTrigger)


                (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~;contractedEndD
                DELETE FROM contractedStartDate[RentalCase*Date]
                 SELECTFROM contractedEndDate;(-(dateIntervalCompTrigger~;(contractedSt


                (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~;contractedEndD
                DELETE FROM contractedEndDate[RentalCase*Date]
                 SELECTFROM contractedStartDate;contractedStartDate~;(-((contractedStar


                (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~;contractedEndD
                DELETE FROM contractedEndDate[RentalCase*Date]
                 SELECTFROM -((contractedStartDate /\ -Delta);dateIntervalCompTrigger)


                (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~;contractedEndD
(MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~;contractedEndDate /\ c
ONE OF DELETE FROM rcDroppedOffDate[RentalCase*Date]
                SELECTFROM (-(((contractedStartDate /\ -Delta);earliestDate~ /\ rcDrop


                (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedStartDa
                DELETE FROM rcDroppedOffDate[RentalCase*Date]
```

```
        SELECTFROM (-(V[RentalCase*DateDifferencePlusOne];(earliestDate;(contr

     (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedStartDa
     DELETE FROM contractedStartDate[RentalCase*Date]
      SELECTFROM (-(((contractedStartDate /\ -Delta);earliestDate~ /\ rcDrop

     (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedStartDa
     DELETE FROM contractedStartDate[RentalCase*Date]
      SELECTFROM (-(V[RentalCase*DateDifferencePlusOne];(earliestDate;(contr

     (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedStartDa
     DELETE FROM Isn{detyp=RentalCase}
      SELECTFROM -(((contractedStartDate /\ -Delta);earliestDate~ /\ rcDropp

     (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedStartDa
 (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedStartDate;contr
ONE OF DELETE FROM contractedEndDate[RentalCase*Date]
        SELECTFROM (-(((contractedStartDate /\ -Delta);earliestDate~ /\ contra

     (TO MAINTAIN  -(contractedEndDate;contractedEndDate~ /\ contractedStart
     DELETE FROM contractedEndDate[RentalCase*Date]
      SELECTFROM (-(V[RentalCase*DateDifferencePlusOne];(earliestDate;(contr

     (TO MAINTAIN  -(contractedEndDate;contractedEndDate~ /\ contractedStart
     DELETE FROM contractedStartDate[RentalCase*Date]
      SELECTFROM (-(((contractedStartDate /\ -Delta);earliestDate~ /\ contra

     (TO MAINTAIN  -(contractedEndDate;contractedEndDate~ /\ contractedStart
     DELETE FROM contractedStartDate[RentalCase*Date]
      SELECTFROM (-(V[RentalCase*DateDifferencePlusOne];(earliestDate;(contr

     (TO MAINTAIN  -(contractedEndDate;contractedEndDate~ /\ contractedStart
     DELETE FROM Isn{detyp=RentalCase}
      SELECTFROM -(((contractedStartDate /\ -Delta);earliestDate~ /\ contrac

     (TO MAINTAIN  -(contractedEndDate;contractedEndDate~ /\ contractedStart
 (MAINTAINING -(contractedEndDate;contractedEndDate~ /\ contractedStartDate;con
ONE OF DELETE FROM Isn{detyp=RentalCase}
        SELECTFROM ((-contractedStartDate /\ (I[RentalCase] /\ rcBranchRequest

     (TO MAINTAIN  -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer]
     DELETE FROM rcBranchRequestedQ[RentalCase*YesNoAnswer]
      SELECTFROM ((-contractedStartDate /\ (I[RentalCase] /\ rcBranchRequest

     (TO MAINTAIN  -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer]
     DELETE FROM rcBranchRequestedQ[RentalCase*YesNoAnswer]
      SELECTFROM sessionNewBranchRC~;'_SESSION'[SESSION];sessionToday;((-con

     (TO MAINTAIN  -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer]
     DELETE FROM sessionNewBranchRC[SESSION*RentalCase]
```

107

```
                          SELECTFROM '_SESSION'[SESSION];sessionToday;((-contractedStartDate~ /\

                (TO MAINTAIN  -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer]
                DELETE FROM sessionToday[SESSION*Date]
                 SELECTFROM '_SESSION'[SESSION];sessionNewBranchRC;(I[RentalCase] /\ rc

                (TO MAINTAIN  -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer]
           (MAINTAINING -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranc
    (MAINTAINING -rentalHasBeenPromised \/ contractedStartDate;contractedStartDate~ FROM
    (MAINTAINING -rentalHasBeenPromised \/ contractedStartDate;contractedStartDate~ FROM
    (MAINTAINING -rentalHasBeenPromised \/ contractedStartDate;contractedStartDate~ FROM
    (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEndDate;contract
    (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEndDate;contract
    (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedStartDate;contractedSt
    (MAINTAINING -(contractedEndDate;contractedEndDate~ /\ contractedStartDate;contracted
    (MAINTAINING -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchReques


   <------End Derivation --


          ON INSERT Delta IN contractedEndDate[RentalCase*Date] EXECUTE     -- (ECA rule 23
          ONE OF INSERT INTO dateIntervalIsWithinMaxRentalDuration[Date*Date]
               SELECTFROM (contractedStartDate~;contractedEndDate /\ -dateIntervalIsWitl

               (TO MAINTAIN  -(contractedStartDate~;contractedEndDate) \/ dateIntervalIsW
               INSERT INTO rentalHasBeenPromised[RentalCase*RentalCase]
                SELECTFROM (rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarTyp

               (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCar
               INSERT INTO rentalHasBeenPromised[RentalCase*RentalCase]
                SELECTFROM (rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarTyp

               (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCar
               INSERT INTO contractedEndDate[RentalCase*Date]
                SELECTFROM rentalHasBeenPromised~;(contractedEndDate \/ Delta) /\ -contr

               (TO MAINTAIN  -(contractedEndDate~;rentalHasBeenPromised) \/ contractedEnd
               INSERT INTO Isn{detyp=Date}
                SELECTFROM ((contractedEndDate \/ Delta)~;rentalHasBeenPromised;contracte

               (TO MAINTAIN  -(contractedEndDate~;rentalHasBeenPromised;contractedEndDate
               INSERT INTO contractedEndDate[RentalCase*Date]
                SELECTFROM (rentalHasBeenPromised;contractedEndDate /\ -contractedEndDate

               (TO MAINTAIN  -(rentalHasBeenPromised;contractedEndDate) \/ contractedEndD
               INSERT INTO rentalExcessPeriod[RentalCase*Integer]
                SELECTFROM ((rcDroppedOffDate;lastDate~ /\ contractedEndDate;firstDate~)

               (TO MAINTAIN  -((rcDroppedOffDate;lastDate~ /\ contractedEndDate;firstDat
```

108

```
INSERT INTO Isn{detyp=Integer}
 SELECTFROM (rentalExcessPeriod~;(rcDroppedOffDate;lastDate~ /\ contracte

(TO MAINTAIN  -(rentalExcessPeriod~;(rcDroppedOffDate;lastDate~ /\ contra
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rcMaxRentalDuration;rcMaxRent
        THEN INSERT INTO contractedStartDate[RentalCase*Date]
             SELECTFROM 'a'[RentalCase]*'b'[Date]

               (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ c
        PICK a,b FROM contractedStartDate~;((rcMaxRentalDuration;rcMaxRent
        THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[Date]*'
                        THEN INSERT INTO dateIntervalCompTrigger[Date*Da
                             SELECTFROM 'a'[Date]*'b'[Date]

                           (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxR
                        PICK a,b FROM dateIntervalCompTrigger~;('a'[Dat
                        THEN INSERT INTO contractedEndDate[RentalCase*D
                             SELECTFROM 'b'[RentalCase]*'a'[Date]

                           (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxR
                  (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration
                  NEW x:Date;
                    ALL of INSERT INTO dateIntervalCompTrigger[Date*Date
                             SELECTFROM 'a'[Date]*'b'[RentalCase]*'x'[Dat

                           (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRent
                           INSERT INTO contractedEndDate[RentalCase*Date
                             SELECTFROM 'b'[RentalCase]*'a'[Date]*'x'[Dat

                           (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRent
                  (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuratio
                  (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration
            (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ co
(MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEndD
NEW x:Date;
  ALL of INSERT INTO contractedStartDate[RentalCase*Date]
            SELECTFROM ((rcMaxRentalDuration;rcMaxRentalDuration~ /\ contra

               (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ conti
               ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'[Date]*((rc
                        THEN INSERT INTO dateIntervalCompTrigger[Date*Date
                             SELECTFROM 'a'[Date]*'b'[Date]

                           (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRent
                        PICK a,b FROM dateIntervalCompTrigger~;('x'[Date]*
                        THEN INSERT INTO contractedEndDate[RentalCase*Date
                             SELECTFROM 'b'[RentalCase]*'a'[Date]

                           (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRenta
                  (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /
```

```
                              NEW x:Date;
                                ALL of INSERT INTO dateIntervalCompTrigger[Date*Date]
                                        SELECTFROM 'x'[Date]*((rcMaxRentalDuration;rcMa

                                        (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDt
                                        INSERT INTO contractedEndDate[RentalCase*Date]
                                         SELECTFROM ((rcMaxRentalDuration;rcMaxRentalDura

                                        (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDt
                                 (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~
                                 (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /
                         (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contr
                   (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEn
                (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEndDa
                ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((contractedStartDate~;rcMaxRent
                        THEN INSERT INTO dateIntervalCompTrigger[Date*Date]
                                SELECTFROM 'a'[Date]*'b'[Date]

                                (TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMa
                        PICK a,b FROM dateIntervalCompTrigger~;((contractedStartDate~;rcMa
                        THEN INSERT INTO contractedEndDate[RentalCase*Date]
                                SELECTFROM 'b'[RentalCase]*'a'[Date]

                                (TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMa
                (MAINTAINING -(contractedStartDate~;rcMaxRentalDuration;rcMaxRentalDurati
                INSERT INTO dateIntervalCompTrigger[Date*Date]
                 SELECTFROM (contractedStartDate~;rcMaxRentalDuration;rcMaxRentalDuration

                (TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRentalDurat
                ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rcMaxRentalDuration;rcMaxRenta
                        THEN INSERT INTO contractedStartDate[RentalCase*Date]
                                SELECTFROM 'a'[RentalCase]*'b'[Date]

                                (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~;cont
                        PICK a,b FROM contractedStartDate~;((rcMaxRentalDuration;rcMaxRent
                        THEN INSERT INTO dateIntervalCompTrigger[Date*Date]
                                SELECTFROM 'a'[Date]*'b'[Date]

                                (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~;cont
                (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~;contractedEndDate
                ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rcDroppedOffDate;rcDroppedOff
                        THEN ALL of ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
                                                THEN INSERT INTO contractedEndDate[Renta
                                                        SELECTFROM 'a'[RentalCase]*'b'[Dat

                                                        (TO MAINTAIN  -(rcDroppedOffDate;rc
                                                PICK a,b FROM contractedEndDate~;('a'[Re
                                                THEN INSERT INTO firstDate[DateDifference
                                                        SELECTFROM 'b'[DateDifference]*'a'


                        110
```

```
                                        (TO MAINTAIN  -(rcDroppedOffDate;rc
                        (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate
                        NEW x:Date;
                            ALL of INSERT INTO contractedEndDate[RentalCas
                                    SELECTFROM 'a'[RentalCase]*'b'[DateDi

                                    (TO MAINTAIN  -(rcDroppedOffDate;rcDro
                                    INSERT INTO firstDate[DateDifference*Da
                                     SELECTFROM 'b'[DateDifference]*'a'[Re

                                    (TO MAINTAIN  -(rcDroppedOffDate;rcDro
                            (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDa
                        (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate
                (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ c
                ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
                            THEN INSERT INTO rcDroppedOffDate[Rental
                                    SELECTFROM 'a'[RentalCase]*'b'[Dat

                                    (TO MAINTAIN  -(rcDroppedOffDate;rc
                            PICK a,b FROM rcDroppedOffDate~;('a'[Ren
                            THEN INSERT INTO lastDate[DateDifference
                                    SELECTFROM 'b'[DateDifference]*'a'

                                    (TO MAINTAIN  -(rcDroppedOffDate;rc
                        (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate
                        NEW x:Date;
                            ALL of INSERT INTO rcDroppedOffDate[RentalCas
                                    SELECTFROM 'a'[RentalCase]*'b'[DateDi

                                    (TO MAINTAIN  -(rcDroppedOffDate;rcDro
                                    INSERT INTO lastDate[DateDifference*Da
                                     SELECTFROM 'b'[DateDifference]*'a'[Re

                                    (TO MAINTAIN  -(rcDroppedOffDate;rcDro
                            (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDa
                        (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate
                (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ c
            (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contracte
        PICK a,b FROM (firstDate;contractedEndDate~ /\ lastDate;rcDroppedO
        THEN BLOCK
            (CANNOT CHANGE V[DateDifference*RentalCase] FROM Trigger exce
(MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEndDate;co
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((contractedEndDate;(contracted
        THEN ALL of ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
                            THEN INSERT INTO contractedStartDate[Ren
                                    SELECTFROM 'a'[RentalCase]*'b'[Dat

                                    (TO MAINTAIN  -(contractedEndDate;c
                            PICK a,b FROM contractedStartDate~;('a'[
                            THEN INSERT INTO earliestDate[DateDiffere
```

111

```
                                            SELECTFROM 'b'[DateDifferencePlusO

                              (TO MAINTAIN  -(contractedEndDate;co
                (MAINTAINING -(contractedEndDate;contractedEndDa
                NEW x:Date;
                  ALL of INSERT INTO contractedStartDate[RentalC
                        SELECTFROM 'a'[RentalCase]*'b'[DateDif

                              (TO MAINTAIN  -(contractedEndDate;conti
                        INSERT INTO earliestDate[DateDifferenc
                          SELECTFROM 'b'[DateDifferencePlusOne]

                              (TO MAINTAIN  -(contractedEndDate;conti
                    (MAINTAINING -(contractedEndDate;contractedEn
                    (MAINTAINING -(contractedEndDate;contractedEndDa
                (MAINTAINING -(contractedEndDate;contractedEndDate~ /\
                ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
                        THEN INSERT INTO contractedEndDate[Rental
                                SELECTFROM 'a'[RentalCase]*'b'[Date

                              (TO MAINTAIN  -(contractedEndDate;co
                        PICK a,b FROM contractedEndDate~;('a'[Rer
                        THEN INSERT INTO latestDate[DateDifferenc
                                SELECTFROM 'b'[DateDifferencePlusO

                              (TO MAINTAIN  -(contractedEndDate;co
                    (MAINTAINING -(contractedEndDate;contractedEndDa
                    NEW x:Date;
                      ALL of INSERT INTO contractedEndDate[RentalCas
                            SELECTFROM 'a'[RentalCase]*'b'[DateDif

                              (TO MAINTAIN  -(contractedEndDate;conti
                        INSERT INTO latestDate[DateDifferencePl
                          SELECTFROM 'b'[DateDifferencePlusOne]

                              (TO MAINTAIN  -(contractedEndDate;conti
                    (MAINTAINING -(contractedEndDate;contractedEn
                    (MAINTAINING -(contractedEndDate;contractedEndDa
                  (MAINTAINING -(contractedEndDate;contractedEndDate~ /\
            (MAINTAINING -(contractedEndDate;contractedEndDate~ /\ contra
        PICK a,b FROM (earliestDate;contractedStartDate~ /\ latestDate;con
        THEN BLOCK
            (CANNOT CHANGE V[DateDifferencePlusOne*RentalCase] FROM Trigg
(MAINTAINING -(contractedEndDate;contractedEndDate~ /\ contractedStartDate
INSERT INTO projectedRentalPeriod[RentalCase*Integer]
 SELECTFROM ((contractedStartDate;earliestDate~ /\ contractedEndDate;late

(TO MAINTAIN  -((contractedStartDate;earliestDate~ /\ contractedEndDate;la
INSERT INTO Isn{detyp=Integer}
 SELECTFROM (projectedRentalPeriod~;(contractedStartDate;earliestDate~ /\
```

```
                    (TO MAINTAIN  -(projectedRentalPeriod~;(contractedStartDate;earliestDate~
                    INSERT INTO Isn{detyp=Date}
                     SELECTFROM ((contractedEndDate \/ Delta)~;contractedEndDate /\ -I[Date])

                    (TO MAINTAIN  -(contractedEndDate~;contractedEndDate) \/ I[Date] FROM UNI
                    INSERT INTO Isn{detyp=RentalCase}
                     SELECTFROM (Delta;Delta~ /\ I[RentalCase]) - I[RentalCase]

                    INSERT INTO Isn{detyp=Date}
                     SELECTFROM (Delta~;Delta /\ I[Date]) - I[Date]

           (MAINTAINING -(contractedStartDate~;contractedEndDate) \/ dateIntervalIsWithinMax
           (MAINTAINING -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;con
           (MAINTAINING -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;con
           (MAINTAINING -rentalHasBeenPromised \/ contractedEndDate;contractedEndDate~ FROM
           (MAINTAINING -rentalHasBeenPromised \/ contractedEndDate;contractedEndDate~ FROM
           (MAINTAINING -rentalHasBeenPromised \/ contractedEndDate;contractedEndDate~ FROM
           (MAINTAINING -rentalHasBeenPromised \/ contractedEndDate;contractedEndDate~ FROM
           (MAINTAINING -((rcDroppedOffDate;lastDate~ /\ contractedEndDate;firstDate~);comp
           (MAINTAINING -((rcDroppedOffDate;lastDate~ /\ contractedEndDate;firstDate~);comp
           (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEndDate;con
           (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEndDate;con
           (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEndDate;con
           (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEndDate;con
           (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEndDate;contracte
           (MAINTAINING -(contractedEndDate;contractedEndDate~ /\ contractedStartDate;contra
           (MAINTAINING -((contractedStartDate;earliestDate~ /\ contractedEndDate;latestDat
           (MAINTAINING -((contractedStartDate;earliestDate~ /\ contractedEndDate;latestDat
           (MAINTAINING -(contractedEndDate~;contractedEndDate) \/ I[Date] FROM UNI contrac

------ Derivation ----->


        ONE OF INSERT INTO dateIntervalIsWithinMaxRentalDuration[Date*Date]
               SELECTFROM (contractedStartDate~;contractedEndDate /\ -dateIntervalIsWithinMa

               (TO MAINTAIN  -(contractedStartDate~;contractedEndDate) \/ dateIntervalIsWithi
               INSERT INTO rentalHasBeenPromised[RentalCase*RentalCase]
                SELECTFROM (rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;con

               (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;
               INSERT INTO rentalHasBeenPromised[RentalCase*RentalCase]
                SELECTFROM (rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;con

               (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;
               INSERT INTO contractedEndDate[RentalCase*Date]
                SELECTFROM rentalHasBeenPromised~;(contractedEndDate \/ Delta) /\ -contracted
```

113

```
(TO MAINTAIN  -(contractedEndDate~;rentalHasBeenPromised) \/ contractedEndDate
INSERT INTO Isn{detyp=Date}
 SELECTFROM ((contractedEndDate \/ Delta)~;rentalHasBeenPromised;contractedEnd

(TO MAINTAIN  -(contractedEndDate~;rentalHasBeenPromised;contractedEndDate) \/
INSERT INTO contractedEndDate[RentalCase*Date]
 SELECTFROM (rentalHasBeenPromised;contractedEndDate /\ -contractedEndDate) \/

(TO MAINTAIN  -(rentalHasBeenPromised;contractedEndDate) \/ contractedEndDate
INSERT INTO rentalExcessPeriod[RentalCase*Integer]
 SELECTFROM ((rcDroppedOffDate;lastDate~ /\ contractedEndDate;firstDate~);comp

(TO MAINTAIN  -((rcDroppedOffDate;lastDate~ /\ contractedEndDate;firstDate~);c
INSERT INTO Isn{detyp=Integer}
 SELECTFROM (rentalExcessPeriod~;(rcDroppedOffDate;lastDate~ /\ contractedEndD

(TO MAINTAIN  -(rentalExcessPeriod~;(rcDroppedOffDate;lastDate~ /\ contractedE
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rcMaxRentalDuration;rcMaxRentalDur
        THEN INSERT INTO contractedStartDate[RentalCase*Date]
             SELECTFROM 'a'[RentalCase]*'b'[Date]

             (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contra
        PICK a,b FROM contractedStartDate~;((rcMaxRentalDuration;rcMaxRentalDur
        THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[Date]*'b'[Re
                      THEN INSERT INTO dateIntervalCompTrigger[Date*Date]
                           SELECTFROM 'a'[Date]*'b'[Date]

                           (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRental
                      PICK a,b FROM dateIntervalCompTrigger~;('a'[Date]*'b
                      THEN INSERT INTO contractedEndDate[RentalCase*Date]
                           SELECTFROM 'b'[RentalCase]*'a'[Date]

                           (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRental
                  (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\
                  NEW x:Date;
                    ALL of INSERT INTO dateIntervalCompTrigger[Date*Date]
                           SELECTFROM 'a'[Date]*'b'[RentalCase]*'x'[Date]

                           (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDur
                           INSERT INTO contractedEndDate[RentalCase*Date]
                            SELECTFROM 'b'[RentalCase]*'a'[Date]*'x'[Date]

                           (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDur
                    (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /
                  (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\
            (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contrac
(MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEndDate;c
NEW x:Date;
  ALL of INSERT INTO contractedStartDate[RentalCase*Date]
         SELECTFROM ((rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedE
```

114

```
                    (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contracte
                 ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'[Date]*((rcMaxRe
                          THEN INSERT INTO dateIntervalCompTrigger[Date*Date]
                               SELECTFROM 'a'[Date]*'b'[Date]


                               (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDur
                        PICK a,b FROM dateIntervalCompTrigger~;('x'[Date]*((rcM
                       THEN INSERT INTO contractedEndDate[RentalCase*Date]
                               SELECTFROM 'b'[RentalCase]*'a'[Date]


                               (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDur
                  (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ con
                 NEW x:Date;
                    ALL of INSERT INTO dateIntervalCompTrigger[Date*Date]
                               SELECTFROM 'x'[Date]*((rcMaxRentalDuration;rcMaxRent


                               (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDurati
                       INSERT INTO contractedEndDate[RentalCase*Date]
                        SELECTFROM ((rcMaxRentalDuration;rcMaxRentalDuration


                               (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDurati
                  (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ c
                (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ con
            (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contracted
      (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEndDate
 (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEndDate;c
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((contractedStartDate~;rcMaxRentalDu
        THEN INSERT INTO dateIntervalCompTrigger[Date*Date]
             SELECTFROM 'a'[Date]*'b'[Date]


            (TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRent
        PICK a,b FROM dateIntervalCompTrigger~;((contractedStartDate~;rcMaxRent
        THEN INSERT INTO contractedEndDate[RentalCase*Date]
             SELECTFROM 'b'[RentalCase]*'a'[Date]


            (TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRent
(MAINTAINING -(contractedStartDate~;rcMaxRentalDuration;rcMaxRentalDuration~ /
INSERT INTO dateIntervalCompTrigger[Date*Date]
 SELECTFROM (contractedStartDate~;rcMaxRentalDuration;rcMaxRentalDuration~;con


(TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRentalDuration~;
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rcMaxRentalDuration;rcMaxRentalDur
        THEN INSERT INTO contractedStartDate[RentalCase*Date]
             SELECTFROM 'a'[RentalCase]*'b'[Date]


            (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~;contracte
        PICK a,b FROM contractedStartDate~;((rcMaxRentalDuration;rcMaxRentalDur
        THEN INSERT INTO dateIntervalCompTrigger[Date*Date]
             SELECTFROM 'a'[Date]*'b'[Date]


                               115
```

```
                    (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~;contracte
(MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~;contractedEndDate /\ c
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rcDroppedOffDate;rcDroppedOffDate~
        THEN ALL of ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[Renta
                        THEN INSERT INTO contractedEndDate[RentalCase
                          SELECTFROM 'a'[RentalCase]*'b'[Date]

                            (TO MAINTAIN  -(rcDroppedOffDate;rcDropp
                    PICK a,b FROM contractedEndDate~;('a'[RentalC
                    THEN INSERT INTO firstDate[DateDifference*Dat
                          SELECTFROM 'b'[DateDifference]*'a'[Date

                            (TO MAINTAIN  -(rcDroppedOffDate;rcDropp
                  (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\
                  NEW x:Date;
                    ALL of INSERT INTO contractedEndDate[RentalCase*Da
                            SELECTFROM 'a'[RentalCase]*'b'[DateDiffere

                            (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedO
                    INSERT INTO firstDate[DateDifference*Date]
                     SELECTFROM 'b'[DateDifference]*'a'[RentalC

                            (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedO
                  (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~
                (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\
          (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contra
        ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[Renta
                    THEN INSERT INTO rcDroppedOffDate[RentalCase*
                          SELECTFROM 'a'[RentalCase]*'b'[Date]

                            (TO MAINTAIN  -(rcDroppedOffDate;rcDropp
                    PICK a,b FROM rcDroppedOffDate~;('a'[RentalCa
                    THEN INSERT INTO lastDate[DateDifference*Date
                          SELECTFROM 'b'[DateDifference]*'a'[Date

                            (TO MAINTAIN  -(rcDroppedOffDate;rcDropp
                  (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\
                  NEW x:Date;
                    ALL of INSERT INTO rcDroppedOffDate[RentalCase*Dat
                            SELECTFROM 'a'[RentalCase]*'b'[DateDiffere

                            (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedO
                    INSERT INTO lastDate[DateDifference*Date]
                     SELECTFROM 'b'[DateDifference]*'a'[RentalC

                            (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedO
                  (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~
                (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\
          (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contra
```

116

```
        (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEnd
     PICK a,b FROM (firstDate;contractedEndDate~ /\ lastDate;rcDroppedOffDat
     THEN BLOCK
        (CANNOT CHANGE V[DateDifference*RentalCase] FROM Trigger excess pe
(MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEndDate;contrac
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((contractedEndDate;(contractedEndDa
        THEN ALL of ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[Renta
                     THEN INSERT INTO contractedStartDate[RentalCa
                       SELECTFROM 'a'[RentalCase]*'b'[Date]

                            (TO MAINTAIN  -(contractedEndDate;contra
                     PICK a,b FROM contractedStartDate~;('a'[Renta
                     THEN INSERT INTO earliestDate[DateDifferenceP
                       SELECTFROM 'b'[DateDifferencePlusOne]*'

                            (TO MAINTAIN  -(contractedEndDate;contra
                  (MAINTAINING -(contractedEndDate;contractedEndDate~
                  NEW x:Date;
                    ALL of INSERT INTO contractedStartDate[RentalCase*
                          SELECTFROM 'a'[RentalCase]*'b'[DateDiffere

                            (TO MAINTAIN  -(contractedEndDate;contracte
                     INSERT INTO earliestDate[DateDifferencePlus
                       SELECTFROM 'b'[DateDifferencePlusOne]*'a'[

                            (TO MAINTAIN  -(contractedEndDate;contracte
                  (MAINTAINING -(contractedEndDate;contractedEndDate
                  (MAINTAINING -(contractedEndDate;contractedEndDate~
                (MAINTAINING -(contractedEndDate;contractedEndDate~ /\ cont
         ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[Renta
                     THEN INSERT INTO contractedEndDate[RentalCase
                       SELECTFROM 'a'[RentalCase]*'b'[Date]

                            (TO MAINTAIN  -(contractedEndDate;contra
                     PICK a,b FROM contractedEndDate~;('a'[RentalC
                     THEN INSERT INTO latestDate[DateDifferencePlu
                       SELECTFROM 'b'[DateDifferencePlusOne]*'

                            (TO MAINTAIN  -(contractedEndDate;contra
                  (MAINTAINING -(contractedEndDate;contractedEndDate~
                  NEW x:Date;
                    ALL of INSERT INTO contractedEndDate[RentalCase*Da
                          SELECTFROM 'a'[RentalCase]*'b'[DateDiffere

                            (TO MAINTAIN  -(contractedEndDate;contracte
                     INSERT INTO latestDate[DateDifferencePlusOn
                       SELECTFROM 'b'[DateDifferencePlusOne]*'a'[

                            (TO MAINTAIN  -(contractedEndDate;contracte
                  (MAINTAINING -(contractedEndDate;contractedEndDate
```

117

```
                              (MAINTAINING -(contractedEndDate;contractedEndDate~
                    (MAINTAINING -(contractedEndDate;contractedEndDate~ /\ cont
              (MAINTAINING -(contractedEndDate;contractedEndDate~ /\ contractedS
         PICK a,b FROM (earliestDate;contractedStartDate~ /\ latestDate;contract
         THEN BLOCK
                (CANNOT CHANGE V[DateDifferencePlusOne*RentalCase] FROM Trigger pr
    (MAINTAINING -(contractedEndDate;contractedEndDate~ /\ contractedStartDate;con
    INSERT INTO projectedRentalPeriod[RentalCase*Integer]
     SELECTFROM ((contractedStartDate;earliestDate~ /\ contractedEndDate;latestDat

    (TO MAINTAIN  -((contractedStartDate;earliestDate~ /\ contractedEndDate;latest
    INSERT INTO Isn{detyp=Integer}
     SELECTFROM (projectedRentalPeriod~;(contractedStartDate;earliestDate~ /\ cont

    (TO MAINTAIN  -(projectedRentalPeriod~;(contractedStartDate;earliestDate~ /\ c
    INSERT INTO Isn{detyp=Date}
     SELECTFROM ((contractedEndDate \/ Delta)~;contractedEndDate /\ -I[Date]) \/ (

    (TO MAINTAIN  -(contractedEndDate~;contractedEndDate) \/ I[Date] FROM UNI cont
    INSERT INTO Isn{detyp=RentalCase}
     SELECTFROM (Delta;Delta~ /\ I[RentalCase]) - I[RentalCase]

    INSERT INTO Isn{detyp=Date}
     SELECTFROM (Delta~;Delta /\ I[Date]) - I[Date]

(MAINTAINING -(contractedStartDate~;contractedEndDate) \/ dateIntervalIsWithinMaxRent
(MAINTAINING -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;contract
(MAINTAINING -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;contract
(MAINTAINING -rentalHasBeenPromised \/ contractedEndDate;contractedEndDate~ FROM Prom
(MAINTAINING -rentalHasBeenPromised \/ contractedEndDate;contractedEndDate~ FROM Prom
(MAINTAINING -rentalHasBeenPromised \/ contractedEndDate;contractedEndDate~ FROM Prom
(MAINTAINING -rentalHasBeenPromised \/ contractedEndDate;contractedEndDate~ FROM Prom
(MAINTAINING -((rcDroppedOffDate;lastDate~ /\ contractedEndDate;firstDate~);computedN
(MAINTAINING -((rcDroppedOffDate;lastDate~ /\ contractedEndDate;firstDate~);computedN
(MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEndDate;contract
(MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEndDate;contract
(MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEndDate;contract
(MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEndDate;contract
(MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEndDate;contractedEndD
(MAINTAINING -(contractedEndDate;contractedEndDate~ /\ contractedStartDate;contracted
(MAINTAINING -((contractedStartDate;earliestDate~ /\ contractedEndDate;latestDate~);c
(MAINTAINING -((contractedStartDate;earliestDate~ /\ contractedEndDate;latestDate~);c
(MAINTAINING -(contractedEndDate~;contractedEndDate) \/ I[Date] FROM UNI contractedEn

<------End Derivation --


         ON DELETE Delta FROM contractedEndDate[RentalCase*Date] EXECUTE    -- (ECA rule
         ALL of DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]


                          118
```

```
          SELECTFROM -((contractedEndDate /\ -Delta);(contractedEndDate /\ -Delta);

(TO MAINTAIN  -rentalHasBeenPromised \/ contractedEndDate;contractedEndDat
ONE OF DELETE FROM contractedEndDate[RentalCase*Date]
          SELECTFROM rentalHasBeenPromised;(-(contractedEndDate /\ -Delta) ,

          (TO MAINTAIN  -(contractedEndDate~;rentalHasBeenPromised) \/ contra
          DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
           SELECTFROM contractedEndDate;(-(contractedEndDate /\ -Delta)~ /\ (

          (TO MAINTAIN  -(contractedEndDate~;rentalHasBeenPromised) \/ contra
(MAINTAINING -(contractedEndDate~;rentalHasBeenPromised) \/ contractedEndI
ONE OF DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
          SELECTFROM ((-contractedEndDate /\ rentalHasBeenPromised;contracte

          (TO MAINTAIN  -(rentalHasBeenPromised;contractedEndDate) \/ contra
          DELETE FROM contractedEndDate[RentalCase*Date]
           SELECTFROM rentalHasBeenPromised~;((-contractedEndDate /\ rentalHa

          (TO MAINTAIN  -(rentalHasBeenPromised;contractedEndDate) \/ contra
(MAINTAINING -(rentalHasBeenPromised;contractedEndDate) \/ contractedEndDa
ONE OF DELETE FROM rcMaxRentalDuration[RentalCase*Integer]
          SELECTFROM (-(contractedStartDate;dateIntervalCompTrigger;(contra

          (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contra
          DELETE FROM rcMaxRentalDuration[RentalCase*Integer]
           SELECTFROM (-((contractedEndDate /\ -Delta);dateIntervalCompTrigg

          (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contra
          DELETE FROM contractedEndDate[RentalCase*Date]
           SELECTFROM (-(contractedStartDate;dateIntervalCompTrigger;(contra

          (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contra
          DELETE FROM contractedEndDate[RentalCase*Date]
           SELECTFROM (-((contractedEndDate /\ -Delta);dateIntervalCompTrigg

          (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contra
          DELETE FROM contractedStartDate[RentalCase*Date]
           SELECTFROM (-(contractedStartDate;dateIntervalCompTrigger;(contra

          (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contra
          DELETE FROM contractedStartDate[RentalCase*Date]
           SELECTFROM (-((contractedEndDate /\ -Delta);dateIntervalCompTrigg

          (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contra
          DELETE FROM Isn{detyp=RentalCase}
           SELECTFROM -(contractedStartDate;dateIntervalCompTrigger;(contrac

          (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contra
(MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEndDa
```

```
ONE OF DELETE FROM contractedStartDate[RentalCase*Date]
          SELECTFROM rcMaxRentalDuration;rcMaxRentalDuration~;(-((contracte

          (TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRenta
          DELETE FROM rcMaxRentalDuration[RentalCase*Integer]
           SELECTFROM contractedStartDate;(-(dateIntervalCompTrigger;(contra

          (TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRenta
          DELETE FROM rcMaxRentalDuration[RentalCase*Integer]
           SELECTFROM (-((contractedEndDate /\ -Delta);dateIntervalCompTrigg

          (TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRenta
          DELETE FROM contractedStartDate[RentalCase*Date]
           SELECTFROM contractedEndDate;contractedEndDate~;(-((contractedEnd

          (TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRenta
          DELETE FROM contractedEndDate[RentalCase*Date]
           SELECTFROM contractedStartDate;(-(dateIntervalCompTrigger;(contra

          (TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRenta
          DELETE FROM contractedEndDate[RentalCase*Date]
           SELECTFROM (-((contractedEndDate /\ -Delta);dateIntervalCompTrigg

          (TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRenta
          DELETE FROM contractedStartDate[RentalCase*Date]
           SELECTFROM contractedStartDate;contractedStartDate~;(-((contracte

          (TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRenta
          DELETE FROM contractedStartDate[RentalCase*Date]
           SELECTFROM contractedStartDate;(-(dateIntervalCompTrigger;(contra

          (TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRenta
          DELETE FROM contractedStartDate[RentalCase*Date]
           SELECTFROM (-((contractedEndDate /\ -Delta);dateIntervalCompTrigg

          (TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRenta
          DELETE FROM contractedStartDate[RentalCase*Date]
           SELECTFROM -((contractedEndDate /\ -Delta);dateIntervalCompTrigge

          (TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRenta
 (MAINTAINING -(contractedStartDate~;rcMaxRentalDuration;rcMaxRentalDuratio
ONE OF DELETE FROM rcDroppedOffDate[RentalCase*Date]
          SELECTFROM (-(((contractedEndDate /\ -Delta);firstDate~ /\ rcDrop

          (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEn
          DELETE FROM rcDroppedOffDate[RentalCase*Date]
           SELECTFROM (-(V[RentalCase*DateDifference];(firstDate;(contractedD

          (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEn
          DELETE FROM contractedEndDate[RentalCase*Date]
```

```
                                 SELECTFROM (-(((contractedEndDate /\ -Delta);firstDate~ /\ rcDrop

                        (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEn
                        DELETE FROM contractedEndDate[RentalCase*Date]
                         SELECTFROM (-(V[RentalCase*DateDifference];(firstDate;(contracted

                        (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEn
                        DELETE FROM Isn{detyp=RentalCase}
                         SELECTFROM -(((contractedEndDate /\ -Delta);firstDate~ /\ rcDropp

                        (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEn
                (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEndDate;co
                ONE OF DELETE FROM contractedEndDate[RentalCase*Date]
                         SELECTFROM (-((contractedStartDate;earliestDate~ /\ (contractedEn

                        (TO MAINTAIN  -(contractedEndDate;contractedEndDate~ /\ contracted
                        DELETE FROM contractedEndDate[RentalCase*Date]
                         SELECTFROM (-(V[RentalCase*DateDifferencePlusOne];(earliestDate;c

                        (TO MAINTAIN  -(contractedEndDate;contractedEndDate~ /\ contracted
                        DELETE FROM contractedStartDate[RentalCase*Date]
                         SELECTFROM (-((contractedStartDate;earliestDate~ /\ (contractedEn

                        (TO MAINTAIN  -(contractedEndDate;contractedEndDate~ /\ contracted
                        DELETE FROM contractedStartDate[RentalCase*Date]
                         SELECTFROM (-(V[RentalCase*DateDifferencePlusOne];(earliestDate;c

                        (TO MAINTAIN  -(contractedEndDate;contractedEndDate~ /\ contracted
                        DELETE FROM Isn{detyp=RentalCase}
                         SELECTFROM -((contractedStartDate;earliestDate~ /\ (contractedEnd

                        (TO MAINTAIN  -(contractedEndDate;contractedEndDate~ /\ contracted
                (MAINTAINING -(contractedEndDate;contractedEndDate~ /\ contractedStartDate
        (MAINTAINING -rentalHasBeenPromised \/ contractedEndDate;contractedEndDate~ FROM
        (MAINTAINING -rentalHasBeenPromised \/ contractedEndDate;contractedEndDate~ FROM
        (MAINTAINING -rentalHasBeenPromised \/ contractedEndDate;contractedEndDate~ FROM
        (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEndDate;con
        (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEndDate;con
        (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEndDate;contracte
        (MAINTAINING -(contractedEndDate;contractedEndDate~ /\ contractedStartDate;contra
```

------ Derivation ----->

```
        ALL of DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
             SELECTFROM -((contractedEndDate /\ -Delta);(contractedEndDate /\ -Delta)~) /\

             (TO MAINTAIN  -rentalHasBeenPromised \/ contractedEndDate;contractedEndDate~ F
             ONE OF DELETE FROM contractedEndDate[RentalCase*Date]
```

121

```
            SELECTFROM rentalHasBeenPromised;(-(contractedEndDate /\ -Delta) /\ re

        (TO MAINTAIN  -(contractedEndDate~;rentalHasBeenPromised) \/ contracted
        DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
         SELECTFROM contractedEndDate;(-(contractedEndDate /\ -Delta)~ /\ contr

        (TO MAINTAIN  -(contractedEndDate~;rentalHasBeenPromised) \/ contracted
(MAINTAINING -(contractedEndDate~;rentalHasBeenPromised) \/ contractedEndDate~
ONE OF DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
         SELECTFROM ((-contractedEndDate /\ rentalHasBeenPromised;contractedEnd

        (TO MAINTAIN  -(rentalHasBeenPromised;contractedEndDate) \/ contractedE
        DELETE FROM contractedEndDate[RentalCase*Date]
         SELECTFROM rentalHasBeenPromised~;((-contractedEndDate /\ rentalHasBee

        (TO MAINTAIN  -(rentalHasBeenPromised;contractedEndDate) \/ contractedE
(MAINTAINING -(rentalHasBeenPromised;contractedEndDate) \/ contractedEndDate F
ONE OF DELETE FROM rcMaxRentalDuration[RentalCase*Integer]
         SELECTFROM (-(contractedStartDate;dateIntervalCompTrigger;(contractedE

        (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedE
        DELETE FROM rcMaxRentalDuration[RentalCase*Integer]
         SELECTFROM (-((contractedEndDate /\ -Delta);dateIntervalCompTrigger~;c

        (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedE
        DELETE FROM contractedEndDate[RentalCase*Date]
         SELECTFROM (-(contractedStartDate;dateIntervalCompTrigger;(contractedE

        (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedE
        DELETE FROM contractedEndDate[RentalCase*Date]
         SELECTFROM (-((contractedEndDate /\ -Delta);dateIntervalCompTrigger~;c

        (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedE
        DELETE FROM contractedStartDate[RentalCase*Date]
         SELECTFROM (-(contractedStartDate;dateIntervalCompTrigger;(contractedE

        (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedE
        DELETE FROM contractedStartDate[RentalCase*Date]
         SELECTFROM (-((contractedEndDate /\ -Delta);dateIntervalCompTrigger~;c

        (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedE
        DELETE FROM Isn{detyp=RentalCase}
         SELECTFROM -(contractedStartDate;dateIntervalCompTrigger;(contractedEn

        (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedE
(MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEndDate;c
ONE OF DELETE FROM contractedStartDate[RentalCase*Date]
         SELECTFROM rcMaxRentalDuration;rcMaxRentalDuration~;(-((contractedEndD

        (TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRentalDur
```

122

```
                        DELETE FROM rcMaxRentalDuration[RentalCase*Integer]
                         SELECTFROM contractedStartDate;(-(dateIntervalCompTrigger;(contractedE


                        (TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRentalDur
                        DELETE FROM rcMaxRentalDuration[RentalCase*Integer]
                         SELECTFROM (-((contractedEndDate /\ -Delta);dateIntervalCompTrigger~)


                        (TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRentalDur
                        DELETE FROM contractedStartDate[RentalCase*Date]
                         SELECTFROM contractedEndDate;contractedEndDate~;(-((contractedEndDate


                        (TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRentalDur
                        DELETE FROM contractedEndDate[RentalCase*Date]
                         SELECTFROM contractedStartDate;(-(dateIntervalCompTrigger;(contractedE


                        (TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRentalDur
                        DELETE FROM contractedEndDate[RentalCase*Date]
                         SELECTFROM (-((contractedEndDate /\ -Delta);dateIntervalCompTrigger~)


                        (TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRentalDur
                        DELETE FROM contractedStartDate[RentalCase*Date]
                         SELECTFROM contractedStartDate;contractedStartDate~;(-((contractedEndD


                        (TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRentalDur
                        DELETE FROM contractedStartDate[RentalCase*Date]
                         SELECTFROM contractedStartDate;(-(dateIntervalCompTrigger;(contractedE


                        (TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRentalDur
                        DELETE FROM contractedStartDate[RentalCase*Date]
                         SELECTFROM (-((contractedEndDate /\ -Delta);dateIntervalCompTrigger~)


                        (TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRentalDur
                        DELETE FROM contractedStartDate[RentalCase*Date]
                         SELECTFROM -((contractedEndDate /\ -Delta);dateIntervalCompTrigger~) /


                        (TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRentalDur
            (MAINTAINING -(contractedStartDate~;rcMaxRentalDuration;rcMaxRentalDuration~ /
            ONE OF DELETE FROM rcDroppedOffDate[RentalCase*Date]
                         SELECTFROM (-(((contractedEndDate /\ -Delta);firstDate~ /\ rcDroppedOf


                        (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEndDate
                        DELETE FROM rcDroppedOffDate[RentalCase*Date]
                         SELECTFROM (-(V[RentalCase*DateDifference];(firstDate;(contractedEndDa


                        (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEndDate
                        DELETE FROM contractedEndDate[RentalCase*Date]
                         SELECTFROM (-(((contractedEndDate /\ -Delta);firstDate~ /\ rcDroppedOf


                        (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEndDate
                        DELETE FROM contractedEndDate[RentalCase*Date]
```

```
                              SELECTFROM (-(V[RentalCase*DateDifference];(firstDate;(contractedEndDa

                    (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEndDate
                    DELETE FROM Isn{detyp=RentalCase}
                     SELECTFROM -(((contractedEndDate /\ -Delta);firstDate~ /\ rcDroppedOff

                    (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEndDate
          (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEndDate;contrac
          ONE OF DELETE FROM contractedEndDate[RentalCase*Date]
                     SELECTFROM (-((contractedStartDate;earliestDate~ /\ (contractedEndDate

                    (TO MAINTAIN  -(contractedEndDate;contractedEndDate~ /\ contractedStart
                    DELETE FROM contractedEndDate[RentalCase*Date]
                     SELECTFROM (-(V[RentalCase*DateDifferencePlusOne];(earliestDate;contra

                    (TO MAINTAIN  -(contractedEndDate;contractedEndDate~ /\ contractedStart
                    DELETE FROM contractedStartDate[RentalCase*Date]
                     SELECTFROM (-((contractedStartDate;earliestDate~ /\ (contractedEndDate

                    (TO MAINTAIN  -(contractedEndDate;contractedEndDate~ /\ contractedStart
                    DELETE FROM contractedStartDate[RentalCase*Date]
                     SELECTFROM (-(V[RentalCase*DateDifferencePlusOne];(earliestDate;contra

                    (TO MAINTAIN  -(contractedEndDate;contractedEndDate~ /\ contractedStart
                    DELETE FROM Isn{detyp=RentalCase}
                     SELECTFROM -((contractedStartDate;earliestDate~ /\ (contractedEndDate

                    (TO MAINTAIN  -(contractedEndDate;contractedEndDate~ /\ contractedStart
             (MAINTAINING -(contractedEndDate;contractedEndDate~ /\ contractedStartDate;con
      (MAINTAINING -rentalHasBeenPromised \/ contractedEndDate;contractedEndDate~ FROM Prom
      (MAINTAINING -rentalHasBeenPromised \/ contractedEndDate;contractedEndDate~ FROM Prom
      (MAINTAINING -rentalHasBeenPromised \/ contractedEndDate;contractedEndDate~ FROM Prom
      (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEndDate;contract
      (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEndDate;contract
      (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEndDate;contractedEndD
      (MAINTAINING -(contractedEndDate;contractedEndDate~ /\ contractedStartDate;contracted

<------End Derivation --


          ON INSERT Delta IN contractedCarType[RentalCase*CarType] EXECUTE    -- (ECA rule
          ONE OF INSERT INTO carType[Car*CarType]
                    SELECTFROM rcAssignedCar~;(contractedCarType \/ Delta) /\ -carType

                    (TO MAINTAIN  -(contractedCarType~;rcAssignedCar) \/ carType~ FROM Rented
                    INSERT INTO Isn{detyp=CarType}
                     SELECTFROM (contractedCarType \/ Delta)~;rcAssignedCar;carType /\ -I[Car

                    (TO MAINTAIN  -(contractedCarType~;rcAssignedCar;carType) \/ I[CarType] FR
```

124

```
INSERT INTO rentalHasBeenPromised[RentalCase*RentalCase]
 SELECTFROM (rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarTyp

(TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCar'
INSERT INTO rentalHasBeenPromised[RentalCase*RentalCase]
 SELECTFROM (rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarTyp

(TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCar'
INSERT INTO contractedCarType[RentalCase*CarType]
 SELECTFROM rentalHasBeenPromised~;(contractedCarType \/ Delta) /\ -contra

(TO MAINTAIN  -(contractedCarType~;rentalHasBeenPromised) \/ contractedCa:
INSERT INTO Isn{detyp=CarType}
 SELECTFROM ((contractedCarType \/ Delta)~;rentalHasBeenPromised;contracte

(TO MAINTAIN  -(contractedCarType~;rentalHasBeenPromised;contractedCarTyp
INSERT INTO contractedCarType[RentalCase*CarType]
 SELECTFROM (rentalHasBeenPromised;contractedCarType /\ -contractedCarTyp

(TO MAINTAIN  -(rentalHasBeenPromised;contractedCarType) \/ contractedCar'
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((contractedPickupBranch~;(I[Re:
        THEN INSERT INTO carAvailableAt[Car*Branch]
             SELECTFROM 'b'[Car]*'a'[Branch]

             (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ ren
        PICK a,b FROM carAvailableAt;((contractedPickupBranch~;(I[RentalCas
        THEN INSERT INTO carType[Car*CarType]
             SELECTFROM 'a'[Car]*'b'[CarType]

             (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ ren
(MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeenPror
NEW x:Car;
  ALL of INSERT INTO carAvailableAt[Car*Branch]
             SELECTFROM 'x'[Car]*((contractedCarType~;(I[RentalCase] /\ rent

         (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ rental]
         INSERT INTO carType[Car*CarType]
          SELECTFROM 'x'[Car]*((contractedPickupBranch~;(I[RentalCase] /\

         (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ rental]
   (MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeenP:
(MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeenPror
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((contractedCarType;(contractedC
       THEN ALL of ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
                              THEN INSERT INTO projectedRentalPeriod[Re
                                    SELECTFROM 'a'[RentalCase]*'b'[Inte

                                   (TO MAINTAIN  -(contractedCarType;co
                              PICK a,b FROM projectedRentalPeriod~;('a
                              THEN INSERT INTO ctcNrOfDays[CompTariffe
```

125

```
                              SELECTFROM 'b'[CompTariffedCharge]*

                    (TO MAINTAIN  -(contractedCarType;co
      (MAINTAINING -(contractedCarType;contractedCarT
NEW x:Integer;
   ALL of INSERT INTO projectedRentalPeriod[Renta
            SELECTFROM 'a'[RentalCase]*'b'[CompTai

                    (TO MAINTAIN  -(contractedCarType;conti
                    INSERT INTO ctcNrOfDays[CompTariffedCh
                    SELECTFROM 'b'[CompTariffedCharge]*'a

                    (TO MAINTAIN  -(contractedCarType;conti
          (MAINTAINING -(contractedCarType;contractedCa
          (MAINTAINING -(contractedCarType;contractedCarT
   (MAINTAINING -(contractedCarType;contractedCarType~ /\
ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
            THEN INSERT INTO contractedCarType[Renta
                    SELECTFROM 'a'[RentalCase]*'b'[Car

                    (TO MAINTAIN  -(contractedCarType;co
          PICK a,b FROM contractedCarType~;('a'[Re
          THEN ONE OF ONE NONEMPTY ALTERNATIVE OF
                         THEN INSERT INTO rent
                              SELECTFROM 'a'[

                         (TO MAINTAIN  -(
                    PICK a,b FROM rentalTa
                    THEN INSERT INTO ctcDa
                         SELECTFROM 'b'[

                         (TO MAINTAIN  -(
          (MAINTAINING -(contractedCar
          NEW x:Amount;
             ALL of INSERT INTO rentalTa
                         SELECTFROM 'a'[Car

                         (TO MAINTAIN  -(con
                    INSERT INTO ctcDail
                    SELECTFROM 'b'[Comp

                         (TO MAINTAIN  -(con
          (MAINTAINING -(contractedCa
          (MAINTAINING -(contractedCar
          (MAINTAINING -(contractedCarType;co
   (MAINTAINING -(contractedCarType;contractedCarT
NEW x:CarType;
   ALL of INSERT INTO contractedCarType[RentalCa
            SELECTFROM 'a'[RentalCase]*'b'[CompTai
```

126

```
                                          (TO MAINTAIN  -(contractedCarType;cont
                                    ONE OF ONE NONEMPTY ALTERNATIVE OF PIC
                                          THEN INSERT INTO rentalTa
                                             SELECTFROM 'a'[Car'

                                      (TO MAINTAIN  -(con
                                 PICK a,b FROM rentalTari
                                 THEN INSERT INTO ctcDail
                                    SELECTFROM 'b'[Comp

                                      (TO MAINTAIN  -(con
                              (MAINTAINING -(contractedCarTyp
                              NEW x:Amount;
                                ALL of INSERT INTO rentalTari
                                       SELECTFROM 'x'[CarTyp

                                    (TO MAINTAIN  -(contra
                                    INSERT INTO ctcDailyAm
                                     SELECTFROM 'b'[CompTa

                                    (TO MAINTAIN  -(contra
                             (MAINTAINING -(contractedCarT
                             (MAINTAINING -(contractedCarType
                        (MAINTAINING -(contractedCarType;contr
                    (MAINTAINING -(contractedCarType;contractedCa
                  (MAINTAINING -(contractedCarType;contractedCarT
             (MAINTAINING -(contractedCarType;contractedCarType~ /\
        (MAINTAINING -(contractedCarType;contractedCarType~ /\ project
      PICK a,b FROM (ctcNrOfDays;projectedRentalPeriod~ /\ ctcDailyAmount
      THEN BLOCK
           (CANNOT CHANGE V[CompTariffedCharge*RentalCase] FROM Trigger
(MAINTAINING -(contractedCarType;contractedCarType~ /\ projectedRentalPer
INSERT INTO projectedBasicCharge[RentalCase*Amount]
 SELECTFROM ((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;ren

(TO MAINTAIN  -((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;
INSERT INTO Isn{detyp=Amount}
 SELECTFROM (projectedBasicCharge~;(projectedRentalPeriod;ctcNrOfDays~ /\

(TO MAINTAIN  -(projectedBasicCharge~;(projectedRentalPeriod;ctcNrOfDays~
INSERT INTO Isn{detyp=CarType}
 SELECTFROM ((contractedCarType \/ Delta)~;contractedCarType /\ -I[CarType

(TO MAINTAIN  -(contractedCarType~;contractedCarType) \/ I[CarType] FROM
INSERT INTO Isn{detyp=RentalCase}
 SELECTFROM (Delta;Delta~ /\ I[RentalCase]) - I[RentalCase]

INSERT INTO Isn{detyp=CarType}
 SELECTFROM (Delta~;Delta /\ I[CarType]) - I[CarType]
```

127

```
                    (MAINTAINING -rcAssignedCar \/ contractedCarType;carType~ FROM Rented car type i
                    (MAINTAINING -rcAssignedCar \/ contractedCarType;carType~ FROM Rented car type i
                    (MAINTAINING -rcAssignedCar \/ contractedCarType;carType~ FROM Rented car type i
                    (MAINTAINING -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;con
                    (MAINTAINING -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;con
                    (MAINTAINING -rentalHasBeenPromised \/ contractedCarType;contractedCarType~ FROM
                    (MAINTAINING -rentalHasBeenPromised \/ contractedCarType;contractedCarType~ FROM
                    (MAINTAINING -rentalHasBeenPromised \/ contractedCarType;contractedCarType~ FROM
                    (MAINTAINING -rentalHasBeenPromised \/ contractedCarType;contractedCarType~ FROM
                    (MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeenPromised /
                    (MAINTAINING -(contractedCarType;contractedCarType~ /\ projectedRentalPeriod;pro
                    (MAINTAINING -((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;rentalTa
                    (MAINTAINING -((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;rentalTa
                    (MAINTAINING -(contractedCarType~;contractedCarType) \/ I[CarType] FROM UNI cont


------ Derivation ----->



          ONE OF INSERT INTO carType[Car*CarType]
                    SELECTFROM rcAssignedCar~;(contractedCarType \/ Delta) /\ -carType

                    (TO MAINTAIN  -(contractedCarType~;rcAssignedCar) \/ carType~ FROM Rented car
                    INSERT INTO Isn{detyp=CarType}
                     SELECTFROM (contractedCarType \/ Delta)~;rcAssignedCar;carType /\ -I[CarType]

                    (TO MAINTAIN  -(contractedCarType~;rcAssignedCar;carType) \/ I[CarType] FROM R
                    INSERT INTO rentalHasBeenPromised[RentalCase*RentalCase]
                     SELECTFROM (rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;(co

                    (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;
                    INSERT INTO rentalHasBeenPromised[RentalCase*RentalCase]
                     SELECTFROM (rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;(co

                    (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;
                    INSERT INTO contractedCarType[RentalCase*CarType]
                     SELECTFROM rentalHasBeenPromised~;(contractedCarType \/ Delta) /\ -contracted

                    (TO MAINTAIN  -(contractedCarType~;rentalHasBeenPromised) \/ contractedCarType
                    INSERT INTO Isn{detyp=CarType}
                     SELECTFROM ((contractedCarType \/ Delta)~;rentalHasBeenPromised;contractedCar

                    (TO MAINTAIN  -(contractedCarType~;rentalHasBeenPromised;contractedCarType) \/
                    INSERT INTO contractedCarType[RentalCase*CarType]
                     SELECTFROM (rentalHasBeenPromised;contractedCarType /\ -contractedCarType) \/

                    (TO MAINTAIN  -(rentalHasBeenPromised;contractedCarType) \/ contractedCarType
                    ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((contractedPickupBranch~;(I[RentalC
                            THEN INSERT INTO carAvailableAt[Car*Branch]
                                    SELECTFROM 'b'[Car]*'a'[Branch]
```

128

```
            (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ rentalHa
        PICK a,b FROM carAvailableAt;((contractedPickupBranch~;(I[RentalCase] /
        THEN INSERT INTO carType[Car*CarType]
             SELECTFROM 'a'[Car]*'b'[CarType]


            (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ rentalHa
(MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeenPromised
NEW x:Car;
  ALL of INSERT INTO carAvailableAt[Car*Branch]
          SELECTFROM 'x'[Car]*((contractedCarType~;(I[RentalCase] /\ rentalHas


          (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBe
          INSERT INTO carType[Car*CarType]
           SELECTFROM 'x'[Car]*((contractedPickupBranch~;(I[RentalCase] /\ rent


          (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBe
    (MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeenPromis
(MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeenPromised
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((contractedCarType;(contractedCarTy
      THEN ALL of ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[Renta
                          THEN INSERT INTO projectedRentalPeriod[Rental
                              SELECTFROM 'a'[RentalCase]*'b'[Integer]


                        (TO MAINTAIN  -(contractedCarType;contra
                        PICK a,b FROM projectedRentalPeriod~;('a'[Ren
                        THEN INSERT INTO ctcNrOfDays[CompTariffedChar
                            SELECTFROM 'b'[CompTariffedCharge]*'a'[


                        (TO MAINTAIN  -(contractedCarType;contra
                    (MAINTAINING -(contractedCarType;contractedCarType~
                    NEW x:Integer;
                      ALL of INSERT INTO projectedRentalPeriod[RentalCas
                            SELECTFROM 'a'[RentalCase]*'b'[CompTariffe


                        (TO MAINTAIN  -(contractedCarType;contracte
                        INSERT INTO ctcNrOfDays[CompTariffedCharge*
                         SELECTFROM 'b'[CompTariffedCharge]*'a'[Ren


                        (TO MAINTAIN  -(contractedCarType;contracte
                    (MAINTAINING -(contractedCarType;contractedCarType
                    (MAINTAINING -(contractedCarType;contractedCarType~
                (MAINTAINING -(contractedCarType;contractedCarType~ /\ proj
                ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[Renta
                              THEN INSERT INTO contractedCarType[RentalCase
                                  SELECTFROM 'a'[RentalCase]*'b'[CarType]


                        (TO MAINTAIN  -(contractedCarType;contra
                        PICK a,b FROM contractedCarType~;('a'[RentalC
                        THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK
```

129

```
                         THEN INSERT INTO rentalTar
                            SELECTFROM 'a'[CarTy

                      (TO MAINTAIN  -(contr
                  PICK a,b FROM rentalTariff
                  THEN INSERT INTO ctcDailyA
                      SELECTFROM 'b'[CompT

                      (TO MAINTAIN  -(contr
              (MAINTAINING -(contractedCarType;
              NEW x:Amount;
                ALL of INSERT INTO rentalTariff
                        SELECTFROM 'a'[CarType]

                      (TO MAINTAIN  -(contract
                      INSERT INTO ctcDailyAmou
                      SELECTFROM 'b'[CompTari

                      (TO MAINTAIN  -(contract
              (MAINTAINING -(contractedCarTyp
              (MAINTAINING -(contractedCarType;
           (MAINTAINING -(contractedCarType;contrac
     (MAINTAINING -(contractedCarType;contractedCarType~
     NEW x:CarType;
       ALL of INSERT INTO contractedCarType[RentalCase*Ca
                 SELECTFROM 'a'[RentalCase]*'b'[CompTariffe

                  (TO MAINTAIN  -(contractedCarType;contracte
                  ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b
                            THEN INSERT INTO rentalTariff
                                SELECTFROM 'a'[CarType]

                      (TO MAINTAIN  -(contract
                  PICK a,b FROM rentalTariffPer
                  THEN INSERT INTO ctcDailyAmou
                        SELECTFROM 'b'[CompTari

                      (TO MAINTAIN  -(contract
              (MAINTAINING -(contractedCarType;con
              NEW x:Amount;
                ALL of INSERT INTO rentalTariffPer
                        SELECTFROM 'x'[CarType]*'a

                      (TO MAINTAIN  -(contractedC
                      INSERT INTO ctcDailyAmount[
                       SELECTFROM 'b'[CompTariffe

                      (TO MAINTAIN  -(contractedC
              (MAINTAINING -(contractedCarType;c
              (MAINTAINING -(contractedCarType;con
```

130

```
                                        (MAINTAINING -(contractedCarType;contracted
                              (MAINTAINING -(contractedCarType;contractedCarType
                            (MAINTAINING -(contractedCarType;contractedCarType~
                      (MAINTAINING -(contractedCarType;contractedCarType~ /\ proj
              (MAINTAINING -(contractedCarType;contractedCarType~ /\ projectedRe
        PICK a,b FROM (ctcNrOfDays;projectedRentalPeriod~ /\ ctcDailyAmount;ren
        THEN BLOCK
                (CANNOT CHANGE V[CompTariffedCharge*RentalCase] FROM Trigger proje
    (MAINTAINING -(contractedCarType;contractedCarType~ /\ projectedRentalPeriod;p
    INSERT INTO projectedBasicCharge[RentalCase*Amount]
     SELECTFROM ((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;rentalTa

        (TO MAINTAIN  -((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;renta
        INSERT INTO Isn{detyp=Amount}
         SELECTFROM (projectedBasicCharge~;(projectedRentalPeriod;ctcNrOfDays~ /\ cont

        (TO MAINTAIN  -(projectedBasicCharge~;(projectedRentalPeriod;ctcNrOfDays~ /\ c
        INSERT INTO Isn{detyp=CarType}
         SELECTFROM ((contractedCarType \/ Delta)~;contractedCarType /\ -I[CarType]) \

        (TO MAINTAIN  -(contractedCarType~;contractedCarType) \/ I[CarType] FROM UNI c
        INSERT INTO Isn{detyp=RentalCase}
         SELECTFROM (Delta;Delta~ /\ I[RentalCase]) - I[RentalCase]

        INSERT INTO Isn{detyp=CarType}
         SELECTFROM (Delta~;Delta /\ I[CarType]) - I[CarType]

    (MAINTAINING -rcAssignedCar \/ contractedCarType;carType~ FROM Rented car type integr
    (MAINTAINING -rcAssignedCar \/ contractedCarType;carType~ FROM Rented car type integr
    (MAINTAINING -rcAssignedCar \/ contractedCarType;carType~ FROM Rented car type integr
    (MAINTAINING -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;contract
    (MAINTAINING -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;contract
    (MAINTAINING -rentalHasBeenPromised \/ contractedCarType;contractedCarType~ FROM Prom
    (MAINTAINING -rentalHasBeenPromised \/ contractedCarType;contractedCarType~ FROM Prom
    (MAINTAINING -rentalHasBeenPromised \/ contractedCarType;contractedCarType~ FROM Prom
    (MAINTAINING -rentalHasBeenPromised \/ contractedCarType;contractedCarType~ FROM Prom
    (MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeenPromised /\ -(r
    (MAINTAINING -(contractedCarType;contractedCarType~ /\ projectedRentalPeriod;projecte
    (MAINTAINING -((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;rentalTariffP
    (MAINTAINING -((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;rentalTariffP
    (MAINTAINING -(contractedCarType~;contractedCarType) \/ I[CarType] FROM UNI contracte

<------End Derivation --


        ON DELETE Delta FROM contractedCarType[RentalCase*CarType] EXECUTE     -- (ECA ru
        ALL of DELETE FROM rcAssignedCar[RentalCase*Car]
                SELECTFROM -((contractedCarType /\ -Delta);carType~) /\ rcAssignedCar
```

131

(TO MAINTAIN  -rcAssignedCar \/ contractedCarType;carType~ FROM Rented ca
ONE OF DELETE FROM rcAssignedCar[RentalCase*Car]
        SELECTFROM ((-contractedCarType /\ rcAssignedCar;carType) \/ (Del

        (TO MAINTAIN  -(rcAssignedCar;carType) \/ contractedCarType FROM R
        DELETE FROM carType[Car*CarType]
         SELECTFROM rcAssignedCar~;((-contractedCarType /\ rcAssignedCar;ca

        (TO MAINTAIN  -(rcAssignedCar;carType) \/ contractedCarType FROM R
(MAINTAINING -(rcAssignedCar;carType) \/ contractedCarType FROM Rented ca
DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
 SELECTFROM -((contractedCarType /\ -Delta);(contractedCarType /\ -Delta)

(TO MAINTAIN  -rentalHasBeenPromised \/ contractedCarType;contractedCarTy
ONE OF DELETE FROM contractedCarType[RentalCase*CarType]
        SELECTFROM rentalHasBeenPromised;(-(contractedCarType /\ -Delta) ,

        (TO MAINTAIN  -(contractedCarType~;rentalHasBeenPromised) \/ contra
        DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
         SELECTFROM contractedCarType;(-(contractedCarType /\ -Delta)~ /\

        (TO MAINTAIN  -(contractedCarType~;rentalHasBeenPromised) \/ contra
(MAINTAINING -(contractedCarType~;rentalHasBeenPromised) \/ contractedCar
ONE OF DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
        SELECTFROM ((-contractedCarType /\ rentalHasBeenPromised;contracte

        (TO MAINTAIN  -(rentalHasBeenPromised;contractedCarType) \/ contra
        DELETE FROM contractedCarType[RentalCase*CarType]
         SELECTFROM rentalHasBeenPromised~;((-contractedCarType /\ rentalHa

        (TO MAINTAIN  -(rentalHasBeenPromised;contractedCarType) \/ contra
(MAINTAINING -(rentalHasBeenPromised;contractedCarType) \/ contractedCarT
ONE OF DELETE FROM contractedCarType[RentalCase*CarType]
        SELECTFROM (-((projectedRentalPeriod;ctcNrOfDays~ /\ (contractedC

        (TO MAINTAIN  -(contractedCarType;contractedCarType~ /\ projectedR
        DELETE FROM contractedCarType[RentalCase*CarType]
         SELECTFROM (-(V[RentalCase*CompTariffedCharge];(ctcNrOfDays;proje

        (TO MAINTAIN  -(contractedCarType;contractedCarType~ /\ projectedR
        DELETE FROM projectedRentalPeriod[RentalCase*Integer]
         SELECTFROM (-((projectedRentalPeriod;ctcNrOfDays~ /\ (contractedC

        (TO MAINTAIN  -(contractedCarType;contractedCarType~ /\ projectedR
        DELETE FROM projectedRentalPeriod[RentalCase*Integer]
         SELECTFROM (-(V[RentalCase*CompTariffedCharge];(ctcNrOfDays;proje

        (TO MAINTAIN  -(contractedCarType;contractedCarType~ /\ projectedR
        DELETE FROM Isn{detyp=RentalCase}
         SELECTFROM -((projectedRentalPeriod;ctcNrOfDays~ /\ (contractedCa

132

```
                          (TO MAINTAIN  -(contractedCarType;contractedCarType~ /\ projectedR
              (MAINTAINING -(contractedCarType;contractedCarType~ /\ projectedRentalPer
        (MAINTAINING -rcAssignedCar \/ contractedCarType;carType~ FROM Rented car type i
        (MAINTAINING -rcAssignedCar \/ contractedCarType;carType~ FROM Rented car type i
        (MAINTAINING -rentalHasBeenPromised \/ contractedCarType;contractedCarType~ FROM
        (MAINTAINING -rentalHasBeenPromised \/ contractedCarType;contractedCarType~ FROM
        (MAINTAINING -rentalHasBeenPromised \/ contractedCarType;contractedCarType~ FROM
        (MAINTAINING -(contractedCarType;contractedCarType~ /\ projectedRentalPeriod;pro
```

------ Derivation ----->


```
      ALL of DELETE FROM rcAssignedCar[RentalCase*Car]
              SELECTFROM -((contractedCarType /\ -Delta);carType~) /\ rcAssignedCar

          (TO MAINTAIN  -rcAssignedCar \/ contractedCarType;carType~ FROM Rented car typ
          ONE OF DELETE FROM rcAssignedCar[RentalCase*Car]
                  SELECTFROM ((-contractedCarType /\ rcAssignedCar;carType) \/ (Delta /\

              (TO MAINTAIN  -(rcAssignedCar;carType) \/ contractedCarType FROM Rented
              DELETE FROM carType[Car*CarType]
                SELECTFROM rcAssignedCar~;((-contractedCarType /\ rcAssignedCar;carTyp

              (TO MAINTAIN  -(rcAssignedCar;carType) \/ contractedCarType FROM Rented
          (MAINTAINING -(rcAssignedCar;carType) \/ contractedCarType FROM Rented car typ
          DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
            SELECTFROM -((contractedCarType /\ -Delta);(contractedCarType /\ -Delta)~) /\

          (TO MAINTAIN  -rentalHasBeenPromised \/ contractedCarType;contractedCarType~ F
          ONE OF DELETE FROM contractedCarType[RentalCase*CarType]
                  SELECTFROM rentalHasBeenPromised;(-(contractedCarType /\ -Delta) /\ re

              (TO MAINTAIN  -(contractedCarType~;rentalHasBeenPromised) \/ contracted
              DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
                SELECTFROM contractedCarType;(-(contractedCarType /\ -Delta)~ /\ contr

              (TO MAINTAIN  -(contractedCarType~;rentalHasBeenPromised) \/ contracted
          (MAINTAINING -(contractedCarType~;rentalHasBeenPromised) \/ contractedCarType~
          ONE OF DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
                  SELECTFROM ((-contractedCarType /\ rentalHasBeenPromised;contractedCar

              (TO MAINTAIN  -(rentalHasBeenPromised;contractedCarType) \/ contractedC
              DELETE FROM contractedCarType[RentalCase*CarType]
                SELECTFROM rentalHasBeenPromised~;((-contractedCarType /\ rentalHasBee

              (TO MAINTAIN  -(rentalHasBeenPromised;contractedCarType) \/ contractedC
          (MAINTAINING -(rentalHasBeenPromised;contractedCarType) \/ contractedCarType F
          ONE OF DELETE FROM contractedCarType[RentalCase*CarType]
```

133

```
                          SELECTFROM (-((projectedRentalPeriod;ctcNrOfDays~ /\ (contractedCarTyp

                    (TO MAINTAIN  -(contractedCarType;contractedCarType~ /\ projectedRental
                    DELETE FROM contractedCarType[RentalCase*CarType]
                     SELECTFROM (-(V[RentalCase*CompTariffedCharge];(ctcNrOfDays;projectedR

                    (TO MAINTAIN  -(contractedCarType;contractedCarType~ /\ projectedRental
                    DELETE FROM projectedRentalPeriod[RentalCase*Integer]
                     SELECTFROM (-((projectedRentalPeriod;ctcNrOfDays~ /\ (contractedCarTyp

                    (TO MAINTAIN  -(contractedCarType;contractedCarType~ /\ projectedRental
                    DELETE FROM projectedRentalPeriod[RentalCase*Integer]
                     SELECTFROM (-(V[RentalCase*CompTariffedCharge];(ctcNrOfDays;projectedR

                    (TO MAINTAIN  -(contractedCarType;contractedCarType~ /\ projectedRental
                    DELETE FROM Isn{detyp=RentalCase}
                     SELECTFROM -((projectedRentalPeriod;ctcNrOfDays~ /\ (contractedCarType

                    (TO MAINTAIN  -(contractedCarType;contractedCarType~ /\ projectedRental
             (MAINTAINING -(contractedCarType;contractedCarType~ /\ projectedRentalPeriod;p
    (MAINTAINING -rcAssignedCar \/ contractedCarType;carType~ FROM Rented car type integr
    (MAINTAINING -rcAssignedCar \/ contractedCarType;carType~ FROM Rented car type integr
    (MAINTAINING -rentalHasBeenPromised \/ contractedCarType;contractedCarType~ FROM Prom
    (MAINTAINING -rentalHasBeenPromised \/ contractedCarType;contractedCarType~ FROM Prom
    (MAINTAINING -rentalHasBeenPromised \/ contractedCarType;contractedCarType~ FROM Prom
    (MAINTAINING -(contractedCarType;contractedCarType~ /\ projectedRentalPeriod;projecte

        <------End Derivation --


             ON INSERT Delta IN contractedPickupBranch[RentalCase*Branch] EXECUTE    -- (ECA
             ONE OF INSERT INTO rentalHasBeenPromised[RentalCase*RentalCase]
                      SELECTFROM (rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarTyp

                    (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCar
                    INSERT INTO rentalHasBeenPromised[RentalCase*RentalCase]
                     SELECTFROM (rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarTyp

                    (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCar
                    INSERT INTO contractedPickupBranch[RentalCase*Branch]
                     SELECTFROM rentalHasBeenPromised~;(contractedPickupBranch \/ Delta) /\ -

                    (TO MAINTAIN  -(contractedPickupBranch~;rentalHasBeenPromised) \/ contrac
                    INSERT INTO Isn{detyp=Branch}
                     SELECTFROM ((contractedPickupBranch \/ Delta)~;rentalHasBeenPromised;con

                    (TO MAINTAIN  -(contractedPickupBranch~;rentalHasBeenPromised;contractedP
                    INSERT INTO contractedPickupBranch[RentalCase*Branch]
                     SELECTFROM (rentalHasBeenPromised;contractedPickupBranch /\ -contractedP
```

134

```
            (TO MAINTAIN  -(rentalHasBeenPromised;contractedPickupBranch) \/ contracte
            INSERT INTO rcMaxRentalDuration[RentalCase*Integer]
             SELECTFROM (contractedPickupBranch;branchOf;maxRentalDuration /\ -rcMaxR

            (TO MAINTAIN  -(contractedPickupBranch;branchOf;maxRentalDuration) \/ rcMa
            INSERT INTO Isn{detyp=Integer}
             SELECTFROM (rcMaxRentalDuration~;contractedPickupBranch;branchOf;maxRenta

            (TO MAINTAIN  -(rcMaxRentalDuration~;contractedPickupBranch;branchOf;maxRe
            ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((contractedPickupBranch \/ Del
                    THEN INSERT INTO carAvailableAt[Car*Branch]
                         SELECTFROM 'b'[Car]*'a'[Branch]

                         (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ ren
                    PICK a,b FROM carAvailableAt;((contractedPickupBranch \/ Delta)~;(
                    THEN INSERT INTO carType[Car*CarType]
                         SELECTFROM 'a'[Car]*'b'[CarType]

                         (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ ren
        (MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeenProm
            NEW x:Car;
              ALL of INSERT INTO carAvailableAt[Car*Branch]
                         SELECTFROM 'x'[Car]*(contractedCarType~;(I[RentalCase] /\ renta

                         (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ rental
                         INSERT INTO carType[Car*CarType]
                          SELECTFROM 'x'[Car]*((contractedPickupBranch \/ Delta)~;(I[Renta

                         (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ rental
               (MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeenP:
        (MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeenProm
            INSERT INTO Isn{detyp=Branch}
             SELECTFROM (contractedPickupBranch \/ Delta)~;(I[RentalCase] /\ rcBranch

            (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ rcBranchRequest
            INSERT INTO Isn{detyp=Branch}
             SELECTFROM ((contractedPickupBranch \/ Delta)~;contractedPickupBranch /\

            (TO MAINTAIN  -(contractedPickupBranch~;contractedPickupBranch) \/ I[Bran
            INSERT INTO Isn{detyp=RentalCase}
             SELECTFROM (Delta;Delta~ /\ I[RentalCase]) - I[RentalCase]

            INSERT INTO Isn{detyp=Branch}
             SELECTFROM (Delta~;Delta /\ I[Branch]) - I[Branch]

(MAINTAINING -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;con
(MAINTAINING -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;con
(MAINTAINING -rentalHasBeenPromised \/ contractedPickupBranch;contractedPickupBra
(MAINTAINING -rentalHasBeenPromised \/ contractedPickupBranch;contractedPickupBra
```

```
            (MAINTAINING -rentalHasBeenPromised \/ contractedPickupBranch;contractedPickupBr
            (MAINTAINING -rentalHasBeenPromised \/ contractedPickupBranch;contractedPickupBr
            (MAINTAINING -(contractedPickupBranch;branchOf;maxRentalDuration) \/ rcMaxRental
            (MAINTAINING -(contractedPickupBranch;branchOf;maxRentalDuration) \/ rcMaxRental
            (MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeenPromised /
            (MAINTAINING -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchR
            (MAINTAINING -(contractedPickupBranch~;contractedPickupBranch) \/ I[Branch] FROM
```

------ Derivation ----->


```
        ONE OF INSERT INTO rentalHasBeenPromised[RentalCase*RentalCase]
              SELECTFROM (rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;con

              (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;
              INSERT INTO rentalHasBeenPromised[RentalCase*RentalCase]
               SELECTFROM (rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;con

              (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;
              INSERT INTO contractedPickupBranch[RentalCase*Branch]
               SELECTFROM rentalHasBeenPromised~;(contractedPickupBranch \/ Delta) /\ -contr

              (TO MAINTAIN  -(contractedPickupBranch~;rentalHasBeenPromised) \/ contractedPi
              INSERT INTO Isn{detyp=Branch}
               SELECTFROM ((contractedPickupBranch \/ Delta)~;rentalHasBeenPromised;contract

              (TO MAINTAIN  -(contractedPickupBranch~;rentalHasBeenPromised;contractedPickup
              INSERT INTO contractedPickupBranch[RentalCase*Branch]
               SELECTFROM (rentalHasBeenPromised;contractedPickupBranch /\ -contractedPickup

              (TO MAINTAIN  -(rentalHasBeenPromised;contractedPickupBranch) \/ contractedPic
              INSERT INTO rcMaxRentalDuration[RentalCase*Integer]
               SELECTFROM (contractedPickupBranch;branchOf;maxRentalDuration /\ -rcMaxRental

              (TO MAINTAIN  -(contractedPickupBranch;branchOf;maxRentalDuration) \/ rcMaxRen
              INSERT INTO Isn{detyp=Integer}
               SELECTFROM (rcMaxRentalDuration~;contractedPickupBranch;branchOf;maxRentalDur

              (TO MAINTAIN  -(rcMaxRentalDuration~;contractedPickupBranch;branchOf;maxRental
              ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((contractedPickupBranch \/ Delta)~;
                    THEN INSERT INTO carAvailableAt[Car*Branch]
                          SELECTFROM 'b'[Car]*'a'[Branch]

                          (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ rentalHa
                    PICK a,b FROM carAvailableAt;((contractedPickupBranch \/ Delta)~;(I[Rent
                    THEN INSERT INTO carType[Car*CarType]
                          SELECTFROM 'a'[Car]*'b'[CarType]

                          (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ rentalHa
```

136

```
                (MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeenPromised
                NEW x:Car;
                  ALL of INSERT INTO carAvailableAt[Car*Branch]
                            SELECTFROM 'x'[Car]*(contractedCarType~;(I[RentalCase] /\ rentalHasB

                          (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBe
                          INSERT INTO carType[Car*CarType]
                            SELECTFROM 'x'[Car]*((contractedPickupBranch \/ Delta)~;(I[RentalCas

                          (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBe
                    (MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeenPromis
                (MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeenPromised
                INSERT INTO Isn{detyp=Branch}
                  SELECTFROM (contractedPickupBranch \/ Delta)~;(I[RentalCase] /\ rcBranchReque

                (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ rcBranchRequestedQ;'
                INSERT INTO Isn{detyp=Branch}
                  SELECTFROM ((contractedPickupBranch \/ Delta)~;contractedPickupBranch /\ -I[B

                (TO MAINTAIN  -(contractedPickupBranch~;contractedPickupBranch) \/ I[Branch] F
                INSERT INTO Isn{detyp=RentalCase}
                  SELECTFROM (Delta;Delta~ /\ I[RentalCase]) - I[RentalCase]

                INSERT INTO Isn{detyp=Branch}
                  SELECTFROM (Delta~;Delta /\ I[Branch]) - I[Branch]

        (MAINTAINING -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;contract
        (MAINTAINING -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;contract
        (MAINTAINING -rentalHasBeenPromised \/ contractedPickupBranch;contractedPickupBranch~
        (MAINTAINING -rentalHasBeenPromised \/ contractedPickupBranch;contractedPickupBranch~
        (MAINTAINING -rentalHasBeenPromised \/ contractedPickupBranch;contractedPickupBranch~
        (MAINTAINING -rentalHasBeenPromised \/ contractedPickupBranch;contractedPickupBranch~
        (MAINTAINING -(contractedPickupBranch;branchOf;maxRentalDuration) \/ rcMaxRentalDurat
        (MAINTAINING -(contractedPickupBranch;branchOf;maxRentalDuration) \/ rcMaxRentalDurat
        (MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeenPromised /\ -(r
        (MAINTAINING -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchReques
        (MAINTAINING -(contractedPickupBranch~;contractedPickupBranch) \/ I[Branch] FROM UNI

<------End Derivation --


        ON DELETE Delta FROM contractedPickupBranch[RentalCase*Branch] EXECUTE    -- (EC
        ALL of DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
                SELECTFROM -((contractedPickupBranch /\ -Delta);(contractedPickupBranch /

                (TO MAINTAIN  -rentalHasBeenPromised \/ contractedPickupBranch;contracted
                ONE OF DELETE FROM contractedPickupBranch[RentalCase*Branch]
                        SELECTFROM rentalHasBeenPromised;(-(contractedPickupBranch /\ -De
```

137

```
                        (TO MAINTAIN  -(contractedPickupBranch~;rentalHasBeenPromised) \/ 
                    DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
                     SELECTFROM contractedPickupBranch;(-(contractedPickupBranch /\ -D

                        (TO MAINTAIN  -(contractedPickupBranch~;rentalHasBeenPromised) \/ 
             (MAINTAINING -(contractedPickupBranch~;rentalHasBeenPromised) \/ contracte
             ONE OF DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
                     SELECTFROM ((-contractedPickupBranch /\ rentalHasBeenPromised;con

                        (TO MAINTAIN  -(rentalHasBeenPromised;contractedPickupBranch) \/ c
                    DELETE FROM contractedPickupBranch[RentalCase*Branch]
                     SELECTFROM rentalHasBeenPromised~;((-contractedPickupBranch /\ re

                        (TO MAINTAIN  -(rentalHasBeenPromised;contractedPickupBranch) \/ c
             (MAINTAINING -(rentalHasBeenPromised;contractedPickupBranch) \/ contracted
             ONE OF DELETE FROM Isn{detyp=RentalCase}
                     SELECTFROM ((-contractedPickupBranch /\ (I[RentalCase] /\ rcBranc

                        (TO MAINTAIN  -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAns
                    DELETE FROM rcBranchRequestedQ[RentalCase*YesNoAnswer]
                     SELECTFROM ((-contractedPickupBranch /\ (I[RentalCase] /\ rcBranc

                        (TO MAINTAIN  -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAns
                    DELETE FROM rcBranchRequestedQ[RentalCase*YesNoAnswer]
                     SELECTFROM sessionNewBranchRC~;'_SESSION'[SESSION];sessionBranch;

                        (TO MAINTAIN  -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAns
                    DELETE FROM sessionNewBranchRC[SESSION*RentalCase]
                     SELECTFROM '_SESSION'[SESSION];sessionBranch;((-contractedPickupB

                        (TO MAINTAIN  -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAns
                    DELETE FROM sessionBranch[SESSION*Branch]
                     SELECTFROM '_SESSION'[SESSION];sessionNewBranchRC;(I[RentalCase] 

                        (TO MAINTAIN  -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAns
             (MAINTAINING -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rc
         (MAINTAINING -rentalHasBeenPromised \/ contractedPickupBranch;contractedPickupBra
         (MAINTAINING -rentalHasBeenPromised \/ contractedPickupBranch;contractedPickupBra
         (MAINTAINING -rentalHasBeenPromised \/ contractedPickupBranch;contractedPickupBra
         (MAINTAINING -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchR

------ Derivation ----->


         ALL of DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
                 SELECTFROM -((contractedPickupBranch /\ -Delta);(contractedPickupBranch /\ -D

                 (TO MAINTAIN  -rentalHasBeenPromised \/ contractedPickupBranch;contractedPicku
                 ONE OF DELETE FROM contractedPickupBranch[RentalCase*Branch]
```

138

```
                        SELECTFROM rentalHasBeenPromised;(-(contractedPickupBranch /\ -Delta)

                  (TO MAINTAIN  -(contractedPickupBranch~;rentalHasBeenPromised) \/ contr
                DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
                 SELECTFROM contractedPickupBranch;(-(contractedPickupBranch /\ -Delta)

                  (TO MAINTAIN  -(contractedPickupBranch~;rentalHasBeenPromised) \/ contr
      (MAINTAINING -(contractedPickupBranch~;rentalHasBeenPromised) \/ contractedPic
      ONE OF DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
                 SELECTFROM ((-contractedPickupBranch /\ rentalHasBeenPromised;contract

                  (TO MAINTAIN  -(rentalHasBeenPromised;contractedPickupBranch) \/ contra
                DELETE FROM contractedPickupBranch[RentalCase*Branch]
                 SELECTFROM rentalHasBeenPromised~;((-contractedPickupBranch /\ rentalH

                  (TO MAINTAIN  -(rentalHasBeenPromised;contractedPickupBranch) \/ contra
      (MAINTAINING -(rentalHasBeenPromised;contractedPickupBranch) \/ contractedPick
      ONE OF DELETE FROM Isn{detyp=RentalCase}
                 SELECTFROM ((-contractedPickupBranch /\ (I[RentalCase] /\ rcBranchRequ

                  (TO MAINTAIN  -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer]
                DELETE FROM rcBranchRequestedQ[RentalCase*YesNoAnswer]
                 SELECTFROM ((-contractedPickupBranch /\ (I[RentalCase] /\ rcBranchRequ

                  (TO MAINTAIN  -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer]
                DELETE FROM rcBranchRequestedQ[RentalCase*YesNoAnswer]
                 SELECTFROM sessionNewBranchRC~;'_SESSION'[SESSION];sessionBranch;((-co

                  (TO MAINTAIN  -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer]
                DELETE FROM sessionNewBranchRC[SESSION*RentalCase]
                 SELECTFROM '_SESSION'[SESSION];sessionBranch;((-contractedPickupBranch

                  (TO MAINTAIN  -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer]
                DELETE FROM sessionBranch[SESSION*Branch]
                 SELECTFROM '_SESSION'[SESSION];sessionNewBranchRC;(I[RentalCase] /\ rc

                  (TO MAINTAIN  -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer]
          (MAINTAINING -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranc
    (MAINTAINING -rentalHasBeenPromised \/ contractedPickupBranch;contractedPickupBranch~
    (MAINTAINING -rentalHasBeenPromised \/ contractedPickupBranch;contractedPickupBranch~
    (MAINTAINING -rentalHasBeenPromised \/ contractedPickupBranch;contractedPickupBranch~
    (MAINTAINING -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchReques

<------End Derivation --


            ON INSERT Delta IN contractedDropoffBranch[RentalCase*Branch] EXECUTE    -- (ECA
            ONE OF INSERT INTO rentalHasBeenPromised[RentalCase*RentalCase]
                  SELECTFROM (rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarTyp

                                  139
```

```
(TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCar'
INSERT INTO rentalHasBeenPromised[RentalCase*RentalCase]
 SELECTFROM (rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType

(TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCar'
INSERT INTO contractedDropoffBranch[RentalCase*Branch]
 SELECTFROM rentalHasBeenPromised~;(contractedDropoffBranch \/ Delta) /\ -

(TO MAINTAIN  -(contractedDropoffBranch~;rentalHasBeenPromised) \/ contra
INSERT INTO Isn{detyp=Branch}
 SELECTFROM ((contractedDropoffBranch \/ Delta)~;rentalHasBeenPromised;co

(TO MAINTAIN  -(contractedDropoffBranch~;rentalHasBeenPromised;contracted
INSERT INTO contractedDropoffBranch[RentalCase*Branch]
 SELECTFROM (rentalHasBeenPromised;contractedDropoffBranch /\ -contracted

(TO MAINTAIN  -(rentalHasBeenPromised;contractedDropoffBranch) \/ contract
INSERT INTO rentalLocationPenaltyCharge[RentalCase*Amount]
 SELECTFROM ((rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch;d

(TO MAINTAIN  -((rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranc
INSERT INTO Isn{detyp=Amount}
 SELECTFROM (rentalLocationPenaltyCharge~;(rcDroppedOffBranch;distbranch~

(TO MAINTAIN  -(rentalLocationPenaltyCharge~;(rcDroppedOffBranch;distbran
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rcDroppedOffBranch;distbranch
        THEN INSERT INTO rentalLocationPenaltyCharge[RentalCase*Amount]
             SELECTFROM 'a'[RentalCase]*'b'[Amount]

              (TO MAINTAIN  -(rcDroppedOffBranch;distbranch~ /\ contractedD
        PICK a,b FROM rentalLocationPenaltyCharge~;((rcDroppedOffBranch;di
        THEN INSERT INTO computedLocationPenaltyCharge[DistanceBetweenLoca
             SELECTFROM 'b'[DistanceBetweenLocations]*'a'[Amount]

              (TO MAINTAIN  -(rcDroppedOffBranch;distbranch~ /\ contractedD
(MAINTAINING -(rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch;
NEW x:Amount;
  ALL of INSERT INTO rentalLocationPenaltyCharge[RentalCase*Amount]
           SELECTFROM ((rcDroppedOffBranch;distbranch~ /\ contractedDropof

          (TO MAINTAIN  -(rcDroppedOffBranch;distbranch~ /\ contractedDrop
           INSERT INTO computedLocationPenaltyCharge[DistanceBetweenLocatio
            SELECTFROM ((distbranch;rcDroppedOffBranch~ /\ distbranch;contra

          (TO MAINTAIN  -(rcDroppedOffBranch;distbranch~ /\ contractedDrop
   (MAINTAINING -(rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranc
(MAINTAINING -(rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch;
INSERT INTO Isn{detyp=Branch}
 SELECTFROM ((contractedDropoffBranch \/ Delta)~;contractedDropoffBranch
```

140

```
                    (TO MAINTAIN  -(contractedDropoffBranch~;contractedDropoffBranch) \/ I[Bra
                    INSERT INTO Isn{detyp=RentalCase}
                     SELECTFROM (Delta;Delta~ /\ I[RentalCase]) - I[RentalCase]

                    INSERT INTO Isn{detyp=Branch}
                     SELECTFROM (Delta~;Delta /\ I[Branch]) - I[Branch]

          (MAINTAINING -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;con
          (MAINTAINING -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;con
          (MAINTAINING -rentalHasBeenPromised \/ contractedDropoffBranch;contractedDropoff
          (MAINTAINING -rentalHasBeenPromised \/ contractedDropoffBranch;contractedDropoff
          (MAINTAINING -rentalHasBeenPromised \/ contractedDropoffBranch;contractedDropoff
          (MAINTAINING -rentalHasBeenPromised \/ contractedDropoffBranch;contractedDropoff
          (MAINTAINING -((rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch;distbra
          (MAINTAINING -((rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch;distbra
          (MAINTAINING -((rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch;distbra
          (MAINTAINING -(contractedDropoffBranch~;contractedDropoffBranch) \/ I[Branch] FR

------ Derivation ----->


       ONE OF INSERT INTO rentalHasBeenPromised[RentalCase*RentalCase]
              SELECTFROM (rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;con

              (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;
              INSERT INTO rentalHasBeenPromised[RentalCase*RentalCase]
               SELECTFROM (rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;con

              (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;
              INSERT INTO contractedDropoffBranch[RentalCase*Branch]
               SELECTFROM rentalHasBeenPromised~;(contractedDropoffBranch \/ Delta) /\ -cont

              (TO MAINTAIN  -(contractedDropoffBranch~;rentalHasBeenPromised) \/ contractedD
              INSERT INTO Isn{detyp=Branch}
               SELECTFROM ((contractedDropoffBranch \/ Delta)~;rentalHasBeenPromised;contrac

              (TO MAINTAIN  -(contractedDropoffBranch~;rentalHasBeenPromised;contractedDropo
              INSERT INTO contractedDropoffBranch[RentalCase*Branch]
               SELECTFROM (rentalHasBeenPromised;contractedDropoffBranch /\ -contractedDropo

              (TO MAINTAIN  -(rentalHasBeenPromised;contractedDropoffBranch) \/ contractedDr
              INSERT INTO rentalLocationPenaltyCharge[RentalCase*Amount]
               SELECTFROM ((rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch;distbr

              (TO MAINTAIN  -((rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch;dis
              INSERT INTO Isn{detyp=Amount}
               SELECTFROM (rentalLocationPenaltyCharge~;(rcDroppedOffBranch;distbranch~ /\ c


                                    141
```

```
                    (TO MAINTAIN  -(rentalLocationPenaltyCharge~;(rcDroppedOffBranch;distbranch~ /
              ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rcDroppedOffBranch;distbranch~ /\
                        THEN INSERT INTO rentalLocationPenaltyCharge[RentalCase*Amount]
                            SELECTFROM 'a'[RentalCase]*'b'[Amount]


                          (TO MAINTAIN  -(rcDroppedOffBranch;distbranch~ /\ contractedDropof
                    PICK a,b FROM rentalLocationPenaltyCharge~;((rcDroppedOffBranch;distbra
                    THEN INSERT INTO computedLocationPenaltyCharge[DistanceBetweenLocations
                        SELECTFROM 'b'[DistanceBetweenLocations]*'a'[Amount]


                          (TO MAINTAIN  -(rcDroppedOffBranch;distbranch~ /\ contractedDropof
              (MAINTAINING -(rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch;distb
              NEW x:Amount;
                ALL of INSERT INTO rentalLocationPenaltyCharge[RentalCase*Amount]
                          SELECTFROM ((rcDroppedOffBranch;distbranch~ /\ contractedDropoffBran


                          (TO MAINTAIN  -(rcDroppedOffBranch;distbranch~ /\ contractedDropoffBr
                        INSERT INTO computedLocationPenaltyCharge[DistanceBetweenLocations*Am
                          SELECTFROM ((distbranch;rcDroppedOffBranch~ /\ distbranch;contracted


                          (TO MAINTAIN  -(rcDroppedOffBranch;distbranch~ /\ contractedDropoffBr
                (MAINTAINING -(rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch;dis
              (MAINTAINING -(rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch;distb
              INSERT INTO Isn{detyp=Branch}
               SELECTFROM ((contractedDropoffBranch \/ Delta)~;contractedDropoffBranch /\ -I


              (TO MAINTAIN  -(contractedDropoffBranch~;contractedDropoffBranch) \/ I[Branch]
              INSERT INTO Isn{detyp=RentalCase}
               SELECTFROM (Delta;Delta~ /\ I[RentalCase]) - I[RentalCase]


              INSERT INTO Isn{detyp=Branch}
               SELECTFROM (Delta~;Delta /\ I[Branch]) - I[Branch]


      (MAINTAINING -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;contract
      (MAINTAINING -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;contract
      (MAINTAINING -rentalHasBeenPromised \/ contractedDropoffBranch;contractedDropoffBranc
      (MAINTAINING -rentalHasBeenPromised \/ contractedDropoffBranch;contractedDropoffBranc
      (MAINTAINING -rentalHasBeenPromised \/ contractedDropoffBranch;contractedDropoffBranc
      (MAINTAINING -rentalHasBeenPromised \/ contractedDropoffBranch;contractedDropoffBranc
      (MAINTAINING -((rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch;distbranch~
      (MAINTAINING -((rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch;distbranch~
      (MAINTAINING -((rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch;distbranch~
      (MAINTAINING -(contractedDropoffBranch~;contractedDropoffBranch) \/ I[Branch] FROM UN
```

<------End Derivation --


```
              ON DELETE Delta FROM contractedDropoffBranch[RentalCase*Branch] EXECUTE    -- (E
              ALL of DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
```

```
                        SELECTFROM -((contractedDropoffBranch /\ -Delta);(contractedDropoffBranc

              (TO MAINTAIN  -rentalHasBeenPromised \/ contractedDropoffBranch;contracte
              ONE OF DELETE FROM contractedDropoffBranch[RentalCase*Branch]
                      SELECTFROM rentalHasBeenPromised;(-(contractedDropoffBranch /\ -D

                  (TO MAINTAIN  -(contractedDropoffBranch~;rentalHasBeenPromised) \/
                  DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
                   SELECTFROM contractedDropoffBranch;(-(contractedDropoffBranch /\

                  (TO MAINTAIN  -(contractedDropoffBranch~;rentalHasBeenPromised) \/
              (MAINTAINING -(contractedDropoffBranch~;rentalHasBeenPromised) \/ contrac
              ONE OF DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
                      SELECTFROM ((-contractedDropoffBranch /\ rentalHasBeenPromised;co

                  (TO MAINTAIN  -(rentalHasBeenPromised;contractedDropoffBranch) \/
                  DELETE FROM contractedDropoffBranch[RentalCase*Branch]
                   SELECTFROM rentalHasBeenPromised~;((-contractedDropoffBranch /\ r

                  (TO MAINTAIN  -(rentalHasBeenPromised;contractedDropoffBranch) \/
              (MAINTAINING -(rentalHasBeenPromised;contractedDropoffBranch) \/ contracte
        (MAINTAINING -rentalHasBeenPromised \/ contractedDropoffBranch;contractedDropoff
        (MAINTAINING -rentalHasBeenPromised \/ contractedDropoffBranch;contractedDropoff
        (MAINTAINING -rentalHasBeenPromised \/ contractedDropoffBranch;contractedDropoff


  ------ Derivation ----->


      ALL of DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
            SELECTFROM -((contractedDropoffBranch /\ -Delta);(contractedDropoffBranch /\

            (TO MAINTAIN  -rentalHasBeenPromised \/ contractedDropoffBranch;contractedDrop
            ONE OF DELETE FROM contractedDropoffBranch[RentalCase*Branch]
                    SELECTFROM rentalHasBeenPromised;(-(contractedDropoffBranch /\ -Delta)

                (TO MAINTAIN  -(contractedDropoffBranch~;rentalHasBeenPromised) \/ cont
                DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
                 SELECTFROM contractedDropoffBranch;(-(contractedDropoffBranch /\ -Delt

                (TO MAINTAIN  -(contractedDropoffBranch~;rentalHasBeenPromised) \/ cont
            (MAINTAINING -(contractedDropoffBranch~;rentalHasBeenPromised) \/ contractedDr
            ONE OF DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
                    SELECTFROM ((-contractedDropoffBranch /\ rentalHasBeenPromised;contrac

                (TO MAINTAIN  -(rentalHasBeenPromised;contractedDropoffBranch) \/ contr
                DELETE FROM contractedDropoffBranch[RentalCase*Branch]
                 SELECTFROM rentalHasBeenPromised~;((-contractedDropoffBranch /\ rental

                (TO MAINTAIN  -(rentalHasBeenPromised;contractedDropoffBranch) \/ contr
```

143

(MAINTAINING -(rentalHasBeenPromised;contractedDropoffBranch) \/ contractedDro
        (MAINTAINING -rentalHasBeenPromised \/ contractedDropoffBranch;contractedDropoffBranc
        (MAINTAINING -rentalHasBeenPromised \/ contractedDropoffBranch;contractedDropoffBranc
        (MAINTAINING -rentalHasBeenPromised \/ contractedDropoffBranch;contractedDropoffBranc

    <------End Derivation --


            ON INSERT Delta IN rcRenter[RentalCase*Person] EXECUTE    -- (ECA rule 31)
            ONE OF INSERT INTO rentalHasBeenPromised[RentalCase*RentalCase]
                    SELECTFROM (rcRenter;(rcRenter \/ Delta)~ /\ rcDriver;rcDriver~ /\ contra

                    (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCar~
                    INSERT INTO rentalHasBeenPromised[RentalCase*RentalCase]
                     SELECTFROM (rcRenter;(rcRenter \/ Delta)~ /\ rcDriver;rcDriver~ /\ contra

                    (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCar~
                    INSERT INTO rcRenter[RentalCase*Person]
                     SELECTFROM rentalHasBeenPromised~;(rcRenter \/ Delta) /\ -rcRenter

                    (TO MAINTAIN  -(rcRenter~;rentalHasBeenPromised) \/ rcRenter~ FROM Promise
                    INSERT INTO Isn{detyp=Person}
                     SELECTFROM ((rcRenter \/ Delta)~;rentalHasBeenPromised;rcRenter /\ -I[Per

                    (TO MAINTAIN  -(rcRenter~;rentalHasBeenPromised;rcRenter) \/ I[Person] FR
                    INSERT INTO rcRenter[RentalCase*Person]
                     SELECTFROM (rentalHasBeenPromised;rcRenter /\ -rcRenter) \/ (rentalHasBe

                    (TO MAINTAIN  -(rentalHasBeenPromised;rcRenter) \/ rcRenter FROM Promised
                    INSERT INTO Isn{detyp=Person}
                     SELECTFROM ((rcRenter \/ Delta)~;rcKeysHandedOverQ;'Yes'[YesNoAnswer];rc

                    (TO MAINTAIN  -(rcRenter~;rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHand
                    INSERT INTO Isn{detyp=Person}
                     SELECTFROM ((rcRenter \/ Delta)~;rcUserRequestedQ;'Yes'[YesNoAnswer];rcU

                    (TO MAINTAIN  -(rcRenter~;rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserReque
                    INSERT INTO Isn{detyp=Person}
                     SELECTFROM ((rcRenter \/ Delta)~;rcDriver;rcDriver~;rcRenter /\ (rcRente

                    (TO MAINTAIN  -(rcRenter~;rcDriver;rcDriver~;rcRenter /\ rcRenter~;rcBran
                    INSERT INTO Isn{detyp=Person}
                     SELECTFROM ((rcRenter \/ Delta)~;rcRenter /\ -I[Person]) \/ ((rcRenter \

                    (TO MAINTAIN  -(rcRenter~;rcRenter) \/ I[Person] FROM UNI rcRenter::Rental
                    INSERT INTO Isn{detyp=RentalCase}
                     SELECTFROM (Delta;Delta~ /\ I[RentalCase]) - I[RentalCase]

                    INSERT INTO Isn{detyp=Person}

                                        144

```
                    SELECTFROM (Delta~;Delta /\ I[Person]) - I[Person]

          (MAINTAINING -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;con
          (MAINTAINING -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;con
          (MAINTAINING -rentalHasBeenPromised \/ rcRenter;rcRenter~ FROM Promised rental r
          (MAINTAINING -rentalHasBeenPromised \/ rcRenter;rcRenter~ FROM Promised rental r
          (MAINTAINING -rentalHasBeenPromised \/ rcRenter;rcRenter~ FROM Promised rental r
          (MAINTAINING -rentalHasBeenPromised \/ rcRenter;rcRenter~ FROM Promised rental r
          (MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\ I[Renta
          (MAINTAINING -(rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserRequestedQ~ /\ I[RentalC
          (MAINTAINING -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBran
          (MAINTAINING -(rcRenter~;rcRenter) \/ I[Person] FROM UNI rcRenter::RentalCase*Per
```

------ Derivation ----->


```
      ONE OF INSERT INTO rentalHasBeenPromised[RentalCase*RentalCase]
             SELECTFROM (rcRenter;(rcRenter \/ Delta)~ /\ rcDriver;rcDriver~ /\ contracted

             (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;
             INSERT INTO rentalHasBeenPromised[RentalCase*RentalCase]
              SELECTFROM (rcRenter;(rcRenter \/ Delta)~ /\ rcDriver;rcDriver~ /\ contracted

             (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;
             INSERT INTO rcRenter[RentalCase*Person]
              SELECTFROM rentalHasBeenPromised~;(rcRenter \/ Delta) /\ -rcRenter

             (TO MAINTAIN  -(rcRenter~;rentalHasBeenPromised) \/ rcRenter~ FROM Promised re
             INSERT INTO Isn{detyp=Person}
              SELECTFROM ((rcRenter \/ Delta)~;rentalHasBeenPromised;rcRenter /\ -I[Person]

             (TO MAINTAIN  -(rcRenter~;rentalHasBeenPromised;rcRenter) \/ I[Person] FROM Pr
             INSERT INTO rcRenter[RentalCase*Person]
              SELECTFROM (rentalHasBeenPromised;rcRenter /\ -rcRenter) \/ (rentalHasBeenPro

             (TO MAINTAIN  -(rentalHasBeenPromised;rcRenter) \/ rcRenter FROM Promised rent
             INSERT INTO Isn{detyp=Person}
              SELECTFROM ((rcRenter \/ Delta)~;rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysH

             (TO MAINTAIN  -(rcRenter~;rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOve
             INSERT INTO Isn{detyp=Person}
              SELECTFROM ((rcRenter \/ Delta)~;rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserRe

             (TO MAINTAIN  -(rcRenter~;rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserRequestedQ
             INSERT INTO Isn{detyp=Person}
              SELECTFROM ((rcRenter \/ Delta)~;rcDriver;rcDriver~;rcRenter /\ (rcRenter \/

             (TO MAINTAIN  -(rcRenter~;rcDriver;rcDriver~;rcRenter /\ rcRenter~;rcBranchReq
             INSERT INTO Isn{detyp=Person}
```

                                    145

```
              SELECTFROM ((rcRenter \/ Delta)~;rcRenter /\ -I[Person]) \/ ((rcRenter \/ Del

         (TO MAINTAIN  -(rcRenter~;rcRenter) \/ I[Person] FROM UNI rcRenter::RentalCase
         INSERT INTO Isn{detyp=RentalCase}
          SELECTFROM (Delta;Delta~ /\ I[RentalCase]) - I[RentalCase]

         INSERT INTO Isn{detyp=Person}
          SELECTFROM (Delta~;Delta /\ I[Person]) - I[Person]

    (MAINTAINING -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;contract
    (MAINTAINING -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;contract
    (MAINTAINING -rentalHasBeenPromised \/ rcRenter;rcRenter~ FROM Promised rental reques
    (MAINTAINING -rentalHasBeenPromised \/ rcRenter;rcRenter~ FROM Promised rental reques
    (MAINTAINING -rentalHasBeenPromised \/ rcRenter;rcRenter~ FROM Promised rental reques
    (MAINTAINING -rentalHasBeenPromised \/ rcRenter;rcRenter~ FROM Promised rental reques
    (MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\ I[RentalCas
    (MAINTAINING -(rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserRequestedQ~ /\ I[RentalCase]
    (MAINTAINING -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchRe
    (MAINTAINING -(rcRenter~;rcRenter) \/ I[Person] FROM UNI rcRenter::RentalCase*Person)

<------End Derivation --


         ON DELETE Delta FROM rcRenter[RentalCase*Person] EXECUTE    -- (ECA rule 32)
         ALL of DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
               SELECTFROM -((rcRenter /\ -Delta);(rcRenter /\ -Delta)~) /\ rentalHasBeen

              (TO MAINTAIN  -rentalHasBeenPromised \/ rcRenter;rcRenter~ FROM Promised
              ONE OF DELETE FROM rcRenter[RentalCase*Person]
                    SELECTFROM rentalHasBeenPromised;(-(rcRenter /\ -Delta) /\ rental

                    (TO MAINTAIN  -(rcRenter~;rentalHasBeenPromised) \/ rcRenter~ FROM
                    DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
                     SELECTFROM rcRenter;(-(rcRenter /\ -Delta)~ /\ rcRenter~;rentalHa

                    (TO MAINTAIN  -(rcRenter~;rentalHasBeenPromised) \/ rcRenter~ FROM
              (MAINTAINING -(rcRenter~;rentalHasBeenPromised) \/ rcRenter~ FROM Promised
              ONE OF DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
                    SELECTFROM ((-rcRenter /\ rentalHasBeenPromised;rcRenter) \/ (Delt

                    (TO MAINTAIN  -(rentalHasBeenPromised;rcRenter) \/ rcRenter FROM P
                    DELETE FROM rcRenter[RentalCase*Person]
                     SELECTFROM rentalHasBeenPromised~;((-rcRenter /\ rentalHasBeenPro

                    (TO MAINTAIN  -(rentalHasBeenPromised;rcRenter) \/ rcRenter FROM P
              (MAINTAINING -(rentalHasBeenPromised;rcRenter) \/ rcRenter FROM Promised r
              ONE OF DELETE FROM rcKeysHandedOverQ[RentalCase*YesNoAnswer]
                    SELECTFROM (-((rcRenter /\ -Delta);(rcRenter /\ -Delta)~) /\ rcKey


                                  146
```

```
                    (TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedO
                    DELETE FROM rcKeysHandedOverQ[RentalCase*YesNoAnswer]
                     SELECTFROM (-((rcRenter /\ -Delta);(rcRenter~ /\ -Delta~)) /\ rcK

                    (TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedO
                    DELETE FROM Isn{detyp=RentalCase}
                     SELECTFROM -((rcRenter /\ -Delta);(rcRenter /\ -Delta)~) /\ rcKeys

                    (TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedO
            (MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\
          ONE OF DELETE FROM rcUserRequestedQ[RentalCase*YesNoAnswer]
                     SELECTFROM (-((rcRenter /\ -Delta);(rcRenter /\ -Delta)~) /\ rcUs

                    (TO MAINTAIN  -(rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserRequeste
                    DELETE FROM rcUserRequestedQ[RentalCase*YesNoAnswer]
                     SELECTFROM (-((rcRenter /\ -Delta);(rcRenter~ /\ -Delta~)) /\ rcU

                    (TO MAINTAIN  -(rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserRequeste
                    DELETE FROM Isn{detyp=RentalCase}
                     SELECTFROM -((rcRenter /\ -Delta);(rcRenter /\ -Delta)~) /\ rcUser

                    (TO MAINTAIN  -(rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserRequeste
            (MAINTAINING -(rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserRequestedQ~ /\ I
          ONE OF DELETE FROM rcDriver[RentalCase*Person]
                     SELECTFROM (-((rcRenter /\ -Delta);(rcRenter /\ -Delta)~) /\ rcDr

                    (TO MAINTAIN  -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[Yes
                    DELETE FROM rcDriver[RentalCase*Person]
                     SELECTFROM (-((rcRenter /\ -Delta);(rcRenter~ /\ -Delta~)) /\ rcD

                    (TO MAINTAIN  -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[Yes
                    DELETE FROM rcBranchRequestedQ[RentalCase*YesNoAnswer]
                     SELECTFROM (-((rcRenter /\ -Delta);(rcRenter /\ -Delta)~) /\ rcDr

                    (TO MAINTAIN  -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[Yes
                    DELETE FROM rcBranchRequestedQ[RentalCase*YesNoAnswer]
                     SELECTFROM (-((rcRenter /\ -Delta);(rcRenter~ /\ -Delta~)) /\ rcD

                    (TO MAINTAIN  -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[Yes
                    DELETE FROM Isn{detyp=RentalCase}
                     SELECTFROM -((rcRenter /\ -Delta);(rcRenter /\ -Delta)~) /\ rcDri

                    (TO MAINTAIN  -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[Yes
            (MAINTAINING -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[YesNoAnswer]
    (MAINTAINING -rentalHasBeenPromised \/ rcRenter;rcRenter~ FROM Promised rental r
    (MAINTAINING -rentalHasBeenPromised \/ rcRenter;rcRenter~ FROM Promised rental r
    (MAINTAINING -rentalHasBeenPromised \/ rcRenter;rcRenter~ FROM Promised rental r
    (MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\ I[Renta
    (MAINTAINING -(rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserRequestedQ~ /\ I[RentalC
    (MAINTAINING -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBran
```

147

------ Derivation ----->


```
           ALL of DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
                 SELECTFROM -((rcRenter /\ -Delta);(rcRenter /\ -Delta)~) /\ rentalHasBeenProm

              (TO MAINTAIN  -rentalHasBeenPromised \/ rcRenter;rcRenter~ FROM Promised renta
           ONE OF DELETE FROM rcRenter[RentalCase*Person]
                     SELECTFROM rentalHasBeenPromised;(-(rcRenter /\ -Delta) /\ rentalHasBe

                    (TO MAINTAIN  -(rcRenter~;rentalHasBeenPromised) \/ rcRenter~ FROM Prom
                    DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
                     SELECTFROM rcRenter;(-(rcRenter /\ -Delta)~ /\ rcRenter~;rentalHasBeen

                    (TO MAINTAIN  -(rcRenter~;rentalHasBeenPromised) \/ rcRenter~ FROM Prom
              (MAINTAINING -(rcRenter~;rentalHasBeenPromised) \/ rcRenter~ FROM Promised ren
           ONE OF DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
                     SELECTFROM ((-rcRenter /\ rentalHasBeenPromised;rcRenter) \/ (Delta /\

                    (TO MAINTAIN  -(rentalHasBeenPromised;rcRenter) \/ rcRenter FROM Promis
                    DELETE FROM rcRenter[RentalCase*Person]
                     SELECTFROM rentalHasBeenPromised~;((-rcRenter /\ rentalHasBeenPromised

                    (TO MAINTAIN  -(rentalHasBeenPromised;rcRenter) \/ rcRenter FROM Promis
              (MAINTAINING -(rentalHasBeenPromised;rcRenter) \/ rcRenter FROM Promised renta
           ONE OF DELETE FROM rcKeysHandedOverQ[RentalCase*YesNoAnswer]
                     SELECTFROM (-((rcRenter /\ -Delta);(rcRenter /\ -Delta)~) /\ rcKeysHan

                    (TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~
                    DELETE FROM rcKeysHandedOverQ[RentalCase*YesNoAnswer]
                     SELECTFROM (-((rcRenter /\ -Delta);(rcRenter~ /\ -Delta~)) /\ rcKeysHa

                    (TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~
                    DELETE FROM Isn{detyp=RentalCase}
                     SELECTFROM -((rcRenter /\ -Delta);(rcRenter /\ -Delta)~) /\ rcKeysHand

                    (TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~
              (MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\ I[Re
           ONE OF DELETE FROM rcUserRequestedQ[RentalCase*YesNoAnswer]
                     SELECTFROM (-((rcRenter /\ -Delta);(rcRenter /\ -Delta)~) /\ rcUserReq

                    (TO MAINTAIN  -(rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserRequestedQ~ /
                    DELETE FROM rcUserRequestedQ[RentalCase*YesNoAnswer]
                     SELECTFROM (-((rcRenter /\ -Delta);(rcRenter~ /\ -Delta~)) /\ rcUserRe

                    (TO MAINTAIN  -(rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserRequestedQ~ /
                    DELETE FROM Isn{detyp=RentalCase}
                     SELECTFROM -((rcRenter /\ -Delta);(rcRenter /\ -Delta)~) /\ rcUserRequ

                    (TO MAINTAIN  -(rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserRequestedQ~ /
```

148

```
                (MAINTAINING -(rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserRequestedQ~ /\ I[Rent
            ONE OF DELETE FROM rcDriver[RentalCase*Person]
                    SELECTFROM (-((rcRenter /\ -Delta);(rcRenter /\ -Delta)~) /\ rcDriver;

                (TO MAINTAIN  -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[YesNoAns
                DELETE FROM rcDriver[RentalCase*Person]
                    SELECTFROM (-((rcRenter /\ -Delta);(rcRenter~ /\ -Delta~)) /\ rcDriver

                (TO MAINTAIN  -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[YesNoAns
                DELETE FROM rcBranchRequestedQ[RentalCase*YesNoAnswer]
                    SELECTFROM (-((rcRenter /\ -Delta);(rcRenter /\ -Delta)~) /\ rcDriver;

                (TO MAINTAIN  -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[YesNoAns
                DELETE FROM rcBranchRequestedQ[RentalCase*YesNoAnswer]
                    SELECTFROM (-((rcRenter /\ -Delta);(rcRenter~ /\ -Delta~)) /\ rcDriver

                (TO MAINTAIN  -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[YesNoAns
                DELETE FROM Isn{detyp=RentalCase}
                    SELECTFROM -((rcRenter /\ -Delta);(rcRenter /\ -Delta)~) /\ rcDriver;r

                (TO MAINTAIN  -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[YesNoAns
            (MAINTAINING -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcB
    (MAINTAINING -rentalHasBeenPromised \/ rcRenter;rcRenter~ FROM Promised rental reques
    (MAINTAINING -rentalHasBeenPromised \/ rcRenter;rcRenter~ FROM Promised rental reques
    (MAINTAINING -rentalHasBeenPromised \/ rcRenter;rcRenter~ FROM Promised rental reques
    (MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\ I[RentalCas
    (MAINTAINING -(rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserRequestedQ~ /\ I[RentalCase]
    (MAINTAINING -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchRe

    <------End Derivation --


            ON INSERT Delta IN rcDriver[RentalCase*Person] EXECUTE    -- (ECA rule 33)
            ALL of INSERT INTO Isn{detyp=Person}
                    SELECTFROM ((rcDriver \/ Delta)~;rcDriver /\ -I[Person]) \/ ((rcDriver \

                (TO MAINTAIN  -(rcDriver~;rcDriver) \/ (I[Person] /\ validDrivingLicense;
                (TO MAINTAIN  -(rcDriver~;rentalHasBeenPromised;rcDriver) \/ I[Person] FR
                (TO MAINTAIN  -(rcDriver~;rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHand
                (TO MAINTAIN  -(rcRenter~;rcDriver;rcDriver~;rcRenter /\ rcRenter~;rcBran
                (TO MAINTAIN  -(rcDriver~;rcDriver) \/ I[Person] FROM UNI rcDriver::Renta
                INSERT INTO rentalHasBeenPromised[RentalCase*RentalCase]
                    SELECTFROM (rcRenter;rcRenter~ /\ rcDriver;(rcDriver \/ Delta)~ /\ contr

                (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCar'
                (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCar'
                INSERT INTO rcDriver[RentalCase*Person]
                    SELECTFROM (rentalHasBeenPromised~;rcDriver /\ -rcDriver) \/ (rentalHasBe

                                    149
```

```
(TO MAINTAIN  -(rcDriver~;rentalHasBeenPromised) \/ rcDriver~ FROM Promis
(TO MAINTAIN  -(rentalHasBeenPromised;rcDriver) \/ rcDriver FROM Promised
INSERT INTO Isn{detyp=RentalCase}
 SELECTFROM (Delta;Delta~ /\ I[RentalCase]) - I[RentalCase]


ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rcDriver /\ -(rcDriver
              THEN INSERT INTO rcDriver[RentalCase*Person]
                 SELECTFROM 'a'[RentalCase]*'b'[Person]


                        (TO MAINTAIN  -rcDriver \/ rcDriver;(I[Person] /\ vali
              PICK a,b FROM rcDriver~;((rcDriver /\ -(rcDriver;(I[Person]
              THEN ALL of INSERT INTO Isn{detyp=Person}
                       SELECTFROM 'a'[Person]*'b'[Person]


                            (TO MAINTAIN  -rcDriver \/ rcDriver;(I[Person] /
                            ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FRO
                                     THEN INSERT INTO validDrivingLice
                                         SELECTFROM 'a'[Person]*'b'[

                                       (TO MAINTAIN  -rcDriver \/ r
                            PICK a,b FROM validDrivingLicense
                            THEN INSERT INTO validDrivingLice
                                       SELECTFROM 'b'[Person]*'a'[

                                       (TO MAINTAIN  -rcDriver \/ r
                       (MAINTAINING -rcDriver \/ rcDriver;(I[Pe
                       NEW x:DrivingLicense;
                         ALL of INSERT INTO validDrivingLicense
                                    SELECTFROM 'a'[Person]*'b'[Per

                                       (TO MAINTAIN  -rcDriver \/ rcDr
                                       INSERT INTO validDrivingLicense
                                         SELECTFROM 'b'[Person]*'a'[Per

                                       (TO MAINTAIN  -rcDriver \/ rcDr
                       (MAINTAINING -rcDriver \/ rcDriver;(I[
                       (MAINTAINING -rcDriver \/ rcDriver;(I[Pe
                  (MAINTAINING -rcDriver \/ rcDriver;(I[Person] /
             (MAINTAINING -rcDriver \/ rcDriver;(I[Person] /\ valid
        (MAINTAINING -rcDriver \/ rcDriver;(I[Person] /\ validDrivingLicen
        NEW x:Person;
          ALL of INSERT INTO rcDriver[RentalCase*Person]
                    SELECTFROM ((rcDriver /\ -(rcDriver;(I[Person] /\ validD

                       (TO MAINTAIN  -rcDriver \/ rcDriver;(I[Person] /\ validDr
                       INSERT INTO Isn{detyp=Person}
                        SELECTFROM 'x'[Person]*((rcDriver /\ -(rcDriver;(I[Perso

                       (TO MAINTAIN  -rcDriver \/ rcDriver;(I[Person] /\ validDr
                       ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'[Per


                       150
```

```
                                THEN INSERT INTO validDrivingLicense[Person
                                    SELECTFROM 'a'[Person]*'b'[DrivingLic

                            (TO MAINTAIN  -rcDriver \/ rcDriver;(I
                        PICK a,b FROM validDrivingLicense~;('x'[Per
                        THEN INSERT INTO validDrivingLicense[Person
                            SELECTFROM 'b'[Person]*'a'[DrivingLic

                            (TO MAINTAIN  -rcDriver \/ rcDriver;(I
                    (MAINTAINING -rcDriver \/ rcDriver;(I[Person] /\ va
                    NEW x:DrivingLicense;
                        INSERT INTO validDrivingLicense[Person*DrivingLi
                        SELECTFROM 'x'[Person]*'x'[DrivingLicense] \/ (

                        (TO MAINTAIN  -rcDriver \/ rcDriver;(I[Person] /
                        (MAINTAINING -rcDriver \/ rcDriver;(I[Person] /\ va
                (MAINTAINING -rcDriver \/ rcDriver;(I[Person] /\ validDri
            (MAINTAINING -rcDriver \/ rcDriver;(I[Person] /\ validDrivingLic
        (MAINTAINING -rcDriver \/ rcDriver;(I[Person] /\ validDrivingLicens
(MAINTAINING -rcDriver \/ rcDriver;(I[Person] /\ validDrivingLicense;vali
ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (((rcDriver \/ Delta)~;r
            THEN INSERT INTO validDrivingLicense[Person*DrivingLicense]
                SELECTFROM 'a'[Person]*'b'[DrivingLicense]

                        (TO MAINTAIN  -(rcDriver~;rcDriver) \/ (I[Person] /\ v
                PICK a,b FROM validDrivingLicense~;(((rcDriver \/ Delta)~;r
                THEN INSERT INTO validDrivingLicense[Person*DrivingLicense]
                    SELECTFROM 'b'[Person]*'a'[DrivingLicense]

                        (TO MAINTAIN  -(rcDriver~;rcDriver) \/ (I[Person] /\ v
            (MAINTAINING -(rcDriver~;rcDriver) \/ (I[Person] /\ validDrivingLi
            NEW x:DrivingLicense;
                INSERT INTO validDrivingLicense[Person*DrivingLicense]
                SELECTFROM (((rcDriver \/ Delta)~;rcDriver /\ -I[Person]) \/ ((

                (TO MAINTAIN  -(rcDriver~;rcDriver) \/ (I[Person] /\ validDriving
            (MAINTAINING -(rcDriver~;rcDriver) \/ (I[Person] /\ validDrivingLi
(MAINTAINING -(rcDriver~;rcDriver) \/ (I[Person] /\ validDrivingLicense;va
ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rcDriver;(rcDriver \/ l
            THEN INSERT INTO rcRenter[RentalCase*Person]
                SELECTFROM 'a'[RentalCase]*'b'[Person]

                        (TO MAINTAIN  -(rcDriver;rcDriver~ /\ rcBranchRequeste
                PICK a,b FROM rcRenter~;((rcDriver;(rcDriver \/ Delta)~ /\
                THEN INSERT INTO rcRenter[RentalCase*Person]
                    SELECTFROM 'b'[RentalCase]*'a'[Person]

                        (TO MAINTAIN  -(rcDriver;rcDriver~ /\ rcBranchRequeste
            (MAINTAINING -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[YesN
            NEW x:Person;
```

151

```
                          INSERT INTO rcRenter[RentalCase*Person]
                           SELECTFROM ((rcDriver;(rcDriver \/ Delta)~ /\ rcBranchRequested(

                      (TO MAINTAIN  -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[Ye
                    (MAINTAINING -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[YesN
              (MAINTAINING -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[YesNoAnswer]
       (MAINTAINING -rcDriver \/ rcDriver;(I[Person] /\ validDrivingLicense;validDrivin
       (MAINTAINING -rcDriver \/ rcDriver;(I[Person] /\ validDrivingLicense;validDrivin
       (MAINTAINING -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;con
       (MAINTAINING -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;con
       (MAINTAINING -rentalHasBeenPromised \/ rcDriver;rcDriver~ FROM Promised rental r
       (MAINTAINING -rentalHasBeenPromised \/ rcDriver;rcDriver~ FROM Promised rental r
       (MAINTAINING -rentalHasBeenPromised \/ rcDriver;rcDriver~ FROM Promised rental r
       (MAINTAINING -rentalHasBeenPromised \/ rcDriver;rcDriver~ FROM Promised rental r
       (MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\ I[Renta
       (MAINTAINING -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBra
       (MAINTAINING -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBra
       (MAINTAINING -(rcDriver~;rcDriver) \/ I[Person] FROM UNI rcDriver::RentalCase*Pe

------ Derivation ----->


          ALL of INSERT INTO Isn{detyp=Person}
                  SELECTFROM ((rcDriver \/ Delta)~;rcDriver /\ -I[Person]) \/ ((rcDriver \/ Del

               (TO MAINTAIN  -(rcDriver~;rcDriver) \/ (I[Person] /\ validDrivingLicense;valid
               (TO MAINTAIN  -(rcDriver~;rentalHasBeenPromised;rcDriver) \/ I[Person] FROM Pr
               (TO MAINTAIN  -(rcDriver~;rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOve
               (TO MAINTAIN  -(rcRenter~;rcDriver;rcDriver~;rcRenter /\ rcRenter~;rcBranchReq
               (TO MAINTAIN  -(rcDriver~;rcDriver) \/ I[Person] FROM UNI rcDriver::RentalCase
               INSERT INTO rentalHasBeenPromised[RentalCase*RentalCase]
                SELECTFROM (rcRenter;rcRenter~ /\ rcDriver;(rcDriver \/ Delta)~ /\ contracted

               (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;
               (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;
               INSERT INTO rcDriver[RentalCase*Person]
                SELECTFROM (rentalHasBeenPromised~;rcDriver /\ -rcDriver) \/ (rentalHasBeenPr

               (TO MAINTAIN  -(rcDriver~;rentalHasBeenPromised) \/ rcDriver~ FROM Promised re
               (TO MAINTAIN  -(rentalHasBeenPromised;rcDriver) \/ rcDriver FROM Promised rent
               INSERT INTO Isn{detyp=RentalCase}
                SELECTFROM (Delta;Delta~ /\ I[RentalCase]) - I[RentalCase]

               ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rcDriver /\ -(rcDriver;(I[P
                           THEN INSERT INTO rcDriver[RentalCase*Person]
                                 SELECTFROM 'a'[RentalCase]*'b'[Person]

                                 (TO MAINTAIN  -rcDriver \/ rcDriver;(I[Person] /\ validDriv
                            PICK a,b FROM rcDriver~;((rcDriver /\ -(rcDriver;(I[Person] /\ v

                                          152
```

```
                    THEN ALL of INSERT INTO Isn{detyp=Person}
                         SELECTFROM 'a'[Person]*'b'[Person]

                    (TO MAINTAIN  -rcDriver \/ rcDriver;(I[Person] /\ va
                ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a
                              THEN INSERT INTO validDrivingLicense[P
                                   SELECTFROM 'a'[Person]*'b'[Drivi

                                   (TO MAINTAIN  -rcDriver \/ rcDriv
                              PICK a,b FROM validDrivingLicense~;('a
                              THEN INSERT INTO validDrivingLicense[P
                                   SELECTFROM 'b'[Person]*'a'[Drivi

                                   (TO MAINTAIN  -rcDriver \/ rcDriv
                    (MAINTAINING -rcDriver \/ rcDriver;(I[Person]
                      NEW x:DrivingLicense;
                         ALL of INSERT INTO validDrivingLicense[Pers
                                 SELECTFROM 'a'[Person]*'b'[Person]*

                              (TO MAINTAIN  -rcDriver \/ rcDriver;
                              INSERT INTO validDrivingLicense[Pers
                                 SELECTFROM 'b'[Person]*'a'[Person]*

                                   (TO MAINTAIN  -rcDriver \/ rcDriver;
                         (MAINTAINING -rcDriver \/ rcDriver;(I[Perso
                        (MAINTAINING -rcDriver \/ rcDriver;(I[Person]
                   (MAINTAINING -rcDriver \/ rcDriver;(I[Person] /\ val
             (MAINTAINING -rcDriver \/ rcDriver;(I[Person] /\ validDrivi
    (MAINTAINING -rcDriver \/ rcDriver;(I[Person] /\ validDrivingLicense;va
NEW x:Person;
   ALL of INSERT INTO rcDriver[RentalCase*Person]
            SELECTFROM ((rcDriver /\ -(rcDriver;(I[Person] /\ validDrivin

         (TO MAINTAIN  -rcDriver \/ rcDriver;(I[Person] /\ validDriving
         INSERT INTO Isn{detyp=Person}
          SELECTFROM 'x'[Person]*((rcDriver /\ -(rcDriver;(I[Person] /\

         (TO MAINTAIN  -rcDriver \/ rcDriver;(I[Person] /\ validDriving
         ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'[Person]*
                       THEN INSERT INTO validDrivingLicense[Person*Driv
                            SELECTFROM 'a'[Person]*'b'[DrivingLicense]

                            (TO MAINTAIN  -rcDriver \/ rcDriver;(I[Pers
                       PICK a,b FROM validDrivingLicense~;('x'[Person]*
                       THEN INSERT INTO validDrivingLicense[Person*Driv
                            SELECTFROM 'b'[Person]*'a'[DrivingLicense]

                            (TO MAINTAIN  -rcDriver \/ rcDriver;(I[Pers
                    (MAINTAINING -rcDriver \/ rcDriver;(I[Person] /\ validD
                    NEW x:DrivingLicense;

                       153
```

```
                                              INSERT INTO validDrivingLicense[Person*DrivingLicense
                                        SELECTFROM 'x'[Person]*'x'[DrivingLicense] \/ ((rcDr

                             (TO MAINTAIN  -rcDriver \/ rcDriver;(I[Person] /\ val
                         (MAINTAINING -rcDriver \/ rcDriver;(I[Person] /\ validD
                      (MAINTAINING -rcDriver \/ rcDriver;(I[Person] /\ validDrivingL
                  (MAINTAINING -rcDriver \/ rcDriver;(I[Person] /\ validDrivingLicense;
               (MAINTAINING -rcDriver \/ rcDriver;(I[Person] /\ validDrivingLicense;va
           (MAINTAINING -rcDriver \/ rcDriver;(I[Person] /\ validDrivingLicense;validDriv
       ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (((rcDriver \/ Delta)~;rcDriv
                   THEN INSERT INTO validDrivingLicense[Person*DrivingLicense]
                         SELECTFROM 'a'[Person]*'b'[DrivingLicense]


                             (TO MAINTAIN  -(rcDriver~;rcDriver) \/ (I[Person] /\ validD
                  PICK a,b FROM validDrivingLicense~;(((rcDriver \/ Delta)~;rcDriv
                  THEN INSERT INTO validDrivingLicense[Person*DrivingLicense]
                         SELECTFROM 'b'[Person]*'a'[DrivingLicense]


                             (TO MAINTAIN  -(rcDriver~;rcDriver) \/ (I[Person] /\ validD
               (MAINTAINING -(rcDriver~;rcDriver) \/ (I[Person] /\ validDrivingLicense
               NEW x:DrivingLicense;
                  INSERT INTO validDrivingLicense[Person*DrivingLicense]
                  SELECTFROM (((rcDriver \/ Delta)~;rcDriver /\ -I[Person]) \/ ((rcDri


                             (TO MAINTAIN  -(rcDriver~;rcDriver) \/ (I[Person] /\ validDrivingLice
                  (MAINTAINING -(rcDriver~;rcDriver) \/ (I[Person] /\ validDrivingLicense
            (MAINTAINING -(rcDriver~;rcDriver) \/ (I[Person] /\ validDrivingLicense;validD
       ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rcDriver;(rcDriver \/ Delta
                   THEN INSERT INTO rcRenter[RentalCase*Person]
                         SELECTFROM 'a'[RentalCase]*'b'[Person]


                             (TO MAINTAIN  -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Y
                  PICK a,b FROM rcRenter~;((rcDriver;(rcDriver \/ Delta)~ /\ rcBra
                  THEN INSERT INTO rcRenter[RentalCase*Person]
                         SELECTFROM 'b'[RentalCase]*'a'[Person]


                             (TO MAINTAIN  -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Y
               (MAINTAINING -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[YesNoAnsw
               NEW x:Person;
                  INSERT INTO rcRenter[RentalCase*Person]
                  SELECTFROM ((rcDriver;(rcDriver \/ Delta)~ /\ rcBranchRequestedQ;'Ye


                             (TO MAINTAIN  -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[YesNoA
                  (MAINTAINING -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[YesNoAnsw
             (MAINTAINING -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcB
  (MAINTAINING -rcDriver \/ rcDriver;(I[Person] /\ validDrivingLicense;validDrivingLice
  (MAINTAINING -rcDriver \/ rcDriver;(I[Person] /\ validDrivingLicense;validDrivingLice
  (MAINTAINING -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;contract
  (MAINTAINING -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;contract
  (MAINTAINING -rentalHasBeenPromised \/ rcDriver;rcDriver~ FROM Promised rental reques
```

```
        (MAINTAINING -rentalHasBeenPromised \/ rcDriver;rcDriver~ FROM Promised rental reques
        (MAINTAINING -rentalHasBeenPromised \/ rcDriver;rcDriver~ FROM Promised rental reques
        (MAINTAINING -rentalHasBeenPromised \/ rcDriver;rcDriver~ FROM Promised rental reques
        (MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\ I[RentalCas
        (MAINTAINING -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchRe
        (MAINTAINING -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchRe
        (MAINTAINING -(rcDriver~;rcDriver) \/ I[Person] FROM UNI rcDriver::RentalCase*Person)


    <------End Derivation --


            ON DELETE Delta FROM rcDriver[RentalCase*Person] EXECUTE     -- (ECA rule 34)
            ALL of DELETE FROM rcDriver[RentalCase*Person]
                    SELECTFROM -((rcDriver /\ -Delta);(I[Person] /\ validDrivingLicense;vali

                    (TO MAINTAIN  -rcDriver \/ rcDriver;(I[Person] /\ validDrivingLicense;val
                    DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
                     SELECTFROM -((rcDriver /\ -Delta);(rcDriver /\ -Delta)~) /\ rentalHasBee

                    (TO MAINTAIN  -rentalHasBeenPromised \/ rcDriver;rcDriver~ FROM Promised
                    ONE OF DELETE FROM rcDriver[RentalCase*Person]
                            SELECTFROM rentalHasBeenPromised;(-(rcDriver /\ -Delta) /\ rental

                            (TO MAINTAIN  -(rcDriver~;rentalHasBeenPromised) \/ rcDriver~ FROM
                            DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
                             SELECTFROM rcDriver;(-(rcDriver /\ -Delta)~ /\ rcDriver~;rcDriver~;rentalHa

                            (TO MAINTAIN  -(rcDriver~;rentalHasBeenPromised) \/ rcDriver~ FROM
                    (MAINTAINING -(rcDriver~;rentalHasBeenPromised) \/ rcDriver~ FROM Promise
                    ONE OF DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
                            SELECTFROM ((-rcDriver /\ rentalHasBeenPromised;rcDriver) \/ (Del

                            (TO MAINTAIN  -(rentalHasBeenPromised;rcDriver) \/ rcDriver FROM P
                            DELETE FROM rcDriver[RentalCase*Person]
                             SELECTFROM rentalHasBeenPromised~;((-rcDriver /\ rentalHasBeenPro

                            (TO MAINTAIN  -(rentalHasBeenPromised;rcDriver) \/ rcDriver FROM P
                    (MAINTAINING -(rentalHasBeenPromised;rcDriver) \/ rcDriver FROM Promised
                    ONE OF DELETE FROM rcKeysHandedOverQ[RentalCase*YesNoAnswer]
                            SELECTFROM (-((rcDriver /\ -Delta);(rcDriver /\ -Delta)~) /\ rcKe

                            (TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedO
                            DELETE FROM rcKeysHandedOverQ[RentalCase*YesNoAnswer]
                             SELECTFROM (-((rcDriver /\ -Delta);(rcDriver~ /\ -Delta~)) /\ rcK

                            (TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedO
                            DELETE FROM Isn{detyp=RentalCase}
                             SELECTFROM -((rcDriver /\ -Delta);(rcDriver /\ -Delta)~) /\ rcKey
```

```
                            (TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedO
                (MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\
        (MAINTAINING -rcDriver \/ rcDriver;(I[Person] /\ validDrivingLicense;validDrivin
        (MAINTAINING -rentalHasBeenPromised \/ rcDriver;rcDriver~ FROM Promised rental r
        (MAINTAINING -rentalHasBeenPromised \/ rcDriver;rcDriver~ FROM Promised rental r
        (MAINTAINING -rentalHasBeenPromised \/ rcDriver;rcDriver~ FROM Promised rental r
        (MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\ I[Rent


------ Derivation ----->


        ALL of DELETE FROM rcDriver[RentalCase*Person]
                SELECTFROM -((rcDriver /\ -Delta);(I[Person] /\ validDrivingLicense;validDriv

                (TO MAINTAIN  -rcDriver \/ rcDriver;(I[Person] /\ validDrivingLicense;validDri
                DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
                 SELECTFROM -((rcDriver /\ -Delta);(rcDriver /\ -Delta)~) /\ rentalHasBeenProm

                (TO MAINTAIN  -rentalHasBeenPromised \/ rcDriver;rcDriver~ FROM Promised renta
                ONE OF DELETE FROM rcDriver[RentalCase*Person]
                        SELECTFROM rentalHasBeenPromised;(-(rcDriver /\ -Delta) /\ rentalHasBe

                        (TO MAINTAIN  -(rcDriver~;rentalHasBeenPromised) \/ rcDriver~ FROM Prom
                        DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
                         SELECTFROM rcDriver;(-(rcDriver /\ -Delta)~ /\ rcDriver~;rentalHasBeen

                        (TO MAINTAIN  -(rcDriver~;rentalHasBeenPromised) \/ rcDriver~ FROM Prom
                (MAINTAINING -(rcDriver~;rentalHasBeenPromised) \/ rcDriver~ FROM Promised ren
                ONE OF DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
                        SELECTFROM ((-rcDriver /\ rentalHasBeenPromised;rcDriver) \/ (Delta /\

                        (TO MAINTAIN  -(rentalHasBeenPromised;rcDriver) \/ rcDriver FROM Promis
                        DELETE FROM rcDriver[RentalCase*Person]
                         SELECTFROM rentalHasBeenPromised~;((-rcDriver /\ rentalHasBeenPromised

                        (TO MAINTAIN  -(rentalHasBeenPromised;rcDriver) \/ rcDriver FROM Promis
                (MAINTAINING -(rentalHasBeenPromised;rcDriver) \/ rcDriver FROM Promised renta
                ONE OF DELETE FROM rcKeysHandedOverQ[RentalCase*YesNoAnswer]
                        SELECTFROM (-((rcDriver /\ -Delta);(rcDriver /\ -Delta)~) /\ rcKeysHan

                        (TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~
                        DELETE FROM rcKeysHandedOverQ[RentalCase*YesNoAnswer]
                         SELECTFROM (-((rcDriver /\ -Delta);(rcDriver~ /\ -Delta~)) /\ rcKeysHa

                        (TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~
                        DELETE FROM Isn{detyp=RentalCase}
                         SELECTFROM -((rcDriver /\ -Delta);(rcDriver /\ -Delta)~) /\ rcKeysHand

                        (TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~
```

156

```
              (MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\ I[Re
    (MAINTAINING -rcDriver \/ rcDriver;(I[Person] /\ validDrivingLicense;validDrivingLice
    (MAINTAINING -rentalHasBeenPromised \/ rcDriver;rcDriver~ FROM Promised rental reques
    (MAINTAINING -rentalHasBeenPromised \/ rcDriver;rcDriver~ FROM Promised rental reques
    (MAINTAINING -rentalHasBeenPromised \/ rcDriver;rcDriver~ FROM Promised rental reques
    (MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\ I[RentalCas
```

<------End Derivation --

```
        ON INSERT Delta IN validDrivingLicense[Person*DrivingLicense] EXECUTE    -- (ECA
        ALL of INSERT INTO Isn{detyp=Person}
                SELECTFROM (Delta;Delta~ /\ I[Person]) - I[Person]

                INSERT INTO Isn{detyp=DrivingLicense}
                 SELECTFROM (Delta~;Delta /\ I[DrivingLicense]) - I[DrivingLicense]
```

------ Derivation ----->

```
    ALL of INSERT INTO Isn{detyp=Person}
            SELECTFROM (Delta;Delta~ /\ I[Person]) - I[Person]

          INSERT INTO Isn{detyp=DrivingLicense}
           SELECTFROM (Delta~;Delta /\ I[DrivingLicense]) - I[DrivingLicense]
```

<------End Derivation --

```
        ON DELETE Delta FROM validDrivingLicense[Person*DrivingLicense] EXECUTE    -- (EC
        ALL of DELETE FROM rcDriver[RentalCase*Person]
                SELECTFROM -(rcDriver;(I[Person] /\ (validDrivingLicense /\ -Delta);(val

                (TO MAINTAIN  -rcDriver \/ rcDriver;(I[Person] /\ validDrivingLicense;val
                ONE OF DELETE FROM rcDriver[RentalCase*Person]
                    SELECTFROM rcDriver;((-I[Person] /\ rcDriver~;rcDriver) \/ (-((va

                  (TO MAINTAIN  -(rcDriver~;rcDriver) \/ (I[Person] /\ validDrivingL
                   DELETE FROM rcDriver[RentalCase*Person]
                    SELECTFROM rcDriver;((-I[Person] /\ rcDriver~;rcDriver) \/ (-((va

                  (TO MAINTAIN  -(rcDriver~;rcDriver) \/ (I[Person] /\ validDrivingL
              (MAINTAINING -(rcDriver~;rcDriver) \/ (I[Person] /\ validDrivingLicense;v
        (MAINTAINING -rcDriver \/ rcDriver;(I[Person] /\ validDrivingLicense;validDriving
        (MAINTAINING -rcDriver \/ rcDriver;(I[Person] /\ validDrivingLicense;validDriving
```

------ Derivation ----->

```
        ALL of DELETE FROM rcDriver[RentalCase*Person]
              SELECTFROM -(rcDriver;(I[Person] /\ (validDrivingLicense /\ -Delta);(validDri

           (TO MAINTAIN  -rcDriver \/ rcDriver;(I[Person] /\ validDrivingLicense;validDri
         ONE OF DELETE FROM rcDriver[RentalCase*Person]
               SELECTFROM rcDriver;((-I[Person] /\ rcDriver~;rcDriver) \/ (-((validDr

               (TO MAINTAIN  -(rcDriver~;rcDriver) \/ (I[Person] /\ validDrivingLicens
               DELETE FROM rcDriver[RentalCase*Person]
                SELECTFROM rcDriver;((-I[Person] /\ rcDriver~;rcDriver) \/ (-((validDr

               (TO MAINTAIN  -(rcDriver~;rcDriver) \/ (I[Person] /\ validDrivingLicens
          (MAINTAINING -(rcDriver~;rcDriver) \/ (I[Person] /\ validDrivingLicense;validD
     (MAINTAINING -rcDriver \/ rcDriver;(I[Person] /\ validDrivingLicense;validDrivingLice
     (MAINTAINING -rcDriver \/ rcDriver;(I[Person] /\ validDrivingLicense;validDrivingLice


  <------End Derivation --


            ON INSERT Delta IN rcAssignedCar[RentalCase*Car] EXECUTE     -- (ECA rule 37)
            ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rcAssignedCar /\ -(contracted
                      THEN INSERT INTO contractedCarType[RentalCase*CarType]
                            SELECTFROM 'a'[RentalCase]*'b'[CarType]

                            (TO MAINTAIN  -rcAssignedCar \/ contractedCarType;carType~ FR
                       PICK a,b FROM contractedCarType~;((rcAssignedCar /\ -(contractedCa
                       THEN INSERT INTO carType[Car*CarType]
                            SELECTFROM 'b'[Car]*'a'[CarType]

                            (TO MAINTAIN  -rcAssignedCar \/ contractedCarType;carType~ FR
               (MAINTAINING -rcAssignedCar \/ contractedCarType;carType~ FROM Rented car
               NEW x:CarType;
                 ALL of INSERT INTO contractedCarType[RentalCase*CarType]
                          SELECTFROM ((rcAssignedCar /\ -(contractedCarType;carType~)) \/

                          (TO MAINTAIN  -rcAssignedCar \/ contractedCarType;carType~ FROM
                          INSERT INTO carType[Car*CarType]
                           SELECTFROM ((rcAssignedCar~ /\ -(carType;contractedCarType~)) \

                          (TO MAINTAIN  -rcAssignedCar \/ contractedCarType;carType~ FROM
                 (MAINTAINING -rcAssignedCar \/ contractedCarType;carType~ FROM Rented ca
               (MAINTAINING -rcAssignedCar \/ contractedCarType;carType~ FROM Rented car
               INSERT INTO carType[Car*CarType]
                SELECTFROM (rcAssignedCar~;contractedCarType /\ -carType) \/ (Delta~;con

               (TO MAINTAIN  -(contractedCarType~;rcAssignedCar) \/ carType~ FROM Rented
               INSERT INTO Isn{detyp=CarType}
                SELECTFROM (contractedCarType~;rcAssignedCar;carType /\ -I[CarType]) \/
```

158

```
(TO MAINTAIN  -(contractedCarType~;rcAssignedCar;carType) \/ I[CarType] F
INSERT INTO contractedCarType[RentalCase*CarType]
 SELECTFROM (rcAssignedCar;carType /\ -contractedCarType) \/ (Delta;carTyp

(TO MAINTAIN  -(rcAssignedCar;carType) \/ contractedCarType FROM Rented c
INSERT INTO rentalHasBeenStarted[RentalCase*RentalCase]
 SELECTFROM (rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\ r

(TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /
INSERT INTO rcAssignedCar[RentalCase*Car]
 SELECTFROM rentalHasBeenStarted~;(rcAssignedCar \/ Delta) /\ -rcAssigned

(TO MAINTAIN  -(rcAssignedCar~;rentalHasBeenStarted) \/ rcAssignedCar~ FR
INSERT INTO Isn{detyp=Car}
 SELECTFROM ((rcAssignedCar \/ Delta)~;rentalHasBeenStarted;rcAssignedCar

(TO MAINTAIN  -(rcAssignedCar~;rentalHasBeenStarted;rcAssignedCar) \/ I[C
INSERT INTO rcAssignedCar[RentalCase*Car]
 SELECTFROM (rentalHasBeenStarted;rcAssignedCar /\ -rcAssignedCar) \/ (re

(TO MAINTAIN  -(rentalHasBeenStarted;rcAssignedCar) \/ rcAssignedCar FROM
INSERT INTO Isn{detyp=Car}
 SELECTFROM (rcAssignedCar \/ Delta)~;rcDroppedOffCar /\ -I[Car]

(TO MAINTAIN  -(rcAssignedCar~;rcDroppedOffCar) \/ I[Car] FROM Dropped-of
INSERT INTO rentalBasicCharge[RentalCase*Amount]
 SELECTFROM ((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;rentalTa

(TO MAINTAIN  -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;renta
INSERT INTO Isn{detyp=Amount}
 SELECTFROM (rentalBasicCharge~;(rentalPeriod;ctcNrOfDays~ /\ rcAssignedC

(TO MAINTAIN  -(rentalBasicCharge~;(rentalPeriod;ctcNrOfDays~ /\ rcAssign
INSERT INTO rentalPenaltyCharge[RentalCase*Amount]
 SELECTFROM ((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;ex

(TO MAINTAIN  -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType
INSERT INTO Isn{detyp=Amount}
 SELECTFROM (rentalPenaltyCharge~;(rentalExcessPeriod;ctcNrOfDays~ /\ rcA

(TO MAINTAIN  -(rentalPenaltyCharge~;(rentalExcessPeriod;ctcNrOfDays~ /\
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rcAssignedCar;(rcAssignedCar
      THEN ALL of ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
                          THEN INSERT INTO rentalPeriod[RentalCase
                                SELECTFROM 'a'[RentalCase]*'b'[Int

                                (TO MAINTAIN  -(rcAssignedCar;rcAss
                          PICK a,b FROM rentalPeriod~;('a'[RentalCa
                          THEN INSERT INTO ctcNrOfDays[CompTariffe
```

```
                              SELECTFROM 'b'[CompTariffedCharge]*

                      (TO MAINTAIN  -(rcAssignedCar;rcAss
              (MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\
NEW x:Integer;
    ALL of INSERT INTO rentalPeriod[RentalCase*Int
              SELECTFROM 'a'[RentalCase]*'b'[CompTar

                      (TO MAINTAIN  -(rcAssignedCar;rcAssigne
                      INSERT INTO ctcNrOfDays[CompTariffedCha
                       SELECTFROM 'b'[CompTariffedCharge]*'a

                      (TO MAINTAIN  -(rcAssignedCar;rcAssigne
                (MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\
                (MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\
          (MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ rentalPe
     ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
              THEN INSERT INTO rcAssignedCar[RentalCas
                    SELECTFROM 'a'[RentalCase]*'b'[Car]

                      (TO MAINTAIN  -(rcAssignedCar;rcAss
              PICK a,b FROM rcAssignedCar~;('a'[RentalC
              THEN ONE OF ONE NONEMPTY ALTERNATIVE OF
                               THEN INSERT INTO carTy
                                  SELECTFROM 'a'[C

                          (TO MAINTAIN  -(
                  PICK a,b FROM carType
                  THEN ONE OF ONE NONEM
                                    TH



                             PIC
                             TH



                      (MAINTAINI
              NEW x:Amou
                ALL of I




                      (MAINTA
                (MAINTAINI
```

160

```
                         (MAINTAINING -(r
         (MAINTAINING -(rcAssignedCar
NEW x:CarType;
   ALL of INSERT INTO carType
                SELECTFROM 'a'[Car

              (TO MAINTAIN  -(rcA
              ONE OF ONE NONEMPTY
                         THEN

                         PICK a
                         THEN

                   (MAINTAINING
                   NEW x:Amount
                     ALL of INS
                           SE

                         (TO
                         INS
                           SE

                         (TO
                   (MAINTAINI
                   (MAINTAINING
                (MAINTAINING -(rcAs
           (MAINTAINING -(rcAssignedCa
             (MAINTAINING -(rcAssignedCar
         (MAINTAINING -(rcAssignedCar;rcAssig
(MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\
NEW x:Car;
  ALL of INSERT INTO rcAssignedCar[RentalCase*Ca
           SELECTFROM 'a'[RentalCase]*'b'[CompTa

            (TO MAINTAIN  -(rcAssignedCar;rcAssigne
            ONE OF ONE NONEMPTY ALTERNATIVE OF PIC
                       THEN INSERT INTO carType
                            SELECTFROM 'a'[Car

                       (TO MAINTAIN  -(rcA
                   PICK a,b FROM carType~;(
                   THEN ONE OF ONE NONEMPTY
                                  THEN
```

161

(MAINTAINING
NEW x:Amount
    ALL of INSE
              SEI

            (TO
    INSE
      SEI

            (TO
    (MAINTAINI
    (MAINTAINING
        (MAINTAINING -(rcAs
(MAINTAINING -(rcAssignedCar;rc
NEW x:CarType;
    ALL of INSERT INTO carType[Ca
              SELECTFROM 'x'[Car]*'a

        (TO MAINTAIN  -(rcAssi
        ONE OF ONE NONEMPTY ALT
                    THEN INSE
                      SEI

                (TO
    PICK a,b
        THEN INSE
              SEI

                (TO
    (MAINTAINING -(
NEW x:Amount;
    ALL of INSERT
              SELECT

                (TO MAI
    INSERT
      SELECT

                (TO MAI
    (MAINTAINING
    (MAINTAINING -(
        (MAINTAINING -(rcAssig
    (MAINTAINING -(rcAssignedCar;
    (MAINTAINING -(rcAssignedCar;rc
(MAINTAINING -(rcAssignedCar;rcAssigned

```
                                    (MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\
                                (MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\
                            (MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ rentalPe
                        (MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rc
            PICK a,b FROM (ctcNrOfDays;rentalPeriod~ /\ ctcDailyAmount;rentalTa
            THEN BLOCK
                        (CANNOT CHANGE V[CompTariffedCharge*RentalCase] FROM Trigger
    (MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod~
    ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (('_SESSION'[SESSION];sessionNew
            THEN INSERT INTO sessionNewBranchRC[SESSION*RentalCase]
                    SELECTFROM 'a'[SESSION]*'b'[RentalCase]


                    (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewBranchRC;(renta
            PICK a,b FROM sessionNewBranchRC~;(('_SESSION'[SESSION];sessionNewB
            THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[RentalCa
                            THEN INSERT INTO rcKeysHandedOverQ[RentalCase*Y
                                SELECTFROM 'a'[RentalCase]*'b'[YesNoAnswe


                                (TO MAINTAIN  -('_SESSION'[SESSION];sessio
                            PICK a,b FROM rcKeysHandedOverQ~;('a'[RentalCase
                            THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,
                                            THEN BLOCK
                                                (CANNOT CHANGE 'Yes'[Ye
                                            PICK a,b FROM 'Yes'[YesNoAns
                                            THEN BLOCK
                                                (CANNOT CHANGE V[YesNoA
                                    (MAINTAINING -('_SESSION'[SESSION];
                                    NEW x:YesNoAnswer;
                                      ALL of BLOCK
                                            (CANNOT CHANGE 'Yes'[YesNo.
                                            BLOCK
                                            (CANNOT CHANGE V[YesNoAnsw
                                    (MAINTAINING -('_SESSION'[SESSION]
                                    (MAINTAINING -('_SESSION'[SESSION];
                                (MAINTAINING -('_SESSION'[SESSION];session
                    (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;
                    NEW x:YesNoAnswer;
                      ALL of INSERT INTO rcKeysHandedOverQ[RentalCase*YesN
                                SELECTFROM 'a'[RentalCase]*'b'[RentalCase]*'

                                (TO MAINTAIN  -('_SESSION'[SESSION];sessionNe
                                ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b F
                                            THEN BLOCK
                                                (CANNOT CHANGE 'Yes'[YesNo.
                                            PICK a,b FROM 'Yes'[YesNoAnswer
                                            THEN BLOCK
                                                (CANNOT CHANGE V[YesNoAnswe
                                    (MAINTAINING -('_SESSION'[SESSION];ses
                                    NEW x:YesNoAnswer;
                                      ALL of BLOCK
```

163

```
                                              (CANNOT CHANGE 'Yes'[YesNoAns
                                              BLOCK
                                              (CANNOT CHANGE V[YesNoAnswer*
                             (MAINTAINING -('_SESSION'[SESSION];s
                             (MAINTAINING -('_SESSION'[SESSION];ses
                        (MAINTAINING -('_SESSION'[SESSION];sessionNew
                   (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchR
                 (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;
            (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rental
   (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenPromi
NEW x:RentalCase;
   ALL of INSERT INTO sessionNewBranchRC[SESSION*RentalCase]
             SELECTFROM (('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasB

           (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHas
          ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'[RentalCase]
                      THEN INSERT INTO rcKeysHandedOverQ[RentalCase*YesN
                          SELECTFROM 'a'[RentalCase]*'b'[YesNoAnswer]

                         (TO MAINTAIN  -('_SESSION'[SESSION];sessionNev
                      PICK a,b FROM rcKeysHandedOverQ~;('x'[RentalCase]*
                      THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b F
                                 THEN BLOCK
                                     (CANNOT CHANGE 'Yes'[YesNo.
                                 PICK a,b FROM 'Yes'[YesNoAnswer]
                                 THEN BLOCK
                                     (CANNOT CHANGE V[YesNoAnsw
                         (MAINTAINING -('_SESSION'[SESSION];ses
                      NEW x:YesNoAnswer;
                        ALL of BLOCK
                               (CANNOT CHANGE 'Yes'[YesNoAns
                               BLOCK
                               (CANNOT CHANGE V[YesNoAnswer*
                         (MAINTAINING -('_SESSION'[SESSION];s
                         (MAINTAINING -('_SESSION'[SESSION];ses
                      (MAINTAINING -('_SESSION'[SESSION];sessionNew
                 (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(re
                 NEW x:YesNoAnswer;
                   ALL of INSERT INTO rcKeysHandedOverQ[RentalCase*YesNoAns
                          SELECTFROM 'x'[RentalCase]*(('_SESSION'[SESSION]

                         (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewBra
                      ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'[Y
                             THEN BLOCK
                                 (CANNOT CHANGE 'Yes'[YesNoAnswer] FR
                             PICK a,b FROM 'Yes'[YesNoAnswer];('x'[Yes
                             THEN BLOCK
                                 (CANNOT CHANGE V[YesNoAnswer*RentalC
                      (MAINTAINING -('_SESSION'[SESSION];sessionNewBra
                   (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(
```

```
                              (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(re
                 (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHas
      (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenPror
   (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenPromis
   ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((sessionNewBranchRC~;'_SESSION
            THEN INSERT INTO rcKeysHandedOverQ[RentalCase*YesNoAnswer]
                  SELECTFROM 'a'[RentalCase]*'b'[YesNoAnswer]


                  (TO MAINTAIN  -(sessionNewBranchRC~;'_SESSION'[SESSION];sessi
            PICK a,b FROM rcKeysHandedOverQ~;((sessionNewBranchRC~;'_SESSION'[
            THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[YesNoAns
                         THEN BLOCK
                               (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM Han
                         PICK a,b FROM 'Yes'[YesNoAnswer];('a'[YesNoAnswe
                         THEN BLOCK
                               (CANNOT CHANGE V[YesNoAnswer*RentalCase] F
                  (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION]
                     NEW x:YesNoAnswer;
                       ALL of BLOCK
                               (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM Hand t
                               BLOCK
                               (CANNOT CHANGE V[YesNoAnswer*RentalCase] FROM
                     (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSIO
                     (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION]
              (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];sessio
   (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewBranchRC
   NEW x:YesNoAnswer;
     ALL of INSERT INTO rcKeysHandedOverQ[RentalCase*YesNoAnswer]
            SELECTFROM ((sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewl


                  (TO MAINTAIN  -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionN
            ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'[YesNoAnswer]*((se
                  THEN BLOCK
                        (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM Hand the car
                  PICK a,b FROM 'Yes'[YesNoAnswer];('x'[YesNoAnswer]*((sess
                  THEN BLOCK
                        (CANNOT CHANGE V[YesNoAnswer*RentalCase] FROM Hand t
            (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNev
      (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewBranch
   (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewBranchRC
   ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((sessionNewBranchRC;(I[RentalCa
            THEN INSERT INTO sessionNewBranchRC[SESSION*RentalCase]
                  SELECTFROM 'a'[SESSION]*'b'[RentalCase]


                  (TO MAINTAIN  -(sessionNewBranchRC;(I[RentalCase] /\ rcAssigne
            PICK a,b FROM sessionNewBranchRC~;((sessionNewBranchRC;(I[RentalCas
            THEN INSERT INTO rcBranchRequestedQ[RentalCase*YesNoAnswer]
                  SELECTFROM 'a'[RentalCase]*'b'[YesNoAnswer]


                  (TO MAINTAIN  -(sessionNewBranchRC;(I[RentalCase] /\ rcAssigne
```

165

```
(MAINTAINING -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;rcAssig
INSERT INTO rcBranchRequestedQ[RentalCase*YesNoAnswer]
 SELECTFROM (sessionNewBranchRC~;sessionNewBranchRC;(I[RentalCase] /\ rcA

(TO MAINTAIN  -(sessionNewBranchRC~;sessionNewBranchRC;(I[RentalCase] /\ 
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('_SESSION'[SESSION];sessionDro
        THEN BLOCK
            (CANNOT CHANGE V[SESSION*RentalCase] FROM Car drop-off handli
        PICK a,b FROM V[RentalCase*SESSION];('_SESSION'[SESSION];sessionDr
        THEN ALL of INSERT INTO Isn{detyp=RentalCase}
                    SELECTFROM 'a'[RentalCase]*'b'[RentalCase]

                    (TO MAINTAIN  -('_SESSION'[SESSION];sessionDroppedoffC
                    ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
                                THEN INSERT INTO rentalIsPaidQ[RentalCase
                                    SELECTFROM 'a'[RentalCase]*'b'[Yes

                                (TO MAINTAIN  -('_SESSION'[SESSION]
                        PICK a,b FROM rentalIsPaidQ~;('a'[RentalC
                        THEN ONE OF ONE NONEMPTY ALTERNATIVE OF 
                                    THEN BLOCK
                                        (CANNOT CHANGE '
                                    PICK a,b FROM 'Yes'[Y
                                    THEN INSERT INTO rent
                                        SELECTFROM 'b'[

                                    (TO MAINTAIN  -(
                            (MAINTAINING -('_SESSION'[SE
                            NEW x:YesNoAnswer;
                              ALL of BLOCK
                                    (CANNOT CHANGE 'Yes
                                    INSERT INTO rentalI
                                    SELECTFROM 'b'[Ren

                                    (TO MAINTAIN  -('_S
                            (MAINTAINING -('_SESSION'[
                            (MAINTAINING -('_SESSION'[SE
                        (MAINTAINING -('_SESSION'[SESSION];
                    (MAINTAINING -('_SESSION'[SESSION];sessionDropp
                    NEW x:YesNoAnswer;
                      ALL of INSERT INTO rentalIsPaidQ[RentalCase*Y
                                SELECTFROM 'a'[RentalCase]*'b'[Rental

                            (TO MAINTAIN  -('_SESSION'[SESSION];se
                            ONE OF ONE NONEMPTY ALTERNATIVE OF PIC
                                        THEN BLOCK
                                            (CANNOT CHANGE 'Yes
                                        PICK a,b FROM 'Yes'[YesN
                                        THEN INSERT INTO rentalI
                                            SELECTFROM 'b'[Rent
```

166

```
                                              (TO MAINTAIN  -('_SI
                          (MAINTAINING -('_SESSION'[SESSI
                          NEW x:YesNoAnswer;
                            ALL of BLOCK
                                    (CANNOT CHANGE 'Yes'[Y
                                    INSERT INTO rentalIsPa
                                     SELECTFROM 'b'[Rental

                                    (TO MAINTAIN  -('_SESS
                              (MAINTAINING -('_SESSION'[SES
                              (MAINTAINING -('_SESSION'[SESSI
                      (MAINTAINING -('_SESSION'[SESSION];ses
                    (MAINTAINING -('_SESSION'[SESSION];sessionDro
                      (MAINTAINING -('_SESSION'[SESSION];sessionDropp
                  (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCa
              (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar;rcAss
      (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssignedCar~;(I
      INSERT INTO rcDroppedOffBranch[RentalCase*Branch]
       SELECTFROM (rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));

      (TO MAINTAIN  -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~;
      INSERT INTO Isn{detyp=Branch}
       SELECTFROM (rcDroppedOffBranch~;rcAssignedCar;(I[Car] /\ -(carAvailableAt

      (TO MAINTAIN  -(rcDroppedOffBranch~;rcAssignedCar;(I[Car] /\ -(carAvailabl
      INSERT INTO rcDroppedOffDate[RentalCase*Date]
       SELECTFROM (rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));

      (TO MAINTAIN  -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~
      INSERT INTO Isn{detyp=Date}
       SELECTFROM (rcDroppedOffDate~;rcAssignedCar;(I[Car] /\ -(carAvailableAt;

      (TO MAINTAIN  -(rcDroppedOffDate~;rcAssignedCar;(I[Car] /\ -(carAvailable
      INSERT INTO Isn{detyp=Car}
       SELECTFROM ((rcAssignedCar \/ Delta)~;rcAssignedCar /\ -I[Car]) \/ ((rcA

      (TO MAINTAIN  -(rcAssignedCar~;rcAssignedCar) \/ I[Car] FROM UNI rcAssigne
      INSERT INTO Isn{detyp=RentalCase}
       SELECTFROM (Delta;Delta~ /\ I[RentalCase]) - I[RentalCase]

      INSERT INTO Isn{detyp=Car}
       SELECTFROM (Delta~;Delta /\ I[Car]) - I[Car]

(MAINTAINING -rcAssignedCar \/ contractedCarType;carType~ FROM Rented car type i
(MAINTAINING -rcAssignedCar \/ contractedCarType;carType~ FROM Rented car type i
(MAINTAINING -rcAssignedCar \/ contractedCarType;carType~ FROM Rented car type i
(MAINTAINING -rcAssignedCar \/ contractedCarType;carType~ FROM Rented car type i
(MAINTAINING -rcAssignedCar \/ contractedCarType;carType~ FROM Rented car type i
(MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\ rcAssi
```

167

```
(MAINTAINING -rentalHasBeenStarted \/ rcAssignedCar;rcAssignedCar~ FROM Started
(MAINTAINING -rentalHasBeenStarted \/ rcAssignedCar;rcAssignedCar~ FROM Started
(MAINTAINING -rentalHasBeenStarted \/ rcAssignedCar;rcAssignedCar~ FROM Started
(MAINTAINING -rentalHasBeenStarted \/ rcAssignedCar;rcAssignedCar~ FROM Started
(MAINTAINING -rcDroppedOffCar \/ rcAssignedCar FROM Dropped-off car type integri
(MAINTAINING -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;rentalTariffP
(MAINTAINING -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;rentalTariffP
(MAINTAINING -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;excessT
(MAINTAINING -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;excessT
(MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod~ /\ I[R
(MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenPromised /\
(MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenPromised /\
(MAINTAINING -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;rcAssignedCar~
(MAINTAINING -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;rcAssignedCar~
(MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssignedCar~;(I[Rental
(MAINTAINING -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));sessi
(MAINTAINING -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));sessi
(MAINTAINING -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));sessi
(MAINTAINING -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));sessi
(MAINTAINING -(rcAssignedCar~;rcAssignedCar) \/ I[Car] FROM UNI rcAssignedCar::R

------ Derivation ----->


    ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rcAssignedCar /\ -(contractedCarTy
                THEN INSERT INTO contractedCarType[RentalCase*CarType]
                    SELECTFROM 'a'[RentalCase]*'b'[CarType]

                    (TO MAINTAIN  -rcAssignedCar \/ contractedCarType;carType~ FROM Re
             PICK a,b FROM contractedCarType~;((rcAssignedCar /\ -(contractedCarType
             THEN INSERT INTO carType[Car*CarType]
                    SELECTFROM 'b'[Car]*'a'[CarType]

                    (TO MAINTAIN  -rcAssignedCar \/ contractedCarType;carType~ FROM Re
        (MAINTAINING -rcAssignedCar \/ contractedCarType;carType~ FROM Rented car type
        NEW x:CarType;
          ALL of INSERT INTO contractedCarType[RentalCase*CarType]
                    SELECTFROM ((rcAssignedCar /\ -(contractedCarType;carType~)) \/ (Del

                    (TO MAINTAIN  -rcAssignedCar \/ contractedCarType;carType~ FROM Rente
                    INSERT INTO carType[Car*CarType]
                     SELECTFROM ((rcAssignedCar~ /\ -(carType;contractedCarType~)) \/ (De

                    (TO MAINTAIN  -rcAssignedCar \/ contractedCarType;carType~ FROM Rente
            (MAINTAINING -rcAssignedCar \/ contractedCarType;carType~ FROM Rented car ty
        (MAINTAINING -rcAssignedCar \/ contractedCarType;carType~ FROM Rented car type
        INSERT INTO carType[Car*CarType]
         SELECTFROM (rcAssignedCar~;contractedCarType /\ -carType) \/ (Delta~;contract
```

168

```
(TO MAINTAIN  -(contractedCarType~;rcAssignedCar) \/ carType~ FROM Rented car
INSERT INTO Isn{detyp=CarType}
 SELECTFROM (contractedCarType~;rcAssignedCar;carType /\ -I[CarType]) \/ (cont

(TO MAINTAIN  -(contractedCarType~;rcAssignedCar;carType) \/ I[CarType] FROM R
INSERT INTO contractedCarType[RentalCase*CarType]
 SELECTFROM (rcAssignedCar;carType /\ -contractedCarType) \/ (Delta;carType /\

(TO MAINTAIN  -(rcAssignedCar;carType) \/ contractedCarType FROM Rented car ty
INSERT INTO rentalHasBeenStarted[RentalCase*RentalCase]
 SELECTFROM (rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\ rcAssi

(TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\ rcA
INSERT INTO rcAssignedCar[RentalCase*Car]
 SELECTFROM rentalHasBeenStarted~;(rcAssignedCar \/ Delta) /\ -rcAssignedCar

(TO MAINTAIN  -(rcAssignedCar~;rentalHasBeenStarted) \/ rcAssignedCar~ FROM St
INSERT INTO Isn{detyp=Car}
 SELECTFROM ((rcAssignedCar \/ Delta)~;rentalHasBeenStarted;rcAssignedCar /\ -

(TO MAINTAIN  -(rcAssignedCar~;rentalHasBeenStarted;rcAssignedCar) \/ I[Car] F
INSERT INTO rcAssignedCar[RentalCase*Car]
 SELECTFROM (rentalHasBeenStarted;rcAssignedCar /\ -rcAssignedCar) \/ (rentalH

(TO MAINTAIN  -(rentalHasBeenStarted;rcAssignedCar) \/ rcAssignedCar FROM Star
INSERT INTO Isn{detyp=Car}
 SELECTFROM (rcAssignedCar \/ Delta)~;rcDroppedOffCar /\ -I[Car]

(TO MAINTAIN  -(rcAssignedCar~;rcDroppedOffCar) \/ I[Car] FROM Dropped-off car
INSERT INTO rentalBasicCharge[RentalCase*Amount]
 SELECTFROM ((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;rentalTariffP

(TO MAINTAIN  -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;rentalTari
INSERT INTO Isn{detyp=Amount}
 SELECTFROM (rentalBasicCharge~;(rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;ca

(TO MAINTAIN  -(rentalBasicCharge~;(rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar
INSERT INTO rentalPenaltyCharge[RentalCase*Amount]
 SELECTFROM ((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;excessT

(TO MAINTAIN  -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;exce
INSERT INTO Isn{detyp=Amount}
 SELECTFROM (rentalPenaltyCharge~;(rentalExcessPeriod;ctcNrOfDays~ /\ rcAssign

(TO MAINTAIN  -(rentalPenaltyCharge~;(rentalExcessPeriod;ctcNrOfDays~ /\ rcAss
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rcAssignedCar;(rcAssignedCar \/ De
      THEN ALL of ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[Renta
                        THEN INSERT INTO rentalPeriod[RentalCase*Inte
                            SELECTFROM 'a'[RentalCase]*'b'[Integer]
```

169

```
                                (TO MAINTAIN  -(rcAssignedCar;rcAssigned
                PICK a,b FROM rentalPeriod~;('a'[RentalCase]*
                THEN INSERT INTO ctcNrOfDays[CompTariffedChar
                    SELECTFROM 'b'[CompTariffedCharge]*'a'[

                                (TO MAINTAIN  -(rcAssignedCar;rcAssigned
            (MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ renta
            NEW x:Integer;
              ALL of INSERT INTO rentalPeriod[RentalCase*Integer
                    SELECTFROM 'a'[RentalCase]*'b'[CompTariffe

                                (TO MAINTAIN  -(rcAssignedCar;rcAssignedCar
                INSERT INTO ctcNrOfDays[CompTariffedCharge*
                SELECTFROM 'b'[CompTariffedCharge]*'a'[Ren

                                (TO MAINTAIN  -(rcAssignedCar;rcAssignedCar
            (MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ ren
          (MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ renta
      (MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod
  ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[Renta
                THEN INSERT INTO rcAssignedCar[RentalCase*Car
                    SELECTFROM 'a'[RentalCase]*'b'[Car]

                                (TO MAINTAIN  -(rcAssignedCar;rcAssigned
                PICK a,b FROM rcAssignedCar~;('a'[RentalCase]
                THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK
                            THEN  INSERT INTO carType[C
                                SELECTFROM 'a'[Car]*

                                    (TO MAINTAIN  -(rcAss
                    PICK a,b FROM carType~;('a
                    THEN ONE OF ONE NONEMPTY A
                                    THEN IN
                                        S

                                        (T
                        PICK a,
                        THEN IN
                            S

                                        (T
                    (MAINTAINING -
                    NEW x:Amount;
                      ALL of INSER
                            SELE

                                    (TO M
                    INSER
                            SELE
```

```
                                                               (TO M
                                              (MAINTAINING
                                            (MAINTAINING -
                                       (MAINTAINING -(rcAssi
                          (MAINTAINING -(rcAssignedCar;rcAs
NEW x:CarType;
    ALL of INSERT INTO carType[Car*
                  SELECTFROM 'a'[Car]*'b'


                             (TO MAINTAIN  -(rcAssign
                             ONE OF ONE NONEMPTY ALTE
                                        THEN INSER
                                             SELE


                                          (TO M
                              PICK a,b F
                              THEN INSER
                                    SELE


                                          (TO M
                              (MAINTAINING -(rc
NEW x:Amount;
    ALL of INSERT I
                  SELECTF


                                  (TO MAIN
                                  INSERT I
                                  SELECTF


                                    (TO MAIN
                       (MAINTAINING -(
                       (MAINTAINING -(rc
                   (MAINTAINING -(rcAssigne
                (MAINTAINING -(rcAssignedCar;rc
              (MAINTAINING -(rcAssignedCar;rcAs
          (MAINTAINING -(rcAssignedCar;rcAssignedC
(MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ renta
NEW x:Car;
    ALL of INSERT INTO rcAssignedCar[RentalCase*Car]
            SELECTFROM 'a'[RentalCase]*'b'[CompTariffe


              (TO MAINTAIN  -(rcAssignedCar;rcAssignedCar
              ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b
                         THEN INSERT INTO carType[Car*
                           SELECTFROM 'a'[Car]*'b'


                            (TO MAINTAIN  -(rcAssign
                            PICK a,b FROM carType~;('x'[C
                            THEN ONE OF ONE NONEMPTY ALTE
                                       THEN INSER
```

171

```
                                               SELE

                                          (TO M
                              PICK a,b F
                              THEN INSER
                                    SELE

                                          (TO M
                    (MAINTAINING -(rc
                    NEW x:Amount;
                       ALL of INSERT I
                                SELECTF

                                       (TO MAIN
                              INSERT I
                              SELECTF

                                       (TO MAIN
                       (MAINTAINING -(
                       (MAINTAINING -(rc
                 (MAINTAINING -(rcAssigne
         (MAINTAINING -(rcAssignedCar;rcAssig
         NEW x:CarType;
           ALL of INSERT INTO carType[Car*Car
                    SELECTFROM 'x'[Car]*'a'[Re

                    (TO MAINTAIN  -(rcAssignedC
                 ONE OF ONE NONEMPTY ALTERNA
                            THEN INSERT I
                               SELECTF

                                       (TO MAIN
                              PICK a,b FROM
                              THEN INSERT I
                                 SELECTF

                                       (TO MAIN
                    (MAINTAINING -(rcAss
                    NEW x:Amount;
                       ALL of INSERT INTO
                               SELECTFROM

                                       (TO MAINTAI
                              INSERT INTO
                              SELECTFROM

                                       (TO MAINTAI
                    (MAINTAINING -(rcA
                    (MAINTAINING -(rcAss
         (MAINTAINING -(rcAssignedCa
```

172

```
                                    (MAINTAINING -(rcAssignedCar;rcAss
                                  (MAINTAINING -(rcAssignedCar;rcAssig
                                (MAINTAINING -(rcAssignedCar;rcAssignedCar~
                              (MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ ren
                            (MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ renta
                          (MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod
                        (MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rental
                  PICK a,b FROM (ctcNrOfDays;rentalPeriod~ /\ ctcDailyAmount;rentalTariff
                  THEN BLOCK
                        (CANNOT CHANGE V[CompTariffedCharge*RentalCase] FROM Trigger regul
        (MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod~ /\ I
        ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (('_SESSION'[SESSION];sessionNewBran
                  THEN INSERT INTO sessionNewBranchRC[SESSION*RentalCase]
                      SELECTFROM 'a'[SESSION]*'b'[RentalCase]


                        (TO MAINTAIN -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasB
                  PICK a,b FROM sessionNewBranchRC~;(('_SESSION'[SESSION];sessionNewBranc
                  THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[RentalCase]*
                              THEN INSERT INTO rcKeysHandedOverQ[RentalCase*YesNoA
                                  SELECTFROM 'a'[RentalCase]*'b'[YesNoAnswer]


                              (TO MAINTAIN -('_SESSION'[SESSION];sessionNewB
                            PICK a,b FROM rcKeysHandedOverQ~;('a'[RentalCase]*'b
                            THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FRO
                                          THEN BLOCK
                                                (CANNOT CHANGE 'Yes'[YesNoAn
                                          PICK a,b FROM 'Yes'[YesNoAnswer];
                                          THEN BLOCK
                                                (CANNOT CHANGE V[YesNoAnswer
                                (MAINTAINING -('_SESSION'[SESSION];sessi
                              NEW x:YesNoAnswer;
                                ALL of BLOCK
                                          (CANNOT CHANGE 'Yes'[YesNoAnswe
                                          BLOCK
                                          (CANNOT CHANGE V[YesNoAnswer*Re
                                (MAINTAINING -('_SESSION'[SESSION];ses
                                (MAINTAINING -('_SESSION'[SESSION];sessi
                              (MAINTAINING -('_SESSION'[SESSION];sessionNewBr
                    (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rent
                  NEW x:YesNoAnswer;
                    ALL of INSERT INTO rcKeysHandedOverQ[RentalCase*YesNoAnsw
                              SELECTFROM 'a'[RentalCase]*'b'[RentalCase]*'x'[Ye


                          (TO MAINTAIN -('_SESSION'[SESSION];sessionNewBran
                          ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (
                                        THEN BLOCK
                                              (CANNOT CHANGE 'Yes'[YesNoAnswe
                                        PICK a,b FROM 'Yes'[YesNoAnswer];('x
                                        THEN BLOCK
                                              (CANNOT CHANGE V[YesNoAnswer*Re


                  173
```

```
                                        (MAINTAINING -('_SESSION'[SESSION];sessionN
                                    NEW x:YesNoAnswer;
                                      ALL of BLOCK
                                            (CANNOT CHANGE 'Yes'[YesNoAnswer]
                                            BLOCK
                                            (CANNOT CHANGE V[YesNoAnswer*Renta
                                    (MAINTAINING -('_SESSION'[SESSION];sessio
                                  (MAINTAINING -('_SESSION'[SESSION];sessionN
                              (MAINTAINING -('_SESSION'[SESSION];sessionNewBranc
                        (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(re
                    (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rent
              (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBe
          (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenPromised /
          NEW x:RentalCase;
            ALL of INSERT INTO sessionNewBranchRC[SESSION*RentalCase]
                      SELECTFROM (('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenPr

                  (TO MAINTAIN -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeen
                ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'[RentalCase]*(('
                            THEN INSERT INTO rcKeysHandedOverQ[RentalCase*YesNoAnsw
                              SELECTFROM 'a'[RentalCase]*'b'[YesNoAnswer]

                            (TO MAINTAIN -('_SESSION'[SESSION];sessionNewBran
                          PICK a,b FROM rcKeysHandedOverQ~;('x'[RentalCase]*(('_S
                          THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (
                                        THEN BLOCK
                                            (CANNOT CHANGE 'Yes'[YesNoAnswe
                                        PICK a,b FROM 'Yes'[YesNoAnswer];('a
                                        THEN BLOCK
                                            (CANNOT CHANGE V[YesNoAnswer*Re
                                    (MAINTAINING -('_SESSION'[SESSION];sessionN
                                    NEW x:YesNoAnswer;
                                      ALL of BLOCK
                                            (CANNOT CHANGE 'Yes'[YesNoAnswer]
                                            BLOCK
                                            (CANNOT CHANGE V[YesNoAnswer*Renta
                                    (MAINTAINING -('_SESSION'[SESSION];sessio
                                  (MAINTAINING -('_SESSION'[SESSION];sessionN
                              (MAINTAINING -('_SESSION'[SESSION];sessionNewBranc
                        (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalH
                    NEW x:YesNoAnswer;
                      ALL of INSERT INTO rcKeysHandedOverQ[RentalCase*YesNoAnswer]
                              SELECTFROM 'x'[RentalCase]*(('_SESSION'[SESSION];ses

                          (TO MAINTAIN -('_SESSION'[SESSION];sessionNewBranchR
                        ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'[YesNoA
                                THEN BLOCK
                                    (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM Ha
                                PICK a,b FROM 'Yes'[YesNoAnswer];('x'[YesNoAns
                                THEN BLOCK
```

174

```
                                    (CANNOT CHANGE V[YesNoAnswer*RentalCase]
                      (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC
               (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(renta
             (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalH
        (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenP
   (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenPromised
(MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenPromised /
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((sessionNewBranchRC~;'_SESSION'[SES
        THEN INSERT INTO rcKeysHandedOverQ[RentalCase*YesNoAnswer]
              SELECTFROM 'a'[RentalCase]*'b'[YesNoAnswer]


          (TO MAINTAIN  -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNew
        PICK a,b FROM rcKeysHandedOverQ~;((sessionNewBranchRC~;'_SESSION'[SESSI
        THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[YesNoAnswer]
                        THEN BLOCK
                             (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM Hand the
                        PICK a,b FROM 'Yes'[YesNoAnswer];('a'[YesNoAnswer]*'
                        THEN BLOCK
                             (CANNOT CHANGE V[YesNoAnswer*RentalCase] FROM H
                 (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];sess
                NEW x:YesNoAnswer;
                   ALL of BLOCK
                             (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM Hand the ca
                        BLOCK
                             (CANNOT CHANGE V[YesNoAnswer*RentalCase] FROM Hand
                  (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];se
                (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];sess
          (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewB
(MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewBranchRC;(ren
NEW x:YesNoAnswer;
  ALL of INSERT INTO rcKeysHandedOverQ[RentalCase*YesNoAnswer]
          SELECTFROM ((sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewBranc


          (TO MAINTAIN  -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewBra
        ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'[YesNoAnswer]*((session
                THEN BLOCK
                     (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM Hand the car keys
                PICK a,b FROM 'Yes'[YesNoAnswer];('x'[YesNoAnswer]*((sessionNe
                THEN BLOCK
                     (CANNOT CHANGE V[YesNoAnswer*RentalCase] FROM Hand the ca
          (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewBran
   (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewBranchRC;(r
(MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewBranchRC;(ren
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((sessionNewBranchRC;(I[RentalCase]
        THEN INSERT INTO sessionNewBranchRC[SESSION*RentalCase]
              SELECTFROM 'a'[SESSION]*'b'[RentalCase]


          (TO MAINTAIN  -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar
        PICK a,b FROM sessionNewBranchRC~;((sessionNewBranchRC;(I[RentalCase] /
        THEN INSERT INTO rcBranchRequestedQ[RentalCase*YesNoAnswer]

                                    175
```

```
                    SELECTFROM 'a'[RentalCase]*'b'[YesNoAnswer]

                (TO MAINTAIN  -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar
(MAINTAINING -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;rcAssignedCa
INSERT INTO rcBranchRequestedQ[RentalCase*YesNoAnswer]
 SELECTFROM (sessionNewBranchRC~;sessionNewBranchRC;(I[RentalCase] /\ rcAssign

(TO MAINTAIN  -(sessionNewBranchRC~;sessionNewBranchRC;(I[RentalCase] /\ rcAss
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('_SESSION'[SESSION];sessionDroppedo
        THEN BLOCK
            (CANNOT CHANGE V[SESSION*RentalCase] FROM Car drop-off handling)
        PICK a,b FROM V[RentalCase*SESSION];('_SESSION'[SESSION];sessionDropped
        THEN ALL of INSERT INTO Isn{detyp=RentalCase}
                    SELECTFROM 'a'[RentalCase]*'b'[RentalCase]

                (TO MAINTAIN  -('_SESSION'[SESSION];sessionDroppedoffCar;rc
                ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[Renta
                        THEN INSERT INTO rentalIsPaidQ[RentalCase*Yes
                            SELECTFROM 'a'[RentalCase]*'b'[YesNoAns

                        (TO MAINTAIN  -('_SESSION'[SESSION];sess
                    PICK a,b FROM rentalIsPaidQ~;('a'[RentalCase]
                    THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK
                                THEN BLOCK
                                    (CANNOT CHANGE 'Yes'[
                                PICK a,b FROM 'Yes'[YesNoA
                                THEN INSERT INTO rentalIsP
                                    SELECTFROM 'b'[Renta

                                    (TO MAINTAIN  -('_SES
                            (MAINTAINING -('_SESSION'[SESSION
                            NEW x:YesNoAnswer;
                              ALL of BLOCK
                                    (CANNOT CHANGE 'Yes'[Yes
                                    INSERT INTO rentalIsPaid
                                    SELECTFROM 'b'[RentalCa

                                    (TO MAINTAIN  -('_SESSIO
                                (MAINTAINING -('_SESSION'[SESSI
                            (MAINTAINING -('_SESSION'[SESSION
                        (MAINTAINING -('_SESSION'[SESSION];sessi
                    (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoff
                    NEW x:YesNoAnswer;
                      ALL of INSERT INTO rentalIsPaidQ[RentalCase*YesNoA
                            SELECTFROM 'a'[RentalCase]*'b'[RentalCase]

                        (TO MAINTAIN  -('_SESSION'[SESSION];session
                        ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b
                                THEN BLOCK
                                    (CANNOT CHANGE 'Yes'[Yes

                    176
```

```
                                                         PICK a,b FROM 'Yes'[YesNoAnsw
                                                         THEN INSERT INTO rentalIsPaid
                                                          SELECTFROM 'b'[RentalCa

                                                   (TO MAINTAIN  -('_SESSIO
                                        (MAINTAINING -('_SESSION'[SESSION];s
                                        NEW x:YesNoAnswer;
                                          ALL of BLOCK
                                                (CANNOT CHANGE 'Yes'[YesNoA
                                                 INSERT INTO rentalIsPaidQ[R
                                                  SELECTFROM 'b'[RentalCase]

                                                   (TO MAINTAIN  -('_SESSION'[
                                          (MAINTAINING -('_SESSION'[SESSION]
                                          (MAINTAINING -('_SESSION'[SESSION];s
                                   (MAINTAINING -('_SESSION'[SESSION];sessionD
                               (MAINTAINING -('_SESSION'[SESSION];sessionDroppedo
                             (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoff
                     (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar;rcA
               (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssigned
      (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssignedCar~;(I[Rent
      INSERT INTO rcDroppedOffBranch[RentalCase*Branch]
       SELECTFROM (rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));sessi

      (TO MAINTAIN  -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));se
      INSERT INTO Isn{detyp=Branch}
       SELECTFROM (rcDroppedOffBranch~;rcAssignedCar;(I[Car] /\ -(carAvailableAt;car

      (TO MAINTAIN  -(rcDroppedOffBranch~;rcAssignedCar;(I[Car] /\ -(carAvailableAt;
      INSERT INTO rcDroppedOffDate[RentalCase*Date]
       SELECTFROM (rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));sessi

      (TO MAINTAIN  -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));se
      INSERT INTO Isn{detyp=Date}
       SELECTFROM (rcDroppedOffDate~;rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAv

      (TO MAINTAIN  -(rcDroppedOffDate~;rcAssignedCar;(I[Car] /\ -(carAvailableAt;ca
      INSERT INTO Isn{detyp=Car}
       SELECTFROM ((rcAssignedCar \/ Delta)~;rcAssignedCar /\ -I[Car]) \/ ((rcAssign

      (TO MAINTAIN  -(rcAssignedCar~;rcAssignedCar) \/ I[Car] FROM UNI rcAssignedCar
      INSERT INTO Isn{detyp=RentalCase}
       SELECTFROM (Delta;Delta~ /\ I[RentalCase]) - I[RentalCase]

      INSERT INTO Isn{detyp=Car}
       SELECTFROM (Delta~;Delta /\ I[Car]) - I[Car]

(MAINTAINING -rcAssignedCar \/ contractedCarType;carType~ FROM Rented car type integr
(MAINTAINING -rcAssignedCar \/ contractedCarType;carType~ FROM Rented car type integr
(MAINTAINING -rcAssignedCar \/ contractedCarType;carType~ FROM Rented car type integr
```

```
(MAINTAINING -rcAssignedCar \/ contractedCarType;carType~ FROM Rented car type integr
(MAINTAINING -rcAssignedCar \/ contractedCarType;carType~ FROM Rented car type integr
(MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\ rcAssignedC
(MAINTAINING -rentalHasBeenStarted \/ rcAssignedCar;rcAssignedCar~ FROM Started renta
(MAINTAINING -rentalHasBeenStarted \/ rcAssignedCar;rcAssignedCar~ FROM Started renta
(MAINTAINING -rentalHasBeenStarted \/ rcAssignedCar;rcAssignedCar~ FROM Started renta
(MAINTAINING -rentalHasBeenStarted \/ rcAssignedCar;rcAssignedCar~ FROM Started renta
(MAINTAINING -rcDroppedOffCar \/ rcAssignedCar FROM Dropped-off car type integrity)
(MAINTAINING -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;rentalTariffPerDay
(MAINTAINING -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;rentalTariffPerDay
(MAINTAINING -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;excessTariff
(MAINTAINING -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;excessTariff
(MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod~ /\ I[Rental
(MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenPromised /\ rcAss
(MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenPromised /\ rcAss
(MAINTAINING -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;rcAssignedCar~);rcK
(MAINTAINING -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;rcAssignedCar~);rcK
(MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssignedCar~;(I[RentalCase]
(MAINTAINING -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));sessionDro
(MAINTAINING -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));sessionDro
(MAINTAINING -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));sessionDro
(MAINTAINING -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));sessionDro
(MAINTAINING -(rcAssignedCar~;rcAssignedCar) \/ I[Car] FROM UNI rcAssignedCar::Rental
```

<------End Derivation --

```
ON DELETE Delta FROM rcAssignedCar[RentalCase*Car] EXECUTE    -- (ECA rule 38)
ALL of DELETE FROM Isn{detyp=Car}
        SELECTFROM -(carAvailableAt;carAvailableAt~) /\ -((rcAssignedCar /\ -Del

        (TO MAINTAIN  -I[Car] \/ carAvailableAt;carAvailableAt~ \/ rcAssignedCar~
        DELETE FROM rentalHasBeenStarted[RentalCase*RentalCase]
        SELECTFROM -((rcAssignedCar /\ -Delta);(rcAssignedCar /\ -Delta)~) /\ re

        (TO MAINTAIN  -rentalHasBeenStarted \/ rcAssignedCar;rcAssignedCar~ FROM
        ONE OF DELETE FROM rcAssignedCar[RentalCase*Car]
            SELECTFROM rentalHasBeenStarted;(-(rcAssignedCar /\ -Delta) /\ re

            (TO MAINTAIN  -(rcAssignedCar~;rentalHasBeenStarted) \/ rcAssigned
            DELETE FROM rentalHasBeenStarted[RentalCase*RentalCase]
            SELECTFROM rcAssignedCar;(-(rcAssignedCar /\ -Delta)~ /\ rcAssigne

            (TO MAINTAIN  -(rcAssignedCar~;rentalHasBeenStarted) \/ rcAssigned
        (MAINTAINING -(rcAssignedCar~;rentalHasBeenStarted) \/ rcAssignedCar~ FRO
        ONE OF DELETE FROM rentalHasBeenStarted[RentalCase*RentalCase]
            SELECTFROM ((-rcAssignedCar /\ rentalHasBeenStarted;rcAssignedCar

            (TO MAINTAIN  -(rentalHasBeenStarted;rcAssignedCar) \/ rcAssignedCa
```

178

```
            DELETE FROM rcAssignedCar[RentalCase*Car]
             SELECTFROM rentalHasBeenStarted~;((-rcAssignedCar /\ rentalHasBee

          (TO MAINTAIN  -(rentalHasBeenStarted;rcAssignedCar) \/ rcAssignedC
 (MAINTAINING -(rentalHasBeenStarted;rcAssignedCar) \/ rcAssignedCar FROM
DELETE FROM rcDroppedOffCar[RentalCase*Car]
 SELECTFROM (-rcAssignedCar /\ rcDroppedOffCar) \/ (Delta /\ rcDroppedOff

(TO MAINTAIN  -rcDroppedOffCar \/ rcAssignedCar FROM Dropped-off car type
ONE OF DELETE FROM rcAssignedCar[RentalCase*Car]
          SELECTFROM (-((rentalPeriod;ctcNrOfDays~ /\ (rcAssignedCar /\ -Del

          (TO MAINTAIN  -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;renta
          DELETE FROM rcAssignedCar[RentalCase*Car]
           SELECTFROM (-(V[RentalCase*CompTariffedCharge];(ctcNrOfDays;renta

          (TO MAINTAIN  -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;renta
          DELETE FROM rentalPeriod[RentalCase*Integer]
           SELECTFROM (-((rentalPeriod;ctcNrOfDays~ /\ (rcAssignedCar /\ -Del

          (TO MAINTAIN  -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;renta
          DELETE FROM rentalPeriod[RentalCase*Integer]
           SELECTFROM (-(V[RentalCase*CompTariffedCharge];(ctcNrOfDays;renta

          (TO MAINTAIN  -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;renta
          DELETE FROM Isn{detyp=RentalCase}
           SELECTFROM -((rentalPeriod;ctcNrOfDays~ /\ (rcAssignedCar /\ -Del

          (TO MAINTAIN  -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;renta
 (MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod~
ONE OF DELETE FROM rentalExcessPeriod[RentalCase*Integer]
          SELECTFROM (-((rentalExcessPeriod;ctcNrOfDays~ /\ (rcAssignedCar

          (TO MAINTAIN  -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[Rental
          DELETE FROM rentalExcessPeriod[RentalCase*Integer]
           SELECTFROM (-(V[RentalCase*CompTariffedCharge];(ctcNrOfDays;renta

          (TO MAINTAIN  -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[Rental
          DELETE FROM Isn{detyp=RentalCase}
           SELECTFROM -((rentalExcessPeriod;ctcNrOfDays~ /\ (rcAssignedCar /

          (TO MAINTAIN  -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[Rental
 (MAINTAINING -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[RentalCase]) \
DELETE FROM sessionDroppedoffCar[SESSION*Car]
 SELECTFROM '_SESSION'[SESSION];(-(sessionDroppedoffCar;(I[Car] /\ (rcAss

(TO MAINTAIN  -('_SESSION'[SESSION];sessionDroppedoffCar) \/ sessionDropp
ONE OF DELETE FROM sessionDroppedoffCar[SESSION*Car]
          SELECTFROM '_SESSION'[SESSION];sessionDroppedoffCar;((-I[Car] /\
```

179

```
                    (TO MAINTAIN  -(sessionDroppedoffCar~;'_SESSION'[SESSION];sessionD:
                DELETE FROM sessionDroppedoffCar[SESSION*Car]
                 SELECTFROM '_SESSION'[SESSION];sessionDroppedoffCar;((-I[Car] /\ a

                    (TO MAINTAIN  -(sessionDroppedoffCar~;'_SESSION'[SESSION];sessionD:
              (MAINTAINING -(sessionDroppedoffCar~;'_SESSION'[SESSION];sessionDroppedof:
        (MAINTAINING -I[Car] \/ carAvailableAt;carAvailableAt~ \/ rcAssignedCar~;(rental
        (MAINTAINING -rentalHasBeenStarted \/ rcAssignedCar;rcAssignedCar~ FROM Started :
        (MAINTAINING -rentalHasBeenStarted \/ rcAssignedCar;rcAssignedCar~ FROM Started :
        (MAINTAINING -rentalHasBeenStarted \/ rcAssignedCar;rcAssignedCar~ FROM Started :
        (MAINTAINING -rcDroppedOffCar \/ rcAssignedCar FROM Dropped-off car type integrit
        (MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod~ /\ I[R
        (MAINTAINING -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[RentalCase]) \/ (renta
        (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar) \/ sessionDroppedoffCar
        (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar) \/ sessionDroppedoffCar

------ Derivation ----->


        ALL of DELETE FROM Isn{detyp=Car}
              SELECTFROM -(carAvailableAt;carAvailableAt~) /\ -((rcAssignedCar /\ -Delta)~;

             (TO MAINTAIN  -I[Car] \/ carAvailableAt;carAvailableAt~ \/ rcAssignedCar~;(ren
            DELETE FROM rentalHasBeenStarted[RentalCase*RentalCase]
             SELECTFROM -((rcAssignedCar /\ -Delta);(rcAssignedCar /\ -Delta)~) /\ rentalH

             (TO MAINTAIN  -rentalHasBeenStarted \/ rcAssignedCar;rcAssignedCar~ FROM Start
            ONE OF DELETE FROM rcAssignedCar[RentalCase*Car]
                  SELECTFROM rentalHasBeenStarted;(-(rcAssignedCar /\ -Delta) /\ rentalH

                 (TO MAINTAIN  -(rcAssignedCar~;rentalHasBeenStarted) \/ rcAssignedCar~
                DELETE FROM rentalHasBeenStarted[RentalCase*RentalCase]
                 SELECTFROM rcAssignedCar;(-(rcAssignedCar /\ -Delta)~ /\ rcAssignedCar

                 (TO MAINTAIN  -(rcAssignedCar~;rentalHasBeenStarted) \/ rcAssignedCar~
             (MAINTAINING -(rcAssignedCar~;rentalHasBeenStarted) \/ rcAssignedCar~ FROM Sta
            ONE OF DELETE FROM rentalHasBeenStarted[RentalCase*RentalCase]
                  SELECTFROM ((-rcAssignedCar /\ rentalHasBeenStarted;rcAssignedCar) \/

                 (TO MAINTAIN  -(rentalHasBeenStarted;rcAssignedCar) \/ rcAssignedCar FR
                DELETE FROM rcAssignedCar[RentalCase*Car]
                 SELECTFROM rentalHasBeenStarted~;((-rcAssignedCar /\ rentalHasBeenStar

                 (TO MAINTAIN  -(rentalHasBeenStarted;rcAssignedCar) \/ rcAssignedCar FR
             (MAINTAINING -(rentalHasBeenStarted;rcAssignedCar) \/ rcAssignedCar FROM Start
            DELETE FROM rcDroppedOffCar[RentalCase*Car]
             SELECTFROM (-rcAssignedCar /\ rcDroppedOffCar) \/ (Delta /\ rcDroppedOffCar)

                 (TO MAINTAIN  -rcDroppedOffCar \/ rcAssignedCar FROM Dropped-off car type inte
```

```
ONE OF DELETE FROM rcAssignedCar[RentalCase*Car]
          SELECTFROM (-((rentalPeriod;ctcNrOfDays~ /\ (rcAssignedCar /\ -Delta);

          (TO MAINTAIN  -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeri
          DELETE FROM rcAssignedCar[RentalCase*Car]
           SELECTFROM (-(V[RentalCase*CompTariffedCharge];(ctcNrOfDays;rentalPeri

          (TO MAINTAIN  -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeri
          DELETE FROM rentalPeriod[RentalCase*Integer]
           SELECTFROM (-((rentalPeriod;ctcNrOfDays~ /\ (rcAssignedCar /\ -Delta);

          (TO MAINTAIN  -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeri
          DELETE FROM rentalPeriod[RentalCase*Integer]
           SELECTFROM (-(V[RentalCase*CompTariffedCharge];(ctcNrOfDays;rentalPeri

          (TO MAINTAIN  -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeri
          DELETE FROM Isn{detyp=RentalCase}
           SELECTFROM -((rentalPeriod;ctcNrOfDays~ /\ (rcAssignedCar /\ -Delta);c

          (TO MAINTAIN  -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeri
     (MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod~ /\ I
     ONE OF DELETE FROM rentalExcessPeriod[RentalCase*Integer]
          SELECTFROM (-((rentalExcessPeriod;ctcNrOfDays~ /\ (rcAssignedCar /\ -D

          (TO MAINTAIN  -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[RentalCase]
          DELETE FROM rentalExcessPeriod[RentalCase*Integer]
           SELECTFROM (-(V[RentalCase*CompTariffedCharge];(ctcNrOfDays;rentalExce

          (TO MAINTAIN  -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[RentalCase]
          DELETE FROM Isn{detyp=RentalCase}
           SELECTFROM -((rentalExcessPeriod;ctcNrOfDays~ /\ (rcAssignedCar /\ -De

          (TO MAINTAIN  -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[RentalCase]
     (MAINTAINING -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[RentalCase]) \/ (re
     DELETE FROM sessionDroppedoffCar[SESSION*Car]
      SELECTFROM '_SESSION'[SESSION];(-(sessionDroppedoffCar;(I[Car] /\ (rcAssigned

     (TO MAINTAIN  -('_SESSION'[SESSION];sessionDroppedoffCar) \/ sessionDroppedoff
     ONE OF DELETE FROM sessionDroppedoffCar[SESSION*Car]
          SELECTFROM '_SESSION'[SESSION];sessionDroppedoffCar;((-I[Car] /\ sessi

          (TO MAINTAIN  -(sessionDroppedoffCar~;'_SESSION'[SESSION];sessionDroppe
          DELETE FROM sessionDroppedoffCar[SESSION*Car]
           SELECTFROM '_SESSION'[SESSION];sessionDroppedoffCar;((-I[Car] /\ sessi

          (TO MAINTAIN  -(sessionDroppedoffCar~;'_SESSION'[SESSION];sessionDroppe
     (MAINTAINING -(sessionDroppedoffCar~;'_SESSION'[SESSION];sessionDroppedoffCar)
(MAINTAINING -I[Car] \/ carAvailableAt;carAvailableAt~ \/ rcAssignedCar~;(rentalHasBe
(MAINTAINING -rentalHasBeenStarted \/ rcAssignedCar;rcAssignedCar~ FROM Started renta
(MAINTAINING -rentalHasBeenStarted \/ rcAssignedCar;rcAssignedCar~ FROM Started renta
```

181

```
(MAINTAINING -rentalHasBeenStarted \/ rcAssignedCar;rcAssignedCar~ FROM Started renta
(MAINTAINING -rcDroppedOffCar \/ rcAssignedCar FROM Dropped-off car type integrity)
(MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod~ /\ I[Rental
(MAINTAINING -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[RentalCase]) \/ (rentalExc
(MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar) \/ sessionDroppedoffCar;(I[C
(MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar) \/ sessionDroppedoffCar;(I[C

<-----End Derivation --


       ON INSERT Delta IN rentalHasBeenPromised[RentalCase*RentalCase] EXECUTE    -- (E
       ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rentalHasBeenPromised /\ -(rc
                    THEN INSERT INTO rcBranchRequestedQ[RentalCase*YesNoAnswer]
                         SELECTFROM 'a'[RentalCase]*'b'[YesNoAnswer]

                          (TO MAINTAIN  -rentalHasBeenPromised \/ rcBranchRequestedQ;'Y
                 PICK a,b FROM rcBranchRequestedQ~;((rentalHasBeenPromised /\ -(rcB
                 THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[YesNoAn
                              THEN BLOCK
                                    (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM Pro
                                    PICK a,b FROM 'Yes'[YesNoAnswer];('a'[YesNoAnsw
                                    THEN INSERT INTO rcBranchRequestedQ[RentalCase*
                                         SELECTFROM 'b'[RentalCase]*'a'[YesNoAnswe

                                     (TO MAINTAIN  -rentalHasBeenPromised \/ rc
                       (MAINTAINING -rentalHasBeenPromised \/ rcBranchRequeste
                       NEW x:YesNoAnswer;
                         ALL of BLOCK
                              (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM Promise
                              INSERT INTO rcBranchRequestedQ[RentalCase*Yes
                               SELECTFROM 'b'[RentalCase]*'a'[YesNoAnswer]*

                               (TO MAINTAIN  -rentalHasBeenPromised \/ rcBra
                        (MAINTAINING -rentalHasBeenPromised \/ rcBranchReque
                       (MAINTAINING -rentalHasBeenPromised \/ rcBranchRequest
                  (MAINTAINING -rentalHasBeenPromised \/ rcBranchRequestedQ;'Ye
             (MAINTAINING -rentalHasBeenPromised \/ rcBranchRequestedQ;'Yes'[YesNoAnsw
             NEW x:YesNoAnswer;
               ALL of INSERT INTO rcBranchRequestedQ[RentalCase*YesNoAnswer]
                        SELECTFROM ((rentalHasBeenPromised /\ -(rcBranchRequestedQ;'Yes

                       (TO MAINTAIN  -rentalHasBeenPromised \/ rcBranchRequestedQ;'Yes'
                       ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'[YesNoAnswer]*((re
                              THEN BLOCK
                                    (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM Promised renta
                                    PICK a,b FROM 'Yes'[YesNoAnswer];('x'[YesNoAnswer]*((renta
                                    THEN INSERT INTO rcBranchRequestedQ[RentalCase*YesNoAnswer
                                         SELECTFROM 'b'[RentalCase]*'a'[YesNoAnswer]
```

182

```
                              (TO MAINTAIN  -rentalHasBeenPromised \/ rcBranchRequ
              (MAINTAINING -rentalHasBeenPromised \/ rcBranchRequestedQ;'Yes'[
    (MAINTAINING -rentalHasBeenPromised \/ rcBranchRequestedQ;'Yes'[YesNoAns
 (MAINTAINING -rentalHasBeenPromised \/ rcBranchRequestedQ;'Yes'[YesNoAnswe
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rentalHasBeenPromised /\ -(rc
         THEN INSERT INTO rcUserRequestedQ[RentalCase*YesNoAnswer]
               SELECTFROM 'a'[RentalCase]*'b'[YesNoAnswer]

                   (TO MAINTAIN  -rentalHasBeenPromised \/ rcBranchRequestedQ;'Ye
          PICK a,b FROM rcUserRequestedQ~;((rentalHasBeenPromised /\ -(rcBran
          THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[YesNoAns
                         THEN BLOCK
                              (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM Pro
                         PICK a,b FROM 'Yes'[YesNoAnswer];('a'[YesNoAnswe
                         THEN INSERT INTO rcUserRequestedQ[RentalCase*Yes
                          SELECTFROM 'b'[RentalCase]*'a'[YesNoAnswe

                            (TO MAINTAIN  -rentalHasBeenPromised \/ rc
                  (MAINTAINING -rentalHasBeenPromised \/ rcBranchRequeste
                  NEW x:YesNoAnswer;
                    ALL of BLOCK
                          (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM Promise
                          INSERT INTO rcUserRequestedQ[RentalCase*YesNo
                           SELECTFROM 'b'[RentalCase]*'a'[YesNoAnswer]*

                            (TO MAINTAIN  -rentalHasBeenPromised \/ rcBran
                   (MAINTAINING -rentalHasBeenPromised \/ rcBranchReque
                   (MAINTAINING -rentalHasBeenPromised \/ rcBranchRequeste
              (MAINTAINING -rentalHasBeenPromised \/ rcBranchRequestedQ;'Ye
 (MAINTAINING -rentalHasBeenPromised \/ rcBranchRequestedQ;'Yes'[YesNoAnsw
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rentalHasBeenPromised /\ -(co
         THEN INSERT INTO contractedPickupBranch[RentalCase*Branch]
               SELECTFROM 'a'[RentalCase]*'b'[Branch]

                   (TO MAINTAIN  -rentalHasBeenPromised \/ contractedPickupBranc
          PICK a,b FROM contractedPickupBranch~;((rentalHasBeenPromised /\ -
          THEN INSERT INTO contractedPickupBranch[RentalCase*Branch]
               SELECTFROM 'b'[RentalCase]*'a'[Branch]

                   (TO MAINTAIN  -rentalHasBeenPromised \/ contractedPickupBranc
 (MAINTAINING -rentalHasBeenPromised \/ contractedPickupBranch;contractedP
 NEW x:Branch;
   INSERT INTO contractedPickupBranch[RentalCase*Branch]
    SELECTFROM ((rentalHasBeenPromised /\ -(contractedPickupBranch;contrac

   (TO MAINTAIN  -rentalHasBeenPromised \/ contractedPickupBranch;contracte
 (MAINTAINING -rentalHasBeenPromised \/ contractedPickupBranch;contractedP
 INSERT INTO contractedPickupBranch[RentalCase*Branch]
  SELECTFROM (rentalHasBeenPromised~;contractedPickupBranch /\ -contractedP
```

183

```
(TO MAINTAIN  -(contractedPickupBranch~;rentalHasBeenPromised) \/ contract
INSERT INTO Isn{detyp=Branch}
 SELECTFROM (contractedPickupBranch~;rentalHasBeenPromised;contractedPick

(TO MAINTAIN  -(contractedPickupBranch~;rentalHasBeenPromised;contractedP
INSERT INTO contractedPickupBranch[RentalCase*Branch]
 SELECTFROM (rentalHasBeenPromised;contractedPickupBranch /\ -contractedP

(TO MAINTAIN  -(rentalHasBeenPromised;contractedPickupBranch) \/ contracte
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rentalHasBeenPromised /\ -(co
        THEN INSERT INTO contractedDropoffBranch[RentalCase*Branch]
              SELECTFROM 'a'[RentalCase]*'b'[Branch]

              (TO MAINTAIN  -rentalHasBeenPromised \/ contractedDropoffBran
        PICK a,b FROM contractedDropoffBranch~;((rentalHasBeenPromised /\ -
        THEN INSERT INTO contractedDropoffBranch[RentalCase*Branch]
              SELECTFROM 'b'[RentalCase]*'a'[Branch]

              (TO MAINTAIN  -rentalHasBeenPromised \/ contractedDropoffBran
(MAINTAINING -rentalHasBeenPromised \/ contractedDropoffBranch;contractedI
INSERT INTO contractedDropoffBranch[RentalCase*Branch]
 SELECTFROM (rentalHasBeenPromised~;contractedDropoffBranch /\ -contracted

(TO MAINTAIN  -(contractedDropoffBranch~;rentalHasBeenPromised) \/ contra
INSERT INTO Isn{detyp=Branch}
 SELECTFROM (contractedDropoffBranch~;rentalHasBeenPromised;contractedDroj

(TO MAINTAIN  -(contractedDropoffBranch~;rentalHasBeenPromised;contracted]
INSERT INTO contractedDropoffBranch[RentalCase*Branch]
 SELECTFROM (rentalHasBeenPromised;contractedDropoffBranch /\ -contracted]

(TO MAINTAIN  -(rentalHasBeenPromised;contractedDropoffBranch) \/ contract
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rentalHasBeenPromised /\ -(co
        THEN INSERT INTO contractedStartDate[RentalCase*Date]
              SELECTFROM 'a'[RentalCase]*'b'[Date]

              (TO MAINTAIN  -rentalHasBeenPromised \/ contractedStartDate;cc
        PICK a,b FROM contractedStartDate~;((rentalHasBeenPromised /\ -(co
        THEN INSERT INTO contractedStartDate[RentalCase*Date]
              SELECTFROM 'b'[RentalCase]*'a'[Date]

              (TO MAINTAIN  -rentalHasBeenPromised \/ contractedStartDate;cc
(MAINTAINING -rentalHasBeenPromised \/ contractedStartDate;contractedStar
NEW x:Date;
  INSERT INTO contractedStartDate[RentalCase*Date]
   SELECTFROM ((rentalHasBeenPromised /\ -(contractedStartDate;contractedS

  (TO MAINTAIN  -rentalHasBeenPromised \/ contractedStartDate;contractedS
(MAINTAINING -rentalHasBeenPromised \/ contractedStartDate;contractedStar
INSERT INTO contractedStartDate[RentalCase*Date]
```

```
                    SELECTFROM (rentalHasBeenPromised~;contractedStartDate /\ -contractedStar

(TO MAINTAIN  -(contractedStartDate~;rentalHasBeenPromised) \/ contracted
INSERT INTO Isn{detyp=Date}
 SELECTFROM (contractedStartDate~;rentalHasBeenPromised;contractedStartDa

(TO MAINTAIN  -(contractedStartDate~;rentalHasBeenPromised;contractedStart
INSERT INTO contractedStartDate[RentalCase*Date]
 SELECTFROM (rentalHasBeenPromised;contractedStartDate /\ -contractedStart

(TO MAINTAIN  -(rentalHasBeenPromised;contractedStartDate) \/ contractedSt
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rentalHasBeenPromised /\ -(co
        THEN INSERT INTO contractedEndDate[RentalCase*Date]
             SELECTFROM 'a'[RentalCase]*'b'[Date]

             (TO MAINTAIN  -rentalHasBeenPromised \/ contractedEndDate;con
        PICK a,b FROM contractedEndDate~;((rentalHasBeenPromised /\ -(conti
        THEN INSERT INTO contractedEndDate[RentalCase*Date]
             SELECTFROM 'b'[RentalCase]*'a'[Date]

             (TO MAINTAIN  -rentalHasBeenPromised \/ contractedEndDate;con
(MAINTAINING -rentalHasBeenPromised \/ contractedEndDate;contractedEndDate
INSERT INTO contractedEndDate[RentalCase*Date]
 SELECTFROM (rentalHasBeenPromised~;contractedEndDate /\ -contractedEndDa

(TO MAINTAIN  -(contractedEndDate~;rentalHasBeenPromised) \/ contractedEn
INSERT INTO Isn{detyp=Date}
 SELECTFROM (contractedEndDate~;rentalHasBeenPromised;contractedEndDate /

(TO MAINTAIN  -(contractedEndDate~;rentalHasBeenPromised;contractedEndDate
INSERT INTO contractedEndDate[RentalCase*Date]
 SELECTFROM (rentalHasBeenPromised;contractedEndDate /\ -contractedEndDate

(TO MAINTAIN  -(rentalHasBeenPromised;contractedEndDate) \/ contractedEndD
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rentalHasBeenPromised /\ -(co
        THEN INSERT INTO contractedCarType[RentalCase*CarType]
             SELECTFROM 'a'[RentalCase]*'b'[CarType]

             (TO MAINTAIN  -rentalHasBeenPromised \/ contractedCarType;con
        PICK a,b FROM contractedCarType~;((rentalHasBeenPromised /\ -(cont
        THEN INSERT INTO contractedCarType[RentalCase*CarType]
             SELECTFROM 'b'[RentalCase]*'a'[CarType]

             (TO MAINTAIN  -rentalHasBeenPromised \/ contractedCarType;con
(MAINTAINING -rentalHasBeenPromised \/ contractedCarType;contractedCarType
NEW x:CarType;
  INSERT INTO contractedCarType[RentalCase*CarType]
   SELECTFROM ((rentalHasBeenPromised /\ -(contractedCarType;contractedCa

  (TO MAINTAIN  -rentalHasBeenPromised \/ contractedCarType;contractedCar

                    185
```

```
(MAINTAINING -rentalHasBeenPromised \/ contractedCarType;contractedCarTyp
INSERT INTO contractedCarType[RentalCase*CarType]
 SELECTFROM (rentalHasBeenPromised~;contractedCarType /\ -contractedCarTyp

(TO MAINTAIN  -(contractedCarType~;rentalHasBeenPromised) \/ contractedCar
INSERT INTO Isn{detyp=CarType}
 SELECTFROM (contractedCarType~;rentalHasBeenPromised;contractedCarType /

(TO MAINTAIN  -(contractedCarType~;rentalHasBeenPromised;contractedCarTyp
INSERT INTO contractedCarType[RentalCase*CarType]
 SELECTFROM (rentalHasBeenPromised;contractedCarType /\ -contractedCarTyp

(TO MAINTAIN  -(rentalHasBeenPromised;contractedCarType) \/ contractedCar
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rentalHasBeenPromised /\ -(rc
        THEN INSERT INTO rcDriver[RentalCase*Person]
              SELECTFROM 'a'[RentalCase]*'b'[Person]

              (TO MAINTAIN  -rentalHasBeenPromised \/ rcDriver;rcDriver~ FR
        PICK a,b FROM rcDriver~;((rentalHasBeenPromised /\ -(rcDriver;rcDr
        THEN INSERT INTO rcDriver[RentalCase*Person]
              SELECTFROM 'b'[RentalCase]*'a'[Person]

              (TO MAINTAIN  -rentalHasBeenPromised \/ rcDriver;rcDriver~ FR
(MAINTAINING -rentalHasBeenPromised \/ rcDriver;rcDriver~ FROM Promised r
NEW x:Person;
  INSERT INTO rcDriver[RentalCase*Person]
    SELECTFROM ((rentalHasBeenPromised /\ -(rcDriver;rcDriver~)) \/ (Delta

  (TO MAINTAIN  -rentalHasBeenPromised \/ rcDriver;rcDriver~ FROM Promise
(MAINTAINING -rentalHasBeenPromised \/ rcDriver;rcDriver~ FROM Promised r
INSERT INTO rcDriver[RentalCase*Person]
 SELECTFROM (rentalHasBeenPromised~;rcDriver /\ -rcDriver) \/ (Delta~;rcD

(TO MAINTAIN  -(rcDriver~;rentalHasBeenPromised) \/ rcDriver~ FROM Promise
INSERT INTO Isn{detyp=Person}
 SELECTFROM (rcDriver~;rentalHasBeenPromised;rcDriver /\ -I[Person]) \/ (

(TO MAINTAIN  -(rcDriver~;rentalHasBeenPromised;rcDriver) \/ I[Person] FR
INSERT INTO rcDriver[RentalCase*Person]
 SELECTFROM (rentalHasBeenPromised;rcDriver /\ -rcDriver) \/ (Delta;rcDri

(TO MAINTAIN  -(rentalHasBeenPromised;rcDriver) \/ rcDriver FROM Promised
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rentalHasBeenPromised /\ -(rc
        THEN INSERT INTO rcRenter[RentalCase*Person]
              SELECTFROM 'a'[RentalCase]*'b'[Person]

              (TO MAINTAIN  -rentalHasBeenPromised \/ rcRenter;rcRenter~ FR
        PICK a,b FROM rcRenter~;((rentalHasBeenPromised /\ -(rcRenter;rcRen
        THEN INSERT INTO rcRenter[RentalCase*Person]
              SELECTFROM 'b'[RentalCase]*'a'[Person]
```

186

```
                    (TO MAINTAIN  -rentalHasBeenPromised \/ rcRenter;rcRenter~ FR(
(MAINTAINING -rentalHasBeenPromised \/ rcRenter;rcRenter~ FROM Promised r
INSERT INTO rcRenter[RentalCase*Person]
 SELECTFROM (rentalHasBeenPromised~;rcRenter /\ -rcRenter) \/ (Delta~;rcRe

(TO MAINTAIN  -(rcRenter~;rentalHasBeenPromised) \/ rcRenter~ FROM Promis(
INSERT INTO Isn{detyp=Person}
 SELECTFROM (rcRenter~;rentalHasBeenPromised;rcRenter /\ -I[Person]) \/ (:

(TO MAINTAIN  -(rcRenter~;rentalHasBeenPromised;rcRenter) \/ I[Person] FR(
INSERT INTO rcRenter[RentalCase*Person]
 SELECTFROM (rentalHasBeenPromised;rcRenter /\ -rcRenter) \/ (Delta;rcRent

(TO MAINTAIN  -(rentalHasBeenPromised;rcRenter) \/ rcRenter FROM Promised
INSERT INTO rentalHasBeenStarted[RentalCase*RentalCase]
 SELECTFROM (rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\ r

(TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((contractedPickupBranch~;(I[Re
        THEN INSERT INTO carAvailableAt[Car*Branch]
              SELECTFROM 'b'[Car]*'a'[Branch]

              (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ ren
        PICK a,b FROM carAvailableAt;((contractedPickupBranch~;(I[RentalCas
        THEN INSERT INTO carType[Car*CarType]
              SELECTFROM 'a'[Car]*'b'[CarType]

              (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ ren
(MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeenProm
NEW x:Car;
  ALL of INSERT INTO carAvailableAt[Car*Branch]
            SELECTFROM 'x'[Car]*((contractedCarType~;(I[RentalCase] /\ renta

          (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ rental
          INSERT INTO carType[Car*CarType]
           SELECTFROM 'x'[Car]*((contractedPickupBranch~;(I[RentalCase] /\

          (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ rental
   (MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeenP:
(MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeenProm
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (('_SESSION'[SESSION];sessionNew
        THEN INSERT INTO sessionNewBranchRC[SESSION*RentalCase]
              SELECTFROM 'a'[SESSION]*'b'[RentalCase]

              (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewBranchRC;(rental
        PICK a,b FROM sessionNewBranchRC~;(('_SESSION'[SESSION];sessionNewl
        THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[RentalCa
                        THEN INSERT INTO rcKeysHandedOverQ[RentalCase*Y(
                              SELECTFROM 'a'[RentalCase]*'b'[YesNoAnswei
```

187

```
                                        (TO MAINTAIN  -('_SESSION'[SESSION];sessio
                        PICK a,b FROM rcKeysHandedOverQ~;('a'[RentalCase
                        THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,
                                        THEN BLOCK
                                                (CANNOT CHANGE 'Yes'[Ye
                                        PICK a,b FROM 'Yes'[YesNoAns
                                        THEN BLOCK
                                                (CANNOT CHANGE V[YesNoA
                            (MAINTAINING -('_SESSION'[SESSION];
                        NEW x:YesNoAnswer;
                          ALL of BLOCK
                                        (CANNOT CHANGE 'Yes'[YesNo
                                        BLOCK
                                        (CANNOT CHANGE V[YesNoAnswe
                            (MAINTAINING -('_SESSION'[SESSION]
                            (MAINTAINING -('_SESSION'[SESSION];
                        (MAINTAINING -('_SESSION'[SESSION];sessionN
                (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;
                NEW x:YesNoAnswer;
                  ALL of INSERT INTO rcKeysHandedOverQ[RentalCase*YesN
                            SELECTFROM 'a'[RentalCase]*'b'[RentalCase]*'

                            (TO MAINTAIN  -('_SESSION'[SESSION];sessionNe
                        ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b F
                                        THEN BLOCK
                                                (CANNOT CHANGE 'Yes'[YesNo
                                        PICK a,b FROM 'Yes'[YesNoAnswer]
                                        THEN BLOCK
                                                (CANNOT CHANGE V[YesNoAnsw
                            (MAINTAINING -('_SESSION'[SESSION];ses
                        NEW x:YesNoAnswer;
                          ALL of BLOCK
                                        (CANNOT CHANGE 'Yes'[YesNoAns
                                        BLOCK
                                        (CANNOT CHANGE V[YesNoAnswer*
                            (MAINTAINING -('_SESSION'[SESSION];s
                            (MAINTAINING -('_SESSION'[SESSION];ses
                        (MAINTAINING -('_SESSION'[SESSION];sessionNew
                    (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchR
                (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;
            (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rental
(MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenPromi
NEW x:RentalCase;
  ALL of INSERT INTO sessionNewBranchRC[SESSION*RentalCase]
            SELECTFROM (('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBe

            (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHa
            ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'[RentalCase]
                        THEN INSERT INTO rcKeysHandedOverQ[RentalCase*YesN
```

188

```
                                        SELECTFROM 'a'[RentalCase]*'b'[YesNoAnswer]

                              (TO MAINTAIN  -('_SESSION'[SESSION];sessionNev
                    PICK a,b FROM rcKeysHandedOverQ~;('x'[RentalCase]*
                    THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FF
                                        THEN BLOCK
                                              (CANNOT CHANGE 'Yes'[YesNo.
                                        PICK a,b FROM 'Yes'[YesNoAnswer]
                                        THEN BLOCK
                                              (CANNOT CHANGE V[YesNoAnswe
                              (MAINTAINING -('_SESSION'[SESSION];sess
                              NEW x:YesNoAnswer;
                                ALL of BLOCK
                                        (CANNOT CHANGE 'Yes'[YesNoAnsw
                                        BLOCK
                                        (CANNOT CHANGE V[YesNoAnswer*F
                                 (MAINTAINING -('_SESSION'[SESSION];sc
                              (MAINTAINING -('_SESSION'[SESSION];sess
                          (MAINTAINING -('_SESSION'[SESSION];sessionNewF
                  (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(re
                  NEW x:YesNoAnswer;
                    ALL of INSERT INTO rcKeysHandedOverQ[RentalCase*YesNoAns
                        SELECTFROM 'x'[RentalCase]*(('_SESSION'[SESSION]

                              (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewBra
                          ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'[Ye
                                  THEN BLOCK
                                        (CANNOT CHANGE 'Yes'[YesNoAnswer] FRC
                                  PICK a,b FROM 'Yes'[YesNoAnswer];('x'[Yes
                                  THEN BLOCK
                                        (CANNOT CHANGE V[YesNoAnswer*RentalC
                              (MAINTAINING -('_SESSION'[SESSION];sessionNewBran
                          (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(
                      (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(re
              (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHas
      (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenProm
    (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenPromis
  ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((sessionNewBranchRC~;'_SESSION'
          THEN INSERT INTO rcKeysHandedOverQ[RentalCase*YesNoAnswer]
                SELECTFROM 'a'[RentalCase]*'b'[YesNoAnswer]

                  (TO MAINTAIN  -(sessionNewBranchRC~;'_SESSION'[SESSION];sessi
          PICK a,b FROM rcKeysHandedOverQ~;((sessionNewBranchRC~;'_SESSION'[S
          THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[YesNoAns
                          THEN BLOCK
                                (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM Han
                          PICK a,b FROM 'Yes'[YesNoAnswer];('a'[YesNoAnswe
                          THEN BLOCK
                                (CANNOT CHANGE V[YesNoAnswer*RentalCase] FI
                      (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION]

                  189
```

```
                              NEW x:YesNoAnswer;
                                ALL of BLOCK
                                        (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM Hand t
                                        BLOCK
                                        (CANNOT CHANGE V[YesNoAnswer*RentalCase] FROM
                                (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSIO
                                (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION]
                        (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];sessio
              (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewBranchRC
              INSERT INTO Isn{detyp=RentalCase}
               SELECTFROM (Delta;Delta~ /\ I[RentalCase]) - I[RentalCase]

              INSERT INTO Isn{detyp=RentalCase}
               SELECTFROM (Delta~;Delta /\ I[RentalCase]) - I[RentalCase]

(MAINTAINING -rentalHasBeenPromised \/ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcB
(MAINTAINING -rentalHasBeenPromised \/ contractedPickupBranch;contractedPickupBra
(MAINTAINING -rentalHasBeenPromised \/ contractedPickupBranch;contractedPickupBra
(MAINTAINING -rentalHasBeenPromised \/ contractedPickupBranch;contractedPickupBra
(MAINTAINING -rentalHasBeenPromised \/ contractedPickupBranch;contractedPickupBra
(MAINTAINING -rentalHasBeenPromised \/ contractedPickupBranch;contractedPickupBra
(MAINTAINING -rentalHasBeenPromised \/ contractedDropoffBranch;contractedDropoffI
(MAINTAINING -rentalHasBeenPromised \/ contractedDropoffBranch;contractedDropoffI
(MAINTAINING -rentalHasBeenPromised \/ contractedDropoffBranch;contractedDropoffI
(MAINTAINING -rentalHasBeenPromised \/ contractedDropoffBranch;contractedDropoffI
(MAINTAINING -rentalHasBeenPromised \/ contractedDropoffBranch;contractedDropoffI
(MAINTAINING -rentalHasBeenPromised \/ contractedStartDate;contractedStartDate~ I
(MAINTAINING -rentalHasBeenPromised \/ contractedStartDate;contractedStartDate~ I
(MAINTAINING -rentalHasBeenPromised \/ contractedStartDate;contractedStartDate~ I
(MAINTAINING -rentalHasBeenPromised \/ contractedStartDate;contractedStartDate~ I
(MAINTAINING -rentalHasBeenPromised \/ contractedStartDate;contractedStartDate~ I
(MAINTAINING -rentalHasBeenPromised \/ contractedEndDate;contractedEndDate~ FROM
(MAINTAINING -rentalHasBeenPromised \/ contractedEndDate;contractedEndDate~ FROM
(MAINTAINING -rentalHasBeenPromised \/ contractedEndDate;contractedEndDate~ FROM
(MAINTAINING -rentalHasBeenPromised \/ contractedEndDate;contractedEndDate~ FROM
(MAINTAINING -rentalHasBeenPromised \/ contractedEndDate;contractedEndDate~ FROM
(MAINTAINING -rentalHasBeenPromised \/ contractedCarType;contractedCarType~ FROM
(MAINTAINING -rentalHasBeenPromised \/ contractedCarType;contractedCarType~ FROM
(MAINTAINING -rentalHasBeenPromised \/ contractedCarType;contractedCarType~ FROM
(MAINTAINING -rentalHasBeenPromised \/ contractedCarType;contractedCarType~ FROM
(MAINTAINING -rentalHasBeenPromised \/ contractedCarType;contractedCarType~ FROM
(MAINTAINING -rentalHasBeenPromised \/ rcDriver;rcDriver~ FROM Promised rental r
(MAINTAINING -rentalHasBeenPromised \/ rcDriver;rcDriver~ FROM Promised rental r
(MAINTAINING -rentalHasBeenPromised \/ rcDriver;rcDriver~ FROM Promised rental r
(MAINTAINING -rentalHasBeenPromised \/ rcDriver;rcDriver~ FROM Promised rental r
(MAINTAINING -rentalHasBeenPromised \/ rcDriver;rcDriver~ FROM Promised rental r
(MAINTAINING -rentalHasBeenPromised \/ rcRenter;rcRenter~ FROM Promised rental r
(MAINTAINING -rentalHasBeenPromised \/ rcRenter;rcRenter~ FROM Promised rental r
(MAINTAINING -rentalHasBeenPromised \/ rcRenter;rcRenter~ FROM Promised rental r
(MAINTAINING -rentalHasBeenPromised \/ rcRenter;rcRenter~ FROM Promised rental r
```

190

```
            (MAINTAINING -rentalHasBeenPromised \/ rcRenter;rcRenter~ FROM Promised rental r
            (MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\ rcAssi
            (MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeenPromised /
            (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenPromised /\
            (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenPromised /\
```

------ Derivation ----->

```
     ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rentalHasBeenPromised /\ -(rcBranc
               THEN INSERT INTO rcBranchRequestedQ[RentalCase*YesNoAnswer]
                    SELECTFROM 'a'[RentalCase]*'b'[YesNoAnswer]

                  (TO MAINTAIN  -rentalHasBeenPromised \/ rcBranchRequestedQ;'Yes'[Y
           PICK a,b FROM rcBranchRequestedQ~;((rentalHasBeenPromised /\ -(rcBranch
           THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[YesNoAnswer]
                            THEN BLOCK
                                 (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM Promised
                            PICK a,b FROM 'Yes'[YesNoAnswer];('a'[YesNoAnswer]*'
                            THEN INSERT INTO rcBranchRequestedQ[RentalCase*YesNo
                                 SELECTFROM 'b'[RentalCase]*'a'[YesNoAnswer]

                                 (TO MAINTAIN  -rentalHasBeenPromised \/ rcBranc
                      (MAINTAINING -rentalHasBeenPromised \/ rcBranchRequestedQ;'
                      NEW x:YesNoAnswer;
                        ALL of BLOCK
                                 (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM Promised re
                                 INSERT INTO rcBranchRequestedQ[RentalCase*YesNoAns
                                  SELECTFROM 'b'[RentalCase]*'a'[YesNoAnswer]*'x'[Y

                                 (TO MAINTAIN  -rentalHasBeenPromised \/ rcBranchRe
                      (MAINTAINING -rentalHasBeenPromised \/ rcBranchRequestedQ
                      (MAINTAINING -rentalHasBeenPromised \/ rcBranchRequestedQ;'
              (MAINTAINING -rentalHasBeenPromised \/ rcBranchRequestedQ;'Yes'[Ye
      (MAINTAINING -rentalHasBeenPromised \/ rcBranchRequestedQ;'Yes'[YesNoAnswer];r
      NEW x:YesNoAnswer;
        ALL of INSERT INTO rcBranchRequestedQ[RentalCase*YesNoAnswer]
               SELECTFROM ((rentalHasBeenPromised /\ -(rcBranchRequestedQ;'Yes'[Yes

                  (TO MAINTAIN  -rentalHasBeenPromised \/ rcBranchRequestedQ;'Yes'[YesN
               ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'[YesNoAnswer]*((rentalH
                            THEN BLOCK
                                 (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM Promised rental re
                            PICK a,b FROM 'Yes'[YesNoAnswer];('x'[YesNoAnswer]*((rentalHas
                            THEN INSERT INTO rcBranchRequestedQ[RentalCase*YesNoAnswer]
                                 SELECTFROM 'b'[RentalCase]*'a'[YesNoAnswer]

                                 (TO MAINTAIN  -rentalHasBeenPromised \/ rcBranchRequested
                      (MAINTAINING -rentalHasBeenPromised \/ rcBranchRequestedQ;'Yes'[YesNo
```

191

```
            (MAINTAINING -rentalHasBeenPromised \/ rcBranchRequestedQ;'Yes'[YesNoAnswer]
        (MAINTAINING -rentalHasBeenPromised \/ rcBranchRequestedQ;'Yes'[YesNoAnswer];r
        ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rentalHasBeenPromised /\ -(rcBranc
            THEN INSERT INTO rcUserRequestedQ[RentalCase*YesNoAnswer]
                    SELECTFROM 'a'[RentalCase]*'b'[YesNoAnswer]

                    (TO MAINTAIN  -rentalHasBeenPromised \/ rcBranchRequestedQ;'Yes'[Y
            PICK a,b FROM rcUserRequestedQ~;((rentalHasBeenPromised /\ -(rcBranchRe
            THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[YesNoAnswer]
                            THEN BLOCK
                                    (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM Promised
                            PICK a,b FROM 'Yes'[YesNoAnswer];('a'[YesNoAnswer]*'
                            THEN INSERT INTO rcUserRequestedQ[RentalCase*YesNoAn
                                    SELECTFROM 'b'[RentalCase]*'a'[YesNoAnswer]

                                    (TO MAINTAIN  -rentalHasBeenPromised \/ rcBranc
                        (MAINTAINING -rentalHasBeenPromised \/ rcBranchRequestedQ;'
                        NEW x:YesNoAnswer;
                          ALL of BLOCK
                                    (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM Promised re
                                    INSERT INTO rcUserRequestedQ[RentalCase*YesNoAnswe
                                     SELECTFROM 'b'[RentalCase]*'a'[YesNoAnswer]*'x'[Y

                                    (TO MAINTAIN  -rentalHasBeenPromised \/ rcBranchRe
                        (MAINTAINING -rentalHasBeenPromised \/ rcBranchRequestedQ
                        (MAINTAINING -rentalHasBeenPromised \/ rcBranchRequestedQ;'
                (MAINTAINING -rentalHasBeenPromised \/ rcBranchRequestedQ;'Yes'[Ye
        (MAINTAINING -rentalHasBeenPromised \/ rcBranchRequestedQ;'Yes'[YesNoAnswer];r
        ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rentalHasBeenPromised /\ -(contrac
            THEN INSERT INTO contractedPickupBranch[RentalCase*Branch]
                    SELECTFROM 'a'[RentalCase]*'b'[Branch]

                    (TO MAINTAIN  -rentalHasBeenPromised \/ contractedPickupBranch;con
            PICK a,b FROM contractedPickupBranch~;((rentalHasBeenPromised /\ -(cont
            THEN INSERT INTO contractedPickupBranch[RentalCase*Branch]
                    SELECTFROM 'b'[RentalCase]*'a'[Branch]

                    (TO MAINTAIN  -rentalHasBeenPromised \/ contractedPickupBranch;con
        (MAINTAINING -rentalHasBeenPromised \/ contractedPickupBranch;contractedPickup
        NEW x:Branch;
          INSERT INTO contractedPickupBranch[RentalCase*Branch]
           SELECTFROM ((rentalHasBeenPromised /\ -(contractedPickupBranch;contractedPi

          (TO MAINTAIN  -rentalHasBeenPromised \/ contractedPickupBranch;contractedPic
        (MAINTAINING -rentalHasBeenPromised \/ contractedPickupBranch;contractedPickup
        INSERT INTO contractedPickupBranch[RentalCase*Branch]
         SELECTFROM (rentalHasBeenPromised~;contractedPickupBranch /\ -contractedPicku

        (TO MAINTAIN  -(contractedPickupBranch~;rentalHasBeenPromised) \/ contractedPi
        INSERT INTO Isn{detyp=Branch}
```

192

```
        SELECTFROM (contractedPickupBranch~;rentalHasBeenPromised;contractedPickupBra

(TO MAINTAIN  -(contractedPickupBranch~;rentalHasBeenPromised;contractedPickup
INSERT INTO contractedPickupBranch[RentalCase*Branch]
 SELECTFROM (rentalHasBeenPromised;contractedPickupBranch /\ -contractedPickup

(TO MAINTAIN  -(rentalHasBeenPromised;contractedPickupBranch) \/ contractedPic
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rentalHasBeenPromised /\ -(contrac
        THEN INSERT INTO contractedDropoffBranch[RentalCase*Branch]
              SELECTFROM 'a'[RentalCase]*'b'[Branch]

           (TO MAINTAIN  -rentalHasBeenPromised \/ contractedDropoffBranch;co
        PICK a,b FROM contractedDropoffBranch~;((rentalHasBeenPromised /\ -(con
        THEN INSERT INTO contractedDropoffBranch[RentalCase*Branch]
              SELECTFROM 'b'[RentalCase]*'a'[Branch]

           (TO MAINTAIN  -rentalHasBeenPromised \/ contractedDropoffBranch;co
(MAINTAINING -rentalHasBeenPromised \/ contractedDropoffBranch;contractedDropo
INSERT INTO contractedDropoffBranch[RentalCase*Branch]
 SELECTFROM (rentalHasBeenPromised~;contractedDropoffBranch /\ -contractedDrop

(TO MAINTAIN  -(contractedDropoffBranch~;rentalHasBeenPromised) \/ contractedD
INSERT INTO Isn{detyp=Branch}
 SELECTFROM (contractedDropoffBranch~;rentalHasBeenPromised;contractedDropoffB

(TO MAINTAIN  -(contractedDropoffBranch~;rentalHasBeenPromised;contractedDropo
INSERT INTO contractedDropoffBranch[RentalCase*Branch]
 SELECTFROM (rentalHasBeenPromised;contractedDropoffBranch /\ -contractedDropo

(TO MAINTAIN  -(rentalHasBeenPromised;contractedDropoffBranch) \/ contractedDr
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rentalHasBeenPromised /\ -(contrac
        THEN INSERT INTO contractedStartDate[RentalCase*Date]
              SELECTFROM 'a'[RentalCase]*'b'[Date]

           (TO MAINTAIN  -rentalHasBeenPromised \/ contractedStartDate;contra
        PICK a,b FROM contractedStartDate~;((rentalHasBeenPromised /\ -(contrac
        THEN INSERT INTO contractedStartDate[RentalCase*Date]
              SELECTFROM 'b'[RentalCase]*'a'[Date]

           (TO MAINTAIN  -rentalHasBeenPromised \/ contractedStartDate;contra
(MAINTAINING -rentalHasBeenPromised \/ contractedStartDate;contractedStartDate
NEW x:Date;
  INSERT INTO contractedStartDate[RentalCase*Date]
   SELECTFROM ((rentalHasBeenPromised /\ -(contractedStartDate;contractedStart

  (TO MAINTAIN  -rentalHasBeenPromised \/ contractedStartDate;contractedStartD
(MAINTAINING -rentalHasBeenPromised \/ contractedStartDate;contractedStartDate
INSERT INTO contractedStartDate[RentalCase*Date]
 SELECTFROM (rentalHasBeenPromised~;contractedStartDate /\ -contractedStartDat
```

```
(TO MAINTAIN  -(contractedStartDate~;rentalHasBeenPromised) \/ contractedStart
INSERT INTO Isn{detyp=Date}
 SELECTFROM (contractedStartDate~;rentalHasBeenPromised;contractedStartDate /\

(TO MAINTAIN  -(contractedStartDate~;rentalHasBeenPromised;contractedStartDate
INSERT INTO contractedStartDate[RentalCase*Date]
 SELECTFROM (rentalHasBeenPromised;contractedStartDate /\ -contractedStartDate

(TO MAINTAIN  -(rentalHasBeenPromised;contractedStartDate) \/ contractedStartD
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rentalHasBeenPromised /\ -(contrac
        THEN INSERT INTO contractedEndDate[RentalCase*Date]
             SELECTFROM 'a'[RentalCase]*'b'[Date]


             (TO MAINTAIN  -rentalHasBeenPromised \/ contractedEndDate;contract
        PICK a,b FROM contractedEndDate~;((rentalHasBeenPromised /\ -(contracte
        THEN INSERT INTO contractedEndDate[RentalCase*Date]
             SELECTFROM 'b'[RentalCase]*'a'[Date]


             (TO MAINTAIN  -rentalHasBeenPromised \/ contractedEndDate;contract
(MAINTAINING -rentalHasBeenPromised \/ contractedEndDate;contractedEndDate~ FR
INSERT INTO contractedEndDate[RentalCase*Date]
 SELECTFROM (rentalHasBeenPromised~;contractedEndDate /\ -contractedEndDate) \

(TO MAINTAIN  -(contractedEndDate~;rentalHasBeenPromised) \/ contractedEndDate
INSERT INTO Isn{detyp=Date}
 SELECTFROM (contractedEndDate~;rentalHasBeenPromised;contractedEndDate /\ -I[

(TO MAINTAIN  -(contractedEndDate~;rentalHasBeenPromised;contractedEndDate) \/
INSERT INTO contractedEndDate[RentalCase*Date]
 SELECTFROM (rentalHasBeenPromised;contractedEndDate /\ -contractedEndDate) \/

(TO MAINTAIN  -(rentalHasBeenPromised;contractedEndDate) \/ contractedEndDate
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rentalHasBeenPromised /\ -(contrac
        THEN INSERT INTO contractedCarType[RentalCase*CarType]
             SELECTFROM 'a'[RentalCase]*'b'[CarType]


             (TO MAINTAIN  -rentalHasBeenPromised \/ contractedCarType;contract
        PICK a,b FROM contractedCarType~;((rentalHasBeenPromised /\ -(contracte
        THEN INSERT INTO contractedCarType[RentalCase*CarType]
             SELECTFROM 'b'[RentalCase]*'a'[CarType]


             (TO MAINTAIN  -rentalHasBeenPromised \/ contractedCarType;contract
(MAINTAINING -rentalHasBeenPromised \/ contractedCarType;contractedCarType~ FR
NEW x:CarType;
  INSERT INTO contractedCarType[RentalCase*CarType]
   SELECTFROM ((rentalHasBeenPromised /\ -(contractedCarType;contractedCarType

  (TO MAINTAIN  -rentalHasBeenPromised \/ contractedCarType;contractedCarType~
(MAINTAINING -rentalHasBeenPromised \/ contractedCarType;contractedCarType~ FR
INSERT INTO contractedCarType[RentalCase*CarType]
```

194

SELECTFROM (rentalHasBeenPromised~;contractedCarType /\ -contractedCarType) \

(TO MAINTAIN  -(contractedCarType~;rentalHasBeenPromised) \/ contractedCarType
INSERT INTO Isn{detyp=CarType}
 SELECTFROM (contractedCarType~;rentalHasBeenPromised;contractedCarType /\ -I[

(TO MAINTAIN  -(contractedCarType~;rentalHasBeenPromised;contractedCarType) \/
INSERT INTO contractedCarType[RentalCase*CarType]
 SELECTFROM (rentalHasBeenPromised;contractedCarType /\ -contractedCarType) \/

(TO MAINTAIN  -(rentalHasBeenPromised;contractedCarType) \/ contractedCarType
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rentalHasBeenPromised /\ -(rcDrive
        THEN INSERT INTO rcDriver[RentalCase*Person]
            SELECTFROM 'a'[RentalCase]*'b'[Person]

            (TO MAINTAIN  -rentalHasBeenPromised \/ rcDriver;rcDriver~ FROM Pr
        PICK a,b FROM rcDriver~;((rentalHasBeenPromised /\ -(rcDriver;rcDriver~
        THEN INSERT INTO rcDriver[RentalCase*Person]
            SELECTFROM 'b'[RentalCase]*'a'[Person]

            (TO MAINTAIN  -rentalHasBeenPromised \/ rcDriver;rcDriver~ FROM Pr
(MAINTAINING -rentalHasBeenPromised \/ rcDriver;rcDriver~ FROM Promised rental
NEW x:Person;
  INSERT INTO rcDriver[RentalCase*Person]
   SELECTFROM ((rentalHasBeenPromised /\ -(rcDriver;rcDriver~)) \/ (Delta /\ -

  (TO MAINTAIN  -rentalHasBeenPromised \/ rcDriver;rcDriver~ FROM Promised ren
(MAINTAINING -rentalHasBeenPromised \/ rcDriver;rcDriver~ FROM Promised rental
INSERT INTO rcDriver[RentalCase*Person]
 SELECTFROM (rentalHasBeenPromised~;rcDriver /\ -rcDriver) \/ (Delta~;rcDriver

(TO MAINTAIN  -(rcDriver~;rentalHasBeenPromised) \/ rcDriver~ FROM Promised re
INSERT INTO Isn{detyp=Person}
 SELECTFROM (rcDriver~;rentalHasBeenPromised;rcDriver /\ -I[Person]) \/ (rcDri

(TO MAINTAIN  -(rcDriver~;rentalHasBeenPromised;rcDriver) \/ I[Person] FROM Pr
INSERT INTO rcDriver[RentalCase*Person]
 SELECTFROM (rentalHasBeenPromised;rcDriver /\ -rcDriver) \/ (Delta;rcDriver /

(TO MAINTAIN  -(rentalHasBeenPromised;rcDriver) \/ rcDriver FROM Promised rent
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rentalHasBeenPromised /\ -(rcRente
        THEN INSERT INTO rcRenter[RentalCase*Person]
            SELECTFROM 'a'[RentalCase]*'b'[Person]

            (TO MAINTAIN  -rentalHasBeenPromised \/ rcRenter;rcRenter~ FROM Pr
        PICK a,b FROM rcRenter~;((rentalHasBeenPromised /\ -(rcRenter;rcRenter~
        THEN INSERT INTO rcRenter[RentalCase*Person]
            SELECTFROM 'b'[RentalCase]*'a'[Person]

            (TO MAINTAIN  -rentalHasBeenPromised \/ rcRenter;rcRenter~ FROM Pr

195

```
(MAINTAINING -rentalHasBeenPromised \/ rcRenter;rcRenter~ FROM Promised rental
INSERT INTO rcRenter[RentalCase*Person]
 SELECTFROM (rentalHasBeenPromised~;rcRenter /\ -rcRenter) \/ (Delta~;rcRenter

(TO MAINTAIN  -(rcRenter~;rentalHasBeenPromised) \/ rcRenter~ FROM Promised re
INSERT INTO Isn{detyp=Person}
 SELECTFROM (rcRenter~;rentalHasBeenPromised;rcRenter /\ -I[Person]) \/ (rcRen

(TO MAINTAIN  -(rcRenter~;rentalHasBeenPromised;rcRenter) \/ I[Person] FROM Pr
INSERT INTO rcRenter[RentalCase*Person]
 SELECTFROM (rentalHasBeenPromised;rcRenter /\ -rcRenter) \/ (Delta;rcRenter /

(TO MAINTAIN  -(rentalHasBeenPromised;rcRenter) \/ rcRenter FROM Promised rent
INSERT INTO rentalHasBeenStarted[RentalCase*RentalCase]
 SELECTFROM (rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\ rcAssi

(TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\ rcA
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((contractedPickupBranch~;(I[RentalC
        THEN INSERT INTO carAvailableAt[Car*Branch]
              SELECTFROM 'b'[Car]*'a'[Branch]

              (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ rentalHa
         PICK a,b FROM carAvailableAt;((contractedPickupBranch~;(I[RentalCase] /
         THEN INSERT INTO carType[Car*CarType]
              SELECTFROM 'a'[Car]*'b'[CarType]

              (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ rentalHa
(MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeenPromised
NEW x:Car;
  ALL of INSERT INTO carAvailableAt[Car*Branch]
          SELECTFROM 'x'[Car]*((contractedCarType~;(I[RentalCase] /\ rentalHas

         (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBe
          INSERT INTO carType[Car*CarType]
           SELECTFROM 'x'[Car]*((contractedPickupBranch~;(I[RentalCase] /\ rent

         (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBe
   (MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeenPromis
(MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeenPromised
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (('_SESSION'[SESSION];sessionNewBran
        THEN INSERT INTO sessionNewBranchRC[SESSION*RentalCase]
              SELECTFROM 'a'[SESSION]*'b'[RentalCase]

         (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasB
        PICK a,b FROM sessionNewBranchRC~;(('_SESSION'[SESSION];sessionNewBranc
        THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[RentalCase]*
                          THEN INSERT INTO rcKeysHandedOverQ[RentalCase*YesNoA
                              SELECTFROM 'a'[RentalCase]*'b'[YesNoAnswer]

                          (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewB
```

196

```
                              PICK a,b FROM rcKeysHandedOverQ~;('a'[RentalCase]*'b
                              THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FRO
                                      THEN BLOCK
                                            (CANNOT CHANGE 'Yes'[YesNoAn
                                      PICK a,b FROM 'Yes'[YesNoAnswer];
                                      THEN BLOCK
                                            (CANNOT CHANGE V[YesNoAnswer
                              (MAINTAINING -('_SESSION'[SESSION];sessi
                              NEW x:YesNoAnswer;
                                ALL of BLOCK
                                            (CANNOT CHANGE 'Yes'[YesNoAnswe
                                            BLOCK
                                            (CANNOT CHANGE V[YesNoAnswer*Re
                                  (MAINTAINING -('_SESSION'[SESSION];ses
                                  (MAINTAINING -('_SESSION'[SESSION];sessi
                                (MAINTAINING -('_SESSION'[SESSION];sessionNewBr
                        (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rent
                        NEW x:YesNoAnswer;
                          ALL of INSERT INTO rcKeysHandedOverQ[RentalCase*YesNoAnsw
                                  SELECTFROM 'a'[RentalCase]*'b'[RentalCase]*'x'[Ye

                              (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewBran
                              ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (
                                      THEN BLOCK
                                            (CANNOT CHANGE 'Yes'[YesNoAnswe
                                      PICK a,b FROM 'Yes'[YesNoAnswer];('x
                                      THEN BLOCK
                                            (CANNOT CHANGE V[YesNoAnswer*Re
                                  (MAINTAINING -('_SESSION'[SESSION];sessionN
                              NEW x:YesNoAnswer;
                                ALL of BLOCK
                                            (CANNOT CHANGE 'Yes'[YesNoAnswer]
                                            BLOCK
                                            (CANNOT CHANGE V[YesNoAnswer*Renta
                                  (MAINTAINING -('_SESSION'[SESSION];sessio
                                  (MAINTAINING -('_SESSION'[SESSION];sessionN
                                (MAINTAINING -('_SESSION'[SESSION];sessionNewBranc
                            (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(re
                        (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rent
                    (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBe
                (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenPromised /
                NEW x:RentalCase;
                  ALL of INSERT INTO sessionNewBranchRC[SESSION*RentalCase]
                          SELECTFROM (('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenPr

                        (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeen
                        ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'[RentalCase]*(('
                                      THEN INSERT INTO rcKeysHandedOverQ[RentalCase*YesNoAnsw
                                          SELECTFROM 'a'[RentalCase]*'b'[YesNoAnswer]


                            197
```

```
                                        (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewBran
                       PICK a,b FROM rcKeysHandedOverQ~;('x'[RentalCase]*(('_S
                       THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (
                                        THEN BLOCK
                                                (CANNOT CHANGE 'Yes'[YesNoAnswe
                                        PICK a,b FROM 'Yes'[YesNoAnswer];('a
                                        THEN BLOCK
                                                (CANNOT CHANGE V[YesNoAnswer*Re
                            (MAINTAINING -('_SESSION'[SESSION];sessionN
                        NEW x:YesNoAnswer;
                           ALL of BLOCK
                                        (CANNOT CHANGE 'Yes'[YesNoAnswer]
                                        BLOCK
                                        (CANNOT CHANGE V[YesNoAnswer*Renta
                              (MAINTAINING -('_SESSION'[SESSION];sessio
                            (MAINTAINING -('_SESSION'[SESSION];sessionN
                       (MAINTAINING -('_SESSION'[SESSION];sessionNewBranc
                 (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalH
              NEW x:YesNoAnswer;
                 ALL of INSERT INTO rcKeysHandedOverQ[RentalCase*YesNoAnswer]
                           SELECTFROM 'x'[RentalCase]*(('_SESSION'[SESSION];ses


                       (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewBranchR
                       ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'[YesNoA
                               THEN BLOCK
                                        (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM Ha
                               PICK a,b FROM 'Yes'[YesNoAnswer];('x'[YesNoAns
                               THEN BLOCK
                                        (CANNOT CHANGE V[YesNoAnswer*RentalCase]
                          (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC
                        (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(renta
                    (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalH
               (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenP
          (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenPromised
       (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenPromised /
     ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((sessionNewBranchRC~;'_SESSION'[SES
           THEN INSERT INTO rcKeysHandedOverQ[RentalCase*YesNoAnswer]
               SELECTFROM 'a'[RentalCase]*'b'[YesNoAnswer]


        (TO MAINTAIN  -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNew
      PICK a,b FROM rcKeysHandedOverQ~;((sessionNewBranchRC~;'_SESSION'[SESSI
      THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[YesNoAnswer]
                       THEN BLOCK
                               (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM Hand the
                       PICK a,b FROM 'Yes'[YesNoAnswer];('a'[YesNoAnswer]*'
                       THEN BLOCK
                               (CANNOT CHANGE V[YesNoAnswer*RentalCase] FROM H
                   (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];sess
                 NEW x:YesNoAnswer;
                   ALL of BLOCK
```

```
                                        (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM Hand the ca
                                        BLOCK
                                        (CANNOT CHANGE V[YesNoAnswer*RentalCase] FROM Hand
                             (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];se
                          (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];sess
                    (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewB
        (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewBranchRC;(ren
        INSERT INTO Isn{detyp=RentalCase}
         SELECTFROM (Delta;Delta~ /\ I[RentalCase]) - I[RentalCase]


        INSERT INTO Isn{detyp=RentalCase}
         SELECTFROM (Delta~;Delta /\ I[RentalCase]) - I[RentalCase]


(MAINTAINING -rentalHasBeenPromised \/ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranch
(MAINTAINING -rentalHasBeenPromised \/ contractedPickupBranch;contractedPickupBranch~
(MAINTAINING -rentalHasBeenPromised \/ contractedPickupBranch;contractedPickupBranch~
(MAINTAINING -rentalHasBeenPromised \/ contractedPickupBranch;contractedPickupBranch~
(MAINTAINING -rentalHasBeenPromised \/ contractedPickupBranch;contractedPickupBranch~
(MAINTAINING -rentalHasBeenPromised \/ contractedPickupBranch;contractedPickupBranch~
(MAINTAINING -rentalHasBeenPromised \/ contractedDropoffBranch;contractedDropoffBranc
(MAINTAINING -rentalHasBeenPromised \/ contractedDropoffBranch;contractedDropoffBranc
(MAINTAINING -rentalHasBeenPromised \/ contractedDropoffBranch;contractedDropoffBranc
(MAINTAINING -rentalHasBeenPromised \/ contractedDropoffBranch;contractedDropoffBranc
(MAINTAINING -rentalHasBeenPromised \/ contractedDropoffBranch;contractedDropoffBranc
(MAINTAINING -rentalHasBeenPromised \/ contractedStartDate;contractedStartDate~ FROM
(MAINTAINING -rentalHasBeenPromised \/ contractedStartDate;contractedStartDate~ FROM
(MAINTAINING -rentalHasBeenPromised \/ contractedStartDate;contractedStartDate~ FROM
(MAINTAINING -rentalHasBeenPromised \/ contractedStartDate;contractedStartDate~ FROM
(MAINTAINING -rentalHasBeenPromised \/ contractedStartDate;contractedStartDate~ FROM
(MAINTAINING -rentalHasBeenPromised \/ contractedEndDate;contractedEndDate~ FROM Prom
(MAINTAINING -rentalHasBeenPromised \/ contractedEndDate;contractedEndDate~ FROM Prom
(MAINTAINING -rentalHasBeenPromised \/ contractedEndDate;contractedEndDate~ FROM Prom
(MAINTAINING -rentalHasBeenPromised \/ contractedEndDate;contractedEndDate~ FROM Prom
(MAINTAINING -rentalHasBeenPromised \/ contractedEndDate;contractedEndDate~ FROM Prom
(MAINTAINING -rentalHasBeenPromised \/ contractedCarType;contractedCarType~ FROM Prom
(MAINTAINING -rentalHasBeenPromised \/ contractedCarType;contractedCarType~ FROM Prom
(MAINTAINING -rentalHasBeenPromised \/ contractedCarType;contractedCarType~ FROM Prom
(MAINTAINING -rentalHasBeenPromised \/ contractedCarType;contractedCarType~ FROM Prom
(MAINTAINING -rentalHasBeenPromised \/ contractedCarType;contractedCarType~ FROM Prom
(MAINTAINING -rentalHasBeenPromised \/ rcDriver;rcDriver~ FROM Promised rental reques
(MAINTAINING -rentalHasBeenPromised \/ rcDriver;rcDriver~ FROM Promised rental reques
(MAINTAINING -rentalHasBeenPromised \/ rcDriver;rcDriver~ FROM Promised rental reques
(MAINTAINING -rentalHasBeenPromised \/ rcDriver;rcDriver~ FROM Promised rental reques
(MAINTAINING -rentalHasBeenPromised \/ rcDriver;rcDriver~ FROM Promised rental reques
(MAINTAINING -rentalHasBeenPromised \/ rcRenter;rcRenter~ FROM Promised rental reques
(MAINTAINING -rentalHasBeenPromised \/ rcRenter;rcRenter~ FROM Promised rental reques
(MAINTAINING -rentalHasBeenPromised \/ rcRenter;rcRenter~ FROM Promised rental reques
(MAINTAINING -rentalHasBeenPromised \/ rcRenter;rcRenter~ FROM Promised rental reques
(MAINTAINING -rentalHasBeenPromised \/ rcRenter;rcRenter~ FROM Promised rental reques
(MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\ rcAssignedC
```

199

```
        (MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeenPromised /\ -(r
        (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenPromised /\ rcAss
        (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenPromised /\ rcAss
```

<------End Derivation --

```
        ON DELETE Delta FROM rentalHasBeenPromised[RentalCase*RentalCase] EXECUTE    --
        ALL of ONE OF DELETE FROM rcRenter[RentalCase*Person]
                     SELECTFROM ((-rentalHasBeenPromised /\ rcRenter;rcRenter~ /\ rcDr

                    (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contra
                    DELETE FROM rcRenter[RentalCase*Person]
                     SELECTFROM ((-rentalHasBeenPromised~ /\ rcRenter;rcRenter~ /\ rcD

                    (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contra
                    DELETE FROM rcDriver[RentalCase*Person]
                     SELECTFROM ((-rentalHasBeenPromised /\ rcRenter;rcRenter~ /\ rcDr

                    (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contra
                    DELETE FROM rcDriver[RentalCase*Person]
                     SELECTFROM ((-rentalHasBeenPromised~ /\ rcRenter;rcRenter~ /\ rcD

                    (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contra
                    DELETE FROM contractedCarType[RentalCase*CarType]
                     SELECTFROM ((-rentalHasBeenPromised /\ rcRenter;rcRenter~ /\ rcDr

                    (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contra
                    DELETE FROM contractedCarType[RentalCase*CarType]
                     SELECTFROM ((-rentalHasBeenPromised~ /\ rcRenter;rcRenter~ /\ rcD

                    (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contra
                    DELETE FROM contractedEndDate[RentalCase*Date]
                     SELECTFROM ((-rentalHasBeenPromised /\ rcRenter;rcRenter~ /\ rcDr

                    (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contra
                    DELETE FROM contractedEndDate[RentalCase*Date]
                     SELECTFROM ((-rentalHasBeenPromised~ /\ rcRenter;rcRenter~ /\ rcD

                    (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contra
                    DELETE FROM contractedStartDate[RentalCase*Date]
                     SELECTFROM ((-rentalHasBeenPromised /\ rcRenter;rcRenter~ /\ rcDr

                    (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contra
                    DELETE FROM contractedStartDate[RentalCase*Date]
                     SELECTFROM ((-rentalHasBeenPromised~ /\ rcRenter;rcRenter~ /\ rcD

                    (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contra
                    DELETE FROM contractedDropoffBranch[RentalCase*Branch]
```

SELECTFROM ((-rentalHasBeenPromised /\ rcRenter;rcRenter~ /\ rcDr

(TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contra
DELETE FROM contractedDropoffBranch[RentalCase*Branch]
 SELECTFROM ((-rentalHasBeenPromised~ /\ rcRenter;rcRenter~ /\ rcD

(TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contra
DELETE FROM contractedPickupBranch[RentalCase*Branch]
 SELECTFROM ((-rentalHasBeenPromised /\ rcRenter;rcRenter~ /\ rcDr

(TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contra
DELETE FROM contractedPickupBranch[RentalCase*Branch]
 SELECTFROM ((-rentalHasBeenPromised~ /\ rcRenter;rcRenter~ /\ rcD

(TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contra
DELETE FROM rcUserRequestedQ[RentalCase*YesNoAnswer]
 SELECTFROM ((-rentalHasBeenPromised /\ rcRenter;rcRenter~ /\ rcDr

(TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contra
DELETE FROM rcUserRequestedQ[RentalCase*YesNoAnswer]
 SELECTFROM ((-rentalHasBeenPromised~ /\ rcRenter;rcRenter~ /\ rcD

(TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contra
DELETE FROM Isn{detyp=RentalCase}
 SELECTFROM (-rentalHasBeenPromised /\ rcRenter;rcRenter~ /\ rcDri

(TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contra
(MAINTAINING -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarT
ONE OF DELETE FROM rcRenter[RentalCase*Person]
        SELECTFROM ((-rentalHasBeenPromised /\ rcRenter;rcRenter~ /\ rcDr

(TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contra
DELETE FROM rcRenter[RentalCase*Person]
 SELECTFROM ((-rentalHasBeenPromised~ /\ rcRenter;rcRenter~ /\ rcD

(TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contra
DELETE FROM rcDriver[RentalCase*Person]
 SELECTFROM ((-rentalHasBeenPromised /\ rcRenter;rcRenter~ /\ rcDr

(TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contra
DELETE FROM rcDriver[RentalCase*Person]
 SELECTFROM ((-rentalHasBeenPromised~ /\ rcRenter;rcRenter~ /\ rcD

(TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contra
DELETE FROM contractedCarType[RentalCase*CarType]
 SELECTFROM ((-rentalHasBeenPromised /\ rcRenter;rcRenter~ /\ rcDr

(TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contra
DELETE FROM contractedCarType[RentalCase*CarType]
 SELECTFROM ((-rentalHasBeenPromised~ /\ rcRenter;rcRenter~ /\ rcD

201

```
            (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contra
            DELETE FROM contractedEndDate[RentalCase*Date]
             SELECTFROM ((-rentalHasBeenPromised /\ rcRenter;rcRenter~ /\ rcDr

            (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contra
            DELETE FROM contractedEndDate[RentalCase*Date]
             SELECTFROM ((-rentalHasBeenPromised~ /\ rcRenter;rcRenter~ /\ rcD

            (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contra
            DELETE FROM contractedStartDate[RentalCase*Date]
             SELECTFROM ((-rentalHasBeenPromised /\ rcRenter;rcRenter~ /\ rcDr

            (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contra
            DELETE FROM contractedStartDate[RentalCase*Date]
             SELECTFROM ((-rentalHasBeenPromised~ /\ rcRenter;rcRenter~ /\ rcD

            (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contra
            DELETE FROM contractedDropoffBranch[RentalCase*Branch]
             SELECTFROM ((-rentalHasBeenPromised /\ rcRenter;rcRenter~ /\ rcDr

            (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contra
            DELETE FROM contractedDropoffBranch[RentalCase*Branch]
             SELECTFROM ((-rentalHasBeenPromised~ /\ rcRenter;rcRenter~ /\ rcD

            (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contra
            DELETE FROM contractedPickupBranch[RentalCase*Branch]
             SELECTFROM ((-rentalHasBeenPromised /\ rcRenter;rcRenter~ /\ rcDr

            (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contra
            DELETE FROM contractedPickupBranch[RentalCase*Branch]
             SELECTFROM ((-rentalHasBeenPromised~ /\ rcRenter;rcRenter~ /\ rcD

            (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contra
            DELETE FROM rcBranchRequestedQ[RentalCase*YesNoAnswer]
             SELECTFROM ((-rentalHasBeenPromised /\ rcRenter;rcRenter~ /\ rcDr

            (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contra
            DELETE FROM rcBranchRequestedQ[RentalCase*YesNoAnswer]
             SELECTFROM ((-rentalHasBeenPromised~ /\ rcRenter;rcRenter~ /\ rcD

            (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contra
            DELETE FROM Isn{detyp=RentalCase}
             SELECTFROM (-rentalHasBeenPromised /\ rcRenter;rcRenter~ /\ rcDri

            (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contra
     (MAINTAINING -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarT
     DELETE FROM rentalHasBeenStarted[RentalCase*RentalCase]
      SELECTFROM (-rentalHasBeenPromised /\ rentalHasBeenStarted) \/ (Delta /\
```

```
                    (TO MAINTAIN  -rentalHasBeenStarted \/ rentalHasBeenPromised FROM Started
       (MAINTAINING -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;con
       (MAINTAINING -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;con
       (MAINTAINING -rentalHasBeenStarted \/ rentalHasBeenPromised FROM Started rentals


------ Derivation ----->


        ALL of ONE OF DELETE FROM rcRenter[RentalCase*Person]
                      SELECTFROM ((-rentalHasBeenPromised /\ rcRenter;rcRenter~ /\ rcDriver;

                      (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedC
                      DELETE FROM rcRenter[RentalCase*Person]
                       SELECTFROM ((-rentalHasBeenPromised~ /\ rcRenter;rcRenter~ /\ rcDriver

                      (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedC
                      DELETE FROM rcDriver[RentalCase*Person]
                       SELECTFROM ((-rentalHasBeenPromised /\ rcRenter;rcRenter~ /\ rcDriver;

                      (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedC
                      DELETE FROM rcDriver[RentalCase*Person]
                       SELECTFROM ((-rentalHasBeenPromised~ /\ rcRenter;rcRenter~ /\ rcDriver

                      (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedC
                      DELETE FROM contractedCarType[RentalCase*CarType]
                       SELECTFROM ((-rentalHasBeenPromised /\ rcRenter;rcRenter~ /\ rcDriver;

                      (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedC
                      DELETE FROM contractedCarType[RentalCase*CarType]
                       SELECTFROM ((-rentalHasBeenPromised~ /\ rcRenter;rcRenter~ /\ rcDriver

                      (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedC
                      DELETE FROM contractedEndDate[RentalCase*Date]
                       SELECTFROM ((-rentalHasBeenPromised /\ rcRenter;rcRenter~ /\ rcDriver;

                      (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedC
                      DELETE FROM contractedEndDate[RentalCase*Date]
                       SELECTFROM ((-rentalHasBeenPromised~ /\ rcRenter;rcRenter~ /\ rcDriver

                      (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedC
                      DELETE FROM contractedStartDate[RentalCase*Date]
                       SELECTFROM ((-rentalHasBeenPromised /\ rcRenter;rcRenter~ /\ rcDriver;

                      (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedC
                      DELETE FROM contractedStartDate[RentalCase*Date]
                       SELECTFROM ((-rentalHasBeenPromised~ /\ rcRenter;rcRenter~ /\ rcDriver

                      (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedC
                      DELETE FROM contractedDropoffBranch[RentalCase*Branch]
```

SELECTFROM ((-rentalHasBeenPromised /\ rcRenter;rcRenter~ /\ rcDriver;

(TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedC
DELETE FROM contractedDropoffBranch[RentalCase*Branch]
 SELECTFROM ((-rentalHasBeenPromised~ /\ rcRenter;rcRenter~ /\ rcDriver

(TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedC
DELETE FROM contractedPickupBranch[RentalCase*Branch]
 SELECTFROM ((-rentalHasBeenPromised /\ rcRenter;rcRenter~ /\ rcDriver;

(TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedC
DELETE FROM contractedPickupBranch[RentalCase*Branch]
 SELECTFROM ((-rentalHasBeenPromised~ /\ rcRenter;rcRenter~ /\ rcDriver

(TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedC
DELETE FROM rcUserRequestedQ[RentalCase*YesNoAnswer]
 SELECTFROM ((-rentalHasBeenPromised /\ rcRenter;rcRenter~ /\ rcDriver;

(TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedC
DELETE FROM rcUserRequestedQ[RentalCase*YesNoAnswer]
 SELECTFROM ((-rentalHasBeenPromised~ /\ rcRenter;rcRenter~ /\ rcDriver

(TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedC
DELETE FROM Isn{detyp=RentalCase}
 SELECTFROM (-rentalHasBeenPromised /\ rcRenter;rcRenter~ /\ rcDriver;r

(TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedC
(MAINTAINING -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;c
ONE OF DELETE FROM rcRenter[RentalCase*Person]
 SELECTFROM ((-rentalHasBeenPromised /\ rcRenter;rcRenter~ /\ rcDriver;

(TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedC
DELETE FROM rcRenter[RentalCase*Person]
 SELECTFROM ((-rentalHasBeenPromised~ /\ rcRenter;rcRenter~ /\ rcDriver

(TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedC
DELETE FROM rcDriver[RentalCase*Person]
 SELECTFROM ((-rentalHasBeenPromised /\ rcRenter;rcRenter~ /\ rcDriver;

(TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedC
DELETE FROM rcDriver[RentalCase*Person]
 SELECTFROM ((-rentalHasBeenPromised~ /\ rcRenter;rcRenter~ /\ rcDriver

(TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedC
DELETE FROM contractedCarType[RentalCase*CarType]
 SELECTFROM ((-rentalHasBeenPromised /\ rcRenter;rcRenter~ /\ rcDriver;

(TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedC
DELETE FROM contractedCarType[RentalCase*CarType]
 SELECTFROM ((-rentalHasBeenPromised~ /\ rcRenter;rcRenter~ /\ rcDriver

204

```
            (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedC
        DELETE FROM contractedEndDate[RentalCase*Date]
         SELECTFROM ((-rentalHasBeenPromised /\ rcRenter;rcRenter~ /\ rcDriver;


            (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedC
        DELETE FROM contractedEndDate[RentalCase*Date]
         SELECTFROM ((-rentalHasBeenPromised~ /\ rcRenter;rcRenter~ /\ rcDriver


            (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedC
        DELETE FROM contractedStartDate[RentalCase*Date]
         SELECTFROM ((-rentalHasBeenPromised /\ rcRenter;rcRenter~ /\ rcDriver;


            (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedC
        DELETE FROM contractedStartDate[RentalCase*Date]
         SELECTFROM ((-rentalHasBeenPromised~ /\ rcRenter;rcRenter~ /\ rcDriver


            (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedC
        DELETE FROM contractedDropoffBranch[RentalCase*Branch]
         SELECTFROM ((-rentalHasBeenPromised /\ rcRenter;rcRenter~ /\ rcDriver;


            (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedC
        DELETE FROM contractedDropoffBranch[RentalCase*Branch]
         SELECTFROM ((-rentalHasBeenPromised~ /\ rcRenter;rcRenter~ /\ rcDriver


            (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedC
        DELETE FROM contractedPickupBranch[RentalCase*Branch]
         SELECTFROM ((-rentalHasBeenPromised /\ rcRenter;rcRenter~ /\ rcDriver;


            (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedC
        DELETE FROM contractedPickupBranch[RentalCase*Branch]
         SELECTFROM ((-rentalHasBeenPromised~ /\ rcRenter;rcRenter~ /\ rcDriver


            (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedC
        DELETE FROM rcBranchRequestedQ[RentalCase*YesNoAnswer]
         SELECTFROM ((-rentalHasBeenPromised /\ rcRenter;rcRenter~ /\ rcDriver;


            (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedC
        DELETE FROM rcBranchRequestedQ[RentalCase*YesNoAnswer]
         SELECTFROM ((-rentalHasBeenPromised~ /\ rcRenter;rcRenter~ /\ rcDriver


            (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedC
        DELETE FROM Isn{detyp=RentalCase}
         SELECTFROM (-rentalHasBeenPromised /\ rcRenter;rcRenter~ /\ rcDriver;r


            (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedC
    (MAINTAINING -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;c
    DELETE FROM rentalHasBeenStarted[RentalCase*RentalCase]
     SELECTFROM (-rentalHasBeenPromised /\ rentalHasBeenStarted) \/ (Delta /\ rent
```

205

```
                    (TO MAINTAIN  -rentalHasBeenStarted \/ rentalHasBeenPromised FROM Started rent
         (MAINTAINING -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;contract
         (MAINTAINING -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;contract
         (MAINTAINING -rentalHasBeenStarted \/ rentalHasBeenPromised FROM Started rentals)


<------End Derivation --


         ON INSERT Delta IN rcUserRequestedQ[RentalCase*YesNoAnswer] EXECUTE     -- (ECA r
         ALL of INSERT INTO rentalHasBeenPromised[RentalCase*RentalCase]
                SELECTFROM (rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarTyp

                (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCar
                ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rcUserRequestedQ;'Yes'
                        THEN INSERT INTO rcRenter[RentalCase*Person]
                             SELECTFROM 'a'[RentalCase]*'b'[Person]

                                (TO MAINTAIN  -(rcUserRequestedQ;'Yes'[YesNoAnswer];rc
                        PICK a,b FROM rcRenter~;((rcUserRequestedQ;'Yes'[YesNoAnswe
                        THEN INSERT INTO rcRenter[RentalCase*Person]
                             SELECTFROM 'b'[RentalCase]*'a'[Person]

                                (TO MAINTAIN  -(rcUserRequestedQ;'Yes'[YesNoAnswer];rc
                    (MAINTAINING -(rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserRequestedQ
                    NEW x:Person;
                      INSERT INTO rcRenter[RentalCase*Person]
                       SELECTFROM ((rcUserRequestedQ;'Yes'[YesNoAnswer];(rcUserRequeste

                        (TO MAINTAIN  -(rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserReques
                    (MAINTAINING -(rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserRequestedQ
             (MAINTAINING -(rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserRequestedQ~ /\ I
             INSERT INTO Isn{detyp=Person}
              SELECTFROM (rcRenter~;rcUserRequestedQ;'Yes'[YesNoAnswer];(rcUserRequeste

             (TO MAINTAIN  -(rcRenter~;rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserReque
             INSERT INTO Isn{detyp=RentalCase}
              SELECTFROM (Delta;Delta~ /\ I[RentalCase]) - I[RentalCase]

             INSERT INTO Isn{detyp=YesNoAnswer}
              SELECTFROM (Delta~;Delta /\ I[YesNoAnswer]) - I[YesNoAnswer]

         (MAINTAINING -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;con
         (MAINTAINING -(rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserRequestedQ~ /\ I[Rental
         (MAINTAINING -(rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserRequestedQ~ /\ I[Rental

------ Derivation ----->


       ALL of INSERT INTO rentalHasBeenPromised[RentalCase*RentalCase]


                                        206
```

```
                    SELECTFROM (rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;con

               (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;
               ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rcUserRequestedQ;'Yes'[YesN
                            THEN INSERT INTO rcRenter[RentalCase*Person]
                                SELECTFROM 'a'[RentalCase]*'b'[Person]

                                    (TO MAINTAIN  -(rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserR
                            PICK a,b FROM rcRenter~;((rcUserRequestedQ;'Yes'[YesNoAnswer];(r
                            THEN INSERT INTO rcRenter[RentalCase*Person]
                                SELECTFROM 'b'[RentalCase]*'a'[Person]

                                    (TO MAINTAIN  -(rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserR
                    (MAINTAINING -(rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserRequestedQ~ /\
                    NEW x:Person;
                      INSERT INTO rcRenter[RentalCase*Person]
                       SELECTFROM ((rcUserRequestedQ;'Yes'[YesNoAnswer];(rcUserRequestedQ \

                        (TO MAINTAIN  -(rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserRequestedQ~
                    (MAINTAINING -(rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserRequestedQ~ /\
            (MAINTAINING -(rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserRequestedQ~ /\ I[Rent
            INSERT INTO Isn{detyp=Person}
             SELECTFROM (rcRenter~;rcUserRequestedQ;'Yes'[YesNoAnswer];(rcUserRequestedQ \

            (TO MAINTAIN  -(rcRenter~;rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserRequestedQ
            INSERT INTO Isn{detyp=RentalCase}
             SELECTFROM (Delta;Delta~ /\ I[RentalCase]) - I[RentalCase]

            INSERT INTO Isn{detyp=YesNoAnswer}
             SELECTFROM (Delta~;Delta /\ I[YesNoAnswer]) - I[YesNoAnswer]

     (MAINTAINING -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;contract
     (MAINTAINING -(rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserRequestedQ~ /\ I[RentalCase]
     (MAINTAINING -(rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserRequestedQ~ /\ I[RentalCase]

<------End Derivation --


          ON DELETE Delta FROM rcUserRequestedQ[RentalCase*YesNoAnswer] EXECUTE    -- (ECA
          ALL of DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
                  SELECTFROM -(rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchRequestedQ~)

                  (TO MAINTAIN  -rentalHasBeenPromised \/ rcBranchRequestedQ;'Yes'[YesNoAnsw
                  DELETE FROM sessionNewUserRC[SESSION*RentalCase]
                   SELECTFROM '_SESSION'[SESSION];(-(sessionNewUserRC;(rcUserRequestedQ /\

                  (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewUserRC) \/ sessionNewUserRC
                  ONE OF DELETE FROM sessionNewUserRC[SESSION*RentalCase]
                          SELECTFROM '_SESSION'[SESSION];sessionNewUserRC;(-(V[RentalCase*Y
```

(TO MAINTAIN  -(sessionNewUserRC~;'_SESSION'[SESSION];sessionNewUs
                    DELETE FROM sessionNewUserRC[SESSION*RentalCase]
                     SELECTFROM '_SESSION'[SESSION];sessionNewUserRC;(-((rcUserReque

                              (TO MAINTAIN  -(sessionNewUserRC~;'_SESSION'[SESSION];sessionNewUse
                 (MAINTAINING -(sessionNewUserRC~;'_SESSION'[SESSION];sessionNewUserRC) \/
         (MAINTAINING -rentalHasBeenPromised \/ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcB:
         (MAINTAINING -('_SESSION'[SESSION];sessionNewUserRC) \/ sessionNewUserRC;rcUserR
         (MAINTAINING -('_SESSION'[SESSION];sessionNewUserRC) \/ sessionNewUserRC;rcUserR

------ Derivation ----->


        ALL of DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
              SELECTFROM -(rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchRequestedQ~) /\ -(

              (TO MAINTAIN  -rentalHasBeenPromised \/ rcBranchRequestedQ;'Yes'[YesNoAnswer];
              DELETE FROM sessionNewUserRC[SESSION*RentalCase]
               SELECTFROM '_SESSION'[SESSION];(-(sessionNewUserRC;(rcUserRequestedQ /\ -Delt

              (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewUserRC) \/ sessionNewUserRC;rcUs
              ONE OF DELETE FROM sessionNewUserRC[SESSION*RentalCase]
                    SELECTFROM '_SESSION'[SESSION];sessionNewUserRC;(-(V[RentalCase*YesNoA

                    (TO MAINTAIN  -(sessionNewUserRC~;'_SESSION'[SESSION];sessionNewUserRC)
                    DELETE FROM sessionNewUserRC[SESSION*RentalCase]
                     SELECTFROM '_SESSION'[SESSION];sessionNewUserRC;(-((rcUserRequestedQ /

                    (TO MAINTAIN  -(sessionNewUserRC~;'_SESSION'[SESSION];sessionNewUserRC)
                 (MAINTAINING -(sessionNewUserRC~;'_SESSION'[SESSION];sessionNewUserRC) \/ rcUs
         (MAINTAINING -rentalHasBeenPromised \/ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranch
         (MAINTAINING -('_SESSION'[SESSION];sessionNewUserRC) \/ sessionNewUserRC;rcUserReques
         (MAINTAINING -('_SESSION'[SESSION];sessionNewUserRC) \/ sessionNewUserRC;rcUserReques

         <------End Derivation --


         ON INSERT Delta IN rcBranchRequestedQ[RentalCase*YesNoAnswer] EXECUTE     -- (ECA
         ALL of INSERT INTO rentalHasBeenPromised[RentalCase*RentalCase]
                    SELECTFROM (rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarTyp

                    (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCar'
                    ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rcDriver;rcDriver~ /\
                              THEN INSERT INTO rcRenter[RentalCase*Person]
                                   SELECTFROM 'a'[RentalCase]*'b'[Person]

                                   (TO MAINTAIN  -(rcDriver;rcDriver~ /\ rcBranchRequeste
                                   PICK a,b FROM rcRenter~;((rcDriver;rcDriver~ /\ rcBranchReq

```
                        THEN INSERT INTO rcRenter[RentalCase*Person]
                            SELECTFROM 'b'[RentalCase]*'a'[Person]

                        (TO MAINTAIN  -(rcDriver;rcDriver~ /\ rcBranchRequeste
              (MAINTAINING -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[YesN
              NEW x:Person;
                INSERT INTO rcRenter[RentalCase*Person]
                 SELECTFROM ((rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[Yes

                    (TO MAINTAIN  -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[Y
                  (MAINTAINING -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[YesN
            (MAINTAINING -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[YesNoAnswer]
            INSERT INTO Isn{detyp=Person}
             SELECTFROM (rcRenter~;rcDriver;rcDriver~;rcRenter /\ rcRenter~;rcBranchR

          (TO MAINTAIN  -(rcRenter~;rcDriver;rcDriver~;rcRenter /\ rcRenter~;rcBran
          INSERT INTO contractedPickupBranch[RentalCase*Branch]
           SELECTFROM ((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];(rcB

          (TO MAINTAIN  -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];r
          INSERT INTO Isn{detyp=Branch}
           SELECTFROM (contractedPickupBranch~;(I[RentalCase] /\ rcBranchRequestedQ

          (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ rcBranchRequeste
          INSERT INTO contractedStartDate[RentalCase*Date]
           SELECTFROM ((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];(rcB

          (TO MAINTAIN  -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];r
          INSERT INTO Isn{detyp=Date}
           SELECTFROM (contractedStartDate~;(I[RentalCase] /\ rcBranchRequestedQ;'Y

          (TO MAINTAIN  -(contractedStartDate~;(I[RentalCase] /\ rcBranchRequestedQ
          INSERT INTO Isn{detyp=RentalCase}
           SELECTFROM (Delta;Delta~ /\ I[RentalCase]) - I[RentalCase]

          INSERT INTO Isn{detyp=YesNoAnswer}
           SELECTFROM (Delta~;Delta /\ I[YesNoAnswer]) - I[YesNoAnswer]

        (MAINTAINING -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;con
        (MAINTAINING -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBra
        (MAINTAINING -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBra
        (MAINTAINING -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchR
        (MAINTAINING -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchR
        (MAINTAINING -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchR
        (MAINTAINING -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchR

    ------ Derivation ----->


                                      209
```

```
ALL of INSERT INTO rentalHasBeenPromised[RentalCase*RentalCase]
        SELECTFROM (rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;con

       (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;
       ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rcDriver;rcDriver~ /\ rcBra
                  THEN INSERT INTO rcRenter[RentalCase*Person]
                       SELECTFROM 'a'[RentalCase]*'b'[Person]

                       (TO MAINTAIN  -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Y
                  PICK a,b FROM rcRenter~;((rcDriver;rcDriver~ /\ rcBranchRequeste
                  THEN INSERT INTO rcRenter[RentalCase*Person]
                       SELECTFROM 'b'[RentalCase]*'a'[Person]

                       (TO MAINTAIN  -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Y
            (MAINTAINING -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[YesNoAnsw
            NEW x:Person;
              INSERT INTO rcRenter[RentalCase*Person]
               SELECTFROM ((rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[YesNoAns

              (TO MAINTAIN  -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[YesNoA
            (MAINTAINING -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[YesNoAnsw
     (MAINTAINING -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcB
     INSERT INTO Isn{detyp=Person}
      SELECTFROM (rcRenter~;rcDriver;rcDriver~;rcRenter /\ rcRenter~;rcBranchReques

     (TO MAINTAIN  -(rcRenter~;rcDriver;rcDriver~;rcRenter /\ rcRenter~;rcBranchReq
     INSERT INTO contractedPickupBranch[RentalCase*Branch]
      SELECTFROM ((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];(rcBranch

     (TO MAINTAIN  -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBran
     INSERT INTO Isn{detyp=Branch}
      SELECTFROM (contractedPickupBranch~;(I[RentalCase] /\ rcBranchRequestedQ;'Yes

     (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ rcBranchRequestedQ;'
     INSERT INTO contractedStartDate[RentalCase*Date]
      SELECTFROM ((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];(rcBranch

     (TO MAINTAIN  -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBran
     INSERT INTO Isn{detyp=Date}
      SELECTFROM (contractedStartDate~;(I[RentalCase] /\ rcBranchRequestedQ;'Yes'[Y

     (TO MAINTAIN  -(contractedStartDate~;(I[RentalCase] /\ rcBranchRequestedQ;'Yes
     INSERT INTO Isn{detyp=RentalCase}
      SELECTFROM (Delta;Delta~ /\ I[RentalCase]) - I[RentalCase]

     INSERT INTO Isn{detyp=YesNoAnswer}
      SELECTFROM (Delta~;Delta /\ I[YesNoAnswer]) - I[YesNoAnswer]

(MAINTAINING -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;contract
(MAINTAINING -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchRe
```

210

```
        (MAINTAINING -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchRe
        (MAINTAINING -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchReques
        (MAINTAINING -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchReques
        (MAINTAINING -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchReques
        (MAINTAINING -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchReques

    <------End Derivation --


            ON DELETE Delta FROM rcBranchRequestedQ[RentalCase*YesNoAnswer] EXECUTE    -- (E
            ALL of DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
                    SELECTFROM -((rcBranchRequestedQ /\ -Delta);'Yes'[YesNoAnswer];(rcBranch

                (TO MAINTAIN  -rentalHasBeenPromised \/ rcBranchRequestedQ;'Yes'[YesNoAns
                DELETE FROM sessionNewBranchRC[SESSION*RentalCase]
                 SELECTFROM '_SESSION'[SESSION];(-(sessionNewBranchRC;(rcBranchRequestedQ

                (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewBranchRC) \/ sessionNewBran
                ONE OF DELETE FROM sessionNewBranchRC[SESSION*RentalCase]
                        SELECTFROM '_SESSION'[SESSION];sessionNewBranchRC;(-(V[RentalCase

                    (TO MAINTAIN  -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewl
                    DELETE FROM sessionNewBranchRC[SESSION*RentalCase]
                     SELECTFROM '_SESSION'[SESSION];sessionNewBranchRC;(-((rcBranchReq

                    (TO MAINTAIN  -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewl
            (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewBranchRC
            ONE OF DELETE FROM sessionNewBranchRC[SESSION*RentalCase]
                        SELECTFROM (-(sessionNewBranchRC;(rcBranchRequestedQ /\ -Delta))

                    (TO MAINTAIN  -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar
                    DELETE FROM Isn{detyp=RentalCase}
                     SELECTFROM sessionNewBranchRC~;(-(sessionNewBranchRC;(rcBranchReq

                    (TO MAINTAIN  -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar
                    DELETE FROM rcAssignedCar[RentalCase*Car]
                     SELECTFROM sessionNewBranchRC~;(-(sessionNewBranchRC;(rcBranchReq

                    (TO MAINTAIN  -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar
                    DELETE FROM rcAssignedCar[RentalCase*Car]
                     SELECTFROM rcKeysHandedOverQ;'Yes'[YesNoAnswer];(-((rcBranchReque

                    (TO MAINTAIN  -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar
                    DELETE FROM rcKeysHandedOverQ[RentalCase*YesNoAnswer]
                     SELECTFROM (I[RentalCase] /\ rcAssignedCar;rcAssignedCar~);sessio

                    (TO MAINTAIN  -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar
            (MAINTAINING -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;rcAssig
            ONE OF DELETE FROM sessionNewBranchRC[SESSION*RentalCase]
```

211

```
                              SELECTFROM sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;rcA

                      (TO MAINTAIN  -(sessionNewBranchRC~;sessionNewBranchRC;(I[RentalCa
                      DELETE FROM sessionNewBranchRC[SESSION*RentalCase]
                       SELECTFROM sessionNewBranchRC;((-rcBranchRequestedQ /\ sessionNew

                      (TO MAINTAIN  -(sessionNewBranchRC~;sessionNewBranchRC;(I[RentalCa
                      DELETE FROM Isn{detyp=RentalCase}
                       SELECTFROM sessionNewBranchRC~;sessionNewBranchRC;((-rcBranchRequ

                      (TO MAINTAIN  -(sessionNewBranchRC~;sessionNewBranchRC;(I[RentalCa
                      DELETE FROM rcAssignedCar[RentalCase*Car]
                       SELECTFROM sessionNewBranchRC~;sessionNewBranchRC;((-rcBranchRequ

                      (TO MAINTAIN  -(sessionNewBranchRC~;sessionNewBranchRC;(I[RentalCa
                      DELETE FROM rcAssignedCar[RentalCase*Car]
                       SELECTFROM rcKeysHandedOverQ;'Yes'[YesNoAnswer];((-rcBranchReques

                      (TO MAINTAIN  -(sessionNewBranchRC~;sessionNewBranchRC;(I[RentalCa
                      DELETE FROM rcKeysHandedOverQ[RentalCase*YesNoAnswer]
                       SELECTFROM (I[RentalCase] /\ rcAssignedCar;rcAssignedCar~);sessio

                      (TO MAINTAIN  -(sessionNewBranchRC~;sessionNewBranchRC;(I[RentalCa
            (MAINTAINING -(sessionNewBranchRC~;sessionNewBranchRC;(I[RentalCase] /\ r
     (MAINTAINING -rentalHasBeenPromised \/ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcB
     (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC) \/ sessionNewBranchRC;rcB
     (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC) \/ sessionNewBranchRC;rcB
     (MAINTAINING -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;rcAssignedCar~
     (MAINTAINING -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;rcAssignedCar~

------ Derivation ----->


        ALL of DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
             SELECTFROM -((rcBranchRequestedQ /\ -Delta);'Yes'[YesNoAnswer];(rcBranchReque

          (TO MAINTAIN  -rentalHasBeenPromised \/ rcBranchRequestedQ;'Yes'[YesNoAnswer];
          DELETE FROM sessionNewBranchRC[SESSION*RentalCase]
           SELECTFROM '_SESSION'[SESSION];(-(sessionNewBranchRC;(rcBranchRequestedQ /\ -

          (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewBranchRC) \/ sessionNewBranchRC;
          ONE OF DELETE FROM sessionNewBranchRC[SESSION*RentalCase]
                SELECTFROM '_SESSION'[SESSION];sessionNewBranchRC;(-(V[RentalCase*YesN

                (TO MAINTAIN  -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewBranc
                DELETE FROM sessionNewBranchRC[SESSION*RentalCase]
                 SELECTFROM '_SESSION'[SESSION];sessionNewBranchRC;(-((rcBranchRequeste

                (TO MAINTAIN  -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewBranc
```

                                    212

```
        (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewBranchRC) \/
      ONE OF DELETE FROM sessionNewBranchRC[SESSION*RentalCase]
              SELECTFROM (-(sessionNewBranchRC;(rcBranchRequestedQ /\ -Delta)) /\ se

          (TO MAINTAIN  -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;rcAs
          DELETE FROM Isn{detyp=RentalCase}
           SELECTFROM sessionNewBranchRC~;(-(sessionNewBranchRC;(rcBranchRequeste

          (TO MAINTAIN  -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;rcAs
          DELETE FROM rcAssignedCar[RentalCase*Car]
           SELECTFROM sessionNewBranchRC~;(-(sessionNewBranchRC;(rcBranchRequeste

          (TO MAINTAIN  -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;rcAs
          DELETE FROM rcAssignedCar[RentalCase*Car]
           SELECTFROM rcKeysHandedOverQ;'Yes'[YesNoAnswer];(-((rcBranchRequestedQ

          (TO MAINTAIN  -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;rcAs
          DELETE FROM rcKeysHandedOverQ[RentalCase*YesNoAnswer]
           SELECTFROM (I[RentalCase] /\ rcAssignedCar;rcAssignedCar~);sessionNewB

          (TO MAINTAIN  -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;rcAs
      (MAINTAINING -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;rcAssignedCa
    ONE OF DELETE FROM sessionNewBranchRC[SESSION*RentalCase]
              SELECTFROM sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;rcAssign

          (TO MAINTAIN  -(sessionNewBranchRC~;sessionNewBranchRC;(I[RentalCase] /
          DELETE FROM sessionNewBranchRC[SESSION*RentalCase]
           SELECTFROM sessionNewBranchRC;((-rcBranchRequestedQ /\ sessionNewBranc

          (TO MAINTAIN  -(sessionNewBranchRC~;sessionNewBranchRC;(I[RentalCase] /
          DELETE FROM Isn{detyp=RentalCase}
           SELECTFROM sessionNewBranchRC~;sessionNewBranchRC;((-rcBranchRequested

          (TO MAINTAIN  -(sessionNewBranchRC~;sessionNewBranchRC;(I[RentalCase] /
          DELETE FROM rcAssignedCar[RentalCase*Car]
           SELECTFROM sessionNewBranchRC~;sessionNewBranchRC;((-rcBranchRequested

          (TO MAINTAIN  -(sessionNewBranchRC~;sessionNewBranchRC;(I[RentalCase] /
          DELETE FROM rcAssignedCar[RentalCase*Car]
           SELECTFROM rcKeysHandedOverQ;'Yes'[YesNoAnswer];((-rcBranchRequestedQ~

          (TO MAINTAIN  -(sessionNewBranchRC~;sessionNewBranchRC;(I[RentalCase] /
          DELETE FROM rcKeysHandedOverQ[RentalCase*YesNoAnswer]
           SELECTFROM (I[RentalCase] /\ rcAssignedCar;rcAssignedCar~);sessionNewB

          (TO MAINTAIN  -(sessionNewBranchRC~;sessionNewBranchRC;(I[RentalCase] /
      (MAINTAINING -(sessionNewBranchRC~;sessionNewBranchRC;(I[RentalCase] /\ rcAssi
  (MAINTAINING -rentalHasBeenPromised \/ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranch
  (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC) \/ sessionNewBranchRC;rcBranch
  (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC) \/ sessionNewBranchRC;rcBranch
```

```
        (MAINTAINING -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;rcAssignedCar~);rcK
        (MAINTAINING -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;rcAssignedCar~);rcK
```

<----- End Derivation --

```
        ON INSERT Delta IN rentalHasBeenPickedUp[RentalCase*RentalCase] EXECUTE    -- (E
        INSERT INTO Isn{detyp=RentalCase}
         SELECTFROM (Delta;Delta~ /\ I[RentalCase]) - I[RentalCase] \/ (Delta~;Delta /\
```

------ Derivation ----->

```
    INSERT INTO Isn{detyp=RentalCase}
     SELECTFROM (Delta;Delta~ /\ I[RentalCase]) - I[RentalCase] \/ (Delta~;Delta /\ I[Ren
```

<----- End Derivation --

```
        ON INSERT Delta IN rentalHasBeenStarted[RentalCase*RentalCase] EXECUTE    -- (EC
        ONE OF INSERT INTO rentalHasBeenPromised[RentalCase*RentalCase]
              SELECTFROM (rentalHasBeenStarted /\ -rentalHasBeenPromised) \/ (Delta /\

              (TO MAINTAIN  -rentalHasBeenStarted \/ rentalHasBeenPromised FROM Started
              ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rentalHasBeenStarted /\ -(rcA
                    THEN INSERT INTO rcAssignedCar[RentalCase*Car]
                        SELECTFROM 'a'[RentalCase]*'b'[Car]

                        (TO MAINTAIN  -rentalHasBeenStarted \/ rcAssignedCar;rcAssigne
                    PICK a,b FROM rcAssignedCar~;((rentalHasBeenStarted /\ -(rcAssigned
                    THEN INSERT INTO rcAssignedCar[RentalCase*Car]
                        SELECTFROM 'b'[RentalCase]*'a'[Car]

                        (TO MAINTAIN  -rentalHasBeenStarted \/ rcAssignedCar;rcAssigne
              (MAINTAINING -rentalHasBeenStarted \/ rcAssignedCar;rcAssignedCar~ FROM S
              NEW x:Car;
                INSERT INTO rcAssignedCar[RentalCase*Car]
                 SELECTFROM ((rentalHasBeenStarted /\ -(rcAssignedCar;rcAssignedCar~))

                (TO MAINTAIN  -rentalHasBeenStarted \/ rcAssignedCar;rcAssignedCar~ FRO
              (MAINTAINING -rentalHasBeenStarted \/ rcAssignedCar;rcAssignedCar~ FROM S
              INSERT INTO rcAssignedCar[RentalCase*Car]
               SELECTFROM (rentalHasBeenStarted~;rcAssignedCar /\ -rcAssignedCar) \/ (D

                (TO MAINTAIN  -(rcAssignedCar~;rentalHasBeenStarted) \/ rcAssignedCar~ FR
              INSERT INTO Isn{detyp=Car}
```

214

SELECTFROM (rcAssignedCar~;rentalHasBeenStarted;rcAssignedCar /\ -I[Car]

(TO MAINTAIN  -(rcAssignedCar~;rentalHasBeenStarted;rcAssignedCar) \/ I[Ca
INSERT INTO rcAssignedCar[RentalCase*Car]
 SELECTFROM (rentalHasBeenStarted;rcAssignedCar /\ -rcAssignedCar) \/ (De

(TO MAINTAIN  -(rentalHasBeenStarted;rcAssignedCar) \/ rcAssignedCar FROM
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rentalHasBeenStarted /\ -(rcKe
        THEN INSERT INTO rcKeysHandedOverQ[RentalCase*YesNoAnswer]
                SELECTFROM 'a'[RentalCase]*'b'[YesNoAnswer]

                (TO MAINTAIN  -rentalHasBeenStarted \/ rcKeysHandedOverQ;'Yes
        PICK a,b FROM rcKeysHandedOverQ~;((rentalHasBeenStarted /\ -(rcKeys
        THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[YesNoAns
                        THEN BLOCK
                                (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM Sta
                                PICK a,b FROM 'Yes'[YesNoAnswer];('a'[YesNoAnswe
                                THEN INSERT INTO rcKeysHandedOverQ[RentalCase*Y
                                        SELECTFROM 'b'[RentalCase]*'a'[YesNoAnswe

                                (TO MAINTAIN  -rentalHasBeenStarted \/ rcKe
                        (MAINTAINING -rentalHasBeenStarted \/ rcKeysHandedOverQ
                        NEW x:YesNoAnswer;
                          ALL of BLOCK
                                (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM Starte
                                INSERT INTO rcKeysHandedOverQ[RentalCase*YesNo
                                 SELECTFROM 'b'[RentalCase]*'a'[YesNoAnswer]*

                                (TO MAINTAIN  -rentalHasBeenStarted \/ rcKeys
                        (MAINTAINING -rentalHasBeenStarted \/ rcKeysHandedOve
                        (MAINTAINING -rentalHasBeenStarted \/ rcKeysHandedOverQ
                (MAINTAINING -rentalHasBeenStarted \/ rcKeysHandedOverQ;'Yes'
(MAINTAINING -rentalHasBeenStarted \/ rcKeysHandedOverQ;'Yes'[YesNoAnswer]
NEW x:YesNoAnswer;
  ALL of INSERT INTO rcKeysHandedOverQ[RentalCase*YesNoAnswer]
            SELECTFROM ((rentalHasBeenStarted /\ -(rcKeysHandedOverQ;'Yes'[

                (TO MAINTAIN  -rentalHasBeenStarted \/ rcKeysHandedOverQ;'Yes'[Y
                ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'[YesNoAnswer]*((re
                        THEN BLOCK
                                (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM Started renta
                                PICK a,b FROM 'Yes'[YesNoAnswer];('x'[YesNoAnswer]*((renta
                                THEN INSERT INTO rcKeysHandedOverQ[RentalCase*YesNoAnswer]
                                        SELECTFROM 'b'[RentalCase]*'a'[YesNoAnswer]

                                (TO MAINTAIN  -rentalHasBeenStarted \/ rcKeysHandedO
                        (MAINTAINING -rentalHasBeenStarted \/ rcKeysHandedOverQ;'Yes'[Ye
                  (MAINTAINING -rentalHasBeenStarted \/ rcKeysHandedOverQ;'Yes'[YesNoAnsw
                (MAINTAINING -rentalHasBeenStarted \/ rcKeysHandedOverQ;'Yes'[YesNoAnswer]
                INSERT INTO rcCarHasBeenDroppedOff[RentalCase*RentalCase]

215

```
                        SELECTFROM (rcDroppedOffBranch;rcDroppedOffBranch~ /\ rcDroppedOffDate;r

                (TO MAINTAIN  -(rcDroppedOffBranch;rcDroppedOffBranch~ /\ rcDroppedOffDat
                INSERT INTO Isn{detyp=RentalCase}
                 SELECTFROM (Delta;Delta~ /\ I[RentalCase]) - I[RentalCase]

                INSERT INTO Isn{detyp=RentalCase}
                 SELECTFROM (Delta~;Delta /\ I[RentalCase]) - I[RentalCase]

        (MAINTAINING -rentalHasBeenStarted \/ rentalHasBeenPromised FROM Started rentals
        (MAINTAINING -rentalHasBeenStarted \/ rcAssignedCar;rcAssignedCar~ FROM Started
        (MAINTAINING -rentalHasBeenStarted \/ rcAssignedCar;rcAssignedCar~ FROM Started
        (MAINTAINING -rentalHasBeenStarted \/ rcAssignedCar;rcAssignedCar~ FROM Started
        (MAINTAINING -rentalHasBeenStarted \/ rcAssignedCar;rcAssignedCar~ FROM Started
        (MAINTAINING -rentalHasBeenStarted \/ rcAssignedCar;rcAssignedCar~ FROM Started
        (MAINTAINING -rentalHasBeenStarted \/ rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKey
        (MAINTAINING -(rcDroppedOffBranch;rcDroppedOffBranch~ /\ rcDroppedOffDate;rcDrop

------ Derivation ----->


        ONE OF INSERT INTO rentalHasBeenPromised[RentalCase*RentalCase]
                SELECTFROM (rentalHasBeenStarted /\ -rentalHasBeenPromised) \/ (Delta /\ -ren

                (TO MAINTAIN  -rentalHasBeenStarted \/ rentalHasBeenPromised FROM Started rent
                ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rentalHasBeenStarted /\ -(rcAssign
                        THEN INSERT INTO rcAssignedCar[RentalCase*Car]
                             SELECTFROM 'a'[RentalCase]*'b'[Car]

                             (TO MAINTAIN  -rentalHasBeenStarted \/ rcAssignedCar;rcAssignedCar
                        PICK a,b FROM rcAssignedCar~;((rentalHasBeenStarted /\ -(rcAssignedCar;
                        THEN INSERT INTO rcAssignedCar[RentalCase*Car]
                             SELECTFROM 'b'[RentalCase]*'a'[Car]

                             (TO MAINTAIN  -rentalHasBeenStarted \/ rcAssignedCar;rcAssignedCar
                (MAINTAINING -rentalHasBeenStarted \/ rcAssignedCar;rcAssignedCar~ FROM Starte
                NEW x:Car;
                  INSERT INTO rcAssignedCar[RentalCase*Car]
                   SELECTFROM ((rentalHasBeenStarted /\ -(rcAssignedCar;rcAssignedCar~)) \/ (D

                  (TO MAINTAIN  -rentalHasBeenStarted \/ rcAssignedCar;rcAssignedCar~ FROM Sta
                (MAINTAINING -rentalHasBeenStarted \/ rcAssignedCar;rcAssignedCar~ FROM Starte
                INSERT INTO rcAssignedCar[RentalCase*Car]
                 SELECTFROM (rentalHasBeenStarted~;rcAssignedCar /\ -rcAssignedCar) \/ (Delta~

                (TO MAINTAIN  -(rcAssignedCar~;rentalHasBeenStarted) \/ rcAssignedCar~ FROM St
                INSERT INTO Isn{detyp=Car}
                 SELECTFROM (rcAssignedCar~;rentalHasBeenStarted;rcAssignedCar /\ -I[Car]) \/
```

216

```
(TO MAINTAIN  -(rcAssignedCar~;rentalHasBeenStarted;rcAssignedCar) \/ I[Car] F
INSERT INTO rcAssignedCar[RentalCase*Car]
 SELECTFROM (rentalHasBeenStarted;rcAssignedCar /\ -rcAssignedCar) \/ (Delta;r

(TO MAINTAIN  -(rentalHasBeenStarted;rcAssignedCar) \/ rcAssignedCar FROM Star
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rentalHasBeenStarted /\ -(rcKeysHa
        THEN INSERT INTO rcKeysHandedOverQ[RentalCase*YesNoAnswer]
             SELECTFROM 'a'[RentalCase]*'b'[YesNoAnswer]

            (TO MAINTAIN  -rentalHasBeenStarted \/ rcKeysHandedOverQ;'Yes'[Yes
       PICK a,b FROM rcKeysHandedOverQ~;((rentalHasBeenStarted /\ -(rcKeysHand
        THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[YesNoAnswer]
                       THEN BLOCK
                            (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM Started
                       PICK a,b FROM 'Yes'[YesNoAnswer];('a'[YesNoAnswer]*'
                       THEN INSERT INTO rcKeysHandedOverQ[RentalCase*YesNoA
                            SELECTFROM 'b'[RentalCase]*'a'[YesNoAnswer]

                       (TO MAINTAIN  -rentalHasBeenStarted \/ rcKeysHa
               (MAINTAINING -rentalHasBeenStarted \/ rcKeysHandedOverQ;'Ye
               NEW x:YesNoAnswer;
                 ALL of BLOCK
                          (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM Started ren
                          INSERT INTO rcKeysHandedOverQ[RentalCase*YesNoAnsw
                           SELECTFROM 'b'[RentalCase]*'a'[YesNoAnswer]*'x'[Y

                       (TO MAINTAIN  -rentalHasBeenStarted \/ rcKeysHande
               (MAINTAINING -rentalHasBeenStarted \/ rcKeysHandedOverQ;'
               (MAINTAINING -rentalHasBeenStarted \/ rcKeysHandedOverQ;'Ye
         (MAINTAINING -rentalHasBeenStarted \/ rcKeysHandedOverQ;'Yes'[YesN
(MAINTAINING -rentalHasBeenStarted \/ rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcK
NEW x:YesNoAnswer;
  ALL of INSERT INTO rcKeysHandedOverQ[RentalCase*YesNoAnswer]
          SELECTFROM ((rentalHasBeenStarted /\ -(rcKeysHandedOverQ;'Yes'[YesNo

        (TO MAINTAIN  -rentalHasBeenStarted \/ rcKeysHandedOverQ;'Yes'[YesNoA
         ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'[YesNoAnswer]*((rentalH
               THEN BLOCK
                    (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM Started rentals)
               PICK a,b FROM 'Yes'[YesNoAnswer];('x'[YesNoAnswer]*((rentalHas
               THEN INSERT INTO rcKeysHandedOverQ[RentalCase*YesNoAnswer]
                    SELECTFROM 'b'[RentalCase]*'a'[YesNoAnswer]

               (TO MAINTAIN  -rentalHasBeenStarted \/ rcKeysHandedOverQ;
         (MAINTAINING -rentalHasBeenStarted \/ rcKeysHandedOverQ;'Yes'[YesNoAn
   (MAINTAINING -rentalHasBeenStarted \/ rcKeysHandedOverQ;'Yes'[YesNoAnswer];r
(MAINTAINING -rentalHasBeenStarted \/ rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcK
INSERT INTO rcCarHasBeenDroppedOff[RentalCase*RentalCase]
 SELECTFROM (rcDroppedOffBranch;rcDroppedOffBranch~ /\ rcDroppedOffDate;rcDrop
```

```
                     (TO MAINTAIN  -(rcDroppedOffBranch;rcDroppedOffBranch~ /\ rcDroppedOffDate;rcD
              INSERT INTO Isn{detyp=RentalCase}
               SELECTFROM (Delta;Delta~ /\ I[RentalCase]) - I[RentalCase]

              INSERT INTO Isn{detyp=RentalCase}
               SELECTFROM (Delta~;Delta /\ I[RentalCase]) - I[RentalCase]

       (MAINTAINING -rentalHasBeenStarted \/ rentalHasBeenPromised FROM Started rentals)
       (MAINTAINING -rentalHasBeenStarted \/ rcAssignedCar;rcAssignedCar~ FROM Started renta
       (MAINTAINING -rentalHasBeenStarted \/ rcAssignedCar;rcAssignedCar~ FROM Started renta
       (MAINTAINING -rentalHasBeenStarted \/ rcAssignedCar;rcAssignedCar~ FROM Started renta
       (MAINTAINING -rentalHasBeenStarted \/ rcAssignedCar;rcAssignedCar~ FROM Started renta
       (MAINTAINING -rentalHasBeenStarted \/ rcAssignedCar;rcAssignedCar~ FROM Started renta
       (MAINTAINING -rentalHasBeenStarted \/ rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHand
       (MAINTAINING -(rcDroppedOffBranch;rcDroppedOffBranch~ /\ rcDroppedOffDate;rcDroppedOf

<------End Derivation --


         ON DELETE Delta FROM rentalHasBeenStarted[RentalCase*RentalCase] EXECUTE    -- (
         ALL of DELETE FROM Isn{detyp=Car}
                  SELECTFROM -(carAvailableAt;carAvailableAt~) /\ -(rcAssignedCar~;(rental

              (TO MAINTAIN  -I[Car] \/ carAvailableAt;carAvailableAt~ \/ rcAssignedCar~
              ONE OF DELETE FROM rcKeysHandedOverQ[RentalCase*YesNoAnswer]
                      SELECTFROM ((-rentalHasBeenStarted /\ rcKeysHandedOverQ;'Yes'[Yes

                     (TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedO
                     DELETE FROM rcKeysHandedOverQ[RentalCase*YesNoAnswer]
                      SELECTFROM ((-rentalHasBeenStarted~ /\ rcKeysHandedOverQ;'Yes'[Ye

                     (TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedO
                     DELETE FROM rcAssignedCar[RentalCase*Car]
                      SELECTFROM ((-rentalHasBeenStarted /\ rcKeysHandedOverQ;'Yes'[Yes

                     (TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedO
                     DELETE FROM rcAssignedCar[RentalCase*Car]
                      SELECTFROM ((-rentalHasBeenStarted~ /\ rcKeysHandedOverQ;'Yes'[Ye

                     (TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedO
                     DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
                      SELECTFROM (-rentalHasBeenStarted /\ rcKeysHandedOverQ;'Yes'[YesN

                     (TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedO
                     DELETE FROM Isn{detyp=RentalCase}
                      SELECTFROM (-rentalHasBeenStarted /\ rcKeysHandedOverQ;'Yes'[YesN

                     (TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedO
                  (MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\
```

218

```
                        DELETE FROM rcCarHasBeenDroppedOff[RentalCase*RentalCase]
                         SELECTFROM (-rentalHasBeenStarted /\ rcCarHasBeenDroppedOff) \/ (Delta /

                        (TO MAINTAIN  -rcCarHasBeenDroppedOff \/ rentalHasBeenStarted FROM Droppe
                        DELETE FROM sessionDroppedoffCar[SESSION*Car]
                         SELECTFROM '_SESSION'[SESSION];(-(sessionDroppedoffCar;(I[Car] /\ rcAssi

                        (TO MAINTAIN  -('_SESSION'[SESSION];sessionDroppedoffCar) \/ sessionDropp
                        ONE OF DELETE FROM sessionDroppedoffCar[SESSION*Car]
                                SELECTFROM '_SESSION'[SESSION];sessionDroppedoffCar;((-I[Car] /\

                                (TO MAINTAIN  -(sessionDroppedoffCar~;'_SESSION'[SESSION];sessionD
                                DELETE FROM sessionDroppedoffCar[SESSION*Car]
                                 SELECTFROM '_SESSION'[SESSION];sessionDroppedoffCar;((-I[Car] /\

                                (TO MAINTAIN  -(sessionDroppedoffCar~;'_SESSION'[SESSION];sessionD
                        (MAINTAINING -(sessionDroppedoffCar~;'_SESSION'[SESSION];sessionDroppedof
              (MAINTAINING -I[Car] \/ carAvailableAt;carAvailableAt~ \/ rcAssignedCar~;(rental
              (MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\ rcAssi
              (MAINTAINING -rcCarHasBeenDroppedOff \/ rentalHasBeenStarted FROM Dropped off Ca
              (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar) \/ sessionDroppedoffCar
              (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar) \/ sessionDroppedoffCar

------ Derivation ----->


        ALL of DELETE FROM Isn{detyp=Car}
                SELECTFROM -(carAvailableAt;carAvailableAt~) /\ -(rcAssignedCar~;(rentalHasBe

              (TO MAINTAIN  -I[Car] \/ carAvailableAt;carAvailableAt~ \/ rcAssignedCar~;(ren
              ONE OF DELETE FROM rcKeysHandedOverQ[RentalCase*YesNoAnswer]
                      SELECTFROM ((-rentalHasBeenStarted /\ rcKeysHandedOverQ;'Yes'[YesNoAns

                      (TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~
                      DELETE FROM rcKeysHandedOverQ[RentalCase*YesNoAnswer]
                       SELECTFROM ((-rentalHasBeenStarted~ /\ rcKeysHandedOverQ;'Yes'[YesNoAn

                      (TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~
                      DELETE FROM rcAssignedCar[RentalCase*Car]
                       SELECTFROM ((-rentalHasBeenStarted /\ rcKeysHandedOverQ;'Yes'[YesNoAns

                      (TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~
                      DELETE FROM rcAssignedCar[RentalCase*Car]
                       SELECTFROM ((-rentalHasBeenStarted~ /\ rcKeysHandedOverQ;'Yes'[YesNoAn

                      (TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~
                      DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
                       SELECTFROM (-rentalHasBeenStarted /\ rcKeysHandedOverQ;'Yes'[YesNoAnsw
```

219

```
                              (TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~
                     DELETE FROM Isn{detyp=RentalCase}
                      SELECTFROM (-rentalHasBeenStarted /\ rcKeysHandedOverQ;'Yes'[YesNoAnsw

                              (TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~
            (MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\ rcAs
            DELETE FROM rcCarHasBeenDroppedOff[RentalCase*RentalCase]
             SELECTFROM (-rentalHasBeenStarted /\ rcCarHasBeenDroppedOff) \/ (Delta /\ rcC

              (TO MAINTAIN  -rcCarHasBeenDroppedOff \/ rentalHasBeenStarted FROM Dropped off
              DELETE FROM sessionDroppedoffCar[SESSION*Car]
               SELECTFROM '_SESSION'[SESSION];(-(sessionDroppedoffCar;(I[Car] /\ rcAssignedC

              (TO MAINTAIN  -('_SESSION'[SESSION];sessionDroppedoffCar) \/ sessionDroppedoff
              ONE OF DELETE FROM sessionDroppedoffCar[SESSION*Car]
                       SELECTFROM '_SESSION'[SESSION];sessionDroppedoffCar;((-I[Car] /\ sessi

                      (TO MAINTAIN  -(sessionDroppedoffCar~;'_SESSION'[SESSION];sessionDroppe
                      DELETE FROM sessionDroppedoffCar[SESSION*Car]
                       SELECTFROM '_SESSION'[SESSION];sessionDroppedoffCar;((-I[Car] /\ sessi

                      (TO MAINTAIN  -(sessionDroppedoffCar~;'_SESSION'[SESSION];sessionDroppe
              (MAINTAINING -(sessionDroppedoffCar~;'_SESSION'[SESSION];sessionDroppedoffCar)
      (MAINTAINING -I[Car] \/ carAvailableAt;carAvailableAt~ \/ rcAssignedCar~;(rentalHasBe
      (MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\ rcAssignedC
      (MAINTAINING -rcCarHasBeenDroppedOff \/ rentalHasBeenStarted FROM Dropped off Cars)
      (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar) \/ sessionDroppedoffCar;(I[C
      (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar) \/ sessionDroppedoffCar;(I[C

<------End Derivation --


          ON INSERT Delta IN rcKeysHandedOverQ[RentalCase*YesNoAnswer] EXECUTE     -- (ECA
          ALL of INSERT INTO rentalHasBeenStarted[RentalCase*RentalCase]
                  SELECTFROM (rcKeysHandedOverQ;'Yes'[YesNoAnswer];(rcKeysHandedOverQ \/ D

                  (TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /
                  INSERT INTO Isn{detyp=Person}
                   SELECTFROM (rcDriver~;rcKeysHandedOverQ;'Yes'[YesNoAnswer];(rcKeysHanded

                  (TO MAINTAIN  -(rcDriver~;rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHand
                  (TO MAINTAIN  -(rcRenter~;rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHand
                  INSERT INTO rcBranchRequestedQ[RentalCase*YesNoAnswer]
                   SELECTFROM (sessionNewBranchRC~;sessionNewBranchRC;(I[RentalCase] /\ rcA

                  (TO MAINTAIN  -(sessionNewBranchRC~;sessionNewBranchRC;(I[RentalCase] /\
                  INSERT INTO Isn{detyp=RentalCase}
                   SELECTFROM (Delta;Delta~ /\ I[RentalCase]) - I[RentalCase]


                                       220
```

```
INSERT INTO Isn{detyp=YesNoAnswer}
 SELECTFROM (Delta~;Delta /\ I[YesNoAnswer]) - I[YesNoAnswer]


ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (contractedPickupBranch~
              THEN INSERT INTO carAvailableAt[Car*Branch]
                  SELECTFROM 'b'[Car]*'a'[Branch]

                  (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase]
              PICK a,b FROM carAvailableAt;(contractedPickupBranch~;(I[Re
              THEN INSERT INTO carType[Car*CarType]
                  SELECTFROM 'a'[Car]*'b'[CarType]

                  (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase]
        (MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHas
        NEW x:Car;
          ALL of INSERT INTO carAvailableAt[Car*Branch]
                  SELECTFROM 'x'[Car]*(contractedCarType~;(I[RentalCase] /

                  (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\
                  INSERT INTO carType[Car*CarType]
                   SELECTFROM 'x'[Car]*(contractedPickupBranch~;(I[RentalCa

                  (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\
            (MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHa
        (MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHas
(MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeenPro
ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rcKeysHandedOverQ;'Yes
              THEN INSERT INTO rcDriver[RentalCase*Person]
                  SELECTFROM 'a'[RentalCase]*'b'[Person]

                  (TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rc
              PICK a,b FROM rcDriver~;((rcKeysHandedOverQ;'Yes'[YesNoAnsw
              THEN INSERT INTO rcDriver[RentalCase*Person]
                  SELECTFROM 'b'[RentalCase]*'a'[Person]

                  (TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rc
        (MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOv
        NEW x:Person;
          INSERT INTO rcDriver[RentalCase*Person]
           SELECTFROM ((rcKeysHandedOverQ;'Yes'[YesNoAnswer];(rcKeysHanded

          (TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHande
        (MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOv
(MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\
ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rcKeysHandedOverQ;'Yes
              THEN INSERT INTO rcRenter[RentalCase*Person]
                  SELECTFROM 'a'[RentalCase]*'b'[Person]

                  (TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rc
              PICK a,b FROM rcRenter~;((rcKeysHandedOverQ;'Yes'[YesNoAnsw
```

```
                                      THEN INSERT INTO rcRenter[RentalCase*Person]
                                          SELECTFROM 'b'[RentalCase]*'a'[Person]

                               (TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];r
                    (MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOve
                    NEW x:Person;
                       INSERT INTO rcRenter[RentalCase*Person]
                        SELECTFROM ((rcKeysHandedOverQ;'Yes'[YesNoAnswer];(rcKeysHanded(

                               (TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHande
                      (MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOve
             (MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\
             ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((sessionNewBranchRC;(I[
                          THEN INSERT INTO sessionNewBranchRC[SESSION*RentalCase]
                              SELECTFROM 'a'[SESSION]*'b'[RentalCase]

                                 (TO MAINTAIN  -(sessionNewBranchRC;(I[RentalCase] /\ r
                          PICK a,b FROM sessionNewBranchRC~;((sessionNewBranchRC;(I[R
                          THEN INSERT INTO rcBranchRequestedQ[RentalCase*YesNoAnswer]
                              SELECTFROM 'a'[RentalCase]*'b'[YesNoAnswer]

                                 (TO MAINTAIN  -(sessionNewBranchRC;(I[RentalCase] /\ r
                    (MAINTAINING -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;
                    NEW x:RentalCase;
                       ALL of INSERT INTO sessionNewBranchRC[SESSION*RentalCase]
                              SELECTFROM ((sessionNewBranchRC;(I[RentalCase] /\ rcAssi

                                 (TO MAINTAIN  -(sessionNewBranchRC;(I[RentalCase] /\ rcAs
                          INSERT INTO rcBranchRequestedQ[RentalCase*YesNoAnswer]
                           SELECTFROM 'x'[RentalCase]*((sessionNewBranchRC;(I[Rental

                                 (TO MAINTAIN  -(sessionNewBranchRC;(I[RentalCase] /\ rcAs
                      (MAINTAINING -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCa
                      (MAINTAINING -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;
             (MAINTAINING -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;rcAssig
      (MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\ rcAssig
      (MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeenPromised /
      (MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\ I[Renta
      (MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\ I[Renta
      (MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\ I[Renta
      (MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\ I[Renta
      (MAINTAINING -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;rcAssignedCar~
      (MAINTAINING -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;rcAssignedCar~

------ Derivation ----->


      ALL of INSERT INTO rentalHasBeenStarted[RentalCase*RentalCase]
           SELECTFROM (rcKeysHandedOverQ;'Yes'[YesNoAnswer];(rcKeysHandedOverQ \/ Delta)
```

```
(TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\ rcA
INSERT INTO Isn{detyp=Person}
 SELECTFROM (rcDriver~;rcKeysHandedOverQ;'Yes'[YesNoAnswer];(rcKeysHandedOverQ

(TO MAINTAIN  -(rcDriver~;rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOve
(TO MAINTAIN  -(rcRenter~;rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOve
INSERT INTO rcBranchRequestedQ[RentalCase*YesNoAnswer]
 SELECTFROM (sessionNewBranchRC~;sessionNewBranchRC;(I[RentalCase] /\ rcAssign

(TO MAINTAIN  -(sessionNewBranchRC~;sessionNewBranchRC;(I[RentalCase] /\ rcAss
INSERT INTO Isn{detyp=RentalCase}
 SELECTFROM (Delta;Delta~ /\ I[RentalCase]) - I[RentalCase]

INSERT INTO Isn{detyp=YesNoAnswer}
 SELECTFROM (Delta~;Delta /\ I[YesNoAnswer]) - I[YesNoAnswer]

ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (contractedPickupBranch~;(I[R
               THEN INSERT INTO carAvailableAt[Car*Branch]
                     SELECTFROM 'b'[Car]*'a'[Branch]

                     (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ r
               PICK a,b FROM carAvailableAt;(contractedPickupBranch~;(I[RentalC
               THEN INSERT INTO carType[Car*CarType]
                     SELECTFROM 'a'[Car]*'b'[CarType]

                     (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ r
        (MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeenP
        NEW x:Car;
          ALL of INSERT INTO carAvailableAt[Car*Branch]
                  SELECTFROM 'x'[Car]*(contractedCarType~;(I[RentalCase] /\ ren

                 (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ rent
                 INSERT INTO carType[Car*CarType]
                  SELECTFROM 'x'[Car]*(contractedPickupBranch~;(I[RentalCase] /

                 (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ rent
           (MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBee
        (MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeenP
(MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeenPromised
ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rcKeysHandedOverQ;'Yes'[Yes
               THEN INSERT INTO rcDriver[RentalCase*Person]
                     SELECTFROM 'a'[RentalCase]*'b'[Person]

                     (TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeys
               PICK a,b FROM rcDriver~;((rcKeysHandedOverQ;'Yes'[YesNoAnswer];(
               THEN INSERT INTO rcDriver[RentalCase*Person]
                     SELECTFROM 'b'[RentalCase]*'a'[Person]

                     (TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeys
```

223

```
                         (MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~
               NEW x:Person;
                 INSERT INTO rcDriver[RentalCase*Person]
                  SELECTFROM ((rcKeysHandedOverQ;'Yes'[YesNoAnswer];(rcKeysHandedOverQ

                  (TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOver
             (MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~
      (MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\ I[Re
     ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rcKeysHandedOverQ;'Yes'[Yes
                 THEN INSERT INTO rcRenter[RentalCase*Person]
                      SELECTFROM 'a'[RentalCase]*'b'[Person]

                     (TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeys
               PICK a,b FROM rcRenter~;((rcKeysHandedOverQ;'Yes'[YesNoAnswer];(
               THEN INSERT INTO rcRenter[RentalCase*Person]
                     SELECTFROM 'b'[RentalCase]*'a'[Person]

                     (TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeys
             (MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~
               NEW x:Person;
                 INSERT INTO rcRenter[RentalCase*Person]
                  SELECTFROM ((rcKeysHandedOverQ;'Yes'[YesNoAnswer];(rcKeysHandedOverQ

                  (TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOver
             (MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~
      (MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\ I[Re
     ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((sessionNewBranchRC;(I[Renta
                 THEN INSERT INTO sessionNewBranchRC[SESSION*RentalCase]
                      SELECTFROM 'a'[SESSION]*'b'[RentalCase]

                     (TO MAINTAIN  -(sessionNewBranchRC;(I[RentalCase] /\ rcAssi
               PICK a,b FROM sessionNewBranchRC~;((sessionNewBranchRC;(I[Rental
               THEN INSERT INTO rcBranchRequestedQ[RentalCase*YesNoAnswer]
                     SELECTFROM 'a'[RentalCase]*'b'[YesNoAnswer]

                     (TO MAINTAIN  -(sessionNewBranchRC;(I[RentalCase] /\ rcAssi
             (MAINTAINING -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;rcAss
               NEW x:RentalCase;
                 ALL of INSERT INTO sessionNewBranchRC[SESSION*RentalCase]
                      SELECTFROM ((sessionNewBranchRC;(I[RentalCase] /\ rcAssignedC

                     (TO MAINTAIN  -(sessionNewBranchRC;(I[RentalCase] /\ rcAssigne
                     INSERT INTO rcBranchRequestedQ[RentalCase*YesNoAnswer]
                      SELECTFROM 'x'[RentalCase]*((sessionNewBranchRC;(I[RentalCase

                     (TO MAINTAIN  -(sessionNewBranchRC;(I[RentalCase] /\ rcAssigne
             (MAINTAINING -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;rcA
             (MAINTAINING -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;rcAss
         (MAINTAINING -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;rcAssignedCa
   (MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\ rcAssignedC
```

```
(MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeenPromised /\ -(r
(MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\ I[RentalCas
(MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\ I[RentalCas
(MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\ I[RentalCas
(MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\ I[RentalCas
(MAINTAINING -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;rcAssignedCar~);rcK
(MAINTAINING -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;rcAssignedCar~);rcK


<------End Derivation --


        ON DELETE Delta FROM rcKeysHandedOverQ[RentalCase*YesNoAnswer] EXECUTE     -- (EC
        ALL of DELETE FROM rentalHasBeenStarted[RentalCase*RentalCase]
                SELECTFROM -((rcKeysHandedOverQ /\ -Delta);'Yes'[YesNoAnswer];(rcKeysHand

                (TO MAINTAIN  -rentalHasBeenStarted \/ rcKeysHandedOverQ;'Yes'[YesNoAnswe
                ONE OF DELETE FROM sessionNewBranchRC[SESSION*RentalCase]
                        SELECTFROM '_SESSION'[SESSION];(-(sessionNewBranchRC;(rcKeysHande

                        (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBe
                        DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
                         SELECTFROM sessionNewBranchRC~;'_SESSION'[SESSION];(-(sessionNewBr

                        (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBe
                        DELETE FROM rcAssignedCar[RentalCase*Car]
                         SELECTFROM sessionNewBranchRC~;'_SESSION'[SESSION];(-(sessionNewBr

                        (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBe
                        DELETE FROM rcAssignedCar[RentalCase*Car]
                         SELECTFROM (-(V[RentalCase*YesNoAnswer];'Yes'[YesNoAnswer];(rcKeya

                        (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBe
                (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenPromi
                ONE OF DELETE FROM sessionNewBranchRC[SESSION*RentalCase]
                        SELECTFROM '_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenP

                        (TO MAINTAIN  -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNew
                        DELETE FROM sessionNewBranchRC[SESSION*RentalCase]
                         SELECTFROM '_SESSION'[SESSION];sessionNewBranchRC;(-((rcKeysHande

                        (TO MAINTAIN  -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNew
                        DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
                         SELECTFROM sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewBran

                        (TO MAINTAIN  -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNew
                        DELETE FROM rcAssignedCar[RentalCase*Car]
                         SELECTFROM sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewBran

                        (TO MAINTAIN  -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNew
```

225

```
                          DELETE FROM rcAssignedCar[RentalCase*Car]
                           SELECTFROM (-(V[RentalCase*YesNoAnswer];'Yes'[YesNoAnswer];(rcKey

                        (TO MAINTAIN  -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNew
                   (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewBranchRC
           (MAINTAINING -rentalHasBeenStarted \/ rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKey
           (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenPromised /\
           (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenPromised /\
```

------ Derivation ----->

```
        ALL of DELETE FROM rentalHasBeenStarted[RentalCase*RentalCase]
                SELECTFROM -((rcKeysHandedOverQ /\ -Delta);'Yes'[YesNoAnswer];(rcKeysHandedOv

              (TO MAINTAIN  -rentalHasBeenStarted \/ rcKeysHandedOverQ;'Yes'[YesNoAnswer];rc
              ONE OF DELETE FROM sessionNewBranchRC[SESSION*RentalCase]
                      SELECTFROM '_SESSION'[SESSION];(-(sessionNewBranchRC;(rcKeysHandedOver

                    (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenPr
                    DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
                     SELECTFROM sessionNewBranchRC~;'_SESSION'[SESSION];(-(sessionNewBranch

                    (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenPr
                    DELETE FROM rcAssignedCar[RentalCase*Car]
                     SELECTFROM sessionNewBranchRC~;'_SESSION'[SESSION];(-(sessionNewBranch

                    (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenPr
                    DELETE FROM rcAssignedCar[RentalCase*Car]
                     SELECTFROM (-(V[RentalCase*YesNoAnswer];'Yes'[YesNoAnswer];(rcKeysHand

                    (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenPr
                 (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenPromised /
              ONE OF DELETE FROM sessionNewBranchRC[SESSION*RentalCase]
                      SELECTFROM '_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenPromis

                    (TO MAINTAIN  -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewBranc
                    DELETE FROM sessionNewBranchRC[SESSION*RentalCase]
                     SELECTFROM '_SESSION'[SESSION];sessionNewBranchRC;(-((rcKeysHandedOver

                    (TO MAINTAIN  -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewBranc
                    DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
                     SELECTFROM sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewBranchRC;

                    (TO MAINTAIN  -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewBranc
                    DELETE FROM rcAssignedCar[RentalCase*Car]
                     SELECTFROM sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewBranchRC;

                    (TO MAINTAIN  -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewBranc
```

226

```
                        DELETE FROM rcAssignedCar[RentalCase*Car]
                         SELECTFROM (-(V[RentalCase*YesNoAnswer];'Yes'[YesNoAnswer];(rcKeysHand

                    (TO MAINTAIN  -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewBranc
             (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewBranchRC;(ren
      (MAINTAINING -rentalHasBeenStarted \/ rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHand
      (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenPromised /\ rcAss
      (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenPromised /\ rcAss


    <------End Derivation --


           ON INSERT Delta IN rcCarHasBeenDroppedOff[RentalCase*RentalCase] EXECUTE    -- (
           ONE OF INSERT INTO rentalHasBeenStarted[RentalCase*RentalCase]
                  SELECTFROM (rcCarHasBeenDroppedOff /\ -rentalHasBeenStarted) \/ (Delta /

                  (TO MAINTAIN  -rcCarHasBeenDroppedOff \/ rentalHasBeenStarted FROM Droppe
                  ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rcCarHasBeenDroppedOff /\ -(r
                       THEN INSERT INTO rcDroppedOffCar[RentalCase*Car]
                             SELECTFROM 'a'[RentalCase]*'b'[Car]

                             (TO MAINTAIN  -rcCarHasBeenDroppedOff \/ rcDroppedOffCar;rcDro
                       PICK a,b FROM rcDroppedOffCar~;((rcCarHasBeenDroppedOff /\ -(rcDrop
                       THEN INSERT INTO rcDroppedOffCar[RentalCase*Car]
                             SELECTFROM 'b'[RentalCase]*'a'[Car]

                             (TO MAINTAIN  -rcCarHasBeenDroppedOff \/ rcDroppedOffCar;rcDro
                  (MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffCar;rcDroppedOffCar~ 
                  NEW x:Car;
                    INSERT INTO rcDroppedOffCar[RentalCase*Car]
                     SELECTFROM ((rcCarHasBeenDroppedOff /\ -(rcDroppedOffCar;rcDroppedOffCa

                    (TO MAINTAIN  -rcCarHasBeenDroppedOff \/ rcDroppedOffCar;rcDroppedOffCa
                  (MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffCar;rcDroppedOffCar~ 
                  INSERT INTO rcDroppedOffCar[RentalCase*Car]
                   SELECTFROM (rcCarHasBeenDroppedOff~;rcDroppedOffCar /\ -rcDroppedOffCar) 

                  (TO MAINTAIN  -(rcDroppedOffCar~;rcCarHasBeenDroppedOff) \/ rcDroppedOffCa
                  INSERT INTO Isn{detyp=Car}
                   SELECTFROM (rcDroppedOffCar~;rcCarHasBeenDroppedOff;rcDroppedOffCar /\ -

                  (TO MAINTAIN  -(rcDroppedOffCar~;rcCarHasBeenDroppedOff;rcDroppedOffCar) 
                  INSERT INTO rcDroppedOffCar[RentalCase*Car]
                   SELECTFROM (rcCarHasBeenDroppedOff;rcDroppedOffCar /\ -rcDroppedOffCar) 

                  (TO MAINTAIN  -(rcCarHasBeenDroppedOff;rcDroppedOffCar) \/ rcDroppedOffCa
                  ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rcCarHasBeenDroppedOff /\ -(r
                       THEN INSERT INTO rcDroppedOffDate[RentalCase*Date]
                             SELECTFROM 'a'[RentalCase]*'b'[Date]
```

227

```
                    (TO MAINTAIN  -rcCarHasBeenDroppedOff \/ rcDroppedOffDate;rcD:
        PICK a,b FROM rcDroppedOffDate~;((rcCarHasBeenDroppedOff /\ -(rcDr
        THEN INSERT INTO rcDroppedOffDate[RentalCase*Date]
              SELECTFROM 'b'[RentalCase]*'a'[Date]


                    (TO MAINTAIN  -rcCarHasBeenDroppedOff \/ rcDroppedOffDate;rcD:
(MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffDate;rcDroppedOffDate
NEW x:Date;
  INSERT INTO rcDroppedOffDate[RentalCase*Date]
   SELECTFROM ((rcCarHasBeenDroppedOff /\ -(rcDroppedOffDate;rcDroppedOffl


  (TO MAINTAIN  -rcCarHasBeenDroppedOff \/ rcDroppedOffDate;rcDroppedOffDa
(MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffDate;rcDroppedOffDate
INSERT INTO rcDroppedOffDate[RentalCase*Date]
 SELECTFROM (rcCarHasBeenDroppedOff~;rcDroppedOffDate /\ -rcDroppedOffDat


(TO MAINTAIN  -(rcDroppedOffDate~;rcCarHasBeenDroppedOff) \/ rcDroppedOffl
INSERT INTO Isn{detyp=Date}
 SELECTFROM (rcDroppedOffDate~;rcCarHasBeenDroppedOff;rcDroppedOffDate /\


(TO MAINTAIN  -(rcDroppedOffDate~;rcCarHasBeenDroppedOff;rcDroppedOffDate
INSERT INTO rcDroppedOffDate[RentalCase*Date]
 SELECTFROM (rcCarHasBeenDroppedOff;rcDroppedOffDate /\ -rcDroppedOffDate


(TO MAINTAIN  -(rcCarHasBeenDroppedOff;rcDroppedOffDate) \/ rcDroppedOffDa
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rcCarHasBeenDroppedOff /\ -(r
        THEN INSERT INTO rcDroppedOffBranch[RentalCase*Branch]
              SELECTFROM 'a'[RentalCase]*'b'[Branch]


                    (TO MAINTAIN  -rcCarHasBeenDroppedOff \/ rcDroppedOffBranch;rc
        PICK a,b FROM rcDroppedOffBranch~;((rcCarHasBeenDroppedOff /\ -(rc
        THEN INSERT INTO rcDroppedOffBranch[RentalCase*Branch]
              SELECTFROM 'b'[RentalCase]*'a'[Branch]


                    (TO MAINTAIN  -rcCarHasBeenDroppedOff \/ rcDroppedOffBranch;rc
(MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffBranch;rcDroppedOffBra
NEW x:Branch;
  INSERT INTO rcDroppedOffBranch[RentalCase*Branch]
   SELECTFROM ((rcCarHasBeenDroppedOff /\ -(rcDroppedOffBranch;rcDroppedO:


  (TO MAINTAIN  -rcCarHasBeenDroppedOff \/ rcDroppedOffBranch;rcDroppedOf:
(MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffBranch;rcDroppedOffBra
INSERT INTO rcDroppedOffBranch[RentalCase*Branch]
 SELECTFROM (rcCarHasBeenDroppedOff~;rcDroppedOffBranch /\ -rcDroppedOffBi


(TO MAINTAIN  -(rcDroppedOffBranch~;rcCarHasBeenDroppedOff) \/ rcDroppedO:
INSERT INTO Isn{detyp=Branch}
 SELECTFROM (rcDroppedOffBranch~;rcCarHasBeenDroppedOff;rcDroppedOffBranch
```

228

```
(TO MAINTAIN  -(rcDroppedOffBranch~;rcCarHasBeenDroppedOff;rcDroppedOffBr
INSERT INTO rcDroppedOffBranch[RentalCase*Branch]
 SELECTFROM (rcCarHasBeenDroppedOff;rcDroppedOffBranch /\ -rcDroppedOffBr

(TO MAINTAIN  -(rcCarHasBeenDroppedOff;rcDroppedOffBranch) \/ rcDroppedOf
INSERT INTO rentalHasBeenEnded[RentalCase*RentalCase]
 SELECTFROM (rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsPaidQ~ /\ rcCarHasBe

(TO MAINTAIN  -(rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsPaidQ~ /\ rcCarHa
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (('_SESSION'[SESSION];sessionDro
        THEN BLOCK
              (CANNOT CHANGE V[SESSION*RentalCase] FROM Car drop-off handli
        PICK a,b FROM V[RentalCase*SESSION];(('_SESSION'[SESSION];sessionD
        THEN ALL of INSERT INTO Isn{detyp=RentalCase}
                    SELECTFROM 'a'[RentalCase]*'b'[RentalCase]

                    (TO MAINTAIN  -('_SESSION'[SESSION];sessionDroppedoffC
                    ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
                                THEN INSERT INTO rentalIsPaidQ[RentalCase
                                      SELECTFROM 'a'[RentalCase]*'b'[Yes

                                  (TO MAINTAIN  -('_SESSION'[SESSION]
                            PICK a,b FROM rentalIsPaidQ~;('a'[RentalC
                            THEN ONE OF ONE NONEMPTY ALTERNATIVE OF
                                          THEN BLOCK
                                                (CANNOT CHANGE '
                                          PICK a,b FROM 'Yes'[Y
                                          THEN INSERT INTO rent
                                                SELECTFROM 'b'[

                                            (TO MAINTAIN  -(
                                (MAINTAINING -('_SESSION'[SES
                                NEW x:YesNoAnswer;
                                  ALL of BLOCK
                                          (CANNOT CHANGE 'Yes
                                          INSERT INTO rentalI
                                           SELECTFROM 'b'[Ren

                                          (TO MAINTAIN  -('_S
                                  (MAINTAINING -('_SESSION'[
                                  (MAINTAINING -('_SESSION'[SE
                              (MAINTAINING -('_SESSION'[SESSION];
                        (MAINTAINING -('_SESSION'[SESSION];sessionDropp
                        NEW x:YesNoAnswer;
                          ALL of INSERT INTO rentalIsPaidQ[RentalCase*Y
                                      SELECTFROM 'a'[RentalCase]*'b'[RentalC

                                  (TO MAINTAIN  -('_SESSION'[SESSION];se
                                  ONE OF ONE NONEMPTY ALTERNATIVE OF PIC
                                                THEN BLOCK
```

229

```
                                                     (CANNOT CHANGE 'Yes
                                        PICK a,b FROM 'Yes'[YesN
                                        THEN INSERT INTO rentalIs
                                            SELECTFROM 'b'[Rent

                                        (TO MAINTAIN  -('_S
                              (MAINTAINING -('_SESSION'[SESSI
                              NEW x:YesNoAnswer;
                                ALL of BLOCK
                                        (CANNOT CHANGE 'Yes'[Y
                                        INSERT INTO rentalIsPai
                                         SELECTFROM 'b'[Rental(

                                        (TO MAINTAIN  -('_SESS
                              (MAINTAINING -('_SESSION'[SES
                              (MAINTAINING -('_SESSION'[SESSI
                         (MAINTAINING -('_SESSION'[SESSION];ses
                    (MAINTAINING -('_SESSION'[SESSION];sessionDro
                  (MAINTAINING -('_SESSION'[SESSION];sessionDropp
             (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCa
           (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar;rcAss
      (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssignedCar~;(I
      INSERT INTO Isn{detyp=RentalCase}
       SELECTFROM (Delta;Delta~ /\ I[RentalCase]) - I[RentalCase]

      INSERT INTO Isn{detyp=RentalCase}
       SELECTFROM (Delta~;Delta /\ I[RentalCase]) - I[RentalCase]

(MAINTAINING -rcCarHasBeenDroppedOff \/ rentalHasBeenStarted FROM Dropped off Ca
(MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffCar;rcDroppedOffCar~ FROM Dr
(MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffCar;rcDroppedOffCar~ FROM Dr
(MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffCar;rcDroppedOffCar~ FROM Dr
(MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffCar;rcDroppedOffCar~ FROM Dr
(MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffCar;rcDroppedOffCar~ FROM Dr
(MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffDate;rcDroppedOffDate~ FROM
(MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffDate;rcDroppedOffDate~ FROM
(MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffDate;rcDroppedOffDate~ FROM
(MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffDate;rcDroppedOffDate~ FROM
(MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffDate;rcDroppedOffDate~ FROM
(MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffBranch;rcDroppedOffBranch~ F
(MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffBranch;rcDroppedOffBranch~ F
(MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffBranch;rcDroppedOffBranch~ F
(MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffBranch;rcDroppedOffBranch~ F
(MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffBranch;rcDroppedOffBranch~ F
(MAINTAINING -(rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsPaidQ~ /\ rcCarHasBeenDr
(MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssignedCar~;(I[Rental
```

------ Derivation ----->

230

```
ONE OF INSERT INTO rentalHasBeenStarted[RentalCase*RentalCase]
        SELECTFROM (rcCarHasBeenDroppedOff /\ -rentalHasBeenStarted) \/ (Delta /\ -re

    (TO MAINTAIN  -rcCarHasBeenDroppedOff \/ rentalHasBeenStarted FROM Dropped off
    ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rcCarHasBeenDroppedOff /\ -(rcDrop
        THEN INSERT INTO rcDroppedOffCar[RentalCase*Car]
             SELECTFROM 'a'[RentalCase]*'b'[Car]

             (TO MAINTAIN  -rcCarHasBeenDroppedOff \/ rcDroppedOffCar;rcDropped
        PICK a,b FROM rcDroppedOffCar~;((rcCarHasBeenDroppedOff /\ -(rcDroppedO
        THEN INSERT INTO rcDroppedOffCar[RentalCase*Car]
             SELECTFROM 'b'[RentalCase]*'a'[Car]

             (TO MAINTAIN  -rcCarHasBeenDroppedOff \/ rcDroppedOffCar;rcDropped
    (MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffCar;rcDroppedOffCar~ FROM
    NEW x:Car;
      INSERT INTO rcDroppedOffCar[RentalCase*Car]
       SELECTFROM ((rcCarHasBeenDroppedOff /\ -(rcDroppedOffCar;rcDroppedOffCar~))

      (TO MAINTAIN  -rcCarHasBeenDroppedOff \/ rcDroppedOffCar;rcDroppedOffCar~ FR
    (MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffCar;rcDroppedOffCar~ FROM
    INSERT INTO rcDroppedOffCar[RentalCase*Car]
     SELECTFROM (rcCarHasBeenDroppedOff~;rcDroppedOffCar /\ -rcDroppedOffCar) \/ (

    (TO MAINTAIN  -(rcDroppedOffCar~;rcCarHasBeenDroppedOff) \/ rcDroppedOffCar~ F
    INSERT INTO Isn{detyp=Car}
     SELECTFROM (rcDroppedOffCar~;rcCarHasBeenDroppedOff;rcDroppedOffCar /\ -I[Car

    (TO MAINTAIN  -(rcDroppedOffCar~;rcCarHasBeenDroppedOff;rcDroppedOffCar) \/ I[
    INSERT INTO rcDroppedOffCar[RentalCase*Car]
     SELECTFROM (rcCarHasBeenDroppedOff;rcDroppedOffCar /\ -rcDroppedOffCar) \/ (D

    (TO MAINTAIN  -(rcCarHasBeenDroppedOff;rcDroppedOffCar) \/ rcDroppedOffCar FRO
    ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rcCarHasBeenDroppedOff /\ -(rcDrop
        THEN INSERT INTO rcDroppedOffDate[RentalCase*Date]
             SELECTFROM 'a'[RentalCase]*'b'[Date]

             (TO MAINTAIN  -rcCarHasBeenDroppedOff \/ rcDroppedOffDate;rcDroppe
        PICK a,b FROM rcDroppedOffDate~;((rcCarHasBeenDroppedOff /\ -(rcDropped
        THEN INSERT INTO rcDroppedOffDate[RentalCase*Date]
             SELECTFROM 'b'[RentalCase]*'a'[Date]

             (TO MAINTAIN  -rcCarHasBeenDroppedOff \/ rcDroppedOffDate;rcDroppe
    (MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffDate;rcDroppedOffDate~ FRO
    NEW x:Date;
      INSERT INTO rcDroppedOffDate[RentalCase*Date]
       SELECTFROM ((rcCarHasBeenDroppedOff /\ -(rcDroppedOffDate;rcDroppedOffDate~

      (TO MAINTAIN  -rcCarHasBeenDroppedOff \/ rcDroppedOffDate;rcDroppedOffDate~
    (MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffDate;rcDroppedOffDate~ FRO
```

231

```
INSERT INTO rcDroppedOffDate[RentalCase*Date]
 SELECTFROM (rcCarHasBeenDroppedOff~;rcDroppedOffDate /\ -rcDroppedOffDate) \/

(TO MAINTAIN  -(rcDroppedOffDate~;rcCarHasBeenDroppedOff) \/ rcDroppedOffDate~
INSERT INTO Isn{detyp=Date}
 SELECTFROM (rcDroppedOffDate~;rcCarHasBeenDroppedOff;rcDroppedOffDate /\ -I[D

(TO MAINTAIN  -(rcDroppedOffDate~;rcCarHasBeenDroppedOff;rcDroppedOffDate) \/
INSERT INTO rcDroppedOffDate[RentalCase*Date]
 SELECTFROM (rcCarHasBeenDroppedOff;rcDroppedOffDate /\ -rcDroppedOffDate) \/

(TO MAINTAIN  -(rcCarHasBeenDroppedOff;rcDroppedOffDate) \/ rcDroppedOffDate F
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rcCarHasBeenDroppedOff /\ -(rcDrop
        THEN INSERT INTO rcDroppedOffBranch[RentalCase*Branch]
             SELECTFROM 'a'[RentalCase]*'b'[Branch]

            (TO MAINTAIN  -rcCarHasBeenDroppedOff \/ rcDroppedOffBranch;rcDrop
        PICK a,b FROM rcDroppedOffBranch~;((rcCarHasBeenDroppedOff /\ -(rcDropp
        THEN INSERT INTO rcDroppedOffBranch[RentalCase*Branch]
             SELECTFROM 'b'[RentalCase]*'a'[Branch]

            (TO MAINTAIN  -rcCarHasBeenDroppedOff \/ rcDroppedOffBranch;rcDrop
(MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffBranch;rcDroppedOffBranch~
NEW x:Branch;
  INSERT INTO rcDroppedOffBranch[RentalCase*Branch]
   SELECTFROM ((rcCarHasBeenDroppedOff /\ -(rcDroppedOffBranch;rcDroppedOffBra

  (TO MAINTAIN  -rcCarHasBeenDroppedOff \/ rcDroppedOffBranch;rcDroppedOffBran
(MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffBranch;rcDroppedOffBranch~
INSERT INTO rcDroppedOffBranch[RentalCase*Branch]
 SELECTFROM (rcCarHasBeenDroppedOff~;rcDroppedOffBranch /\ -rcDroppedOffBranch

(TO MAINTAIN  -(rcDroppedOffBranch~;rcCarHasBeenDroppedOff) \/ rcDroppedOffBra
INSERT INTO Isn{detyp=Branch}
 SELECTFROM (rcDroppedOffBranch~;rcCarHasBeenDroppedOff;rcDroppedOffBranch /\

(TO MAINTAIN  -(rcDroppedOffBranch~;rcCarHasBeenDroppedOff;rcDroppedOffBranch)
INSERT INTO rcDroppedOffBranch[RentalCase*Branch]
 SELECTFROM (rcCarHasBeenDroppedOff;rcDroppedOffBranch /\ -rcDroppedOffBranch)

(TO MAINTAIN  -(rcCarHasBeenDroppedOff;rcDroppedOffBranch) \/ rcDroppedOffBran
INSERT INTO rentalHasBeenEnded[RentalCase*RentalCase]
 SELECTFROM (rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsPaidQ~ /\ rcCarHasBeenDr

(TO MAINTAIN  -(rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsPaidQ~ /\ rcCarHasBee
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (('_SESSION'[SESSION];sessionDropped
        THEN BLOCK
             (CANNOT CHANGE V[SESSION*RentalCase] FROM Car drop-off handling)
        PICK a,b FROM V[RentalCase*SESSION];(('_SESSION'[SESSION];sessionDroppe
        THEN ALL of INSERT INTO Isn{detyp=RentalCase}
```

232

```
                    SELECTFROM 'a'[RentalCase]*'b'[RentalCase]

    (TO MAINTAIN  -('_SESSION'[SESSION];sessionDroppedoffCar;rc
    ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[Renta
                THEN INSERT INTO rentalIsPaidQ[RentalCase*Yes
                    SELECTFROM 'a'[RentalCase]*'b'[YesNoAns

                (TO MAINTAIN  -('_SESSION'[SESSION];sess
             PICK a,b FROM rentalIsPaidQ~;('a'[RentalCase]
             THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK
                           THEN BLOCK
                                 (CANNOT CHANGE 'Yes'[
                           PICK a,b FROM 'Yes'[YesNoA
                           THEN INSERT INTO rentalIsP
                                 SELECTFROM 'b'[Renta

                                 (TO MAINTAIN  -('_SES
                      (MAINTAINING -('_SESSION'[SESSION
                      NEW x:YesNoAnswer;
                        ALL of BLOCK
                                 (CANNOT CHANGE 'Yes'[Yes
                                 INSERT INTO rentalIsPaid
                                  SELECTFROM 'b'[RentalCa

                                 (TO MAINTAIN  -('_SESSIO
                      (MAINTAINING -('_SESSION'[SESSI
                      (MAINTAINING -('_SESSION'[SESSION
                 (MAINTAINING -('_SESSION'[SESSION];sessi
        (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoff
              NEW x:YesNoAnswer;
           ALL of INSERT INTO rentalIsPaidQ[RentalCase*YesNoA
                    SELECTFROM 'a'[RentalCase]*'b'[RentalCase]

                 (TO MAINTAIN  -('_SESSION'[SESSION];session
                 ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b
                                THEN BLOCK
                                      (CANNOT CHANGE 'Yes'[Yes
                                PICK a,b FROM 'Yes'[YesNoAnsw
                                THEN INSERT INTO rentalIsPaid
                                      SELECTFROM 'b'[RentalCa

                                      (TO MAINTAIN  -('_SESSIO
                         (MAINTAINING -('_SESSION'[SESSION];s
                         NEW x:YesNoAnswer;
                           ALL of BLOCK
                                      (CANNOT CHANGE 'Yes'[YesNoA
                                      INSERT INTO rentalIsPaidQ[R
                                       SELECTFROM 'b'[RentalCase]

                                       (TO MAINTAIN  -('_SESSION'[
```

```
                                              (MAINTAINING -('_SESSION'[SESSION]
                                         (MAINTAINING -('_SESSION'[SESSION];s
                                     (MAINTAINING -('_SESSION'[SESSION];sessionD
                                 (MAINTAINING -('_SESSION'[SESSION];sessionDroppedo
                              (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoff
                         (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar;rcA
                    (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssigned
           (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssignedCar~;(I[Rent
           INSERT INTO Isn{detyp=RentalCase}
            SELECTFROM (Delta;Delta~ /\ I[RentalCase]) - I[RentalCase]


           INSERT INTO Isn{detyp=RentalCase}
            SELECTFROM (Delta~;Delta /\ I[RentalCase]) - I[RentalCase]


      (MAINTAINING -rcCarHasBeenDroppedOff \/ rentalHasBeenStarted FROM Dropped off Cars)
      (MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffCar;rcDroppedOffCar~ FROM Dropped
      (MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffCar;rcDroppedOffCar~ FROM Dropped
      (MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffCar;rcDroppedOffCar~ FROM Dropped
      (MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffCar;rcDroppedOffCar~ FROM Dropped
      (MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffCar;rcDroppedOffCar~ FROM Dropped
      (MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffDate;rcDroppedOffDate~ FROM Dropp
      (MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffDate;rcDroppedOffDate~ FROM Dropp
      (MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffDate;rcDroppedOffDate~ FROM Dropp
      (MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffDate;rcDroppedOffDate~ FROM Dropp
      (MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffDate;rcDroppedOffDate~ FROM Dropp
      (MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffBranch;rcDroppedOffBranch~ FROM D
      (MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffBranch;rcDroppedOffBranch~ FROM D
      (MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffBranch;rcDroppedOffBranch~ FROM D
      (MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffBranch;rcDroppedOffBranch~ FROM D
      (MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffBranch;rcDroppedOffBranch~ FROM D
      (MAINTAINING -(rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsPaidQ~ /\ rcCarHasBeenDropped
      (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssignedCar~;(I[RentalCase]

      <------End Derivation --


           ON DELETE Delta FROM rcCarHasBeenDroppedOff[RentalCase*RentalCase] EXECUTE     --
           ALL of ONE OF DELETE FROM rcDroppedOffBranch[RentalCase*Branch]
                         SELECTFROM ((-rcCarHasBeenDroppedOff /\ rcDroppedOffBranch;rcDropp

                         (TO MAINTAIN  -(rcDroppedOffBranch;rcDroppedOffBranch~ /\ rcDroppe
                         DELETE FROM rcDroppedOffBranch[RentalCase*Branch]
                          SELECTFROM ((-rcCarHasBeenDroppedOff~ /\ rcDroppedOffBranch;rcDrop

                         (TO MAINTAIN  -(rcDroppedOffBranch;rcDroppedOffBranch~ /\ rcDroppe
                         DELETE FROM rcDroppedOffDate[RentalCase*Date]
                          SELECTFROM ((-rcCarHasBeenDroppedOff /\ rcDroppedOffBranch;rcDropp

                         (TO MAINTAIN  -(rcDroppedOffBranch;rcDroppedOffBranch~ /\ rcDroppe
```

234

```
                              DELETE FROM rcDroppedOffDate[RentalCase*Date]
                               SELECTFROM ((-rcCarHasBeenDroppedOff~ /\ rcDroppedOffBranch;rcDro

                         (TO MAINTAIN  -(rcDroppedOffBranch;rcDroppedOffBranch~ /\ rcDroppe
                         DELETE FROM rcDroppedOffCar[RentalCase*Car]
                          SELECTFROM ((-rcCarHasBeenDroppedOff /\ rcDroppedOffBranch;rcDrop

                         (TO MAINTAIN  -(rcDroppedOffBranch;rcDroppedOffBranch~ /\ rcDroppe
                         DELETE FROM rcDroppedOffCar[RentalCase*Car]
                          SELECTFROM ((-rcCarHasBeenDroppedOff~ /\ rcDroppedOffBranch;rcDro

                         (TO MAINTAIN  -(rcDroppedOffBranch;rcDroppedOffBranch~ /\ rcDroppe
                         DELETE FROM rentalHasBeenStarted[RentalCase*RentalCase]
                          SELECTFROM (-rcCarHasBeenDroppedOff /\ rcDroppedOffBranch;rcDropp

                         (TO MAINTAIN  -(rcDroppedOffBranch;rcDroppedOffBranch~ /\ rcDroppe
                         DELETE FROM Isn{detyp=RentalCase}
                          SELECTFROM (-rcCarHasBeenDroppedOff /\ rcDroppedOffBranch;rcDropp

                         (TO MAINTAIN  -(rcDroppedOffBranch;rcDroppedOffBranch~ /\ rcDroppe
                (MAINTAINING -(rcDroppedOffBranch;rcDroppedOffBranch~ /\ rcDroppedOffDate
                DELETE FROM rentalHasBeenEnded[RentalCase*RentalCase]
                 SELECTFROM (-rcCarHasBeenDroppedOff /\ rentalHasBeenEnded) \/ (Delta /\

                 (TO MAINTAIN  -rentalHasBeenEnded \/ rcCarHasBeenDroppedOff FROM Ended Re
          (MAINTAINING -(rcDroppedOffBranch;rcDroppedOffBranch~ /\ rcDroppedOffDate;rcDrop
          (MAINTAINING -rentalHasBeenEnded \/ rcCarHasBeenDroppedOff FROM Ended Rentals)


------ Derivation ----->


      ALL of ONE OF DELETE FROM rcDroppedOffBranch[RentalCase*Branch]
                      SELECTFROM ((-rcCarHasBeenDroppedOff /\ rcDroppedOffBranch;rcDroppedOf

                     (TO MAINTAIN  -(rcDroppedOffBranch;rcDroppedOffBranch~ /\ rcDroppedOffD
                     DELETE FROM rcDroppedOffBranch[RentalCase*Branch]
                      SELECTFROM ((-rcCarHasBeenDroppedOff~ /\ rcDroppedOffBranch;rcDroppedO

                     (TO MAINTAIN  -(rcDroppedOffBranch;rcDroppedOffBranch~ /\ rcDroppedOffD
                     DELETE FROM rcDroppedOffDate[RentalCase*Date]
                      SELECTFROM ((-rcCarHasBeenDroppedOff /\ rcDroppedOffBranch;rcDroppedOf

                     (TO MAINTAIN  -(rcDroppedOffBranch;rcDroppedOffBranch~ /\ rcDroppedOffD
                     DELETE FROM rcDroppedOffDate[RentalCase*Date]
                      SELECTFROM ((-rcCarHasBeenDroppedOff~ /\ rcDroppedOffBranch;rcDroppedO

                     (TO MAINTAIN  -(rcDroppedOffBranch;rcDroppedOffBranch~ /\ rcDroppedOffD
                     DELETE FROM rcDroppedOffCar[RentalCase*Car]
                      SELECTFROM ((-rcCarHasBeenDroppedOff /\ rcDroppedOffBranch;rcDroppedOf

                                    235
```

```
                    (TO MAINTAIN  -(rcDroppedOffBranch;rcDroppedOffBranch~ /\ rcDroppedOffD
                    DELETE FROM rcDroppedOffCar[RentalCase*Car]
                     SELECTFROM ((-rcCarHasBeenDroppedOff~ /\ rcDroppedOffBranch;rcDroppedO


                    (TO MAINTAIN  -(rcDroppedOffBranch;rcDroppedOffBranch~ /\ rcDroppedOffD
                    DELETE FROM rentalHasBeenStarted[RentalCase*RentalCase]
                     SELECTFROM (-rcCarHasBeenDroppedOff /\ rcDroppedOffBranch;rcDroppedOff


                    (TO MAINTAIN  -(rcDroppedOffBranch;rcDroppedOffBranch~ /\ rcDroppedOffD
                    DELETE FROM Isn{detyp=RentalCase}
                     SELECTFROM (-rcCarHasBeenDroppedOff /\ rcDroppedOffBranch;rcDroppedOff


                    (TO MAINTAIN  -(rcDroppedOffBranch;rcDroppedOffBranch~ /\ rcDroppedOffD
              (MAINTAINING -(rcDroppedOffBranch;rcDroppedOffBranch~ /\ rcDroppedOffDate;rcDr
             DELETE FROM rentalHasBeenEnded[RentalCase*RentalCase]
              SELECTFROM (-rcCarHasBeenDroppedOff /\ rentalHasBeenEnded) \/ (Delta /\ renta


              (TO MAINTAIN  -rentalHasBeenEnded \/ rcCarHasBeenDroppedOff FROM Ended Rentals
       (MAINTAINING -(rcDroppedOffBranch;rcDroppedOffBranch~ /\ rcDroppedOffDate;rcDroppedOf
       (MAINTAINING -rentalHasBeenEnded \/ rcCarHasBeenDroppedOff FROM Ended Rentals)


 <------End Derivation --


          ON INSERT Delta IN rcDroppedOffCar[RentalCase*Car] EXECUTE     -- (ECA rule 53)
          ONE OF INSERT INTO rcCarHasBeenDroppedOff[RentalCase*RentalCase]
                  SELECTFROM (rcDroppedOffBranch;rcDroppedOffBranch~ /\ rcDroppedOffDate;r


                  (TO MAINTAIN  -(rcDroppedOffBranch;rcDroppedOffBranch~ /\ rcDroppedOffDat
                  INSERT INTO rcDroppedOffCar[RentalCase*Car]
                   SELECTFROM rcCarHasBeenDroppedOff~;(rcDroppedOffCar \/ Delta) /\ -rcDrop


                  (TO MAINTAIN  -(rcDroppedOffCar~;rcCarHasBeenDroppedOff) \/ rcDroppedOffC
                  INSERT INTO Isn{detyp=Car}
                   SELECTFROM ((rcDroppedOffCar \/ Delta)~;rcCarHasBeenDroppedOff;rcDropped


                  (TO MAINTAIN  -(rcDroppedOffCar~;rcCarHasBeenDroppedOff;rcDroppedOffCar)
                  INSERT INTO rcDroppedOffCar[RentalCase*Car]
                   SELECTFROM (rcCarHasBeenDroppedOff;rcDroppedOffCar /\ -rcDroppedOffCar)


                  (TO MAINTAIN  -(rcCarHasBeenDroppedOff;rcDroppedOffCar) \/ rcDroppedOffCa
                  INSERT INTO rcAssignedCar[RentalCase*Car]
                   SELECTFROM (rcDroppedOffCar /\ -rcAssignedCar) \/ (Delta /\ -rcAssignedC


                  (TO MAINTAIN  -rcDroppedOffCar \/ rcAssignedCar FROM Dropped-off car type
                  INSERT INTO Isn{detyp=Car}
                   SELECTFROM (rcAssignedCar~;rcDroppedOffCar /\ -I[Car]) \/ (rcAssignedCar
```

236

```
                        (TO MAINTAIN  -(rcAssignedCar~;rcDroppedOffCar) \/ I[Car] FROM Dropped-of
                        INSERT INTO Isn{detyp=Car}
                         SELECTFROM ((rcDroppedOffCar \/ Delta)~;rcDroppedOffCar /\ -I[Car]) \/ (

                        (TO MAINTAIN  -(rcDroppedOffCar~;rcDroppedOffCar) \/ I[Car] FROM UNI rcDr
                        INSERT INTO Isn{detyp=RentalCase}
                         SELECTFROM (Delta;Delta~ /\ I[RentalCase]) - I[RentalCase]

                        INSERT INTO Isn{detyp=Car}
                         SELECTFROM (Delta~;Delta /\ I[Car]) - I[Car]

            (MAINTAINING -(rcDroppedOffBranch;rcDroppedOffBranch~ /\ rcDroppedOffDate;rcDrop
            (MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffCar;rcDroppedOffCar~ FROM Dr
            (MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffCar;rcDroppedOffCar~ FROM Dr
            (MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffCar;rcDroppedOffCar~ FROM Dr
            (MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffCar;rcDroppedOffCar~ FROM Dr
            (MAINTAINING -rcDroppedOffCar \/ rcAssignedCar FROM Dropped-off car type integri
            (MAINTAINING -rcDroppedOffCar \/ rcAssignedCar FROM Dropped-off car type integri
            (MAINTAINING -(rcDroppedOffCar~;rcDroppedOffCar) \/ I[Car] FROM UNI rcDroppedOffC

------ Derivation ----->


        ONE OF INSERT INTO rcCarHasBeenDroppedOff[RentalCase*RentalCase]
                SELECTFROM (rcDroppedOffBranch;rcDroppedOffBranch~ /\ rcDroppedOffDate;rcDrop

                (TO MAINTAIN  -(rcDroppedOffBranch;rcDroppedOffBranch~ /\ rcDroppedOffDate;rcD
                INSERT INTO rcDroppedOffCar[RentalCase*Car]
                 SELECTFROM rcCarHasBeenDroppedOff~;(rcDroppedOffCar \/ Delta) /\ -rcDroppedOf

                (TO MAINTAIN  -(rcDroppedOffCar~;rcCarHasBeenDroppedOff) \/ rcDroppedOffCar~ F
                INSERT INTO Isn{detyp=Car}
                 SELECTFROM ((rcDroppedOffCar \/ Delta)~;rcCarHasBeenDroppedOff;rcDroppedOffCa

                (TO MAINTAIN  -(rcDroppedOffCar~;rcCarHasBeenDroppedOff;rcDroppedOffCar) \/ I[
                INSERT INTO rcDroppedOffCar[RentalCase*Car]
                 SELECTFROM (rcCarHasBeenDroppedOff;rcDroppedOffCar /\ -rcDroppedOffCar) \/ (r

                (TO MAINTAIN  -(rcCarHasBeenDroppedOff;rcDroppedOffCar) \/ rcDroppedOffCar FRO
                INSERT INTO rcAssignedCar[RentalCase*Car]
                 SELECTFROM (rcDroppedOffCar /\ -rcAssignedCar) \/ (Delta /\ -rcAssignedCar)

                (TO MAINTAIN  -rcDroppedOffCar \/ rcAssignedCar FROM Dropped-off car type inte
                INSERT INTO Isn{detyp=Car}
                 SELECTFROM (rcAssignedCar~;rcDroppedOffCar /\ -I[Car]) \/ (rcAssignedCar~;Del

                (TO MAINTAIN  -(rcAssignedCar~;rcDroppedOffCar) \/ I[Car] FROM Dropped-off car
                INSERT INTO Isn{detyp=Car}
                 SELECTFROM ((rcDroppedOffCar \/ Delta)~;rcDroppedOffCar /\ -I[Car]) \/ ((rcDr
```

237

```
                    (TO MAINTAIN  -(rcDroppedOffCar~;rcDroppedOffCar) \/ I[Car] FROM UNI rcDropped
                    INSERT INTO Isn{detyp=RentalCase}
                     SELECTFROM (Delta;Delta~ /\ I[RentalCase]) - I[RentalCase]

                    INSERT INTO Isn{detyp=Car}
                     SELECTFROM (Delta~;Delta /\ I[Car]) - I[Car]

        (MAINTAINING -(rcDroppedOffBranch;rcDroppedOffBranch~ /\ rcDroppedOffDate;rcDroppedOf
        (MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffCar;rcDroppedOffCar~ FROM Dropped
        (MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffCar;rcDroppedOffCar~ FROM Dropped
        (MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffCar;rcDroppedOffCar~ FROM Dropped
        (MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffCar;rcDroppedOffCar~ FROM Dropped
        (MAINTAINING -rcDroppedOffCar \/ rcAssignedCar FROM Dropped-off car type integrity)
        (MAINTAINING -rcDroppedOffCar \/ rcAssignedCar FROM Dropped-off car type integrity)
        (MAINTAINING -(rcDroppedOffCar~;rcDroppedOffCar) \/ I[Car] FROM UNI rcDroppedOffCar::

    <------End Derivation --


            ON DELETE Delta FROM rcDroppedOffCar[RentalCase*Car] EXECUTE     -- (ECA rule 54)
            ALL of DELETE FROM rcCarHasBeenDroppedOff[RentalCase*RentalCase]
                    SELECTFROM -((rcDroppedOffCar /\ -Delta);(rcDroppedOffCar /\ -Delta)~) /

                (TO MAINTAIN  -rcCarHasBeenDroppedOff \/ rcDroppedOffCar;rcDroppedOffCar~
                ONE OF DELETE FROM rcDroppedOffCar[RentalCase*Car]
                        SELECTFROM rcCarHasBeenDroppedOff;(-(rcDroppedOffCar /\ -Delta) /

                        (TO MAINTAIN  -(rcDroppedOffCar~;rcCarHasBeenDroppedOff) \/ rcDrop
                        DELETE FROM rcCarHasBeenDroppedOff[RentalCase*RentalCase]
                         SELECTFROM rcDroppedOffCar;(-(rcDroppedOffCar /\ -Delta)~ /\ rcDr

                        (TO MAINTAIN  -(rcDroppedOffCar~;rcCarHasBeenDroppedOff) \/ rcDrop
                    (MAINTAINING -(rcDroppedOffCar~;rcCarHasBeenDroppedOff) \/ rcDroppedOffCa
                    ONE OF DELETE FROM rcCarHasBeenDroppedOff[RentalCase*RentalCase]
                            SELECTFROM ((-rcDroppedOffCar /\ rcCarHasBeenDroppedOff;rcDroppedO

                        (TO MAINTAIN  -(rcCarHasBeenDroppedOff;rcDroppedOffCar) \/ rcDroppe
                        DELETE FROM rcDroppedOffCar[RentalCase*Car]
                         SELECTFROM rcCarHasBeenDroppedOff~;((-rcDroppedOffCar /\ rcCarHasB

                        (TO MAINTAIN  -(rcCarHasBeenDroppedOff;rcDroppedOffCar) \/ rcDroppe
                    (MAINTAINING -(rcCarHasBeenDroppedOff;rcDroppedOffCar) \/ rcDroppedOffCar
        (MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffCar;rcDroppedOffCar~ FROM Dro
        (MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffCar;rcDroppedOffCar~ FROM Dro
        (MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffCar;rcDroppedOffCar~ FROM Dro

    ------ Derivation ----->


                                    238
```

```
ALL of DELETE FROM rcCarHasBeenDroppedOff[RentalCase*RentalCase]
        SELECTFROM -((rcDroppedOffCar /\ -Delta);(rcDroppedOffCar /\ -Delta)~) /\ rcC

    (TO MAINTAIN  -rcCarHasBeenDroppedOff \/ rcDroppedOffCar;rcDroppedOffCar~ FROM
    ONE OF DELETE FROM rcDroppedOffCar[RentalCase*Car]
            SELECTFROM rcCarHasBeenDroppedOff;(-(rcDroppedOffCar /\ -Delta) /\ rcC

            (TO MAINTAIN  -(rcDroppedOffCar~;rcCarHasBeenDroppedOff) \/ rcDroppedOf
            DELETE FROM rcCarHasBeenDroppedOff[RentalCase*RentalCase]
             SELECTFROM rcDroppedOffCar;(-(rcDroppedOffCar /\ -Delta)~ /\ rcDropped

            (TO MAINTAIN  -(rcDroppedOffCar~;rcCarHasBeenDroppedOff) \/ rcDroppedOf
        (MAINTAINING -(rcDroppedOffCar~;rcCarHasBeenDroppedOff) \/ rcDroppedOffCar~ FR
        ONE OF DELETE FROM rcCarHasBeenDroppedOff[RentalCase*RentalCase]
                SELECTFROM ((-rcDroppedOffCar /\ rcCarHasBeenDroppedOff;rcDroppedOffCa

                (TO MAINTAIN  -(rcCarHasBeenDroppedOff;rcDroppedOffCar) \/ rcDroppedOff
                DELETE FROM rcDroppedOffCar[RentalCase*Car]
                 SELECTFROM rcCarHasBeenDroppedOff~;((-rcDroppedOffCar /\ rcCarHasBeenD

                (TO MAINTAIN  -(rcCarHasBeenDroppedOff;rcDroppedOffCar) \/ rcDroppedOff
        (MAINTAINING -(rcCarHasBeenDroppedOff;rcDroppedOffCar) \/ rcDroppedOffCar FROM
    (MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffCar;rcDroppedOffCar~ FROM Dropped
    (MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffCar;rcDroppedOffCar~ FROM Dropped
    (MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffCar;rcDroppedOffCar~ FROM Dropped

<------End Derivation --


        ON INSERT Delta IN rcDroppedOffDate[RentalCase*Date] EXECUTE    -- (ECA rule 55)
        ONE OF INSERT INTO rcCarHasBeenDroppedOff[RentalCase*RentalCase]
                SELECTFROM (rcDroppedOffBranch;rcDroppedOffBranch~ /\ rcDroppedOffDate;(

                (TO MAINTAIN  -(rcDroppedOffBranch;rcDroppedOffBranch~ /\ rcDroppedOffDate
                INSERT INTO rcDroppedOffDate[RentalCase*Date]
                 SELECTFROM rcCarHasBeenDroppedOff~;(rcDroppedOffDate \/ Delta) /\ -rcDro

                (TO MAINTAIN  -(rcDroppedOffDate~;rcCarHasBeenDroppedOff) \/ rcDroppedOffD
                INSERT INTO Isn{detyp=Date}
                 SELECTFROM ((rcDroppedOffDate \/ Delta)~;rcCarHasBeenDroppedOff;rcDroppe

                (TO MAINTAIN  -(rcDroppedOffDate~;rcCarHasBeenDroppedOff;rcDroppedOffDate
                INSERT INTO rcDroppedOffDate[RentalCase*Date]
                 SELECTFROM (rcCarHasBeenDroppedOff;rcDroppedOffDate /\ -rcDroppedOffDate

                (TO MAINTAIN  -(rcCarHasBeenDroppedOff;rcDroppedOffDate) \/ rcDroppedOffDa
                INSERT INTO rentalPeriod[RentalCase*Integer]
                 SELECTFROM ((contractedStartDate;earliestDate~ /\ rcDroppedOffDate;latest
```

239

```
                                        (TO MAINTAIN  -((contractedStartDate;earliestDate~ /\ rcDroppedOffDate;la
INSERT INTO Isn{detyp=Integer}
 SELECTFROM (rentalPeriod~;(contractedStartDate;earliestDate~ /\ rcDroppe

(TO MAINTAIN  -(rentalPeriod~;(contractedStartDate;earliestDate~ /\ rcDroj
INSERT INTO rentalExcessPeriod[RentalCase*Integer]
 SELECTFROM ((rcDroppedOffDate;lastDate~ /\ contractedEndDate;firstDate~)

(TO MAINTAIN  -((rcDroppedOffDate;lastDate~ /\ contractedEndDate;firstDate
INSERT INTO Isn{detyp=Integer}
 SELECTFROM (rentalExcessPeriod~;(rcDroppedOffDate;lastDate~ /\ contracte

(TO MAINTAIN  -(rentalExcessPeriod~;(rcDroppedOffDate;lastDate~ /\ contra
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rcDroppedOffDate;(rcDroppedOf:
          THEN ALL of ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
                              THEN INSERT INTO contractedStartDate[Ren
                                    SELECTFROM 'a'[RentalCase]*'b'[Date

                                    (TO MAINTAIN  -(rcDroppedOffDate;rc
                             PICK a,b FROM contractedStartDate~;('a'[
                             THEN INSERT INTO earliestDate[DateDiffere
                                    SELECTFROM 'b'[DateDifferencePlusOi

                                    (TO MAINTAIN  -(rcDroppedOffDate;rc
                         (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDat
                         NEW x:Date;
                           ALL of INSERT INTO contractedStartDate[RentalC
                                    SELECTFROM 'a'[RentalCase]*'b'[DateDi

                                    (TO MAINTAIN  -(rcDroppedOffDate;rcDroj
                                    INSERT INTO earliestDate[DateDifference
                                     SELECTFROM 'b'[DateDifferencePlusOne]:

                                    (TO MAINTAIN  -(rcDroppedOffDate;rcDroj
                         (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDa
                        (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate
                    (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ co
                    ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
                              THEN INSERT INTO rcDroppedOffDate[RentalC
                                    SELECTFROM 'a'[RentalCase]*'b'[Date

                                    (TO MAINTAIN  -(rcDroppedOffDate;rc
                             PICK a,b FROM rcDroppedOffDate~;('a'[Rent
                             THEN INSERT INTO latestDate[DateDifferenc
                                    SELECTFROM 'b'[DateDifferencePlusOi

                                    (TO MAINTAIN  -(rcDroppedOffDate;rc
                         (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDat
                         NEW x:Date;
```

240

```
                                    ALL of INSERT INTO rcDroppedOffDate[RentalCase
                                       SELECTFROM 'a'[RentalCase]*'b'[DateDi

                                    (TO MAINTAIN  -(rcDroppedOffDate;rcDrop
                                       INSERT INTO latestDate[DateDifferenceP
                                         SELECTFROM 'b'[DateDifferencePlusOne]

                                    (TO MAINTAIN  -(rcDroppedOffDate;rcDrop
                              (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDa
                              (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate
                        (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ c
                   (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contracte
              PICK a,b FROM (earliestDate;contractedStartDate~ /\ latestDate;rcDi
              THEN BLOCK
                   (CANNOT CHANGE V[DateDifferencePlusOne*RentalCase] FROM Trigge
         (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedStartDate;
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rcDroppedOffDate;(rcDroppedOf
              THEN ALL of ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
                                    THEN INSERT INTO contractedEndDate[Renta
                                       SELECTFROM 'a'[RentalCase]*'b'[Date

                                    (TO MAINTAIN  -(rcDroppedOffDate;rc
                              PICK a,b FROM contractedEndDate~;('a'[Re
                              THEN INSERT INTO firstDate[DateDifferenc
                                 SELECTFROM 'b'[DateDifference]*'a'

                                    (TO MAINTAIN  -(rcDroppedOffDate;rc
                        (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate
                        NEW x:Date;
                         ALL of INSERT INTO contractedEndDate[RentalCa
                                       SELECTFROM 'a'[RentalCase]*'b'[DateDi

                                    (TO MAINTAIN  -(rcDroppedOffDate;rcDrop
                                       INSERT INTO firstDate[DateDifference*Da
                                         SELECTFROM 'b'[DateDifference]*'a'[Re

                                    (TO MAINTAIN  -(rcDroppedOffDate;rcDrop
                              (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDa
                              (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate
                        (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ c
              ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
                                    THEN INSERT INTO rcDroppedOffDate[RentalC
                                       SELECTFROM 'a'[RentalCase]*'b'[Date

                                    (TO MAINTAIN  -(rcDroppedOffDate;rc
                              PICK a,b FROM rcDroppedOffDate~;('a'[Rent
                              THEN INSERT INTO lastDate[DateDifference
                                 SELECTFROM 'b'[DateDifference]*'a'

                                    (TO MAINTAIN  -(rcDroppedOffDate;rc

                   241
```

```
                                    (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate
                              NEW x:Date;
                                ALL of INSERT INTO rcDroppedOffDate[RentalCase
                                      SELECTFROM 'a'[RentalCase]*'b'[DateDif

                                    (TO MAINTAIN  -(rcDroppedOffDate;rcDrop
                                    INSERT INTO lastDate[DateDifference*Da
                                     SELECTFROM 'b'[DateDifference]*'a'[Re

                                    (TO MAINTAIN  -(rcDroppedOffDate;rcDrop
                              (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDa
                             (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate
                      (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ c
                 (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contracte
            PICK a,b FROM (firstDate;contractedEndDate~ /\ lastDate;rcDroppedO
            THEN BLOCK
                 (CANNOT CHANGE V[DateDifference*RentalCase] FROM Trigger exce
    (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEndDate;co
    INSERT INTO Isn{detyp=Date}
     SELECTFROM (rcDroppedOffDate \/ Delta)~;rcAssignedCar;(I[Car] /\ -(carAva

    (TO MAINTAIN  -(rcDroppedOffDate~;rcAssignedCar;(I[Car] /\ -(carAvailable.
    INSERT INTO Isn{detyp=Date}
     SELECTFROM ((rcDroppedOffDate \/ Delta)~;rcDroppedOffDate /\ -I[Date]) \

    (TO MAINTAIN  -(rcDroppedOffDate~;rcDroppedOffDate) \/ I[Date] FROM UNI r
    INSERT INTO Isn{detyp=RentalCase}
     SELECTFROM (Delta;Delta~ /\ I[RentalCase]) - I[RentalCase]

    INSERT INTO Isn{detyp=Date}
     SELECTFROM (Delta~;Delta /\ I[Date]) - I[Date]

(MAINTAINING -(rcDroppedOffBranch;rcDroppedOffBranch~ /\ rcDroppedOffDate;rcDrop
(MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffDate;rcDroppedOffDate~ FROM
(MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffDate;rcDroppedOffDate~ FROM
(MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffDate;rcDroppedOffDate~ FROM
(MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffDate;rcDroppedOffDate~ FROM
(MAINTAINING -((contractedStartDate;earliestDate~ /\ rcDroppedOffDate;latestDate
(MAINTAINING -((contractedStartDate;earliestDate~ /\ rcDroppedOffDate;latestDate
(MAINTAINING -((rcDroppedOffDate;lastDate~ /\ contractedEndDate;firstDate~);comp
(MAINTAINING -((rcDroppedOffDate;lastDate~ /\ contractedEndDate;firstDate~);comp
(MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedStartDate;contract
(MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEndDate;contracted
(MAINTAINING -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));sessi
(MAINTAINING -(rcDroppedOffDate~;rcDroppedOffDate) \/ I[Date] FROM UNI rcDropped
```

------ Derivation ----->

242

```
ONE OF INSERT INTO rcCarHasBeenDroppedOff[RentalCase*RentalCase]
     SELECTFROM (rcDroppedOffBranch;rcDroppedOffBranch~ /\ rcDroppedOffDate;(rcDro

   (TO MAINTAIN  -(rcDroppedOffBranch;rcDroppedOffBranch~ /\ rcDroppedOffDate;rcD
   INSERT INTO rcDroppedOffDate[RentalCase*Date]
    SELECTFROM rcCarHasBeenDroppedOff~;(rcDroppedOffDate \/ Delta) /\ -rcDroppedO

   (TO MAINTAIN  -(rcDroppedOffDate~;rcCarHasBeenDroppedOff) \/ rcDroppedOffDate~
   INSERT INTO Isn{detyp=Date}
    SELECTFROM ((rcDroppedOffDate \/ Delta)~;rcCarHasBeenDroppedOff;rcDroppedOffD

   (TO MAINTAIN  -(rcDroppedOffDate~;rcCarHasBeenDroppedOff;rcDroppedOffDate) \/
   INSERT INTO rcDroppedOffDate[RentalCase*Date]
    SELECTFROM (rcCarHasBeenDroppedOff;rcDroppedOffDate /\ -rcDroppedOffDate) \/

   (TO MAINTAIN  -(rcCarHasBeenDroppedOff;rcDroppedOffDate) \/ rcDroppedOffDate F
   INSERT INTO rentalPeriod[RentalCase*Integer]
    SELECTFROM ((contractedStartDate;earliestDate~ /\ rcDroppedOffDate;latestDate

   (TO MAINTAIN  -((contractedStartDate;earliestDate~ /\ rcDroppedOffDate;latestD
   INSERT INTO Isn{detyp=Integer}
    SELECTFROM (rentalPeriod~;(contractedStartDate;earliestDate~ /\ rcDroppedOffD

   (TO MAINTAIN  -(rentalPeriod~;(contractedStartDate;earliestDate~ /\ rcDroppedO
   INSERT INTO rentalExcessPeriod[RentalCase*Integer]
    SELECTFROM ((rcDroppedOffDate;lastDate~ /\ contractedEndDate;firstDate~);comp

   (TO MAINTAIN  -((rcDroppedOffDate;lastDate~ /\ contractedEndDate;firstDate~);c
   INSERT INTO Isn{detyp=Integer}
    SELECTFROM (rentalExcessPeriod~;(rcDroppedOffDate;lastDate~ /\ contractedEndD

   (TO MAINTAIN  -(rentalExcessPeriod~;(rcDroppedOffDate;lastDate~ /\ contractedE
   ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rcDroppedOffDate;(rcDroppedOffDate
          THEN ALL of ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[Renta
                                THEN INSERT INTO contractedStartDate[RentalCa
                                  SELECTFROM 'a'[RentalCase]*'b'[Date]

                                 (TO MAINTAIN  -(rcDroppedOffDate;rcDropp
                                PICK a,b FROM contractedStartDate~;('a'[Renta
                                THEN INSERT INTO earliestDate[DateDifferenceP
                                  SELECTFROM 'b'[DateDifferencePlusOne]*'

                                 (TO MAINTAIN  -(rcDroppedOffDate;rcDropp
                           (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\
                          NEW x:Date;
                            ALL of INSERT INTO contractedStartDate[RentalCase*
                                  SELECTFROM 'a'[RentalCase]*'b'[DateDiffere

                                 (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedO
                                 INSERT INTO earliestDate[DateDifferencePlus
```

243

```
                                    SELECTFROM 'b'[DateDifferencePlusOne]*'a'[

                        (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedO
                    (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~
                  (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\
              (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contra
            ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[Renta
                        THEN INSERT INTO rcDroppedOffDate[RentalCase*
                            SELECTFROM 'a'[RentalCase]*'b'[Date]

                                (TO MAINTAIN  -(rcDroppedOffDate;rcDropp
                        PICK a,b FROM rcDroppedOffDate~;('a'[RentalCa
                        THEN INSERT INTO latestDate[DateDifferencePlu
                            SELECTFROM 'b'[DateDifferencePlusOne]*'

                                (TO MAINTAIN  -(rcDroppedOffDate;rcDropp
                    (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\
                    NEW x:Date;
                      ALL of INSERT INTO rcDroppedOffDate[RentalCase*Dat
                            SELECTFROM 'a'[RentalCase]*'b'[DateDiffere

                                (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedO
                        INSERT INTO latestDate[DateDifferencePlusOn
                            SELECTFROM 'b'[DateDifferencePlusOne]*'a'[

                                (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedO
                        (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~
                      (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\
                  (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contra
              (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedSta
          PICK a,b FROM (earliestDate;contractedStartDate~ /\ latestDate;rcDroppe
          THEN BLOCK
                    (CANNOT CHANGE V[DateDifferencePlusOne*RentalCase] FROM Trigger re
        (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedStartDate;contr
        ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rcDroppedOffDate;(rcDroppedOffDate
                THEN ALL of ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[Renta
                            THEN INSERT INTO contractedEndDate[RentalCase
                                SELECTFROM 'a'[RentalCase]*'b'[Date]

                                (TO MAINTAIN  -(rcDroppedOffDate;rcDropp
                        PICK a,b FROM contractedEndDate~;('a'[RentalC
                        THEN INSERT INTO firstDate[DateDifference*Dat
                            SELECTFROM 'b'[DateDifference]*'a'[Date

                                (TO MAINTAIN  -(rcDroppedOffDate;rcDropp
                    (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\
                    NEW x:Date;
                      ALL of INSERT INTO contractedEndDate[RentalCase*Da
                            SELECTFROM 'a'[RentalCase]*'b'[DateDiffere
```

```
                                        (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedO
                                        INSERT INTO firstDate[DateDifference*Date]
                                         SELECTFROM 'b'[DateDifference]*'a'[RentalC


                                        (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedO
                              (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~
                            (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\
                    (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contra
                  ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[Renta
                              THEN INSERT INTO rcDroppedOffDate[RentalCase*
                                   SELECTFROM 'a'[RentalCase]*'b'[Date]


                                      (TO MAINTAIN  -(rcDroppedOffDate;rcDropp
                              PICK a,b FROM rcDroppedOffDate~;('a'[RentalCa
                              THEN INSERT INTO lastDate[DateDifference*Date
                                   SELECTFROM 'b'[DateDifference]*'a'[Date


                                      (TO MAINTAIN  -(rcDroppedOffDate;rcDropp
                        (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\
                        NEW x:Date;
                          ALL of INSERT INTO rcDroppedOffDate[RentalCase*Dat
                                      SELECTFROM 'a'[RentalCase]*'b'[DateDiffere


                                      (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedO
                                      INSERT INTO lastDate[DateDifference*Date]
                                       SELECTFROM 'b'[DateDifference]*'a'[RentalC


                                      (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedO
                              (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~
                            (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\
                    (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contra
                (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEnd
            PICK a,b FROM (firstDate;contractedEndDate~ /\ lastDate;rcDroppedOffDat
            THEN BLOCK
                (CANNOT CHANGE V[DateDifference*RentalCase] FROM Trigger excess pe
(MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEndDate;contrac
INSERT INTO Isn{detyp=Date}
 SELECTFROM (rcDroppedOffDate \/ Delta)~;rcAssignedCar;(I[Car] /\ -(carAvailab

(TO MAINTAIN  -(rcDroppedOffDate~;rcAssignedCar;(I[Car] /\ -(carAvailableAt;ca
INSERT INTO Isn{detyp=Date}
 SELECTFROM ((rcDroppedOffDate \/ Delta)~;rcDroppedOffDate /\ -I[Date]) \/ ((r

(TO MAINTAIN  -(rcDroppedOffDate~;rcDroppedOffDate) \/ I[Date] FROM UNI rcDrop
INSERT INTO Isn{detyp=RentalCase}
 SELECTFROM (Delta;Delta~ /\ I[RentalCase]) - I[RentalCase]

INSERT INTO Isn{detyp=Date}
 SELECTFROM (Delta~;Delta /\ I[Date]) - I[Date]
```

```
(MAINTAINING -(rcDroppedOffBranch;rcDroppedOffBranch~ /\ rcDroppedOffDate;rcDroppedOf
(MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffDate;rcDroppedOffDate~ FROM Dropp
(MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffDate;rcDroppedOffDate~ FROM Dropp
(MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffDate;rcDroppedOffDate~ FROM Dropp
(MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffDate;rcDroppedOffDate~ FROM Dropp
(MAINTAINING -((contractedStartDate;earliestDate~ /\ rcDroppedOffDate;latestDate~);co
(MAINTAINING -((contractedStartDate;earliestDate~ /\ rcDroppedOffDate;latestDate~);co
(MAINTAINING -((rcDroppedOffDate;lastDate~ /\ contractedEndDate;firstDate~);computedN
(MAINTAINING -((rcDroppedOffDate;lastDate~ /\ contractedEndDate;firstDate~);computedN
(MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedStartDate;contractedSt
(MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEndDate;contractedEndD
(MAINTAINING -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));sessionDro
(MAINTAINING -(rcDroppedOffDate~;rcDroppedOffDate) \/ I[Date] FROM UNI rcDroppedOffDa
```

<------End Derivation --

```
        ON DELETE Delta FROM rcDroppedOffDate[RentalCase*Date] EXECUTE    -- (ECA rule 5
        ALL of DELETE FROM rcCarHasBeenDroppedOff[RentalCase*RentalCase]
             SELECTFROM -((rcDroppedOffDate /\ -Delta);(rcDroppedOffDate /\ -Delta)~)

             (TO MAINTAIN  -rcCarHasBeenDroppedOff \/ rcDroppedOffDate;rcDroppedOffDate
            ONE OF DELETE FROM rcDroppedOffDate[RentalCase*Date]
                 SELECTFROM rcCarHasBeenDroppedOff;(-(rcDroppedOffDate /\ -Delta) /

                 (TO MAINTAIN  -(rcDroppedOffDate~;rcCarHasBeenDroppedOff) \/ rcDro
                 DELETE FROM rcCarHasBeenDroppedOff[RentalCase*RentalCase]
                  SELECTFROM rcDroppedOffDate;(-(rcDroppedOffDate /\ -Delta)~ /\ rc

                 (TO MAINTAIN  -(rcDroppedOffDate~;rcCarHasBeenDroppedOff) \/ rcDro
             (MAINTAINING -(rcDroppedOffDate~;rcCarHasBeenDroppedOff) \/ rcDroppedOffDa
            ONE OF DELETE FROM rcCarHasBeenDroppedOff[RentalCase*RentalCase]
                 SELECTFROM ((-rcDroppedOffDate /\ rcCarHasBeenDroppedOff;rcDroppe

                 (TO MAINTAIN  -(rcCarHasBeenDroppedOff;rcDroppedOffDate) \/ rcDrop
                 DELETE FROM rcDroppedOffDate[RentalCase*Date]
                  SELECTFROM rcCarHasBeenDroppedOff~;((-rcDroppedOffDate /\ rcCarHa

                 (TO MAINTAIN  -(rcCarHasBeenDroppedOff;rcDroppedOffDate) \/ rcDrop
             (MAINTAINING -(rcCarHasBeenDroppedOff;rcDroppedOffDate) \/ rcDroppedOffDa
            ONE OF DELETE FROM rcDroppedOffDate[RentalCase*Date]
                 SELECTFROM (-((contractedStartDate;earliestDate~ /\ (rcDroppedOffD

                 (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedSt
                 DELETE FROM rcDroppedOffDate[RentalCase*Date]
                  SELECTFROM (-(V[RentalCase*DateDifferencePlusOne];(earliestDate;c

                 (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedSt
                 DELETE FROM contractedStartDate[RentalCase*Date]
```

246

```
                    SELECTFROM (-((contractedStartDate;earliestDate~ /\ (rcDroppedOff

          (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedSt
          DELETE FROM contractedStartDate[RentalCase*Date]
           SELECTFROM (-(V[RentalCase*DateDifferencePlusOne];(earliestDate;c

          (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedSt
          DELETE FROM Isn{detyp=RentalCase}
           SELECTFROM -((contractedStartDate;earliestDate~ /\ (rcDroppedOffD

          (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedSt
      (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedStartDate;
  ONE OF DELETE FROM rcDroppedOffDate[RentalCase*Date]
           SELECTFROM (-((contractedEndDate;firstDate~ /\ (rcDroppedOffDate

          (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEn
          DELETE FROM rcDroppedOffDate[RentalCase*Date]
           SELECTFROM (-(V[RentalCase*DateDifference];(firstDate;contractedE

          (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEn
          DELETE FROM contractedEndDate[RentalCase*Date]
           SELECTFROM (-((contractedEndDate;firstDate~ /\ (rcDroppedOffDate

          (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEn
          DELETE FROM contractedEndDate[RentalCase*Date]
           SELECTFROM (-(V[RentalCase*DateDifference];(firstDate;contractedE

          (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEn
          DELETE FROM Isn{detyp=RentalCase}
           SELECTFROM -((contractedEndDate;firstDate~ /\ (rcDroppedOffDate /

          (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEn
      (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEndDate;co
  ONE OF DELETE FROM rcAssignedCar[RentalCase*Car]
           SELECTFROM ((-rcDroppedOffDate /\ rcAssignedCar;(I[Car] /\ -(carA

          (TO MAINTAIN  -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvail
          DELETE FROM Isn{detyp=Car}
           SELECTFROM rcAssignedCar~;((-rcDroppedOffDate /\ rcAssignedCar;(I

          (TO MAINTAIN  -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvail
          ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM rcAssignedCar~;((-rcDrop
                 THEN INSERT INTO carAvailableAt[Car*Branch]
                      SELECTFROM 'a'[Car]*'b'[Branch]

                      (TO MAINTAIN  -(rcAssignedCar;(I[Car] /\ -(carAvailable
                 PICK a,b FROM carAvailableAt~;rcAssignedCar~;((-rcDroppedOf
                 THEN INSERT INTO carAvailableAt[Car*Branch]
                      SELECTFROM 'b'[Car]*'a'[Branch]
```

247

```
                              (TO MAINTAIN  -(rcAssignedCar;(I[Car] /\ -(carAvailabl
                  (MAINTAINING -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvaila
                  NEW x:Branch;
                    INSERT INTO carAvailableAt[Car*Branch]
                     SELECTFROM (rcAssignedCar~;(-rcDroppedOffDate /\ rcAssignedCar;

                    (TO MAINTAIN  -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAva
                  (MAINTAINING -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailab
                  DELETE FROM sessionDroppedoffCar[SESSION*Car]
                   SELECTFROM sessionToday;((-rcDroppedOffDate~ /\ sessionToday~;ses

                    (TO MAINTAIN  -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvail
                  DELETE FROM sessionToday[SESSION*Date]
                   SELECTFROM sessionDroppedoffCar;(I[Car] /\ -(carAvailableAt;carAva

                    (TO MAINTAIN  -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvail
              (MAINTAINING -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~))
        (MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffDate;rcDroppedOffDate~ FROM
        (MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffDate;rcDroppedOffDate~ FROM
        (MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffDate;rcDroppedOffDate~ FROM
        (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedStartDate;contract
        (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEndDate;contracted
        (MAINTAINING -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));sessi
```

------ Derivation ----->


```
        ALL of DELETE FROM rcCarHasBeenDroppedOff[RentalCase*RentalCase]
              SELECTFROM -((rcDroppedOffDate /\ -Delta);(rcDroppedOffDate /\ -Delta)~) /\ r

            (TO MAINTAIN  -rcCarHasBeenDroppedOff \/ rcDroppedOffDate;rcDroppedOffDate~ FR
          ONE OF DELETE FROM rcDroppedOffDate[RentalCase*Date]
                  SELECTFROM rcCarHasBeenDroppedOff;(-(rcDroppedOffDate /\ -Delta) /\ rc

                (TO MAINTAIN  -(rcDroppedOffDate~;rcCarHasBeenDroppedOff) \/ rcDroppedO
                DELETE FROM rcCarHasBeenDroppedOff[RentalCase*RentalCase]
                 SELECTFROM rcDroppedOffDate;(-(rcDroppedOffDate /\ -Delta)~ /\ rcDropp

                (TO MAINTAIN  -(rcDroppedOffDate~;rcCarHasBeenDroppedOff) \/ rcDroppedO
              (MAINTAINING -(rcDroppedOffDate~;rcCarHasBeenDroppedOff) \/ rcDroppedOffDate~
          ONE OF DELETE FROM rcCarHasBeenDroppedOff[RentalCase*RentalCase]
                  SELECTFROM ((-rcDroppedOffDate /\ rcCarHasBeenDroppedOff;rcDroppedOffD

                (TO MAINTAIN  -(rcCarHasBeenDroppedOff;rcDroppedOffDate) \/ rcDroppedOf
                DELETE FROM rcDroppedOffDate[RentalCase*Date]
                 SELECTFROM rcCarHasBeenDroppedOff~;((-rcDroppedOffDate /\ rcCarHasBeen

                (TO MAINTAIN  -(rcCarHasBeenDroppedOff;rcDroppedOffDate) \/ rcDroppedOf
              (MAINTAINING -(rcCarHasBeenDroppedOff;rcDroppedOffDate) \/ rcDroppedOffDate FR
```

```
ONE OF DELETE FROM rcDroppedOffDate[RentalCase*Date]
          SELECTFROM (-((contractedStartDate;earliestDate~ /\ (rcDroppedOffDate

        (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedStartDa
        DELETE FROM rcDroppedOffDate[RentalCase*Date]
         SELECTFROM (-(V[RentalCase*DateDifferencePlusOne];(earliestDate;contra

        (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedStartDa
        DELETE FROM contractedStartDate[RentalCase*Date]
         SELECTFROM (-((contractedStartDate;earliestDate~ /\ (rcDroppedOffDate

        (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedStartDa
        DELETE FROM contractedStartDate[RentalCase*Date]
         SELECTFROM (-(V[RentalCase*DateDifferencePlusOne];(earliestDate;contra

        (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedStartDa
        DELETE FROM Isn{detyp=RentalCase}
         SELECTFROM -((contractedStartDate;earliestDate~ /\ (rcDroppedOffDate /

        (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedStartDa
(MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedStartDate;contr
ONE OF DELETE FROM rcDroppedOffDate[RentalCase*Date]
          SELECTFROM (-((contractedEndDate;firstDate~ /\ (rcDroppedOffDate /\ -D

        (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEndDate
        DELETE FROM rcDroppedOffDate[RentalCase*Date]
         SELECTFROM (-(V[RentalCase*DateDifference];(firstDate;contractedEndDat

        (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEndDate
        DELETE FROM contractedEndDate[RentalCase*Date]
         SELECTFROM (-((contractedEndDate;firstDate~ /\ (rcDroppedOffDate /\ -D

        (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEndDate
        DELETE FROM contractedEndDate[RentalCase*Date]
         SELECTFROM (-(V[RentalCase*DateDifference];(firstDate;contractedEndDat

        (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEndDate
        DELETE FROM Isn{detyp=RentalCase}
         SELECTFROM -((contractedEndDate;firstDate~ /\ (rcDroppedOffDate /\ -De

        (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEndDate
(MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEndDate;contrac
ONE OF DELETE FROM rcAssignedCar[RentalCase*Car]
          SELECTFROM ((-rcDroppedOffDate /\ rcAssignedCar;(I[Car] /\ -(carAvaila

        (TO MAINTAIN  -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableA
        DELETE FROM Isn{detyp=Car}
         SELECTFROM rcAssignedCar~;((-rcDroppedOffDate /\ rcAssignedCar;(I[Car]

        (TO MAINTAIN  -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableA
```

```
                    ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM rcAssignedCar~;((-rcDroppedOf
                        THEN INSERT INTO carAvailableAt[Car*Branch]
                            SELECTFROM 'a'[Car]*'b'[Branch]

                            (TO MAINTAIN  -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;c
                        PICK a,b FROM carAvailableAt~;rcAssignedCar~;((-rcDroppedOffDate
                        THEN INSERT INTO carAvailableAt[Car*Branch]
                            SELECTFROM 'b'[Car]*'a'[Branch]

                            (TO MAINTAIN  -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;c
                    (MAINTAINING -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt
                    NEW x:Branch;
                      INSERT INTO carAvailableAt[Car*Branch]
                        SELECTFROM (rcAssignedCar~;(-rcDroppedOffDate /\ rcAssignedCar;(I[Ca

                        (TO MAINTAIN  -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailabl
                    (MAINTAINING -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt
                    DELETE FROM sessionDroppedoffCar[SESSION*Car]
                     SELECTFROM sessionToday;((-rcDroppedOffDate~ /\ sessionToday~;sessionD

                        (TO MAINTAIN  -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableA
                    DELETE FROM sessionToday[SESSION*Date]
                     SELECTFROM sessionDroppedoffCar;(I[Car] /\ -(carAvailableAt;carAvailab

                        (TO MAINTAIN  -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableA
              (MAINTAINING -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));ses
        (MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffDate;rcDroppedOffDate~ FROM Dropp
        (MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffDate;rcDroppedOffDate~ FROM Dropp
        (MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffDate;rcDroppedOffDate~ FROM Dropp
        (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedStartDate;contractedSt
        (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEndDate;contractedEndD
        (MAINTAINING -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));sessionDro

        <------End Derivation --


            ON INSERT Delta IN rcDroppedOffBranch[RentalCase*Branch] EXECUTE    -- (ECA rule
            ONE OF INSERT INTO rcCarHasBeenDroppedOff[RentalCase*RentalCase]
                    SELECTFROM (rcDroppedOffBranch;(rcDroppedOffBranch \/ Delta)~ /\ rcDropp

                    (TO MAINTAIN  -(rcDroppedOffBranch;rcDroppedOffBranch~ /\ rcDroppedOffDate
                    INSERT INTO rcDroppedOffBranch[RentalCase*Branch]
                     SELECTFROM rcCarHasBeenDroppedOff~;(rcDroppedOffBranch \/ Delta) /\ -rcD:

                    (TO MAINTAIN  -(rcDroppedOffBranch~;rcCarHasBeenDroppedOff) \/ rcDroppedO:
                    INSERT INTO Isn{detyp=Branch}
                     SELECTFROM ((rcDroppedOffBranch \/ Delta)~;rcCarHasBeenDroppedOff;rcDrop

                    (TO MAINTAIN  -(rcDroppedOffBranch~;rcCarHasBeenDroppedOff;rcDroppedOffBra

                            250
```

```
                    INSERT INTO rcDroppedOffBranch[RentalCase*Branch]
                     SELECTFROM (rcCarHasBeenDroppedOff;rcDroppedOffBranch /\ -rcDroppedOffBr

                    (TO MAINTAIN  -(rcCarHasBeenDroppedOff;rcDroppedOffBranch) \/ rcDroppedOf
                    INSERT INTO rentalLocationPenaltyCharge[RentalCase*Amount]
                     SELECTFROM ((rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch;d

                    (TO MAINTAIN  -((rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranc
                    INSERT INTO Isn{detyp=Amount}
                     SELECTFROM (rentalLocationPenaltyCharge~;(rcDroppedOffBranch;distbranch~

                    (TO MAINTAIN  -(rentalLocationPenaltyCharge~;(rcDroppedOffBranch;distbran
                    ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rcDroppedOffBranch;distbranch
                         THEN INSERT INTO rentalLocationPenaltyCharge[RentalCase*Amount]
                              SELECTFROM 'a'[RentalCase]*'b'[Amount]

                              (TO MAINTAIN  -(rcDroppedOffBranch;distbranch~ /\ contractedDi
                         PICK a,b FROM rentalLocationPenaltyCharge~;((rcDroppedOffBranch;dis
                         THEN INSERT INTO computedLocationPenaltyCharge[DistanceBetweenLoca
                              SELECTFROM 'b'[DistanceBetweenLocations]*'a'[Amount]

                              (TO MAINTAIN  -(rcDroppedOffBranch;distbranch~ /\ contractedDi
                    (MAINTAINING -(rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch;
                    NEW x:Amount;
                      ALL of INSERT INTO rentalLocationPenaltyCharge[RentalCase*Amount]
                              SELECTFROM ((rcDroppedOffBranch;distbranch~ /\ contractedDropof

                              (TO MAINTAIN  -(rcDroppedOffBranch;distbranch~ /\ contractedDrop
                              INSERT INTO computedLocationPenaltyCharge[DistanceBetweenLocati
                               SELECTFROM ((distbranch;rcDroppedOffBranch~ /\ distbranch;contra

                              (TO MAINTAIN  -(rcDroppedOffBranch;distbranch~ /\ contractedDrop
                        (MAINTAINING -(rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch
                    (MAINTAINING -(rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch;
                    INSERT INTO Isn{detyp=Branch}
                     SELECTFROM (rcDroppedOffBranch \/ Delta)~;rcAssignedCar;(I[Car] /\ -(car

                    (TO MAINTAIN  -(rcDroppedOffBranch~;rcAssignedCar;(I[Car] /\ -(carAvailab
                    INSERT INTO Isn{detyp=Branch}
                     SELECTFROM ((rcDroppedOffBranch \/ Delta)~;rcDroppedOffBranch /\ -I[Bran

                    (TO MAINTAIN  -(rcDroppedOffBranch~;rcDroppedOffBranch) \/ I[Branch] FROM
                    INSERT INTO Isn{detyp=RentalCase}
                     SELECTFROM (Delta;Delta~ /\ I[RentalCase]) - I[RentalCase]

                    INSERT INTO Isn{detyp=Branch}
                     SELECTFROM (Delta~;Delta /\ I[Branch]) - I[Branch]

(MAINTAINING -(rcDroppedOffBranch;rcDroppedOffBranch~ /\ rcDroppedOffDate;rcDrop
(MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffBranch;rcDroppedOffBranch~ F
```

251

```
                    (MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffBranch;rcDroppedOffBranch~ FI
                    (MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffBranch;rcDroppedOffBranch~ FI
                    (MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffBranch;rcDroppedOffBranch~ FI
                    (MAINTAINING -((rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch;distbr
                    (MAINTAINING -((rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch;distbr
                    (MAINTAINING -((rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch;distbr
                    (MAINTAINING -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));sessi
                    (MAINTAINING -(rcDroppedOffBranch~;rcDroppedOffBranch) \/ I[Branch] FROM UNI rcD:

    ------ Derivation ----->


            ONE OF INSERT INTO rcCarHasBeenDroppedOff[RentalCase*RentalCase]
                    SELECTFROM (rcDroppedOffBranch;(rcDroppedOffBranch \/ Delta)~ /\ rcDroppedOff

                    (TO MAINTAIN  -(rcDroppedOffBranch;rcDroppedOffBranch~ /\ rcDroppedOffDate;rcD
                    INSERT INTO rcDroppedOffBranch[RentalCase*Branch]
                     SELECTFROM rcCarHasBeenDroppedOff~;(rcDroppedOffBranch \/ Delta) /\ -rcDroppe

                    (TO MAINTAIN  -(rcDroppedOffBranch~;rcCarHasBeenDroppedOff) \/ rcDroppedOffBra
                    INSERT INTO Isn{detyp=Branch}
                     SELECTFROM ((rcDroppedOffBranch \/ Delta)~;rcCarHasBeenDroppedOff;rcDroppedOf

                    (TO MAINTAIN  -(rcDroppedOffBranch~;rcCarHasBeenDroppedOff;rcDroppedOffBranch)
                    INSERT INTO rcDroppedOffBranch[RentalCase*Branch]
                     SELECTFROM (rcCarHasBeenDroppedOff;rcDroppedOffBranch /\ -rcDroppedOffBranch)

                    (TO MAINTAIN  -(rcCarHasBeenDroppedOff;rcDroppedOffBranch) \/ rcDroppedOffBran
                    INSERT INTO rentalLocationPenaltyCharge[RentalCase*Amount]
                     SELECTFROM ((rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch;distbr

                    (TO MAINTAIN  -((rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch;dis
                    INSERT INTO Isn{detyp=Amount}
                     SELECTFROM (rentalLocationPenaltyCharge~;(rcDroppedOffBranch;distbranch~ /\ c

                    (TO MAINTAIN  -(rentalLocationPenaltyCharge~;(rcDroppedOffBranch;distbranch~ /
                    ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rcDroppedOffBranch;distbranch~ /\
                            THEN INSERT INTO rentalLocationPenaltyCharge[RentalCase*Amount]
                                 SELECTFROM 'a'[RentalCase]*'b'[Amount]

                                (TO MAINTAIN  -(rcDroppedOffBranch;distbranch~ /\ contractedDropof
                            PICK a,b FROM rentalLocationPenaltyCharge~;((rcDroppedOffBranch;distbra
                            THEN INSERT INTO computedLocationPenaltyCharge[DistanceBetweenLocations
                                 SELECTFROM 'b'[DistanceBetweenLocations]*'a'[Amount]

                                (TO MAINTAIN  -(rcDroppedOffBranch;distbranch~ /\ contractedDropof
                    (MAINTAINING -(rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch;distb
                    NEW x:Amount;
                      ALL of INSERT INTO rentalLocationPenaltyCharge[RentalCase*Amount]

                                            252
```

```
                        SELECTFROM ((rcDroppedOffBranch;distbranch~ /\ contractedDropoffBran

                    (TO MAINTAIN  -(rcDroppedOffBranch;distbranch~ /\ contractedDropoffBr
                    INSERT INTO computedLocationPenaltyCharge[DistanceBetweenLocations*Am
                     SELECTFROM ((distbranch;rcDroppedOffBranch~ /\ distbranch;contracted

                    (TO MAINTAIN  -(rcDroppedOffBranch;distbranch~ /\ contractedDropoffBr
          (MAINTAINING -(rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch;dis
        (MAINTAINING -(rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch;distb
        INSERT INTO Isn{detyp=Branch}
         SELECTFROM (rcDroppedOffBranch \/ Delta)~;rcAssignedCar;(I[Car] /\ -(carAvail

              (TO MAINTAIN  -(rcDroppedOffBranch~;rcAssignedCar;(I[Car] /\ -(carAvailableAt;
              INSERT INTO Isn{detyp=Branch}
               SELECTFROM ((rcDroppedOffBranch \/ Delta)~;rcDroppedOffBranch /\ -I[Branch])

              (TO MAINTAIN  -(rcDroppedOffBranch~;rcDroppedOffBranch) \/ I[Branch] FROM UNI
              INSERT INTO Isn{detyp=RentalCase}
               SELECTFROM (Delta;Delta~ /\ I[RentalCase]) - I[RentalCase]

              INSERT INTO Isn{detyp=Branch}
               SELECTFROM (Delta~;Delta /\ I[Branch]) - I[Branch]

      (MAINTAINING -(rcDroppedOffBranch;rcDroppedOffBranch~ /\ rcDroppedOffDate;rcDroppedOf
      (MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffBranch;rcDroppedOffBranch~ FROM D
      (MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffBranch;rcDroppedOffBranch~ FROM D
      (MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffBranch;rcDroppedOffBranch~ FROM D
      (MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffBranch;rcDroppedOffBranch~ FROM D
      (MAINTAINING -((rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch;distbranch~
      (MAINTAINING -((rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch;distbranch~
      (MAINTAINING -((rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch;distbranch~
      (MAINTAINING -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));sessionDro
      (MAINTAINING -(rcDroppedOffBranch~;rcDroppedOffBranch) \/ I[Branch] FROM UNI rcDroppe

   <------End Derivation --


            ON DELETE Delta FROM rcDroppedOffBranch[RentalCase*Branch] EXECUTE     -- (ECA ru
            ALL of DELETE FROM rcCarHasBeenDroppedOff[RentalCase*RentalCase]
                     SELECTFROM -((rcDroppedOffBranch /\ -Delta);(rcDroppedOffBranch /\ -Delt

                   (TO MAINTAIN  -rcCarHasBeenDroppedOff \/ rcDroppedOffBranch;rcDroppedOffBr
                   ONE OF DELETE FROM rcDroppedOffBranch[RentalCase*Branch]
                        SELECTFROM rcCarHasBeenDroppedOff;(-(rcDroppedOffBranch /\ -Delta

                        (TO MAINTAIN  -(rcDroppedOffBranch~;rcCarHasBeenDroppedOff) \/ rcD
                        DELETE FROM rcCarHasBeenDroppedOff[RentalCase*RentalCase]
                        SELECTFROM rcDroppedOffBranch;(-(rcDroppedOffBranch /\ -Delta)~ /
```

```
             (TO MAINTAIN  -(rcDroppedOffBranch~;rcCarHasBeenDroppedOff) \/ rcD:
   (MAINTAINING -(rcDroppedOffBranch~;rcCarHasBeenDroppedOff) \/ rcDroppedOf:
   ONE OF DELETE FROM rcCarHasBeenDroppedOff[RentalCase*RentalCase]
             SELECTFROM ((-rcDroppedOffBranch /\ rcCarHasBeenDroppedOff;rcDrop]

             (TO MAINTAIN  -(rcCarHasBeenDroppedOff;rcDroppedOffBranch) \/ rcDr
             DELETE FROM rcDroppedOffBranch[RentalCase*Branch]
              SELECTFROM rcCarHasBeenDroppedOff~;((-rcDroppedOffBranch /\ rcCar]

             (TO MAINTAIN  -(rcCarHasBeenDroppedOff;rcDroppedOffBranch) \/ rcDr
   (MAINTAINING -(rcCarHasBeenDroppedOff;rcDroppedOffBranch) \/ rcDroppedOff]
   ONE OF DELETE FROM rcAssignedCar[RentalCase*Car]
             SELECTFROM ((-rcDroppedOffBranch /\ rcAssignedCar;(I[Car] /\ -(car

             (TO MAINTAIN  -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvaila
             DELETE FROM Isn{detyp=Car}
              SELECTFROM rcAssignedCar~;((-rcDroppedOffBranch /\ rcAssignedCar;

             (TO MAINTAIN  -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvail
             ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM rcAssignedCar~;((-rcDrop]
                   THEN INSERT INTO carAvailableAt[Car*Branch]
                     SELECTFROM 'a'[Car]*'b'[Branch]

                     (TO MAINTAIN  -(rcAssignedCar;(I[Car] /\ -(carAvailable
                   PICK a,b FROM carAvailableAt~;rcAssignedCar~;((-rcDroppedOf:
                   THEN INSERT INTO carAvailableAt[Car*Branch]
                     SELECTFROM 'b'[Car]*'a'[Branch]

                     (TO MAINTAIN  -(rcAssignedCar;(I[Car] /\ -(carAvailable
   (MAINTAINING -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailal
   NEW x:Branch;
     INSERT INTO carAvailableAt[Car*Branch]
      SELECTFROM (rcAssignedCar~;(-rcDroppedOffBranch /\ rcAssignedCa]

     (TO MAINTAIN  -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAva]
   (MAINTAINING -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvaila]
   DELETE FROM sessionDroppedoffCar[SESSION*Car]
    SELECTFROM sessionBranch;((-rcDroppedOffBranch~ /\ sessionBranch~

     (TO MAINTAIN  -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvail
   DELETE FROM sessionBranch[SESSION*Branch]
    SELECTFROM sessionDroppedoffCar;(I[Car] /\ -(carAvailableAt;carAv]

     (TO MAINTAIN  -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvail
   (MAINTAINING -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~)]
(MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffBranch;rcDroppedOffBranch~ Fl
(MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffBranch;rcDroppedOffBranch~ Fl
(MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffBranch;rcDroppedOffBranch~ Fl
(MAINTAINING -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));sessi
```

------ Derivation ----->


          ALL of DELETE FROM rcCarHasBeenDroppedOff[RentalCase*RentalCase]
             SELECTFROM -((rcDroppedOffBranch /\ -Delta);(rcDroppedOffBranch /\ -Delta)~)

          (TO MAINTAIN  -rcCarHasBeenDroppedOff \/ rcDroppedOffBranch;rcDroppedOffBranch
          ONE OF DELETE FROM rcDroppedOffBranch[RentalCase*Branch]
                SELECTFROM rcCarHasBeenDroppedOff;(-(rcDroppedOffBranch /\ -Delta) /\

                (TO MAINTAIN  -(rcDroppedOffBranch~;rcCarHasBeenDroppedOff) \/ rcDroppe
                DELETE FROM rcCarHasBeenDroppedOff[RentalCase*RentalCase]
                 SELECTFROM rcDroppedOffBranch;(-(rcDroppedOffBranch /\ -Delta)~ /\ rcD

                (TO MAINTAIN  -(rcDroppedOffBranch~;rcCarHasBeenDroppedOff) \/ rcDroppe
          (MAINTAINING -(rcDroppedOffBranch~;rcCarHasBeenDroppedOff) \/ rcDroppedOffBran
          ONE OF DELETE FROM rcCarHasBeenDroppedOff[RentalCase*RentalCase]
                SELECTFROM ((-rcDroppedOffBranch /\ rcCarHasBeenDroppedOff;rcDroppedOf

                (TO MAINTAIN  -(rcCarHasBeenDroppedOff;rcDroppedOffBranch) \/ rcDropped
                DELETE FROM rcDroppedOffBranch[RentalCase*Branch]
                 SELECTFROM rcCarHasBeenDroppedOff~;((-rcDroppedOffBranch /\ rcCarHasBe

                (TO MAINTAIN  -(rcCarHasBeenDroppedOff;rcDroppedOffBranch) \/ rcDropped
          (MAINTAINING -(rcCarHasBeenDroppedOff;rcDroppedOffBranch) \/ rcDroppedOffBranc
          ONE OF DELETE FROM rcAssignedCar[RentalCase*Car]
                SELECTFROM ((-rcDroppedOffBranch /\ rcAssignedCar;(I[Car] /\ -(carAvai

                (TO MAINTAIN  -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableA
                DELETE FROM Isn{detyp=Car}
                 SELECTFROM rcAssignedCar~;((-rcDroppedOffBranch /\ rcAssignedCar;(I[Ca

                (TO MAINTAIN  -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableA
                ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM rcAssignedCar~;((-rcDroppedOf
                      THEN INSERT INTO carAvailableAt[Car*Branch]
                           SELECTFROM 'a'[Car]*'b'[Branch]

                      (TO MAINTAIN  -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;c
                      PICK a,b FROM carAvailableAt~;rcAssignedCar~;((-rcDroppedOffBran
                      THEN INSERT INTO carAvailableAt[Car*Branch]
                           SELECTFROM 'b'[Car]*'a'[Branch]

                      (TO MAINTAIN  -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;c
                (MAINTAINING -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt
                NEW x:Branch;
                  INSERT INTO carAvailableAt[Car*Branch]
                   SELECTFROM (rcAssignedCar~;(-rcDroppedOffBranch /\ rcAssignedCar;(I[

                (TO MAINTAIN  -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailabl
          (MAINTAINING -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt


                                    255

```
                        DELETE FROM sessionDroppedoffCar[SESSION*Car]
                         SELECTFROM sessionBranch;((-rcDroppedOffBranch~ /\ sessionBranch~;sess

                        (TO MAINTAIN  -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableA
                        DELETE FROM sessionBranch[SESSION*Branch]
                         SELECTFROM sessionDroppedoffCar;(I[Car] /\ -(carAvailableAt;carAvailab

                        (TO MAINTAIN  -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableA
               (MAINTAINING -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));ses
     (MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffBranch;rcDroppedOffBranch~ FROM D
     (MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffBranch;rcDroppedOffBranch~ FROM D
     (MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffBranch;rcDroppedOffBranch~ FROM D
     (MAINTAINING -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));sessionDro


     <------End Derivation --


          ON INSERT Delta IN rentalPeriod[RentalCase*Integer] EXECUTE    -- (ECA rule 59)
          ALL of INSERT INTO Isn{detyp=Integer}
                  SELECTFROM ((rentalPeriod \/ Delta)~;(contractedStartDate;earliestDate~

                  (TO MAINTAIN  -(rentalPeriod~;(contractedStartDate;earliestDate~ /\ rcDro
                  (TO MAINTAIN  -(rentalPeriod~;rentalPeriod) \/ I[Integer] FROM UNI rental
                  INSERT INTO rentalBasicCharge[RentalCase*Amount]
                   SELECTFROM ((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;rentalTa

                  (TO MAINTAIN  -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;renta
                  INSERT INTO Isn{detyp=Amount}
                   SELECTFROM (rentalBasicCharge~;(rentalPeriod;ctcNrOfDays~ /\ rcAssignedC

                  (TO MAINTAIN  -(rentalBasicCharge~;(rentalPeriod;ctcNrOfDays~ /\ rcAssigne
                  INSERT INTO Isn{detyp=RentalCase}
                   SELECTFROM (Delta;Delta~ /\ I[RentalCase]) - I[RentalCase]

                  ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rcAssignedCar;rcAssignedCar~
                          THEN ALL of ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
                                          THEN INSERT INTO rentalPeriod[RentalCase*
                                               SELECTFROM 'a'[RentalCase]*'b'[Inte

                                               (TO MAINTAIN  -(rcAssignedCar;rcAss
                                          PICK a,b FROM rentalPeriod~;('a'[RentalCa
                                          THEN INSERT INTO ctcNrOfDays[CompTariffe
                                               SELECTFROM 'b'[CompTariffedCharge]

                                               (TO MAINTAIN  -(rcAssignedCar;rcAss
                                      (MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\
                                      NEW x:Integer;
                                         ALL of INSERT INTO rentalPeriod[RentalCase*In
                                               SELECTFROM 'a'[RentalCase]*'b'[CompTa


                                     256
```

```
                                    (TO MAINTAIN  -(rcAssignedCar;rcAssigne
                        INSERT INTO ctcNrOfDays[CompTariffedCha
                         SELECTFROM 'b'[CompTariffedCharge]*'a

                                    (TO MAINTAIN  -(rcAssignedCar;rcAssigne
                    (MAINTAINING -(rcAssignedCar;rcAssignedCar~ /
                 (MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ :
         (MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ rentalP
    ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
                    THEN INSERT INTO rcAssignedCar[RentalCas
                          SELECTFROM 'a'[RentalCase]*'b'[Car

                              (TO MAINTAIN  -(rcAssignedCar;rcAss
                    PICK a,b FROM rcAssignedCar~;('a'[Rental
                    THEN ONE OF ONE NONEMPTY ALTERNATIVE OF
                                  THEN INSERT INTO carTy
                                      SELECTFROM 'a'[

                                    (TO MAINTAIN  -(
                        PICK a,b FROM carType
                        THEN ONE OF ONE NONEM
                                        TH


                                        PI
                                        TH


                              (MAINTAIN
                    NEW x:Amo
                      ALL of


                                        (MAINTA
                                    (MAINTAIN
                              (MAINTAINING -(r
                    (MAINTAINING -(rcAssignedCar
                    NEW x:CarType;
                      ALL of INSERT INTO carType
                                  SELECTFROM 'a'[Car

                              (TO MAINTAIN  -(rcA
```

257

ONE OF ONE NONEMPTY
THEN

PICK
THEN

(MAINTAINING
NEW x:Amount
ALL of INSE
SE

(TO
INSE
SE

(TO
(MAINTAINI
(MAINTAINING
(MAINTAINING -(rcAs
(MAINTAINING -(rcAssignedCa
(MAINTAINING -(rcAssignedCar
(MAINTAINING -(rcAssignedCar;rcAssi
(MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\
NEW x:Car;
ALL of INSERT INTO rcAssignedCar[RentalCase*Ca
SELECTFROM 'a'[RentalCase]*'b'[CompTai

(TO MAINTAIN -(rcAssignedCar;rcAssigne
ONE OF ONE NONEMPTY ALTERNATIVE OF PIC
THEN INSERT INTO carType
SELECTFROM 'a'[Car]

(TO MAINTAIN -(rcAs
PICK a,b FROM carType~;(
THEN ONE OF ONE NONEMPTY
THEN

PICK
THEN

(MAINTAINING
NEW x:Amount

258

ALL of INSI

SE

(TO

INSI

SE

(TO

(MAINTAINI

(MAINTAINING

(MAINTAINING -(rcAss

(MAINTAINING -(rcAssignedCar;rc

NEW x:CarType;

ALL of INSERT INTO carType[Ca

SELECTFROM 'x'[Car]*'a

(TO MAINTAIN  -(rcAssi

ONE OF ONE NONEMPTY ALT

THEN INSI

SE

(TO

PICK a,b

THEN INSI

SE

(TO

(MAINTAINING -(

NEW x:Amount;

ALL of INSERT

SELEC

(TO MA

INSERT

SELEC

(TO MA

(MAINTAINING 

(MAINTAINING -(

(MAINTAINING -(rcAssig

(MAINTAINING -(rcAssignedCar;

(MAINTAINING -(rcAssignedCar;rc

(MAINTAINING -(rcAssignedCar;rcAssigne

(MAINTAINING -(rcAssignedCar;rcAssignedCar~ /

(MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ 

(MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ rentalPe

(MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;re

PICK a,b FROM (ctcNrOfDays;rentalPeriod~ /\ ctcDailyAmount;rentalTa

THEN BLOCK

(CANNOT CHANGE V[CompTariffedCharge*RentalCase] FROM Trigger 

259

```
                (MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod~
        (MAINTAINING -((contractedStartDate;earliestDate~ /\ rcDroppedOffDate;latestDate
        (MAINTAINING -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;rentalTariffP
        (MAINTAINING -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;rentalTariffP
        (MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod~ /\ I[R
        (MAINTAINING -(rentalPeriod~;rentalPeriod) \/ I[Integer] FROM UNI rentalPeriod::
```

------ Derivation ----->

```
        ALL of INSERT INTO Isn{detyp=Integer}
                SELECTFROM ((rentalPeriod \/ Delta)~;(contractedStartDate;earliestDate~ /\ rc

            (TO MAINTAIN  -(rentalPeriod~;(contractedStartDate;earliestDate~ /\ rcDroppedO
            (TO MAINTAIN  -(rentalPeriod~;rentalPeriod) \/ I[Integer] FROM UNI rentalPerio
            INSERT INTO rentalBasicCharge[RentalCase*Amount]
                SELECTFROM ((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;rentalTariffP

            (TO MAINTAIN  -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;rentalTari
            INSERT INTO Isn{detyp=Amount}
                SELECTFROM (rentalBasicCharge~;(rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;ca

            (TO MAINTAIN  -(rentalBasicCharge~;(rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar
            INSERT INTO Isn{detyp=RentalCase}
                SELECTFROM (Delta;Delta~ /\ I[RentalCase]) - I[RentalCase]

            ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rcAssignedCar;rcAssignedCar~ /\ re
                    THEN ALL of ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[Renta
                                        THEN INSERT INTO rentalPeriod[RentalCase*Inte
                                            SELECTFROM 'a'[RentalCase]*'b'[Integer]

                                            (TO MAINTAIN  -(rcAssignedCar;rcAssigned
                                        PICK a,b FROM rentalPeriod~;('a'[RentalCase]*
                                        THEN INSERT INTO ctcNrOfDays[CompTariffedChar
                                            SELECTFROM 'b'[CompTariffedCharge]*'a'[

                                            (TO MAINTAIN  -(rcAssignedCar;rcAssigned
                                    (MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ renta
                                    NEW x:Integer;
                                        ALL of INSERT INTO rentalPeriod[RentalCase*Integer
                                            SELECTFROM 'a'[RentalCase]*'b'[CompTariffe

                                            (TO MAINTAIN  -(rcAssignedCar;rcAssignedCar
                                            INSERT INTO ctcNrOfDays[CompTariffedCharge*
                                            SELECTFROM 'b'[CompTariffedCharge]*'a'[Ren

                                            (TO MAINTAIN  -(rcAssignedCar;rcAssignedCar
                                    (MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ ren
                                    (MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ renta
```

260

(MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod
ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[Renta
          THEN INSERT INTO rcAssignedCar[RentalCase*Car
               SELECTFROM 'a'[RentalCase]*'b'[Car]

          (TO MAINTAIN  -(rcAssignedCar;rcAssigned
     PICK a,b FROM rcAssignedCar~;('a'[RentalCase]
     THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK
                    THEN INSERT INTO carType[C
                         SELECTFROM 'a'[Car]*

                    (TO MAINTAIN  -(rcAss
          PICK a,b FROM carType~;('a
          THEN ONE OF ONE NONEMPTY A
                         THEN IN
                              S

                              (T
                    PICK a,
                    THEN IN
                         S

                              (T
          (MAINTAINING -
          NEW x:Amount;
           ALL of INSER
                    SELE

                         (TO M
                         INSER
                         SELE

                         (TO M
          (MAINTAINING
          (MAINTAINING -
     (MAINTAINING -(rcAssi
(MAINTAINING -(rcAssignedCar;rcAs
     NEW x:CarType;
      ALL of INSERT INTO carType[Car*
               SELECTFROM 'a'[Car]*'b'

                    (TO MAINTAIN  -(rcAssign
          ONE OF ONE NONEMPTY ALTE
                         THEN INSER
                              SELE

                         (TO M
          PICK a,b F
          THEN INSER
                    SELE

```
                                                          (TO M
                                     (MAINTAINING -(rc
                                     NEW x:Amount;
                                        ALL of INSERT I
                                                 SELECTF


                                             (TO MAIN
                                             INSERT I
                                             SELECTF


                                             (TO MAIN
                                     (MAINTAINING -(
                                     (MAINTAINING -(rc
                              (MAINTAINING -(rcAssigne
                          (MAINTAINING -(rcAssignedCar;rc
                        (MAINTAINING -(rcAssignedCar;rcAs
                    (MAINTAINING -(rcAssignedCar;rcAssignedC
(MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ renta
NEW x:Car;
   ALL of INSERT INTO rcAssignedCar[RentalCase*Car]
              SELECTFROM 'a'[RentalCase]*'b'[CompTariffe


                  (TO MAINTAIN  -(rcAssignedCar;rcAssignedCar
                ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b
                          THEN INSERT INTO carType[Car*
                              SELECTFROM 'a'[Car]*'b'


                           (TO MAINTAIN  -(rcAssign
                  PICK a,b FROM carType~;('x'[C
                  THEN ONE OF ONE NONEMPTY ALTE
                                THEN INSER
                                    SELE


                                    (TO M
                     PICK a,b F
                     THEN INSER
                         SELE


                                    (TO M
                     (MAINTAINING -(rc
                     NEW x:Amount;
                        ALL of INSERT I
                                 SELECTF


                             (TO MAIN
                             INSERT I
                             SELECTF


                             (TO MAIN
```

262

```
                                                              (MAINTAINING -(
                                                       (MAINTAINING -(rc
                                                 (MAINTAINING -(rcAssigne
                                      (MAINTAINING -(rcAssignedCar;rcAssig
                                      NEW x:CarType;
                                        ALL of INSERT INTO carType[Car*Car
                                                SELECTFROM 'x'[Car]*'a'[Re

                                               (TO MAINTAIN  -(rcAssignedC
                                        ONE OF ONE NONEMPTY ALTERNA
                                                    THEN INSERT I
                                                        SELECTF

                                                         (TO MAIN
                                            PICK a,b FROM
                                            THEN INSERT I
                                                    SELECTF

                                                         (TO MAIN
                                           (MAINTAINING -(rcAss
                                           NEW x:Amount;
                                             ALL of INSERT INTO
                                                    SELECTFROM

                                                      (TO MAINTAI
                                                      INSERT INTO
                                                      SELECTFROM

                                                          (TO MAINTAI
                                            (MAINTAINING -(rcA
                                            (MAINTAINING -(rcAss
                                         (MAINTAINING -(rcAssignedCa
                                      (MAINTAINING -(rcAssignedCar;rcAss
                                      (MAINTAINING -(rcAssignedCar;rcAssig
                                   (MAINTAINING -(rcAssignedCar;rcAssignedCar~
                              (MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ ren
                              (MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ renta
                           (MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod
                        (MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rental
                 PICK a,b FROM (ctcNrOfDays;rentalPeriod~ /\ ctcDailyAmount;rentalTariff
                 THEN BLOCK
                    (CANNOT CHANGE V[CompTariffedCharge*RentalCase] FROM Trigger regul
         (MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod~ /\ I
   (MAINTAINING -((contractedStartDate;earliestDate~ /\ rcDroppedOffDate;latestDate~);co
   (MAINTAINING -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;rentalTariffPerDay
   (MAINTAINING -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;rentalTariffPerDay
   (MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod~ /\ I[Rental
   (MAINTAINING -(rentalPeriod~;rentalPeriod) \/ I[Integer] FROM UNI rentalPeriod::Renta

       <------End Derivation --
```

263

```
                ON DELETE Delta FROM rentalPeriod[RentalCase*Integer] EXECUTE    -- (ECA rule 60
                ALL of ONE OF DELETE FROM contractedStartDate[RentalCase*Date]
                            SELECTFROM ((-rentalPeriod /\ (contractedStartDate;earliestDate~ ,

                        (TO MAINTAIN  -((contractedStartDate;earliestDate~ /\ rcDroppedOff
                        DELETE FROM earliestDate[DateDifferencePlusOne*Date]
                         SELECTFROM computedRentalPeriod;((-rentalPeriod~ /\ computedRental

                        (TO MAINTAIN  -((contractedStartDate;earliestDate~ /\ rcDroppedOff
                        DELETE FROM rcDroppedOffDate[RentalCase*Date]
                         SELECTFROM ((-rentalPeriod /\ (contractedStartDate;earliestDate~ ,

                        (TO MAINTAIN  -((contractedStartDate;earliestDate~ /\ rcDroppedOff
                        DELETE FROM latestDate[DateDifferencePlusOne*Date]
                         SELECTFROM computedRentalPeriod;((-rentalPeriod~ /\ computedRental

                        (TO MAINTAIN  -((contractedStartDate;earliestDate~ /\ rcDroppedOff
                        DELETE FROM computedRentalPeriod[DateDifferencePlusOne*Integer]
                         SELECTFROM (earliestDate;contractedStartDate~ /\ latestDate;rcDro

                        (TO MAINTAIN  -((contractedStartDate;earliestDate~ /\ rcDroppedOff
                (MAINTAINING -((contractedStartDate;earliestDate~ /\ rcDroppedOffDate;late
                ONE OF DELETE FROM rcAssignedCar[RentalCase*Car]
                            SELECTFROM (-(((rentalPeriod /\ -Delta);ctcNrOfDays~ /\ rcAssigne

                        (TO MAINTAIN  -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;renta
                        DELETE FROM rcAssignedCar[RentalCase*Car]
                         SELECTFROM (-(V[RentalCase*CompTariffedCharge];(ctcNrOfDays;(renta

                        (TO MAINTAIN  -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;renta
                        DELETE FROM rentalPeriod[RentalCase*Integer]
                         SELECTFROM (-(((rentalPeriod /\ -Delta);ctcNrOfDays~ /\ rcAssigne

                        (TO MAINTAIN  -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;renta
                        DELETE FROM rentalPeriod[RentalCase*Integer]
                         SELECTFROM (-(V[RentalCase*CompTariffedCharge];(ctcNrOfDays;(renta

                        (TO MAINTAIN  -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;renta
                        DELETE FROM Isn{detyp=RentalCase}
                         SELECTFROM -(((rentalPeriod /\ -Delta);ctcNrOfDays~ /\ rcAssigned

                        (TO MAINTAIN  -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;renta
                (MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod~
        (MAINTAINING -((contractedStartDate;earliestDate~ /\ rcDroppedOffDate;latestDate
        (MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod~ /\ I[R
```

------ Derivation ----->

264

```
ALL of ONE OF DELETE FROM contractedStartDate[RentalCase*Date]
              SELECTFROM ((-rentalPeriod /\ (contractedStartDate;earliestDate~ /\ rc

            (TO MAINTAIN  -((contractedStartDate;earliestDate~ /\ rcDroppedOffDate;
            DELETE FROM earliestDate[DateDifferencePlusOne*Date]
             SELECTFROM computedRentalPeriod;((-rentalPeriod~ /\ computedRentalPeri

            (TO MAINTAIN  -((contractedStartDate;earliestDate~ /\ rcDroppedOffDate;
            DELETE FROM rcDroppedOffDate[RentalCase*Date]
             SELECTFROM ((-rentalPeriod /\ (contractedStartDate;earliestDate~ /\ rc

            (TO MAINTAIN  -((contractedStartDate;earliestDate~ /\ rcDroppedOffDate;
            DELETE FROM latestDate[DateDifferencePlusOne*Date]
             SELECTFROM computedRentalPeriod;((-rentalPeriod~ /\ computedRentalPeri

            (TO MAINTAIN  -((contractedStartDate;earliestDate~ /\ rcDroppedOffDate;
            DELETE FROM computedRentalPeriod[DateDifferencePlusOne*Integer]
             SELECTFROM (earliestDate;contractedStartDate~ /\ latestDate;rcDroppedO

            (TO MAINTAIN  -((contractedStartDate;earliestDate~ /\ rcDroppedOffDate;
        (MAINTAINING -((contractedStartDate;earliestDate~ /\ rcDroppedOffDate;latestDa
        ONE OF DELETE FROM rcAssignedCar[RentalCase*Car]
              SELECTFROM (-(((rentalPeriod /\ -Delta);ctcNrOfDays~ /\ rcAssignedCar;

            (TO MAINTAIN  -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeri
            DELETE FROM rcAssignedCar[RentalCase*Car]
             SELECTFROM (-(V[RentalCase*CompTariffedCharge];(ctcNrOfDays;(rentalPer

            (TO MAINTAIN  -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeri
            DELETE FROM rentalPeriod[RentalCase*Integer]
             SELECTFROM (-(((rentalPeriod /\ -Delta);ctcNrOfDays~ /\ rcAssignedCar;

            (TO MAINTAIN  -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeri
            DELETE FROM rentalPeriod[RentalCase*Integer]
             SELECTFROM (-(V[RentalCase*CompTariffedCharge];(ctcNrOfDays;(rentalPer

            (TO MAINTAIN  -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeri
            DELETE FROM Isn{detyp=RentalCase}
             SELECTFROM -(((rentalPeriod /\ -Delta);ctcNrOfDays~ /\ rcAssignedCar;c

            (TO MAINTAIN  -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeri
        (MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod~ /\ I
    (MAINTAINING -((contractedStartDate;earliestDate~ /\ rcDroppedOffDate;latestDate~);co
    (MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod~ /\ I[Rental

    <------End Derivation --


        ON INSERT Delta IN rentalBasicCharge[RentalCase*Amount] EXECUTE    -- (ECA rule

                                        265
```

```
ALL of INSERT INTO Isn{detyp=Amount}
          SELECTFROM ((rentalBasicCharge \/ Delta)~;(rentalPeriod;ctcNrOfDays~ /\

        (TO MAINTAIN  -(rentalBasicCharge~;(rentalPeriod;ctcNrOfDays~ /\ rcAssign
        (TO MAINTAIN  -(rentalCharge~;(rentalBasicCharge;arg1~ /\ rentalPenaltyCha
        (TO MAINTAIN  -(rentalBasicCharge~;rentalBasicCharge) \/ I[Amount] FROM U
        INSERT INTO rentalCharge[RentalCase*Amount]
         SELECTFROM ((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ ren

        (TO MAINTAIN  -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\
        INSERT INTO Isn{detyp=RentalCase}
         SELECTFROM (Delta;Delta~ /\ I[RentalCase]) - I[RentalCase]

        ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rentalLocationPenaltyCharge;r
             THEN ALL of ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
                                THEN INSERT INTO rentalBasicCharge[Rental
                                    SELECTFROM 'a'[RentalCase]*'b'[Amou

                                    (TO MAINTAIN  -(rentalLocationPenal
                            PICK a,b FROM rentalBasicCharge~;('a'[Re
                            THEN INSERT INTO arg1[CompRentalCharge*A
                                SELECTFROM 'b'[CompRentalCharge]*'a

                                (TO MAINTAIN  -(rentalLocationPenal
                        (MAINTAINING -(rentalLocationPenaltyCharge;renta
                        NEW x:Amount;
                          ALL of INSERT INTO rentalBasicCharge[RentalCas
                                    SELECTFROM 'a'[RentalCase]*'b'[CompRe

                                    (TO MAINTAIN  -(rentalLocationPenaltyC
                                    INSERT INTO arg1[CompRentalCharge*Amou
                                     SELECTFROM 'b'[CompRentalCharge]*'a'[

                                    (TO MAINTAIN  -(rentalLocationPenaltyC
                            (MAINTAINING -(rentalLocationPenaltyCharge;re
                        (MAINTAINING -(rentalLocationPenaltyCharge;renta
                    (MAINTAINING -(rentalLocationPenaltyCharge;rentalLocat
                    ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
                                THEN INSERT INTO rentalPenaltyCharge[Ren
                                    SELECTFROM 'a'[RentalCase]*'b'[Amou

                                    (TO MAINTAIN  -(rentalLocationPenal
                            PICK a,b FROM rentalPenaltyCharge~;('a'[
                            THEN INSERT INTO arg2[CompRentalCharge*A
                                SELECTFROM 'b'[CompRentalCharge]*'a

                                    (TO MAINTAIN  -(rentalLocationPenal
                        (MAINTAINING -(rentalLocationPenaltyCharge;renta
                        NEW x:Amount;
                          ALL of INSERT INTO rentalPenaltyCharge[RentalC
```

```
                                        SELECTFROM 'a'[RentalCase]*'b'[CompRe

                            (TO MAINTAIN  -(rentalLocationPenaltyC
                            INSERT INTO arg2[CompRentalCharge*Amour
                             SELECTFROM 'b'[CompRentalCharge]*'a'[

                            (TO MAINTAIN  -(rentalLocationPenaltyC
                    (MAINTAINING -(rentalLocationPenaltyCharge;rer
                     (MAINTAINING -(rentalLocationPenaltyCharge;renta
                 (MAINTAINING -(rentalLocationPenaltyCharge;rentalLocat
            ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
                        THEN INSERT INTO rentalLocationPenaltyCha
                              SELECTFROM 'a'[RentalCase]*'b'[Amou

                            (TO MAINTAIN  -(rentalLocationPenal
                     PICK a,b FROM rentalLocationPenaltyCharge
                      THEN INSERT INTO arg3[CompRentalCharge*Ar
                              SELECTFROM 'b'[CompRentalCharge]*':

                            (TO MAINTAIN  -(rentalLocationPenal
                    (MAINTAINING -(rentalLocationPenaltyCharge;renta
                    NEW x:Amount;
                       ALL of INSERT INTO rentalLocationPenaltyCharge
                              SELECTFROM 'a'[RentalCase]*'b'[CompRe

                            (TO MAINTAIN  -(rentalLocationPenaltyC
                            INSERT INTO arg3[CompRentalCharge*Amour
                             SELECTFROM 'b'[CompRentalCharge]*'a'[

                            (TO MAINTAIN  -(rentalLocationPenaltyC
                    (MAINTAINING -(rentalLocationPenaltyCharge;rer
                     (MAINTAINING -(rentalLocationPenaltyCharge;renta
                 (MAINTAINING -(rentalLocationPenaltyCharge;rentalLocat
              (MAINTAINING -(rentalLocationPenaltyCharge;rentalLocationPenal
                PICK a,b FROM (arg1;rentalBasicCharge~ /\ arg2;rentalPenaltyCharge
                THEN BLOCK
                    (CANNOT CHANGE V[CompRentalCharge*RentalCase] FROM Trigger re
            (MAINTAINING -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~ /
      (MAINTAINING -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;rentalTariffP
      (MAINTAINING -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ rentalLo
      (MAINTAINING -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ rentalLo
      (MAINTAINING -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~ /\ renta
      (MAINTAINING -(rentalBasicCharge~;rentalBasicCharge) \/ I[Amount] FROM UNI renta


------ Derivation ----->


      ALL of INSERT INTO Isn{detyp=Amount}
            SELECTFROM ((rentalBasicCharge \/ Delta)~;(rentalPeriod;ctcNrOfDays~ /\ rcAss
```

267

```
(TO MAINTAIN  -(rentalBasicCharge~;(rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar
(TO MAINTAIN  -(rentalCharge~;(rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;
(TO MAINTAIN  -(rentalBasicCharge~;rentalBasicCharge) \/ I[Amount] FROM UNI re
INSERT INTO rentalCharge[RentalCase*Amount]
 SELECTFROM ((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ rentalLo


(TO MAINTAIN  -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ renta
INSERT INTO Isn{detyp=RentalCase}
 SELECTFROM (Delta;Delta~ /\ I[RentalCase]) - I[RentalCase]


ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rentalLocationPenaltyCharge;rental
        THEN ALL of ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[Renta
                        THEN INSERT INTO rentalBasicCharge[RentalCase
                          SELECTFROM 'a'[RentalCase]*'b'[Amount]


                        (TO MAINTAIN  -(rentalLocationPenaltyCha
                    PICK a,b FROM rentalBasicCharge~;('a'[RentalC
                    THEN INSERT INTO arg1[CompRentalCharge*Amount
                          SELECTFROM 'b'[CompRentalCharge]*'a'[Am


                        (TO MAINTAIN  -(rentalLocationPenaltyCha
                  (MAINTAINING -(rentalLocationPenaltyCharge;rentalLoc
                  NEW x:Amount;
                    ALL of INSERT INTO rentalBasicCharge[RentalCase*Am
                          SELECTFROM 'a'[RentalCase]*'b'[CompRentalC


                        (TO MAINTAIN  -(rentalLocationPenaltyCharge
                        INSERT INTO arg1[CompRentalCharge*Amount]
                         SELECTFROM 'b'[CompRentalCharge]*'a'[Renta


                        (TO MAINTAIN  -(rentalLocationPenaltyCharge
                  (MAINTAINING -(rentalLocationPenaltyCharge;rentalL
                  (MAINTAINING -(rentalLocationPenaltyCharge;rentalLoc
                (MAINTAINING -(rentalLocationPenaltyCharge;rentalLocationPe
                ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[Renta
                        THEN INSERT INTO rentalPenaltyCharge[RentalCa
                          SELECTFROM 'a'[RentalCase]*'b'[Amount]


                        (TO MAINTAIN  -(rentalLocationPenaltyCha
                    PICK a,b FROM rentalPenaltyCharge~;('a'[Renta
                    THEN INSERT INTO arg2[CompRentalCharge*Amount
                          SELECTFROM 'b'[CompRentalCharge]*'a'[Am


                        (TO MAINTAIN  -(rentalLocationPenaltyCha
                  (MAINTAINING -(rentalLocationPenaltyCharge;rentalLoc
                  NEW x:Amount;
                    ALL of INSERT INTO rentalPenaltyCharge[RentalCase*
                          SELECTFROM 'a'[RentalCase]*'b'[CompRentalC
```

```
                                    (TO MAINTAIN  -(rentalLocationPenaltyCharge
                          INSERT INTO arg2[CompRentalCharge*Amount]
                           SELECTFROM 'b'[CompRentalCharge]*'a'[Renta

                                    (TO MAINTAIN  -(rentalLocationPenaltyCharge
                       (MAINTAINING -(rentalLocationPenaltyCharge;rentalL
                       (MAINTAINING -(rentalLocationPenaltyCharge;rentalLoc
                   (MAINTAINING -(rentalLocationPenaltyCharge;rentalLocationPe
                   ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[Renta
                           THEN INSERT INTO rentalLocationPenaltyCharge[
                               SELECTFROM 'a'[RentalCase]*'b'[Amount]

                                      (TO MAINTAIN  -(rentalLocationPenaltyCha
                            PICK a,b FROM rentalLocationPenaltyCharge~;('
                            THEN INSERT INTO arg3[CompRentalCharge*Amount
                                SELECTFROM 'b'[CompRentalCharge]*'a'[Am

                                      (TO MAINTAIN  -(rentalLocationPenaltyCha
                       (MAINTAINING -(rentalLocationPenaltyCharge;rentalLoc
                       NEW x:Amount;
                         ALL of INSERT INTO rentalLocationPenaltyCharge[Ren
                                 SELECTFROM 'a'[RentalCase]*'b'[CompRentalC

                                    (TO MAINTAIN  -(rentalLocationPenaltyCharge
                          INSERT INTO arg3[CompRentalCharge*Amount]
                           SELECTFROM 'b'[CompRentalCharge]*'a'[Renta

                                    (TO MAINTAIN  -(rentalLocationPenaltyCharge
                       (MAINTAINING -(rentalLocationPenaltyCharge;rentalL
                       (MAINTAINING -(rentalLocationPenaltyCharge;rentalLoc
                   (MAINTAINING -(rentalLocationPenaltyCharge;rentalLocationPe
               (MAINTAINING -(rentalLocationPenaltyCharge;rentalLocationPenaltyCh
           PICK a,b FROM (arg1;rentalBasicCharge~ /\ arg2;rentalPenaltyCharge~ /\
           THEN BLOCK
                   (CANNOT CHANGE V[CompRentalCharge*RentalCase] FROM Trigger rental
         (MAINTAINING -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~ /\ ren
   (MAINTAINING -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;rentalTariffPerDay
   (MAINTAINING -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ rentalLocatio
   (MAINTAINING -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ rentalLocatio
   (MAINTAINING -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~ /\ rentalPena
   (MAINTAINING -(rentalBasicCharge~;rentalBasicCharge) \/ I[Amount] FROM UNI rentalBasi

       <------End Derivation --


           ON DELETE Delta FROM rentalBasicCharge[RentalCase*Amount] EXECUTE     -- (ECA rul
           ALL of ONE OF DELETE FROM rentalPeriod[RentalCase*Integer]
                           SELECTFROM ((-rentalBasicCharge /\ (rentalPeriod;ctcNrOfDays~ /\
```

269

(TO MAINTAIN  -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carTyp
        DELETE FROM ctcNrOfDays[CompTariffedCharge*Integer]
         SELECTFROM computedTariffedCharge;((-rentalBasicCharge~ /\ comput

        (TO MAINTAIN  -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carTyp
        DELETE FROM rcAssignedCar[RentalCase*Car]
         SELECTFROM ((-rentalBasicCharge /\ (rentalPeriod;ctcNrOfDays~ /\

        (TO MAINTAIN  -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carTyp
        DELETE FROM carType[Car*CarType]
         SELECTFROM rcAssignedCar~;((-rentalBasicCharge /\ (rentalPeriod;c

        (TO MAINTAIN  -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carTyp
        DELETE FROM rentalTariffPerDay[CarType*Amount]
         SELECTFROM carType~;rcAssignedCar~;((-rentalBasicCharge /\ (renta

        (TO MAINTAIN  -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carTyp
        DELETE FROM ctcDailyAmount[CompTariffedCharge*Amount]
         SELECTFROM computedTariffedCharge;((-rentalBasicCharge~ /\ comput

        (TO MAINTAIN  -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carTyp
        DELETE FROM computedTariffedCharge[CompTariffedCharge*Amount]
         SELECTFROM (ctcNrOfDays;rentalPeriod~ /\ ctcDailyAmount;rentalTar

        (TO MAINTAIN  -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carTyp
(MAINTAINING -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;rental
ONE OF DELETE FROM rentalLocationPenaltyCharge[RentalCase*Amount]
         SELECTFROM (-(((rentalBasicCharge /\ -Delta);arg1~ /\ rentalPenal

        (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCl
        DELETE FROM rentalLocationPenaltyCharge[RentalCase*Amount]
         SELECTFROM (-(V[RentalCase*CompRentalCharge];(arg1;(rentalBasicCha

        (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCl
        DELETE FROM rentalPenaltyCharge[RentalCase*Amount]
         SELECTFROM (-(((rentalBasicCharge /\ -Delta);arg1~ /\ rentalPenal

        (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCl
        DELETE FROM rentalPenaltyCharge[RentalCase*Amount]
         SELECTFROM (-(V[RentalCase*CompRentalCharge];(arg1;(rentalBasicCha

        (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCl
        DELETE FROM rentalBasicCharge[RentalCase*Amount]
         SELECTFROM (-(((rentalBasicCharge /\ -Delta);arg1~ /\ rentalPenal

        (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCl
        DELETE FROM rentalBasicCharge[RentalCase*Amount]
         SELECTFROM (-(V[RentalCase*CompRentalCharge];(arg1;(rentalBasicCha

        (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCl

                270

```
                            DELETE FROM Isn{detyp=RentalCase}
                             SELECTFROM -(((rentalBasicCharge /\ -Delta);arg1~ /\ rentalPenalt
```

```
                       (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCl
                 (MAINTAINING -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~ /
         (MAINTAINING -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;rentalTariffPe
         (MAINTAINING -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~ /\ renta
```

------ Derivation ----->

```
        ALL of ONE OF DELETE FROM rentalPeriod[RentalCase*Integer]
                       SELECTFROM ((-rentalBasicCharge /\ (rentalPeriod;ctcNrOfDays~ /\ rcAss

                       (TO MAINTAIN  -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;ren
                       DELETE FROM ctcNrOfDays[CompTariffedCharge*Integer]
                        SELECTFROM computedTariffedCharge;((-rentalBasicCharge~ /\ computedTar

                       (TO MAINTAIN  -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;ren
                       DELETE FROM rcAssignedCar[RentalCase*Car]
                        SELECTFROM ((-rentalBasicCharge /\ (rentalPeriod;ctcNrOfDays~ /\ rcAss

                       (TO MAINTAIN  -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;ren
                       DELETE FROM carType[Car*CarType]
                        SELECTFROM rcAssignedCar~;((-rentalBasicCharge /\ (rentalPeriod;ctcNrO

                       (TO MAINTAIN  -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;ren
                       DELETE FROM rentalTariffPerDay[CarType*Amount]
                        SELECTFROM carType~;rcAssignedCar~;((-rentalBasicCharge /\ (rentalPeri

                       (TO MAINTAIN  -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;ren
                       DELETE FROM ctcDailyAmount[CompTariffedCharge*Amount]
                        SELECTFROM computedTariffedCharge;((-rentalBasicCharge~ /\ computedTar

                       (TO MAINTAIN  -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;ren
                       DELETE FROM computedTariffedCharge[CompTariffedCharge*Amount]
                        SELECTFROM (ctcNrOfDays;rentalPeriod~ /\ ctcDailyAmount;rentalTariffPe

                       (TO MAINTAIN  -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;ren
                 (MAINTAINING -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;rentalTarif
               ONE OF DELETE FROM rentalLocationPenaltyCharge[RentalCase*Amount]
                        SELECTFROM (-(((rentalBasicCharge /\ -Delta);arg1~ /\ rentalPenaltyCha

                       (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge
                       DELETE FROM rentalLocationPenaltyCharge[RentalCase*Amount]
                        SELECTFROM (-(V[RentalCase*CompRentalCharge];(arg1;(rentalBasicCharge~

                       (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge
                       DELETE FROM rentalPenaltyCharge[RentalCase*Amount]
```

271

```
                          SELECTFROM (-(((rentalBasicCharge /\ -Delta);arg1~ /\ rentalPenaltyCha

                    (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge
                    DELETE FROM rentalPenaltyCharge[RentalCase*Amount]
                     SELECTFROM (-(V[RentalCase*CompRentalCharge];(arg1;(rentalBasicCharge~

                    (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge
                    DELETE FROM rentalBasicCharge[RentalCase*Amount]
                     SELECTFROM (-(((rentalBasicCharge /\ -Delta);arg1~ /\ rentalPenaltyCha

                    (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge
                    DELETE FROM rentalBasicCharge[RentalCase*Amount]
                     SELECTFROM (-(V[RentalCase*CompRentalCharge];(arg1;(rentalBasicCharge~

                    (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge
                    DELETE FROM Isn{detyp=RentalCase}
                     SELECTFROM -(((rentalBasicCharge /\ -Delta);arg1~ /\ rentalPenaltyChar

                    (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge
           (MAINTAINING -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~ /\ ren
      (MAINTAINING -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;rentalTariffPerDay
      (MAINTAINING -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~ /\ rentalPena

  <------End Derivation --


           ON INSERT Delta IN rentalExcessPeriod[RentalCase*Integer] EXECUTE    -- (ECA rul
           ALL of INSERT INTO Isn{detyp=Integer}
                   SELECTFROM ((rentalExcessPeriod \/ Delta)~;(rcDroppedOffDate;lastDate~ /

                   (TO MAINTAIN  -(rentalExcessPeriod~;(rcDroppedOffDate;lastDate~ /\ contra
                   (TO MAINTAIN  -(rentalExcessPeriod~;rentalExcessPeriod) \/ I[Integer] FRO
                   INSERT INTO rentalPenaltyCharge[RentalCase*Amount]
                    SELECTFROM ((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;ex

                   (TO MAINTAIN  -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType
                   INSERT INTO Isn{detyp=Amount}
                    SELECTFROM (rentalPenaltyCharge~;(rentalExcessPeriod;ctcNrOfDays~ /\ rcA

                   (TO MAINTAIN  -(rentalPenaltyCharge~;(rentalExcessPeriod;ctcNrOfDays~ /\
                   INSERT INTO Isn{detyp=RentalCase}
                    SELECTFROM (Delta;Delta~ /\ I[RentalCase]) - I[RentalCase]

                   ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rentalExcessPeriod;(rentalExc
                          THEN ALL of ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
                                           THEN INSERT INTO rentalExcessPeriod[Renta
                                                 SELECTFROM 'a'[RentalCase]*'b'[Inte

                                               (TO MAINTAIN  -(rentalExcessPeriod;
```

272

```
                    PICK a,b FROM rentalExcessPeriod~;('a'[Re
                    THEN INSERT INTO ctcNrOfDays[CompTariffed
                        SELECTFROM 'b'[CompTariffedCharge]*

                    (TO MAINTAIN  -(rentalExcessPeriod;
            (MAINTAINING -(rentalExcessPeriod;rentalExcessP
        NEW x:Integer;
          ALL of INSERT INTO rentalExcessPeriod[RentalC
                    SELECTFROM 'a'[RentalCase]*'b'[CompTa

                    (TO MAINTAIN  -(rentalExcessPeriod;rent
                    INSERT INTO ctcNrOfDays[CompTariffedCha
                    SELECTFROM 'b'[CompTariffedCharge]*'a

                    (TO MAINTAIN  -(rentalExcessPeriod;rent
              (MAINTAINING -(rentalExcessPeriod;rentalExces
            (MAINTAINING -(rentalExcessPeriod;rentalExcessP
        (MAINTAINING -(rentalExcessPeriod;rentalExcessPeriod~ ,
    ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
                    THEN INSERT INTO rcAssignedCar[RentalCase
                        SELECTFROM 'a'[RentalCase]*'b'[Car

                    (TO MAINTAIN  -(rentalExcessPeriod;
                    PICK a,b FROM rcAssignedCar~;('a'[Rental
                    THEN ONE OF ONE NONEMPTY ALTERNATIVE OF
                            THEN INSERT INTO carTy
                                SELECTFROM 'a'[

                    (TO MAINTAIN  -(
                    PICK a,b FROM carType
                    THEN ONE OF ONE NONEM
                            TH



                    PI
                    TH



            (MAINTAINI
        NEW x:Amou
          ALL of I



                    2
```

273

```
                                                              (MAINTAI
                                                          (MAINTAINI
                                                     (MAINTAINING -(r
                                            (MAINTAINING -(rentalExcessP
                            NEW x:CarType;
                              ALL of INSERT INTO carType
                                        SELECTFROM 'a'[Car]


                                          (TO MAINTAIN  -(rent
                                      ONE OF ONE NONEMPTY
                                                    THEN


                                          PICK a
                                          THEN


                                        (MAINTAINING
                              NEW x:Amount
                                ALL of INS
                                          SE


                                          (TO
                                        INS
                                          SE


                                          (TO
                                      (MAINTAINI
                                        (MAINTAINING
                                     (MAINTAINING -(renta
                                (MAINTAINING -(rentalExces
                                   (MAINTAINING -(rentalExcessP
                            (MAINTAINING -(rentalExcessPeriod;r
                (MAINTAINING -(rentalExcessPeriod;rentalExcessP
            NEW x:Car;
              ALL of INSERT INTO rcAssignedCar[RentalCase*Ca
                        SELECTFROM 'a'[RentalCase]*'b'[CompTa


                                          (TO MAINTAIN  -(rentalExcessPeriod;ren
                                      ONE OF ONE NONEMPTY ALTERNATIVE OF PIC
                                                    THEN INSERT INTO carType
                                                              SELECTFROM 'a'[Car


                                          (TO MAINTAIN  -(rent
                                          PICK a,b FROM carType~;(
                                          THEN ONE OF ONE NONEMPTY
                                                              THEN
```

```
                                                        PICK a
                                                        THEN 

                                        (MAINTAINING
                                NEW x:Amount
                                    ALL of INSE
                                                SEI

                                            (TO
                                        INSE
                                            SEI

                                            (TO
                                    (MAINTAINI
                                    (MAINTAINING
                            (MAINTAINING -(renta
            (MAINTAINING -(rentalExcessPeri
NEW x:CarType;
    ALL of INSERT INTO carType[Ca
                SELECTFROM 'x'[Car]*'a

                (TO MAINTAIN  -(rental
                ONE OF ONE NONEMPTY ALT
                                THEN INS
                                    SEI

                                    (TO
                                PICK a,b
                                THEN INS
                                    SEI

                                    (TO
                    (MAINTAINING -(
                    NEW x:Amount;
                        ALL of INSERT
                                SELECT

                                (TO MA
                                INSERT
                                    SELECT

                                (TO MA
                        (MAINTAINING 
                    (MAINTAINING -(
            (MAINTAINING -(rentalE
        (MAINTAINING -(rentalExcessPe
```

275

```
                                           (MAINTAINING -(rentalExcessPeri
                                (MAINTAINING -(rentalExcessPeriod;rent
                             (MAINTAINING -(rentalExcessPeriod;rentalExcess
                          (MAINTAINING -(rentalExcessPeriod;rentalExcessP
                    (MAINTAINING -(rentalExcessPeriod;rentalExcessPeriod~
                 (MAINTAINING -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[Re
            PICK a,b FROM (ctcNrOfDays;rentalExcessPeriod~ /\ ctcDailyAmount;e
            THEN BLOCK
                    (CANNOT CHANGE V[CompTariffedCharge*RentalCase] FROM Trigger
          (MAINTAINING -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[RentalCase]) \
      (MAINTAINING -((rcDroppedOffDate;lastDate~ /\ contractedEndDate;firstDate~);comp
      (MAINTAINING -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;excessTa
      (MAINTAINING -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;excessTa
      (MAINTAINING -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[RentalCase]) \/ (rent
      (MAINTAINING -(rentalExcessPeriod~;rentalExcessPeriod) \/ I[Integer] FROM UNI re


------ Derivation ----->


      ALL of INSERT INTO Isn{detyp=Integer}
              SELECTFROM ((rentalExcessPeriod \/ Delta)~;(rcDroppedOffDate;lastDate~ /\ con

          (TO MAINTAIN  -(rentalExcessPeriod~;(rcDroppedOffDate;lastDate~ /\ contractedE
          (TO MAINTAIN  -(rentalExcessPeriod~;rentalExcessPeriod) \/ I[Integer] FROM UNI
          INSERT INTO rentalPenaltyCharge[RentalCase*Amount]
           SELECTFROM ((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;excessT

          (TO MAINTAIN  -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;exce
          INSERT INTO Isn{detyp=Amount}
           SELECTFROM (rentalPenaltyCharge~;(rentalExcessPeriod;ctcNrOfDays~ /\ rcAssign

          (TO MAINTAIN  -(rentalPenaltyCharge~;(rentalExcessPeriod;ctcNrOfDays~ /\ rcAss
          INSERT INTO Isn{detyp=RentalCase}
           SELECTFROM (Delta;Delta~ /\ I[RentalCase]) - I[RentalCase]

          ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rentalExcessPeriod;(rentalExcessPe
                 THEN ALL of ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[Renta
                                     THEN INSERT INTO rentalExcessPeriod[RentalCas
                                         SELECTFROM 'a'[RentalCase]*'b'[Integer]

                                     (TO MAINTAIN  -(rentalExcessPeriod;renta
                                     PICK a,b FROM rentalExcessPeriod~;('a'[Rental
                                     THEN INSERT INTO ctcNrOfDays[CompTariffedChar
                                         SELECTFROM 'b'[CompTariffedCharge]*'a'[

                                     (TO MAINTAIN  -(rentalExcessPeriod;renta
                          (MAINTAINING -(rentalExcessPeriod;rentalExcessPeriod
                          NEW x:Integer;
                            ALL of INSERT INTO rentalExcessPeriod[RentalCase*I
```

```
SELECTFROM 'a'[RentalCase]*'b'[CompTariffe

(TO MAINTAIN  -(rentalExcessPeriod;rentalEx
INSERT INTO ctcNrOfDays[CompTariffedCharge*
 SELECTFROM 'b'[CompTariffedCharge]*'a'[Ren

(TO MAINTAIN  -(rentalExcessPeriod;rentalEx
(MAINTAINING -(rentalExcessPeriod;rentalExcessPeri
(MAINTAINING -(rentalExcessPeriod;rentalExcessPeriod
(MAINTAINING -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[
ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[Renta
THEN INSERT INTO rcAssignedCar[RentalCase*Car
SELECTFROM 'a'[RentalCase]*'b'[Car]

(TO MAINTAIN  -(rentalExcessPeriod;renta
PICK a,b FROM rcAssignedCar~;('a'[RentalCase]
THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK
THEN INSERT INTO carType[C
SELECTFROM 'a'[Car]*

(TO MAINTAIN  -(renta
PICK a,b FROM carType~;('a
THEN ONE OF ONE NONEMPTY A
THEN IN
S

(T
PICK a,
THEN IN
S

(T
(MAINTAINING -
NEW x:Amount;
ALL of INSER
SELE

(TO M
INSER
SELE

(TO M
(MAINTAINING
(MAINTAINING -
(MAINTAINING -(rental
(MAINTAINING -(rentalExcessPeriod
NEW x:CarType;
ALL of INSERT INTO carType[Car*
SELECTFROM 'a'[Car]*'b'
```

```
                                    (TO MAINTAIN  -(rentalEx
                  ONE OF ONE NONEMPTY ALTE
                                    THEN INSER
                                        SELE

                                    (TO M
                  PICK a,b F
                  THEN INSER
                                        SELE

                                    (TO M
                  (MAINTAINING -(re
                  NEW x:Amount;
                    ALL of INSERT I
                                SELECTF

                                    (TO MAIN
                            INSERT I
                            SELECTF

                                    (TO MAIN
                  (MAINTAINING -(
                  (MAINTAINING -(re
                  (MAINTAINING -(rentalExc
              (MAINTAINING -(rentalExcessPeri
            (MAINTAINING -(rentalExcessPeriod
          (MAINTAINING -(rentalExcessPeriod;rental
(MAINTAINING -(rentalExcessPeriod;rentalExcessPeriod
NEW x:Car;
    ALL of INSERT INTO rcAssignedCar[RentalCase*Car]
            SELECTFROM 'a'[RentalCase]*'b'[CompTariffe

                  (TO MAINTAIN  -(rentalExcessPeriod;rentalEx
                  ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b
                                THEN INSERT INTO carType[Car*
                                    SELECTFROM 'a'[Car]*'b'

                                    (TO MAINTAIN  -(rentalEx
                  PICK a,b FROM carType~;('x'[C
                  THEN ONE OF ONE NONEMPTY ALTE
                                    THEN INSER
                                        SELE

                                    (TO M
                  PICK a,b F
                  THEN INSER
                                        SELE

                                    (TO M
                  (MAINTAINING -(re
```

```
                                                    NEW x:Amount;
                                                 ALL of INSERT I
                                                      SELECTF

                                                       (TO MAIN
                                                       INSERT I
                                                       SELECTF

                                                       (TO MAIN
                                                  (MAINTAINING -(
                                                 (MAINTAINING -(re
                                              (MAINTAINING -(rentalExc
                                        (MAINTAINING -(rentalExcessPeriod;re
                                       NEW x:CarType;
                                         ALL of INSERT INTO carType[Car*Car
                                               SELECTFROM 'x'[Car]*'a'[Re

                                                 (TO MAINTAIN  -(rentalExces
                                                ONE OF ONE NONEMPTY ALTERNA
                                                        THEN INSERT I
                                                             SELECTF

                                                             (TO MAIN
                                                    PICK a,b FROM
                                                    THEN INSERT I
                                                         SELECTF

                                                         (TO MAIN
                                                  (MAINTAINING -(renta
                                                 NEW x:Amount;
                                                   ALL of INSERT INTO
                                                          SELECTFROM

                                                          (TO MAINTAI
                                                          INSERT INTO
                                                          SELECTFROM

                                                          (TO MAINTAI
                                                   (MAINTAINING -(ren
                                                  (MAINTAINING -(renta
                                               (MAINTAINING -(rentalExcess
                                            (MAINTAINING -(rentalExcessPeriod;
                                          (MAINTAINING -(rentalExcessPeriod;re
                                       (MAINTAINING -(rentalExcessPeriod;rentalExc
                                     (MAINTAINING -(rentalExcessPeriod;rentalExcessPeri
                                    (MAINTAINING -(rentalExcessPeriod;rentalExcessPeriod
                                 (MAINTAINING -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[
                            (MAINTAINING -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[RentalC
                        PICK a,b FROM (ctcNrOfDays;rentalExcessPeriod~ /\ ctcDailyAmount;excess
                        THEN BLOCK

                                279
```

```
                              (CANNOT CHANGE V[CompTariffedCharge*RentalCase] FROM Trigger exces
              (MAINTAINING -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[RentalCase]) \/ (re
       (MAINTAINING -((rcDroppedOffDate;lastDate~ /\ contractedEndDate;firstDate~);computedN
       (MAINTAINING -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;excessTariff
       (MAINTAINING -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;excessTariff
       (MAINTAINING -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[RentalCase]) \/ (rentalExc
       (MAINTAINING -(rentalExcessPeriod~;rentalExcessPeriod) \/ I[Integer] FROM UNI rentalE

<------End Derivation --


          ON DELETE Delta FROM rentalExcessPeriod[RentalCase*Integer] EXECUTE     -- (ECA r
          ALL of ONE OF DELETE FROM rcDroppedOffDate[RentalCase*Date]
                          SELECTFROM ((-rentalExcessPeriod /\ (rcDroppedOffDate;lastDate~ /

                          (TO MAINTAIN  -((rcDroppedOffDate;lastDate~ /\ contractedEndDate;f
                          DELETE FROM lastDate[DateDifference*Date]
                           SELECTFROM computedNrOfExcessDays;((-rentalExcessPeriod~ /\ compu

                          (TO MAINTAIN  -((rcDroppedOffDate;lastDate~ /\ contractedEndDate;f
                          DELETE FROM contractedEndDate[RentalCase*Date]
                           SELECTFROM ((-rentalExcessPeriod /\ (rcDroppedOffDate;lastDate~ /

                          (TO MAINTAIN  -((rcDroppedOffDate;lastDate~ /\ contractedEndDate;f
                          DELETE FROM firstDate[DateDifference*Date]
                           SELECTFROM computedNrOfExcessDays;((-rentalExcessPeriod~ /\ compu

                          (TO MAINTAIN  -((rcDroppedOffDate;lastDate~ /\ contractedEndDate;f
                          DELETE FROM computedNrOfExcessDays[DateDifference*Integer]
                           SELECTFROM (lastDate;rcDroppedOffDate~ /\ firstDate;contractedEnd

                          (TO MAINTAIN  -((rcDroppedOffDate;lastDate~ /\ contractedEndDate;f
                  (MAINTAINING -((rcDroppedOffDate;lastDate~ /\ contractedEndDate;firstDate
                  ONE OF DELETE FROM rentalExcessPeriod[RentalCase*Integer]
                          SELECTFROM (-(((rentalExcessPeriod /\ -Delta);ctcNrOfDays~ /\ rcAs

                          (TO MAINTAIN  -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[Rental
                          DELETE FROM rentalExcessPeriod[RentalCase*Integer]
                           SELECTFROM (-(V[RentalCase*CompTariffedCharge];(ctcNrOfDays;(rent

                          (TO MAINTAIN  -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[Rental
                          DELETE FROM Isn{detyp=RentalCase}
                           SELECTFROM -(((rentalExcessPeriod /\ -Delta);ctcNrOfDays~ /\ rcAs

                          (TO MAINTAIN  -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[Rental
                  (MAINTAINING -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[RentalCase]) \
       (MAINTAINING -((rcDroppedOffDate;lastDate~ /\ contractedEndDate;firstDate~);compu
       (MAINTAINING -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[RentalCase]) \/ (renta

------ Derivation ----->


                                       280
```

```
ALL of ONE OF DELETE FROM rcDroppedOffDate[RentalCase*Date]
                SELECTFROM ((-rentalExcessPeriod /\ (rcDroppedOffDate;lastDate~ /\ con

            (TO MAINTAIN  -((rcDroppedOffDate;lastDate~ /\ contractedEndDate;firstD
            DELETE FROM lastDate[DateDifference*Date]
             SELECTFROM computedNrOfExcessDays;((-rentalExcessPeriod~ /\ computedNr

            (TO MAINTAIN  -((rcDroppedOffDate;lastDate~ /\ contractedEndDate;firstD
            DELETE FROM contractedEndDate[RentalCase*Date]
             SELECTFROM ((-rentalExcessPeriod /\ (rcDroppedOffDate;lastDate~ /\ con

            (TO MAINTAIN  -((rcDroppedOffDate;lastDate~ /\ contractedEndDate;firstD
            DELETE FROM firstDate[DateDifference*Date]
             SELECTFROM computedNrOfExcessDays;((-rentalExcessPeriod~ /\ computedNr

            (TO MAINTAIN  -((rcDroppedOffDate;lastDate~ /\ contractedEndDate;firstD
            DELETE FROM computedNrOfExcessDays[DateDifference*Integer]
             SELECTFROM (lastDate;rcDroppedOffDate~ /\ firstDate;contractedEndDate~

            (TO MAINTAIN  -((rcDroppedOffDate;lastDate~ /\ contractedEndDate;firstD
       (MAINTAINING -((rcDroppedOffDate;lastDate~ /\ contractedEndDate;firstDate~);co
      ONE OF DELETE FROM rentalExcessPeriod[RentalCase*Integer]
                SELECTFROM (-(((rentalExcessPeriod /\ -Delta);ctcNrOfDays~ /\ rcAssign

            (TO MAINTAIN  -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[RentalCase]
            DELETE FROM rentalExcessPeriod[RentalCase*Integer]
             SELECTFROM (-(V[RentalCase*CompTariffedCharge];(ctcNrOfDays;(rentalExc

            (TO MAINTAIN  -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[RentalCase]
            DELETE FROM Isn{detyp=RentalCase}
             SELECTFROM -(((rentalExcessPeriod /\ -Delta);ctcNrOfDays~ /\ rcAssigne

            (TO MAINTAIN  -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[RentalCase]
       (MAINTAINING -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[RentalCase]) \/ (re
   (MAINTAINING -((rcDroppedOffDate;lastDate~ /\ contractedEndDate;firstDate~);computedN
   (MAINTAINING -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[RentalCase]) \/ (rentalExc


<------End Derivation --


        ON INSERT Delta IN rentalPenaltyCharge[RentalCase*Amount] EXECUTE    -- (ECA rul
        ALL of INSERT INTO Isn{detyp=Amount}
                SELECTFROM ((rentalPenaltyCharge \/ Delta)~;(rentalExcessPeriod;ctcNrOfD

            (TO MAINTAIN  -(rentalPenaltyCharge~;(rentalExcessPeriod;ctcNrOfDays~ /\
            (TO MAINTAIN  -(rentalCharge~;(rentalBasicCharge;arg1~ /\ rentalPenaltyCha
            (TO MAINTAIN  -(rentalPenaltyCharge~;rentalPenaltyCharge) \/ I[Amount] FR
            INSERT INTO rentalCharge[RentalCase*Amount]
```

281

```
        SELECTFROM ((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ ren

(TO MAINTAIN  -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ :
INSERT INTO Isn{detyp=RentalCase}
 SELECTFROM (Delta;Delta~ /\ I[RentalCase]) - I[RentalCase]

ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rentalLocationPenaltyCharge;r
        THEN ALL of ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
                        THEN INSERT INTO rentalBasicCharge[Rental
                            SELECTFROM 'a'[RentalCase]*'b'[Amo

                            (TO MAINTAIN  -(rentalLocationPenal
                    PICK a,b FROM rentalBasicCharge~;('a'[Re:
                    THEN INSERT INTO arg1[CompRentalCharge*Am
                        SELECTFROM 'b'[CompRentalCharge]*':

                        (TO MAINTAIN  -(rentalLocationPenal
                (MAINTAINING -(rentalLocationPenaltyCharge;rent
                NEW x:Amount;
                  ALL of INSERT INTO rentalBasicCharge[RentalCa
                        SELECTFROM 'a'[RentalCase]*'b'[CompRe:

                        (TO MAINTAIN  -(rentalLocationPenaltyC
                        INSERT INTO arg1[CompRentalCharge*Amou
                         SELECTFROM 'b'[CompRentalCharge]*'a'[

                        (TO MAINTAIN  -(rentalLocationPenaltyC
                (MAINTAINING -(rentalLocationPenaltyCharge;re
                (MAINTAINING -(rentalLocationPenaltyCharge;rent
            (MAINTAINING -(rentalLocationPenaltyCharge;rentalLocat
            ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
                        THEN INSERT INTO rentalPenaltyCharge[Ren
                            SELECTFROM 'a'[RentalCase]*'b'[Amo

                            (TO MAINTAIN  -(rentalLocationPenal
                    PICK a,b FROM rentalPenaltyCharge~;('a'[
                    THEN INSERT INTO arg2[CompRentalCharge*Am
                        SELECTFROM 'b'[CompRentalCharge]*':

                        (TO MAINTAIN  -(rentalLocationPenal
                (MAINTAINING -(rentalLocationPenaltyCharge;rent
                NEW x:Amount;
                  ALL of INSERT INTO rentalPenaltyCharge[Rental(
                        SELECTFROM 'a'[RentalCase]*'b'[CompRe:

                        (TO MAINTAIN  -(rentalLocationPenaltyC
                        INSERT INTO arg2[CompRentalCharge*Amou
                         SELECTFROM 'b'[CompRentalCharge]*'a'[

                        (TO MAINTAIN  -(rentalLocationPenaltyC
```

282

(MAINTAINING -(rentalLocationPenaltyCharge;re
                              (MAINTAINING -(rentalLocationPenaltyCharge;renta
                        (MAINTAINING -(rentalLocationPenaltyCharge;rentalLocat
                        ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
                                    THEN INSERT INTO rentalLocationPenaltyCha
                                        SELECTFROM 'a'[RentalCase]*'b'[Amou

                                       (TO MAINTAIN  -(rentalLocationPenal
                                 PICK a,b FROM rentalLocationPenaltyCharg
                                 THEN INSERT INTO arg3[CompRentalCharge*Am
                                        SELECTFROM 'b'[CompRentalCharge]*'

                                       (TO MAINTAIN  -(rentalLocationPenal
                              (MAINTAINING -(rentalLocationPenaltyCharge;rent
                        NEW x:Amount;
                           ALL of INSERT INTO rentalLocationPenaltyCharg
                                       SELECTFROM 'a'[RentalCase]*'b'[CompRe

                                       (TO MAINTAIN  -(rentalLocationPenaltyC
                                     INSERT INTO arg3[CompRentalCharge*Amou
                                      SELECTFROM 'b'[CompRentalCharge]*'a'[

                                       (TO MAINTAIN  -(rentalLocationPenaltyC
                                 (MAINTAINING -(rentalLocationPenaltyCharge;re
                                 (MAINTAINING -(rentalLocationPenaltyCharge;rent
                           (MAINTAINING -(rentalLocationPenaltyCharge;rentalLocat
                     (MAINTAINING -(rentalLocationPenaltyCharge;rentalLocationPenal
                  PICK a,b FROM (arg1;rentalBasicCharge~ /\ arg2;rentalPenaltyCharge
                  THEN BLOCK
                           (CANNOT CHANGE V[CompRentalCharge*RentalCase] FROM Trigger re
               (MAINTAINING -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~ /
        (MAINTAINING -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;excessTa
        (MAINTAINING -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ rentalLo
        (MAINTAINING -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ rentalLo
        (MAINTAINING -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~ /\ renta
        (MAINTAINING -(rentalPenaltyCharge~;rentalPenaltyCharge) \/ I[Amount] FROM UNI re

------ Derivation ----->


        ALL of INSERT INTO Isn{detyp=Amount}
              SELECTFROM ((rentalPenaltyCharge \/ Delta)~;(rentalExcessPeriod;ctcNrOfDays~

           (TO MAINTAIN  -(rentalPenaltyCharge~;(rentalExcessPeriod;ctcNrOfDays~ /\ rcAss
           (TO MAINTAIN  -(rentalCharge~;(rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;
           (TO MAINTAIN  -(rentalPenaltyCharge~;rentalPenaltyCharge) \/ I[Amount] FROM UN
           INSERT INTO rentalCharge[RentalCase*Amount]
             SELECTFROM ((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ rentalLo

```
(TO MAINTAIN  -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ renta
INSERT INTO Isn{detyp=RentalCase}
 SELECTFROM (Delta;Delta~ /\ I[RentalCase]) - I[RentalCase]

ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rentalLocationPenaltyCharge;rental
          THEN ALL of ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[Renta
                        THEN INSERT INTO rentalBasicCharge[RentalCase
                          SELECTFROM 'a'[RentalCase]*'b'[Amount]

                            (TO MAINTAIN  -(rentalLocationPenaltyCha
                    PICK a,b FROM rentalBasicCharge~;('a'[RentalC
                    THEN INSERT INTO arg1[CompRentalCharge*Amount
                        SELECTFROM 'b'[CompRentalCharge]*'a'[Am

                            (TO MAINTAIN  -(rentalLocationPenaltyCha
                 (MAINTAINING -(rentalLocationPenaltyCharge;rentalLoc
                NEW x:Amount;
                  ALL of INSERT INTO rentalBasicCharge[RentalCase*Am
                          SELECTFROM 'a'[RentalCase]*'b'[CompRentalC

                            (TO MAINTAIN  -(rentalLocationPenaltyCharge
                    INSERT INTO arg1[CompRentalCharge*Amount]
                     SELECTFROM 'b'[CompRentalCharge]*'a'[Renta

                            (TO MAINTAIN  -(rentalLocationPenaltyCharge
                 (MAINTAINING -(rentalLocationPenaltyCharge;rentalL
                 (MAINTAINING -(rentalLocationPenaltyCharge;rentalLoc
             (MAINTAINING -(rentalLocationPenaltyCharge;rentalLocationPe
            ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[Renta
                        THEN INSERT INTO rentalPenaltyCharge[RentalCa
                          SELECTFROM 'a'[RentalCase]*'b'[Amount]

                            (TO MAINTAIN  -(rentalLocationPenaltyCha
                    PICK a,b FROM rentalPenaltyCharge~;('a'[Renta
                    THEN INSERT INTO arg2[CompRentalCharge*Amount
                        SELECTFROM 'b'[CompRentalCharge]*'a'[Am

                            (TO MAINTAIN  -(rentalLocationPenaltyCha
                 (MAINTAINING -(rentalLocationPenaltyCharge;rentalLoc
                NEW x:Amount;
                  ALL of INSERT INTO rentalPenaltyCharge[RentalCase*
                          SELECTFROM 'a'[RentalCase]*'b'[CompRentalC

                            (TO MAINTAIN  -(rentalLocationPenaltyCharge
                    INSERT INTO arg2[CompRentalCharge*Amount]
                     SELECTFROM 'b'[CompRentalCharge]*'a'[Renta

                            (TO MAINTAIN  -(rentalLocationPenaltyCharge
                 (MAINTAINING -(rentalLocationPenaltyCharge;rentalL
                 (MAINTAINING -(rentalLocationPenaltyCharge;rentalLoc
```

284

```
                                    (MAINTAINING -(rentalLocationPenaltyCharge;rentalLocationPe
                        ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[Renta
                                THEN INSERT INTO rentalLocationPenaltyCharge[
                                    SELECTFROM 'a'[RentalCase]*'b'[Amount]

                                (TO MAINTAIN  -(rentalLocationPenaltyCha
                            PICK a,b FROM rentalLocationPenaltyCharge~;('
                            THEN INSERT INTO arg3[CompRentalCharge*Amount
                                SELECTFROM 'b'[CompRentalCharge]*'a'[Am

                                (TO MAINTAIN  -(rentalLocationPenaltyCha
                        (MAINTAINING -(rentalLocationPenaltyCharge;rentalLoc
                        NEW x:Amount;
                          ALL of INSERT INTO rentalLocationPenaltyCharge[Ren
                                    SELECTFROM 'a'[RentalCase]*'b'[CompRentalC

                                (TO MAINTAIN  -(rentalLocationPenaltyCharge
                                INSERT INTO arg3[CompRentalCharge*Amount]
                                 SELECTFROM 'b'[CompRentalCharge]*'a'[Renta

                                (TO MAINTAIN  -(rentalLocationPenaltyCharge
                            (MAINTAINING -(rentalLocationPenaltyCharge;rentalL
                            (MAINTAINING -(rentalLocationPenaltyCharge;rentalLoc
                        (MAINTAINING -(rentalLocationPenaltyCharge;rentalLocationPe
                    (MAINTAINING -(rentalLocationPenaltyCharge;rentalLocationPenaltyCh
            PICK a,b FROM (arg1;rentalBasicCharge~ /\ arg2;rentalPenaltyCharge~ /\
            THEN BLOCK
                (CANNOT CHANGE V[CompRentalCharge*RentalCase] FROM Trigger rental
        (MAINTAINING -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~ /\ ren
    (MAINTAINING -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;excessTariff
    (MAINTAINING -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ rentalLocatio
    (MAINTAINING -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ rentalLocatio
    (MAINTAINING -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~ /\ rentalPena
    (MAINTAINING -(rentalPenaltyCharge~;rentalPenaltyCharge) \/ I[Amount] FROM UNI rental
```

<------End Derivation --

```
        ON DELETE Delta FROM rentalPenaltyCharge[RentalCase*Amount] EXECUTE    -- (ECA r
        ALL of ONE OF DELETE FROM rentalExcessPeriod[RentalCase*Integer]
                        SELECTFROM ((-rentalPenaltyCharge /\ (rentalExcessPeriod;ctcNrOfD

                    (TO MAINTAIN  -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;
                    DELETE FROM ctcNrOfDays[CompTariffedCharge*Integer]
                     SELECTFROM computedTariffedCharge;((-rentalPenaltyCharge~ /\ compu

                    (TO MAINTAIN  -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;
                    DELETE FROM rcAssignedCar[RentalCase*Car]
                     SELECTFROM ((-rentalPenaltyCharge /\ (rentalExcessPeriod;ctcNrOfDa
```

285

```
                (TO MAINTAIN  -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;
                DELETE FROM carType[Car*CarType]
                 SELECTFROM rcAssignedCar~;((-rentalPenaltyCharge /\ (rentalExcess

                (TO MAINTAIN  -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;
                DELETE FROM excessTariffPerDay[CarType*Amount]
                 SELECTFROM carType~;rcAssignedCar~;((-rentalPenaltyCharge /\ (ren

                (TO MAINTAIN  -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;
                DELETE FROM ctcDailyAmount[CompTariffedCharge*Amount]
                 SELECTFROM computedTariffedCharge;((-rentalPenaltyCharge~ /\ comp

                (TO MAINTAIN  -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;
                DELETE FROM computedTariffedCharge[CompTariffedCharge*Amount]
                 SELECTFROM (ctcNrOfDays;rentalExcessPeriod~ /\ ctcDailyAmount;exc

                (TO MAINTAIN  -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;
        (MAINTAINING -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;
        ONE OF DELETE FROM rentalLocationPenaltyCharge[RentalCase*Amount]
                 SELECTFROM (-((rentalBasicCharge;arg1~ /\ (rentalPenaltyCharge /\

                (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyC
                DELETE FROM rentalLocationPenaltyCharge[RentalCase*Amount]
                 SELECTFROM (-(V[RentalCase*CompRentalCharge];(arg1;rentalBasicCha

                (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyC
                DELETE FROM rentalPenaltyCharge[RentalCase*Amount]
                 SELECTFROM (-((rentalBasicCharge;arg1~ /\ (rentalPenaltyCharge /\

                (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyC
                DELETE FROM rentalPenaltyCharge[RentalCase*Amount]
                 SELECTFROM (-(V[RentalCase*CompRentalCharge];(arg1;rentalBasicCha

                (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyC
                DELETE FROM rentalBasicCharge[RentalCase*Amount]
                 SELECTFROM (-((rentalBasicCharge;arg1~ /\ (rentalPenaltyCharge /\

                (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyC
                DELETE FROM rentalBasicCharge[RentalCase*Amount]
                 SELECTFROM (-(V[RentalCase*CompRentalCharge];(arg1;rentalBasicCha

                (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyC
                DELETE FROM Isn{detyp=RentalCase}
                 SELECTFROM -((rentalBasicCharge;arg1~ /\ (rentalPenaltyCharge /\

                (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyC
        (MAINTAINING -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~ /
(MAINTAINING -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;excessTa
(MAINTAINING -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~ /\ rental
```

------ Derivation ----->


```
        ALL of ONE OF DELETE FROM rentalExcessPeriod[RentalCase*Integer]
                    SELECTFROM ((-rentalPenaltyCharge /\ (rentalExcessPeriod;ctcNrOfDays~

                (TO MAINTAIN  -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carTy
                DELETE FROM ctcNrOfDays[CompTariffedCharge*Integer]
                 SELECTFROM computedTariffedCharge;((-rentalPenaltyCharge~ /\ computedT

                (TO MAINTAIN  -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carTy
                DELETE FROM rcAssignedCar[RentalCase*Car]
                 SELECTFROM ((-rentalPenaltyCharge /\ (rentalExcessPeriod;ctcNrOfDays~

                (TO MAINTAIN  -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carTy
                DELETE FROM carType[Car*CarType]
                 SELECTFROM rcAssignedCar~;((-rentalPenaltyCharge /\ (rentalExcessPerio

                (TO MAINTAIN  -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carTy
                DELETE FROM excessTariffPerDay[CarType*Amount]
                 SELECTFROM carType~;rcAssignedCar~;((-rentalPenaltyCharge /\ (rentalEx

                (TO MAINTAIN  -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carTy
                DELETE FROM ctcDailyAmount[CompTariffedCharge*Amount]
                 SELECTFROM computedTariffedCharge;((-rentalPenaltyCharge~ /\ computedT

                (TO MAINTAIN  -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carTy
                DELETE FROM computedTariffedCharge[CompTariffedCharge*Amount]
                 SELECTFROM (ctcNrOfDays;rentalExcessPeriod~ /\ ctcDailyAmount;excessTa

                (TO MAINTAIN  -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carTy
            (MAINTAINING -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;exces
        ONE OF DELETE FROM rentalLocationPenaltyCharge[RentalCase*Amount]
                    SELECTFROM (-((rentalBasicCharge;arg1~ /\ (rentalPenaltyCharge /\ -Del

                (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge
                DELETE FROM rentalLocationPenaltyCharge[RentalCase*Amount]
                 SELECTFROM (-(V[RentalCase*CompRentalCharge];(arg1;rentalBasicCharge~

                (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge
                DELETE FROM rentalPenaltyCharge[RentalCase*Amount]
                 SELECTFROM (-((rentalBasicCharge;arg1~ /\ (rentalPenaltyCharge /\ -Del

                (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge
                DELETE FROM rentalPenaltyCharge[RentalCase*Amount]
                 SELECTFROM (-(V[RentalCase*CompRentalCharge];(arg1;rentalBasicCharge~

                (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge
                DELETE FROM rentalBasicCharge[RentalCase*Amount]
                 SELECTFROM (-((rentalBasicCharge;arg1~ /\ (rentalPenaltyCharge /\ -Del
```

287

```
                        (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge
                    DELETE FROM rentalBasicCharge[RentalCase*Amount]
                     SELECTFROM (-(V[RentalCase*CompRentalCharge];(arg1;rentalBasicCharge~

                        (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge
                    DELETE FROM Isn{detyp=RentalCase}
                     SELECTFROM -((rentalBasicCharge;arg1~ /\ (rentalPenaltyCharge /\ -Delt

                        (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge
              (MAINTAINING -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~ /\ ren
        (MAINTAINING -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;excessTariff
        (MAINTAINING -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~ /\ rentalPena
```

<------End Derivation --

```
            ON INSERT Delta IN computedLocationPenaltyCharge[DistanceBetweenLocations*Amount]
            ONE OF INSERT INTO rentalLocationPenaltyCharge[RentalCase*Amount]
                     SELECTFROM ((rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch;d

                    (TO MAINTAIN  -((rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranc
                    INSERT INTO Isn{detyp=Amount}
                     SELECTFROM (rentalLocationPenaltyCharge~;(rcDroppedOffBranch;distbranch~

                    (TO MAINTAIN  -(rentalLocationPenaltyCharge~;(rcDroppedOffBranch;distbran
                    INSERT INTO Isn{detyp=Amount}
                     SELECTFROM ((computedLocationPenaltyCharge \/ Delta)~;computedLocationPe

                    (TO MAINTAIN  -(computedLocationPenaltyCharge~;computedLocationPenaltyCha
                    INSERT INTO Isn{detyp=DistanceBetweenLocations}
                     SELECTFROM (Delta;Delta~ /\ I[DistanceBetweenLocations]) - I[DistanceBet

                    INSERT INTO Isn{detyp=Amount}
                     SELECTFROM (Delta~;Delta /\ I[Amount]) - I[Amount]

            (MAINTAINING -((rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch;distbra
            (MAINTAINING -((rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch;distbra
            (MAINTAINING -(computedLocationPenaltyCharge~;computedLocationPenaltyCharge) \/
            (MAINTAINING -I[DistanceBetweenLocations] \/ computedLocationPenaltyCharge;compu
```

------ Derivation ----->

```
        ONE OF INSERT INTO rentalLocationPenaltyCharge[RentalCase*Amount]
                 SELECTFROM ((rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch;distbr

                    (TO MAINTAIN  -((rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch;dis
                    INSERT INTO Isn{detyp=Amount}
```

SELECTFROM (rentalLocationPenaltyCharge~;(rcDroppedOffBranch;distbranch~ /\ c

   (TO MAINTAIN  -(rentalLocationPenaltyCharge~;(rcDroppedOffBranch;distbranch~ /
   INSERT INTO Isn{detyp=Amount}
   SELECTFROM ((computedLocationPenaltyCharge \/ Delta)~;computedLocationPenalty

   (TO MAINTAIN  -(computedLocationPenaltyCharge~;computedLocationPenaltyCharge)
   INSERT INTO Isn{detyp=DistanceBetweenLocations}
   SELECTFROM (Delta;Delta~ /\ I[DistanceBetweenLocations]) - I[DistanceBetweenL

   INSERT INTO Isn{detyp=Amount}
   SELECTFROM (Delta~;Delta /\ I[Amount]) - I[Amount]

(MAINTAINING -((rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch;distbranch~
(MAINTAINING -((rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch;distbranch~
(MAINTAINING -(computedLocationPenaltyCharge~;computedLocationPenaltyCharge) \/ I[Amo
(MAINTAINING -I[DistanceBetweenLocations] \/ computedLocationPenaltyCharge;computedLo

&lt;------End Derivation --


   ON DELETE Delta FROM computedLocationPenaltyCharge[DistanceBetweenLocations*Amou
   ONE OF DELETE FROM rcDroppedOffBranch[RentalCase*Branch]
      SELECTFROM (-(rentalLocationPenaltyCharge;(computedLocationPenaltyCharge

     (TO MAINTAIN  -(rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch
     DELETE FROM distbranch[DistanceBetweenLocations*Branch]
      SELECTFROM (-((computedLocationPenaltyCharge /\ -Delta);rentalLocationPe

     (TO MAINTAIN  -(rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch
     DELETE FROM contractedDropoffBranch[RentalCase*Branch]
      SELECTFROM (-(rentalLocationPenaltyCharge;(computedLocationPenaltyCharge

     (TO MAINTAIN  -(rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch
     DELETE FROM distbranch[DistanceBetweenLocations*Branch]
      SELECTFROM (-((computedLocationPenaltyCharge /\ -Delta);rentalLocationPe

     (TO MAINTAIN  -(rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch
     DELETE FROM Isn{detyp=DistanceBetweenLocations}
      SELECTFROM -((computedLocationPenaltyCharge /\ -Delta);(computedLocationl

     (TO MAINTAIN  -I[DistanceBetweenLocations] \/ computedLocationPenaltyCharg
   (MAINTAINING -((rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch;distbra
   (MAINTAINING -(computedLocationPenaltyCharge~;computedLocationPenaltyCharge) \/ I
   (MAINTAINING -I[DistanceBetweenLocations] \/ computedLocationPenaltyCharge;compu

------ Derivation -----&gt;

```
          ONE OF DELETE FROM rcDroppedOffBranch[RentalCase*Branch]
                SELECTFROM (-(rentalLocationPenaltyCharge;(computedLocationPenaltyCharge /\ -

              (TO MAINTAIN  -(rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch;dist
              DELETE FROM distbranch[DistanceBetweenLocations*Branch]
               SELECTFROM (-((computedLocationPenaltyCharge /\ -Delta);rentalLocationPenalty

              (TO MAINTAIN  -(rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch;dist
              DELETE FROM contractedDropoffBranch[RentalCase*Branch]
               SELECTFROM (-(rentalLocationPenaltyCharge;(computedLocationPenaltyCharge /\ -

              (TO MAINTAIN  -(rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch;dist
              DELETE FROM distbranch[DistanceBetweenLocations*Branch]
               SELECTFROM (-((computedLocationPenaltyCharge /\ -Delta);rentalLocationPenalty

              (TO MAINTAIN  -(rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch;dist
              DELETE FROM Isn{detyp=DistanceBetweenLocations}
               SELECTFROM -((computedLocationPenaltyCharge /\ -Delta);(computedLocationPenal

              (TO MAINTAIN  -I[DistanceBetweenLocations] \/ computedLocationPenaltyCharge;I[
       (MAINTAINING -((rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch;distbranch~
       (MAINTAINING -(computedLocationPenaltyCharge~;computedLocationPenaltyCharge) \/ I[Amo
       (MAINTAINING -I[DistanceBetweenLocations] \/ computedLocationPenaltyCharge;computedLo

    <------End Derivation --


          ON INSERT Delta IN rentalLocationPenaltyCharge[RentalCase*Amount] EXECUTE    --
          ALL of INSERT INTO Isn{detyp=Amount}
                  SELECTFROM ((rentalLocationPenaltyCharge \/ Delta)~;(rcDroppedOffBranch;

              (TO MAINTAIN  -(rentalLocationPenaltyCharge~;(rcDroppedOffBranch;distbran
              (TO MAINTAIN  -(rentalCharge~;(rentalBasicCharge;arg1~ /\ rentalPenaltyCha
              (TO MAINTAIN  -(rentalLocationPenaltyCharge~;rentalLocationPenaltyCharge)
              INSERT INTO rentalCharge[RentalCase*Amount]
               SELECTFROM ((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ ren

              (TO MAINTAIN  -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ 
              INSERT INTO Isn{detyp=RentalCase}
               SELECTFROM (Delta;Delta~ /\ I[RentalCase]) - I[RentalCase]

              ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rentalLocationPenaltyCharge;(
                        THEN ALL of ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
                                        THEN INSERT INTO rentalBasicCharge[Rental
                                            SELECTFROM 'a'[RentalCase]*'b'[Amou

                                            (TO MAINTAIN  -(rentalLocationPenal
                                        PICK a,b FROM rentalBasicCharge~;('a'[Re
                                        THEN INSERT INTO arg1[CompRentalCharge*Am

                          290
```

```
                        SELECTFROM 'b'[CompRentalCharge]*':

              (TO MAINTAIN  -(rentalLocationPenal'
    (MAINTAINING -(rentalLocationPenaltyCharge;rent;
NEW x:Amount;
  ALL of INSERT INTO rentalBasicCharge[RentalCa;
            SELECTFROM 'a'[RentalCase]*'b'[CompRe;

            (TO MAINTAIN  -(rentalLocationPenaltyC:
            INSERT INTO arg1[CompRentalCharge*Amou;
            SELECTFROM 'b'[CompRentalCharge]*'a'[;

            (TO MAINTAIN  -(rentalLocationPenaltyC:
      (MAINTAINING -(rentalLocationPenaltyCharge;re;
    (MAINTAINING -(rentalLocationPenaltyCharge;rent;
(MAINTAINING -(rentalLocationPenaltyCharge;rentalLocat;
ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[;
          THEN INSERT INTO rentalPenaltyCharge[Ren;
              SELECTFROM 'a'[RentalCase]*'b'[Amo;

              (TO MAINTAIN  -(rentalLocationPenal;
          PICK a,b FROM rentalPenaltyCharge~;('a'[;
          THEN INSERT INTO arg2[CompRentalCharge*A;
              SELECTFROM 'b'[CompRentalCharge]*';

              (TO MAINTAIN  -(rentalLocationPenal;
    (MAINTAINING -(rentalLocationPenaltyCharge;rent;
NEW x:Amount;
  ALL of INSERT INTO rentalPenaltyCharge[Rental(;
            SELECTFROM 'a'[RentalCase]*'b'[CompRe;

            (TO MAINTAIN  -(rentalLocationPenaltyC:
            INSERT INTO arg2[CompRentalCharge*Amou;
            SELECTFROM 'b'[CompRentalCharge]*'a'[;

            (TO MAINTAIN  -(rentalLocationPenaltyC:
      (MAINTAINING -(rentalLocationPenaltyCharge;re;
    (MAINTAINING -(rentalLocationPenaltyCharge;rent;
(MAINTAINING -(rentalLocationPenaltyCharge;rentalLocat;
ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[;
          THEN INSERT INTO rentalLocationPenaltyCha;
              SELECTFROM 'a'[RentalCase]*'b'[Amo;

              (TO MAINTAIN  -(rentalLocationPenal;
          PICK a,b FROM rentalLocationPenaltyCharg;
          THEN INSERT INTO arg3[CompRentalCharge*A;
              SELECTFROM 'b'[CompRentalCharge]*';

              (TO MAINTAIN  -(rentalLocationPenal;
    (MAINTAINING -(rentalLocationPenaltyCharge;rent;
```

```
                                          NEW x:Amount;
                                   ALL of INSERT INTO rentalLocationPenaltyCharge
                                          SELECTFROM 'a'[RentalCase]*'b'[CompRe

                                          (TO MAINTAIN  -(rentalLocationPenaltyCl
                                          INSERT INTO arg3[CompRentalCharge*Amou
                                          SELECTFROM 'b'[CompRentalCharge]*'a'[

                                          (TO MAINTAIN  -(rentalLocationPenaltyCl
                                  (MAINTAINING -(rentalLocationPenaltyCharge;re
                                 (MAINTAINING -(rentalLocationPenaltyCharge;rent
                           (MAINTAINING -(rentalLocationPenaltyCharge;rentalLocat
                     (MAINTAINING -(rentalLocationPenaltyCharge;rentalLocationPenal
                 PICK a,b FROM (arg1;rentalBasicCharge~ /\ arg2;rentalPenaltyCharge
                 THEN BLOCK
                         (CANNOT CHANGE V[CompRentalCharge*RentalCase] FROM Trigger re
             (MAINTAINING -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~ /
       (MAINTAINING -((rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch;distbra
       (MAINTAINING -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ rentalLo
       (MAINTAINING -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ rentalLo
       (MAINTAINING -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~ /\ rental
       (MAINTAINING -(rentalLocationPenaltyCharge~;rentalLocationPenaltyCharge) \/ I[Am

 ----- Derivation ----->


      ALL of INSERT INTO Isn{detyp=Amount}
             SELECTFROM ((rentalLocationPenaltyCharge \/ Delta)~;(rcDroppedOffBranch;distb

          (TO MAINTAIN  -(rentalLocationPenaltyCharge~;(rcDroppedOffBranch;distbranch~ /
          (TO MAINTAIN  -(rentalCharge~;(rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;
          (TO MAINTAIN  -(rentalLocationPenaltyCharge~;rentalLocationPenaltyCharge) \/ I
          INSERT INTO rentalCharge[RentalCase*Amount]
           SELECTFROM ((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ rentalLo

          (TO MAINTAIN  -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ renta
          INSERT INTO Isn{detyp=RentalCase}
           SELECTFROM (Delta;Delta~ /\ I[RentalCase]) - I[RentalCase]

          ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rentalLocationPenaltyCharge;(renta
               THEN ALL of ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[Renta
                                         THEN INSERT INTO rentalBasicCharge[RentalCase
                                              SELECTFROM 'a'[RentalCase]*'b'[Amount]

                                              (TO MAINTAIN  -(rentalLocationPenaltyCha
                                         PICK a,b FROM rentalBasicCharge~;('a'[RentalC
                                         THEN INSERT INTO arg1[CompRentalCharge*Amount
                                              SELECTFROM 'b'[CompRentalCharge]*'a'[Am

                                          292
```

```
                            (TO MAINTAIN  -(rentalLocationPenaltyCha
           (MAINTAINING -(rentalLocationPenaltyCharge;rentalLoc
         NEW x:Amount;
            ALL of INSERT INTO rentalBasicCharge[RentalCase*Am
                     SELECTFROM 'a'[RentalCase]*'b'[CompRentalC


                          (TO MAINTAIN  -(rentalLocationPenaltyCharge
                     INSERT INTO arg1[CompRentalCharge*Amount]
                      SELECTFROM 'b'[CompRentalCharge]*'a'[Renta


                          (TO MAINTAIN  -(rentalLocationPenaltyCharge
              (MAINTAINING -(rentalLocationPenaltyCharge;rentalL
           (MAINTAINING -(rentalLocationPenaltyCharge;rentalLoc
      (MAINTAINING -(rentalLocationPenaltyCharge;rentalLocationPe
ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[Renta
                  THEN INSERT INTO rentalPenaltyCharge[RentalCa
                        SELECTFROM 'a'[RentalCase]*'b'[Amount]


                          (TO MAINTAIN  -(rentalLocationPenaltyCha
                  PICK a,b FROM rentalPenaltyCharge~;('a'[Renta
                  THEN INSERT INTO arg2[CompRentalCharge*Amount
                        SELECTFROM 'b'[CompRentalCharge]*'a'[Am


                          (TO MAINTAIN  -(rentalLocationPenaltyCha
           (MAINTAINING -(rentalLocationPenaltyCharge;rentalLoc
         NEW x:Amount;
            ALL of INSERT INTO rentalPenaltyCharge[RentalCase*
                     SELECTFROM 'a'[RentalCase]*'b'[CompRentalC


                          (TO MAINTAIN  -(rentalLocationPenaltyCharge
                     INSERT INTO arg2[CompRentalCharge*Amount]
                      SELECTFROM 'b'[CompRentalCharge]*'a'[Renta


                          (TO MAINTAIN  -(rentalLocationPenaltyCharge
              (MAINTAINING -(rentalLocationPenaltyCharge;rentalL
           (MAINTAINING -(rentalLocationPenaltyCharge;rentalLoc
      (MAINTAINING -(rentalLocationPenaltyCharge;rentalLocationPe
ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[Renta
                  THEN INSERT INTO rentalLocationPenaltyCharge[
                        SELECTFROM 'a'[RentalCase]*'b'[Amount]


                          (TO MAINTAIN  -(rentalLocationPenaltyCha
                  PICK a,b FROM rentalLocationPenaltyCharge~;('
                  THEN INSERT INTO arg3[CompRentalCharge*Amount
                        SELECTFROM 'b'[CompRentalCharge]*'a'[Am


                          (TO MAINTAIN  -(rentalLocationPenaltyCha
           (MAINTAINING -(rentalLocationPenaltyCharge;rentalLoc
         NEW x:Amount;
            ALL of INSERT INTO rentalLocationPenaltyCharge[Ren
```

293

```
                                    SELECTFROM 'a'[RentalCase]*'b'[CompRentalC

                          (TO MAINTAIN  -(rentalLocationPenaltyCharge
                          INSERT INTO arg3[CompRentalCharge*Amount]
                           SELECTFROM 'b'[CompRentalCharge]*'a'[Renta

                          (TO MAINTAIN  -(rentalLocationPenaltyCharge
                    (MAINTAINING -(rentalLocationPenaltyCharge;rentalL
                      (MAINTAINING -(rentalLocationPenaltyCharge;rentalLoc
                  (MAINTAINING -(rentalLocationPenaltyCharge;rentalLocationPe
              (MAINTAINING -(rentalLocationPenaltyCharge;rentalLocationPenaltyCh
           PICK a,b FROM (arg1;rentalBasicCharge~ /\ arg2;rentalPenaltyCharge~ /\
              THEN BLOCK
                 (CANNOT CHANGE V[CompRentalCharge*RentalCase] FROM Trigger rental
         (MAINTAINING -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~ /\ ren
    (MAINTAINING -((rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch;distbranch~
    (MAINTAINING -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ rentalLocatio
    (MAINTAINING -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ rentalLocatio
    (MAINTAINING -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~ /\ rentalPena
    (MAINTAINING -(rentalLocationPenaltyCharge~;rentalLocationPenaltyCharge) \/ I[Amount]


  <------End Derivation --


         ON DELETE Delta FROM rentalLocationPenaltyCharge[RentalCase*Amount] EXECUTE    -
         ALL of ONE OF DELETE FROM rcDroppedOffBranch[RentalCase*Branch]
                       SELECTFROM ((-rentalLocationPenaltyCharge /\ (rcDroppedOffBranch;

                      (TO MAINTAIN  -((rcDroppedOffBranch;distbranch~ /\ contractedDropo
                      DELETE FROM distbranch[DistanceBetweenLocations*Branch]
                       SELECTFROM computedLocationPenaltyCharge;((-rentalLocationPenalty

                      (TO MAINTAIN  -((rcDroppedOffBranch;distbranch~ /\ contractedDropo
                      DELETE FROM contractedDropoffBranch[RentalCase*Branch]
                       SELECTFROM ((-rentalLocationPenaltyCharge /\ (rcDroppedOffBranch;

                      (TO MAINTAIN  -((rcDroppedOffBranch;distbranch~ /\ contractedDropo
                      DELETE FROM distbranch[DistanceBetweenLocations*Branch]
                       SELECTFROM computedLocationPenaltyCharge;((-rentalLocationPenalty

                      (TO MAINTAIN  -((rcDroppedOffBranch;distbranch~ /\ contractedDropo
                      DELETE FROM computedLocationPenaltyCharge[DistanceBetweenLocations
                       SELECTFROM (distbranch;rcDroppedOffBranch~ /\ distbranch;contracte

                      (TO MAINTAIN  -((rcDroppedOffBranch;distbranch~ /\ contractedDropo
                 (MAINTAINING -((rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch
                 ONE OF DELETE FROM rcDroppedOffBranch[RentalCase*Branch]
                       SELECTFROM (-((rentalLocationPenaltyCharge /\ -Delta);computedLoc
```

294

```
                            (TO MAINTAIN  -(rcDroppedOffBranch;distbranch~ /\ contractedDropof
                            DELETE FROM distbranch[DistanceBetweenLocations*Branch]
                             SELECTFROM (-(computedLocationPenaltyCharge;(rentalLocationPenalt

                            (TO MAINTAIN  -(rcDroppedOffBranch;distbranch~ /\ contractedDropof
                            DELETE FROM contractedDropoffBranch[RentalCase*Branch]
                             SELECTFROM (-((rentalLocationPenaltyCharge /\ -Delta);computedLoc

                            (TO MAINTAIN  -(rcDroppedOffBranch;distbranch~ /\ contractedDropof
                            DELETE FROM distbranch[DistanceBetweenLocations*Branch]
                             SELECTFROM (-(computedLocationPenaltyCharge;(rentalLocationPenalt

                            (TO MAINTAIN  -(rcDroppedOffBranch;distbranch~ /\ contractedDropof
                  (MAINTAINING -(rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch;
                  ONE OF DELETE FROM rentalLocationPenaltyCharge[RentalCase*Amount]
                               SELECTFROM (-((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg

                            (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyC
                            DELETE FROM rentalLocationPenaltyCharge[RentalCase*Amount]
                             SELECTFROM (-(V[RentalCase*CompRentalCharge];(arg1;rentalBasicCha

                            (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyC
                            DELETE FROM rentalPenaltyCharge[RentalCase*Amount]
                             SELECTFROM (-((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg

                            (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyC
                            DELETE FROM rentalPenaltyCharge[RentalCase*Amount]
                             SELECTFROM (-(V[RentalCase*CompRentalCharge];(arg1;rentalBasicCha

                            (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyC
                            DELETE FROM rentalBasicCharge[RentalCase*Amount]
                             SELECTFROM (-((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg

                            (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyC
                            DELETE FROM rentalBasicCharge[RentalCase*Amount]
                             SELECTFROM (-(V[RentalCase*CompRentalCharge];(arg1;rentalBasicCha

                            (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyC
                            DELETE FROM Isn{detyp=RentalCase}
                             SELECTFROM -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2

                            (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyC
                  (MAINTAINING -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~ /
        (MAINTAINING -((rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch;distbr
        (MAINTAINING -((rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch;distbr
        (MAINTAINING -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~ /\ rental
```

------ Derivation ----->

```
ALL of ONE OF DELETE FROM rcDroppedOffBranch[RentalCase*Branch]
            SELECTFROM ((-rentalLocationPenaltyCharge /\ (rcDroppedOffBranch;distb

         (TO MAINTAIN  -((rcDroppedOffBranch;distbranch~ /\ contractedDropoffBra
         DELETE FROM distbranch[DistanceBetweenLocations*Branch]
          SELECTFROM computedLocationPenaltyCharge;((-rentalLocationPenaltyCharg

         (TO MAINTAIN  -((rcDroppedOffBranch;distbranch~ /\ contractedDropoffBra
         DELETE FROM contractedDropoffBranch[RentalCase*Branch]
          SELECTFROM ((-rentalLocationPenaltyCharge /\ (rcDroppedOffBranch;distb

         (TO MAINTAIN  -((rcDroppedOffBranch;distbranch~ /\ contractedDropoffBra
         DELETE FROM distbranch[DistanceBetweenLocations*Branch]
          SELECTFROM computedLocationPenaltyCharge;((-rentalLocationPenaltyCharg

         (TO MAINTAIN  -((rcDroppedOffBranch;distbranch~ /\ contractedDropoffBra
         DELETE FROM computedLocationPenaltyCharge[DistanceBetweenLocations*Amou
          SELECTFROM (distbranch;rcDroppedOffBranch~ /\ distbranch;contractedDro

         (TO MAINTAIN  -((rcDroppedOffBranch;distbranch~ /\ contractedDropoffBra
 (MAINTAINING -((rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch;dist
ONE OF DELETE FROM rcDroppedOffBranch[RentalCase*Branch]
            SELECTFROM (-((rentalLocationPenaltyCharge /\ -Delta);computedLocation

         (TO MAINTAIN  -(rcDroppedOffBranch;distbranch~ /\ contractedDropoffBran
         DELETE FROM distbranch[DistanceBetweenLocations*Branch]
          SELECTFROM (-(computedLocationPenaltyCharge;(rentalLocationPenaltyChar

         (TO MAINTAIN  -(rcDroppedOffBranch;distbranch~ /\ contractedDropoffBran
         DELETE FROM contractedDropoffBranch[RentalCase*Branch]
          SELECTFROM (-((rentalLocationPenaltyCharge /\ -Delta);computedLocation

         (TO MAINTAIN  -(rcDroppedOffBranch;distbranch~ /\ contractedDropoffBran
         DELETE FROM distbranch[DistanceBetweenLocations*Branch]
          SELECTFROM (-(computedLocationPenaltyCharge;(rentalLocationPenaltyChar

         (TO MAINTAIN  -(rcDroppedOffBranch;distbranch~ /\ contractedDropoffBran
 (MAINTAINING -(rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch;distb
ONE OF DELETE FROM rentalLocationPenaltyCharge[RentalCase*Amount]
            SELECTFROM (-((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\

         (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge
         DELETE FROM rentalLocationPenaltyCharge[RentalCase*Amount]
          SELECTFROM (-(V[RentalCase*CompRentalCharge];(arg1;rentalBasicCharge~

         (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge
         DELETE FROM rentalPenaltyCharge[RentalCase*Amount]
          SELECTFROM (-((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\

         (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge
```

296

```
                        DELETE FROM rentalPenaltyCharge[RentalCase*Amount]
                         SELECTFROM (-(V[RentalCase*CompRentalCharge];(arg1;rentalBasicCharge~

                        (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge
                        DELETE FROM rentalBasicCharge[RentalCase*Amount]
                         SELECTFROM (-((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\

                        (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge
                        DELETE FROM rentalBasicCharge[RentalCase*Amount]
                         SELECTFROM (-(V[RentalCase*CompRentalCharge];(arg1;rentalBasicCharge~

                        (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge
                        DELETE FROM Isn{detyp=RentalCase}
                         SELECTFROM -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\

                        (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge
                 (MAINTAINING -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~ /\ ren
           (MAINTAINING -((rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch;distbranch~
           (MAINTAINING -((rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch;distbranch~
           (MAINTAINING -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~ /\ rentalPena
```

<------End Derivation --


```
          ON INSERT Delta IN paymentHasBeenRequested[RentalCase*RentalCase] EXECUTE    --
          INSERT INTO Isn{detyp=RentalCase}
           SELECTFROM (Delta;Delta~ /\ I[RentalCase]) - I[RentalCase] \/ (Delta~;Delta /\
```

------ Derivation ----->


```
      INSERT INTO Isn{detyp=RentalCase}
       SELECTFROM (Delta;Delta~ /\ I[RentalCase]) - I[RentalCase] \/ (Delta~;Delta /\ I[Ren
```

<------End Derivation --


```
          ON DELETE Delta FROM paymentHasBeenRequested[RentalCase*RentalCase] EXECUTE    --
          ONE OF DELETE FROM rentalIsPaidQ[RentalCase*YesNoAnswer]
                   SELECTFROM ((-paymentHasBeenRequested /\ rentalIsPaidQ;'Yes'[YesNoAnswer]

                   (TO MAINTAIN  -(rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsPaidQ~ /\ I[Renta
                   DELETE FROM rentalIsPaidQ[RentalCase*YesNoAnswer]
                    SELECTFROM ((-paymentHasBeenRequested~ /\ rentalIsPaidQ;'Yes'[YesNoAnswer

                   (TO MAINTAIN  -(rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsPaidQ~ /\ I[Renta
```

```
                         DELETE FROM Isn{detyp=RentalCase}
                          SELECTFROM (-paymentHasBeenRequested /\ rentalIsPaidQ;'Yes'[YesNoAnswer]

                       (TO MAINTAIN  -(rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsPaidQ~ /\ I[Renta
            (MAINTAINING -(rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsPaidQ~ /\ I[RentalCase])


------ Derivation ----->


        ONE OF DELETE FROM rentalIsPaidQ[RentalCase*YesNoAnswer]
                 SELECTFROM ((-paymentHasBeenRequested /\ rentalIsPaidQ;'Yes'[YesNoAnswer];ren

                   (TO MAINTAIN  -(rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsPaidQ~ /\ I[RentalCas
               DELETE FROM rentalIsPaidQ[RentalCase*YesNoAnswer]
                SELECTFROM ((-paymentHasBeenRequested~ /\ rentalIsPaidQ;'Yes'[YesNoAnswer];re

                   (TO MAINTAIN  -(rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsPaidQ~ /\ I[RentalCas
               DELETE FROM Isn{detyp=RentalCase}
                SELECTFROM (-paymentHasBeenRequested /\ rentalIsPaidQ;'Yes'[YesNoAnswer];rent

                   (TO MAINTAIN  -(rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsPaidQ~ /\ I[RentalCas
            (MAINTAINING -(rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsPaidQ~ /\ I[RentalCase]) \/ p


<------End Derivation --


              ON INSERT Delta IN rentalCharge[RentalCase*Amount] EXECUTE    -- (ECA rule 73)
              ALL of INSERT INTO Isn{detyp=Amount}
                       SELECTFROM ((rentalCharge \/ Delta)~;(rentalBasicCharge;arg1~ /\ rentalPe

                         (TO MAINTAIN  -(rentalCharge~;(rentalBasicCharge;arg1~ /\ rentalPenaltyCha
                         (TO MAINTAIN  -(rentalCharge~;rentalCharge) \/ I[Amount] FROM UNI rentalCl
                       INSERT INTO Isn{detyp=RentalCase}
                        SELECTFROM (Delta;Delta~ /\ I[RentalCase]) - I[RentalCase]

                (MAINTAINING -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ rentalLo
                (MAINTAINING -(rentalCharge~;rentalCharge) \/ I[Amount] FROM UNI rentalCharge::R


------ Derivation ----->


        ALL of INSERT INTO Isn{detyp=Amount}
                 SELECTFROM ((rentalCharge \/ Delta)~;(rentalBasicCharge;arg1~ /\ rentalPenalt

                   (TO MAINTAIN  -(rentalCharge~;(rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;
                   (TO MAINTAIN  -(rentalCharge~;rentalCharge) \/ I[Amount] FROM UNI rentalCharge
                 INSERT INTO Isn{detyp=RentalCase}
                  SELECTFROM (Delta;Delta~ /\ I[RentalCase]) - I[RentalCase]

                                          298
```

(MAINTAINING -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ rentalLocatio

(MAINTAINING -(rentalCharge~;rentalCharge) \/ I[Amount] FROM UNI rentalCharge::Rental

<------End Derivation --

ON DELETE Delta FROM rentalCharge[RentalCase*Amount] EXECUTE    -- (ECA rule 74)
ONE OF DELETE FROM rentalBasicCharge[RentalCase*Amount]
        SELECTFROM ((-rentalCharge /\ (rentalBasicCharge;arg1~ /\ rentalPenaltyCl

        (TO MAINTAIN  -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ :
        DELETE FROM arg1[CompRentalCharge*Amount]
         SELECTFROM computedRentalCharge;((-rentalCharge~ /\ computedRentalCharge

        (TO MAINTAIN  -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ :
        DELETE FROM rentalPenaltyCharge[RentalCase*Amount]
         SELECTFROM ((-rentalCharge /\ (rentalBasicCharge;arg1~ /\ rentalPenaltyCl

        (TO MAINTAIN  -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ :
        DELETE FROM arg2[CompRentalCharge*Amount]
         SELECTFROM computedRentalCharge;((-rentalCharge~ /\ computedRentalCharge

        (TO MAINTAIN  -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ :
        DELETE FROM rentalLocationPenaltyCharge[RentalCase*Amount]
         SELECTFROM ((-rentalCharge /\ (rentalBasicCharge;arg1~ /\ rentalPenaltyCl

        (TO MAINTAIN  -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ :
        DELETE FROM arg3[CompRentalCharge*Amount]
         SELECTFROM computedRentalCharge;((-rentalCharge~ /\ computedRentalCharge

        (TO MAINTAIN  -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ :
        DELETE FROM computedRentalCharge[CompRentalCharge*Amount]
         SELECTFROM (arg1;rentalBasicCharge~ /\ arg2;rentalPenaltyCharge~ /\ arg3

        (TO MAINTAIN  -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ :
   (MAINTAINING -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ rentalLo

------ Derivation ----->

ONE OF DELETE FROM rentalBasicCharge[RentalCase*Amount]
        SELECTFROM ((-rentalCharge /\ (rentalBasicCharge;arg1~ /\ rentalPenaltyCharge

        (TO MAINTAIN  -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ renta
        DELETE FROM arg1[CompRentalCharge*Amount]
         SELECTFROM computedRentalCharge;((-rentalCharge~ /\ computedRentalCharge~;(ar

        (TO MAINTAIN  -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ renta

299

```
                DELETE FROM rentalPenaltyCharge[RentalCase*Amount]
                 SELECTFROM ((-rentalCharge /\ (rentalBasicCharge;arg1~ /\ rentalPenaltyCharge

                (TO MAINTAIN  -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ renta
                DELETE FROM arg2[CompRentalCharge*Amount]
                 SELECTFROM computedRentalCharge;((-rentalCharge~ /\ computedRentalCharge~;(ar

                (TO MAINTAIN  -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ renta
                DELETE FROM rentalLocationPenaltyCharge[RentalCase*Amount]
                 SELECTFROM ((-rentalCharge /\ (rentalBasicCharge;arg1~ /\ rentalPenaltyCharge

                (TO MAINTAIN  -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ renta
                DELETE FROM arg3[CompRentalCharge*Amount]
                 SELECTFROM computedRentalCharge;((-rentalCharge~ /\ computedRentalCharge~;(ar

                (TO MAINTAIN  -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ renta
                DELETE FROM computedRentalCharge[CompRentalCharge*Amount]
                 SELECTFROM (arg1;rentalBasicCharge~ /\ arg2;rentalPenaltyCharge~ /\ arg3;rent

                (TO MAINTAIN  -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ renta
        (MAINTAINING -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ rentalLocatio

    <------End Derivation --


            ON INSERT Delta IN rentalIsPaidQ[RentalCase*YesNoAnswer] EXECUTE    -- (ECA rule
            ALL of INSERT INTO paymentHasBeenRequested[RentalCase*RentalCase]
                    SELECTFROM (rentalIsPaidQ;'Yes'[YesNoAnswer];(rentalIsPaidQ \/ Delta)~ /

                    (TO MAINTAIN  -(rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsPaidQ~ /\ I[Renta
                    INSERT INTO rentalHasBeenEnded[RentalCase*RentalCase]
                     SELECTFROM (rentalIsPaidQ;'Yes'[YesNoAnswer];(rentalIsPaidQ \/ Delta)~ /

                    (TO MAINTAIN  -(rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsPaidQ~ /\ rcCarHa
                    INSERT INTO Isn{detyp=RentalCase}
                     SELECTFROM (Delta;Delta~ /\ I[RentalCase]) - I[RentalCase]

                    INSERT INTO Isn{detyp=YesNoAnswer}
                     SELECTFROM (Delta~;Delta /\ I[YesNoAnswer]) - I[YesNoAnswer]

            (MAINTAINING -(rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsPaidQ~ /\ I[RentalCase])
            (MAINTAINING -(rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsPaidQ~ /\ rcCarHasBeenDr

    ------ Derivation ----->


        ALL of INSERT INTO paymentHasBeenRequested[RentalCase*RentalCase]
                SELECTFROM (rentalIsPaidQ;'Yes'[YesNoAnswer];(rentalIsPaidQ \/ Delta)~ /\ I[R
```

300

```
                    (TO MAINTAIN  -(rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsPaidQ~ /\ I[RentalCas
                    INSERT INTO rentalHasBeenEnded[RentalCase*RentalCase]
                     SELECTFROM (rentalIsPaidQ;'Yes'[YesNoAnswer];(rentalIsPaidQ \/ Delta)~ /\ rcC

                    (TO MAINTAIN  -(rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsPaidQ~ /\ rcCarHasBee
                    INSERT INTO Isn{detyp=RentalCase}
                     SELECTFROM (Delta;Delta~ /\ I[RentalCase]) - I[RentalCase]

                    INSERT INTO Isn{detyp=YesNoAnswer}
                     SELECTFROM (Delta~;Delta /\ I[YesNoAnswer]) - I[YesNoAnswer]

          (MAINTAINING -(rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsPaidQ~ /\ I[RentalCase]) \/ p
          (MAINTAINING -(rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsPaidQ~ /\ rcCarHasBeenDropped

  <------End Derivation --


            ON DELETE Delta FROM rentalIsPaidQ[RentalCase*YesNoAnswer] EXECUTE    -- (ECA ru
            ALL of DELETE FROM rentalHasBeenEnded[RentalCase*RentalCase]
                    SELECTFROM -((rentalIsPaidQ /\ -Delta);'Yes'[YesNoAnswer];(rentalIsPaidQ

                  (TO MAINTAIN  -rentalHasBeenEnded \/ rentalIsPaidQ;'Yes'[YesNoAnswer];ren
                  ONE OF DELETE FROM sessionDroppedoffCar[SESSION*Car]
                          SELECTFROM '_SESSION'[SESSION];(-(V[SESSION*RentalCase];(I[Rental

                          (TO MAINTAIN  -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssigne
                          DELETE FROM rcAssignedCar[RentalCase*Car]
                           SELECTFROM (I[RentalCase] /\ rcCarHasBeenDroppedOff /\ -rentalHas

                          (TO MAINTAIN  -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssigne
                          DELETE FROM Isn{detyp=RentalCase}
                           SELECTFROM rcAssignedCar;sessionDroppedoffCar~;'_SESSION'[SESSION

                          (TO MAINTAIN  -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssigne
                          DELETE FROM rcCarHasBeenDroppedOff[RentalCase*RentalCase]
                           SELECTFROM rcAssignedCar;sessionDroppedoffCar~;'_SESSION'[SESSION

                          (TO MAINTAIN  -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssigne
                          INSERT INTO rentalHasBeenEnded[RentalCase*RentalCase]
                           SELECTFROM rcAssignedCar;sessionDroppedoffCar~;'_SESSION'[SESSION

                          (TO MAINTAIN  -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssigne
                  (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssignedCar~;(I
          (MAINTAINING -rentalHasBeenEnded \/ rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsPai
          (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssignedCar~;(I[Rental
```

------ Derivation ----->

301

```
ALL of DELETE FROM rentalHasBeenEnded[RentalCase*RentalCase]
        SELECTFROM -((rentalIsPaidQ /\ -Delta);'Yes'[YesNoAnswer];(rentalIsPaidQ /\ -

    (TO MAINTAIN  -rentalHasBeenEnded \/ rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIs
    ONE OF DELETE FROM sessionDroppedoffCar[SESSION*Car]
            SELECTFROM '_SESSION'[SESSION];(-(V[SESSION*RentalCase];(I[RentalCase]

            (TO MAINTAIN  -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssignedCar~
            DELETE FROM rcAssignedCar[RentalCase*Car]
             SELECTFROM (I[RentalCase] /\ rcCarHasBeenDroppedOff /\ -rentalHasBeenE

            (TO MAINTAIN  -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssignedCar~
            DELETE FROM Isn{detyp=RentalCase}
             SELECTFROM rcAssignedCar;sessionDroppedoffCar~;'_SESSION'[SESSION];(-(

            (TO MAINTAIN  -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssignedCar~
            DELETE FROM rcCarHasBeenDroppedOff[RentalCase*RentalCase]
             SELECTFROM rcAssignedCar;sessionDroppedoffCar~;'_SESSION'[SESSION];(-(

            (TO MAINTAIN  -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssignedCar~
            INSERT INTO rentalHasBeenEnded[RentalCase*RentalCase]
             SELECTFROM rcAssignedCar;sessionDroppedoffCar~;'_SESSION'[SESSION];(-(

            (TO MAINTAIN  -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssignedCar~
        (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssignedCar~;(I[Rent
    (MAINTAINING -rentalHasBeenEnded \/ rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsPaidQ~ F
    (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssignedCar~;(I[RentalCase]

    <------End Derivation --


        ON INSERT Delta IN rentalHasBeenEnded[RentalCase*RentalCase] EXECUTE    -- (ECA
        ALL of INSERT INTO rcCarHasBeenDroppedOff[RentalCase*RentalCase]
                SELECTFROM (rentalHasBeenEnded /\ -rcCarHasBeenDroppedOff) \/ (Delta /\

            (TO MAINTAIN  -rentalHasBeenEnded \/ rcCarHasBeenDroppedOff FROM Ended Re
            INSERT INTO Isn{detyp=RentalCase}
             SELECTFROM (Delta;Delta~ /\ I[RentalCase]) - I[RentalCase] \/ (Delta~;Del

            ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rentalHasBeenEnded /\ -
                        THEN INSERT INTO rentalIsPaidQ[RentalCase*YesNoAnswer]
                            SELECTFROM 'a'[RentalCase]*'b'[YesNoAnswer]

                        (TO MAINTAIN  -rentalHasBeenEnded \/ rentalIsPaidQ;'Ye
                        PICK a,b FROM rentalIsPaidQ~;((rentalHasBeenEnded /\ -(renta
                        THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
                                    THEN BLOCK
                                        (CANNOT CHANGE 'Yes'[YesNoAnswer] F
                                        PICK a,b FROM 'Yes'[YesNoAnswer];('a'[Ye

                                302
```

```
                                  THEN INSERT INTO rentalIsPaidQ[RentalCase
                                      SELECTFROM 'b'[RentalCase]*'a'[Yes

                                 (TO MAINTAIN  -rentalHasBeenEnded \/
                       (MAINTAINING -rentalHasBeenEnded \/ rentalIsPai
                       NEW x:YesNoAnswer;
                         ALL of BLOCK
                                (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM
                                INSERT INTO rentalIsPaidQ[RentalCase*Y
                                 SELECTFROM 'b'[RentalCase]*'a'[YesNoAn

                                 (TO MAINTAIN  -rentalHasBeenEnded \/ r
                          (MAINTAINING -rentalHasBeenEnded \/ rentalIsPa
                          (MAINTAINING -rentalHasBeenEnded \/ rentalIsPai
                   (MAINTAINING -rentalHasBeenEnded \/ rentalIsPaidQ;'Yes
          (MAINTAINING -rentalHasBeenEnded \/ rentalIsPaidQ;'Yes'[YesNoAnswe
          NEW x:YesNoAnswer;
            ALL of INSERT INTO rentalIsPaidQ[RentalCase*YesNoAnswer]
                    SELECTFROM ((rentalHasBeenEnded /\ -(rentalIsPaidQ;'Yes'

                 (TO MAINTAIN  -rentalHasBeenEnded \/ rentalIsPaidQ;'Yes'[
                 ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'[YesNoAnswe
                        THEN BLOCK
                                (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM Ended
                          PICK a,b FROM 'Yes'[YesNoAnswer];('x'[YesNoAnswer]
                          THEN INSERT INTO rentalIsPaidQ[RentalCase*YesNoAnsw
                              SELECTFROM 'b'[RentalCase]*'a'[YesNoAnswer]

                                 (TO MAINTAIN  -rentalHasBeenEnded \/ rentalIs
                     (MAINTAINING -rentalHasBeenEnded \/ rentalIsPaidQ;'Yes'[Ye
            (MAINTAINING -rentalHasBeenEnded \/ rentalIsPaidQ;'Yes'[YesNoAnsw
          (MAINTAINING -rentalHasBeenEnded \/ rentalIsPaidQ;'Yes'[YesNoAnswe
   (MAINTAINING -rentalHasBeenEnded \/ rentalIsPaidQ;'Yes'[YesNoAnswer];rent
   ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('_SESSION'[SESSION];sessionDrop
         THEN BLOCK
              (CANNOT CHANGE V[SESSION*RentalCase] FROM Car drop-off handli
         PICK a,b FROM V[RentalCase*SESSION];('_SESSION'[SESSION];sessionDro
         THEN ALL of INSERT INTO Isn{detyp=RentalCase}
                      SELECTFROM 'a'[RentalCase]*'b'[RentalCase]

                         (TO MAINTAIN  -('_SESSION'[SESSION];sessionDroppedoffC
                         ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
                                   THEN INSERT INTO rentalIsPaidQ[RentalCase
                                       SELECTFROM 'a'[RentalCase]*'b'[Yes

                                   (TO MAINTAIN  -('_SESSION'[SESSION]
                          PICK a,b FROM rentalIsPaidQ~;('a'[RentalC
                          THEN ONE OF ONE NONEMPTY ALTERNATIVE OF
                                           THEN BLOCK
                                               (CANNOT CHANGE '
```

303

```
                                          PICK a,b FROM 'Yes'[Y
                                       THEN INSERT INTO rent
                                           SELECTFROM 'b'[

                                     (TO MAINTAIN  -(
                             (MAINTAINING -('_SESSION'[SES
                         NEW x:YesNoAnswer;
                           ALL of BLOCK
                                       (CANNOT CHANGE 'Yes
                                         INSERT INTO rentalI
                                          SELECTFROM 'b'[Ren

                                     (TO MAINTAIN  -('_SI
                             (MAINTAINING -('_SESSION'[
                            (MAINTAINING -('_SESSION'[SES
                       (MAINTAINING -('_SESSION'[SESSION];
               (MAINTAINING -('_SESSION'[SESSION];sessionDropp
                         NEW x:YesNoAnswer;
                           ALL of INSERT INTO rentalIsPaidQ[RentalCase*Y
                                  SELECTFROM 'a'[RentalCase]*'b'[Rental

                                     (TO MAINTAIN  -('_SESSION'[SESSION];se
                              ONE OF ONE NONEMPTY ALTERNATIVE OF PIC
                                         THEN BLOCK
                                              (CANNOT CHANGE 'Yes
                                         PICK a,b FROM 'Yes'[YesN
                                       THEN INSERT INTO rentalI
                                           SELECTFROM 'b'[Ren

                                     (TO MAINTAIN  -('_SI
                             (MAINTAINING -('_SESSION'[SESSI
                         NEW x:YesNoAnswer;
                           ALL of BLOCK
                                       (CANNOT CHANGE 'Yes'[Y
                                         INSERT INTO rentalIsPai
                                          SELECTFROM 'b'[RentalC

                                     (TO MAINTAIN  -('_SESS
                             (MAINTAINING -('_SESSION'[SES
                            (MAINTAINING -('_SESSION'[SESSI
                       (MAINTAINING -('_SESSION'[SESSION];ses
               (MAINTAINING -('_SESSION'[SESSION];sessionDro
              (MAINTAINING -('_SESSION'[SESSION];sessionDropp
           (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCa
        (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar;rcAss
    (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssignedCar~;(I
(MAINTAINING -rentalHasBeenEnded \/ rcCarHasBeenDroppedOff FROM Ended Rentals)
(MAINTAINING -rentalHasBeenEnded \/ rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsPai
(MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssignedCar~;(I[RentalC
```

304

----- Derivation ----->


        ALL of INSERT INTO rcCarHasBeenDroppedOff[RentalCase*RentalCase]
          SELECTFROM (rentalHasBeenEnded /\ -rcCarHasBeenDroppedOff) \/ (Delta /\ -rcCa

      (TO MAINTAIN  -rentalHasBeenEnded \/ rcCarHasBeenDroppedOff FROM Ended Rentals
      INSERT INTO Isn{detyp=RentalCase}
       SELECTFROM (Delta;Delta~ /\ I[RentalCase]) - I[RentalCase] \/ (Delta~;Delta /

    ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rentalHasBeenEnded /\ -(ren
             THEN INSERT INTO rentalIsPaidQ[RentalCase*YesNoAnswer]
                SELECTFROM 'a'[RentalCase]*'b'[YesNoAnswer]

                (TO MAINTAIN  -rentalHasBeenEnded \/ rentalIsPaidQ;'Yes'[Ye
          PICK a,b FROM rentalIsPaidQ~;((rentalHasBeenEnded /\ -(rentalIsP
          THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[YesNo
                    THEN BLOCK
                        (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM E
                  PICK a,b FROM 'Yes'[YesNoAnswer];('a'[YesNoAn
                  THEN INSERT INTO rentalIsPaidQ[RentalCase*Yes
                      SELECTFROM 'b'[RentalCase]*'a'[YesNoAns

                      (TO MAINTAIN  -rentalHasBeenEnded \/ ren
            (MAINTAINING -rentalHasBeenEnded \/ rentalIsPaidQ;'Y
          NEW x:YesNoAnswer;
            ALL of BLOCK
                    (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM Ende
                  INSERT INTO rentalIsPaidQ[RentalCase*YesNoA
                   SELECTFROM 'b'[RentalCase]*'a'[YesNoAnswer

                  (TO MAINTAIN  -rentalHasBeenEnded \/ rental
              (MAINTAINING -rentalHasBeenEnded \/ rentalIsPaidQ;
              (MAINTAINING -rentalHasBeenEnded \/ rentalIsPaidQ;'Y
          (MAINTAINING -rentalHasBeenEnded \/ rentalIsPaidQ;'Yes'[Yes
    (MAINTAINING -rentalHasBeenEnded \/ rentalIsPaidQ;'Yes'[YesNoAnswer];re
      NEW x:YesNoAnswer;
        ALL of INSERT INTO rentalIsPaidQ[RentalCase*YesNoAnswer]
              SELECTFROM ((rentalHasBeenEnded /\ -(rentalIsPaidQ;'Yes'[YesN

            (TO MAINTAIN  -rentalHasBeenEnded \/ rentalIsPaidQ;'Yes'[YesNo
          ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'[YesNoAnswer]*((
                THEN BLOCK
                    (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM Ended Renta
              PICK a,b FROM 'Yes'[YesNoAnswer];('x'[YesNoAnswer]*((re
              THEN INSERT INTO rentalIsPaidQ[RentalCase*YesNoAnswer]
                  SELECTFROM 'b'[RentalCase]*'a'[YesNoAnswer]

                (TO MAINTAIN  -rentalHasBeenEnded \/ rentalIsPaidQ
          (MAINTAINING -rentalHasBeenEnded \/ rentalIsPaidQ;'Yes'[YesNoA

```
            (MAINTAINING -rentalHasBeenEnded \/ rentalIsPaidQ;'Yes'[YesNoAnswer];
          (MAINTAINING -rentalHasBeenEnded \/ rentalIsPaidQ;'Yes'[YesNoAnswer];re
    (MAINTAINING -rentalHasBeenEnded \/ rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsP
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('_SESSION'[SESSION];sessionDroppedo
        THEN BLOCK
              (CANNOT CHANGE V[SESSION*RentalCase] FROM Car drop-off handling)
        PICK a,b FROM V[RentalCase*SESSION];('_SESSION'[SESSION];sessionDropped
        THEN ALL of INSERT INTO Isn{detyp=RentalCase}
                        SELECTFROM 'a'[RentalCase]*'b'[RentalCase]

                    (TO MAINTAIN  -('_SESSION'[SESSION];sessionDroppedoffCar;rc
                    ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[Renta
                            THEN INSERT INTO rentalIsPaidQ[RentalCase*Yes
                                SELECTFROM 'a'[RentalCase]*'b'[YesNoAns

                            (TO MAINTAIN  -('_SESSION'[SESSION];sess
                    PICK a,b FROM rentalIsPaidQ~;('a'[RentalCase]
                    THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK
                                        THEN BLOCK
                                            (CANNOT CHANGE 'Yes'[
                                    PICK a,b FROM 'Yes'[YesNoA
                                    THEN INSERT INTO rentalIsP
                                        SELECTFROM 'b'[Renta

                                        (TO MAINTAIN  -('_SES
                            (MAINTAINING -('_SESSION'[SESSION
                            NEW x:YesNoAnswer;
                              ALL of BLOCK
                                        (CANNOT CHANGE 'Yes'[Yes
                                        INSERT INTO rentalIsPaid
                                        SELECTFROM 'b'[RentalCa

                                        (TO MAINTAIN  -('_SESSIO
                                (MAINTAINING -('_SESSION'[SESSI
                                (MAINTAINING -('_SESSION'[SESSION
                            (MAINTAINING -('_SESSION'[SESSION];sessi
                    (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoff
                    NEW x:YesNoAnswer;
                      ALL of INSERT INTO rentalIsPaidQ[RentalCase*YesNoA
                                SELECTFROM 'a'[RentalCase]*'b'[RentalCase]

                                (TO MAINTAIN  -('_SESSION'[SESSION];session
                                ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b
                                        THEN BLOCK
                                            (CANNOT CHANGE 'Yes'[Yes
                                        PICK a,b FROM 'Yes'[YesNoAnsw
                                        THEN INSERT INTO rentalIsPaid
                                            SELECTFROM 'b'[RentalCa

                                        (TO MAINTAIN  -('_SESSIO
```

```
                                              (MAINTAINING -('_SESSION'[SESSION];s
                                        NEW x:YesNoAnswer;
                                          ALL of BLOCK
                                                  (CANNOT CHANGE 'Yes'[YesNoA
                                                  INSERT INTO rentalIsPaidQ[R
                                                   SELECTFROM 'b'[RentalCase]

                                                  (TO MAINTAIN  -('_SESSION'[
                                          (MAINTAINING -('_SESSION'[SESSION]
                                          (MAINTAINING -('_SESSION'[SESSION];s
                                    (MAINTAINING -('_SESSION'[SESSION];sessionD
                              (MAINTAINING -('_SESSION'[SESSION];sessionDroppedo
                            (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoff
                      (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar;rcA
                  (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssigned
            (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssignedCar~;(I[Rent
    (MAINTAINING -rentalHasBeenEnded \/ rcCarHasBeenDroppedOff FROM Ended Rentals)
    (MAINTAINING -rentalHasBeenEnded \/ rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsPaidQ~ F
    (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssignedCar~;(I[RentalCase]
```

<------End Derivation --

```
        ON DELETE Delta FROM rentalHasBeenEnded[RentalCase*RentalCase] EXECUTE    -- (EC
        ALL of DELETE FROM Isn{detyp=Car}
                SELECTFROM -(carAvailableAt;carAvailableAt~) /\ -(rcAssignedCar~;(rental

               (TO MAINTAIN  -I[Car] \/ carAvailableAt;carAvailableAt~ \/ rcAssignedCar~
               ONE OF DELETE FROM rentalIsPaidQ[RentalCase*YesNoAnswer]
                     SELECTFROM ((-rentalHasBeenEnded /\ rentalIsPaidQ;'Yes'[YesNoAnsw

                       (TO MAINTAIN  -(rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsPaidQ~ /\
                       DELETE FROM rentalIsPaidQ[RentalCase*YesNoAnswer]
                        SELECTFROM ((-rentalHasBeenEnded~ /\ rentalIsPaidQ;'Yes'[YesNoAns

                       (TO MAINTAIN  -(rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsPaidQ~ /\
                       DELETE FROM rcCarHasBeenDroppedOff[RentalCase*RentalCase]
                        SELECTFROM (-rentalHasBeenEnded /\ rentalIsPaidQ;'Yes'[YesNoAnswer

                       (TO MAINTAIN  -(rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsPaidQ~ /\
                       DELETE FROM Isn{detyp=RentalCase}
                        SELECTFROM (-rentalHasBeenEnded /\ rentalIsPaidQ;'Yes'[YesNoAnswer

                       (TO MAINTAIN  -(rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsPaidQ~ /\
                 (MAINTAINING -(rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsPaidQ~ /\ rcCarHa
                 DELETE FROM sessionDroppedoffCar[SESSION*Car]
                  SELECTFROM '_SESSION'[SESSION];(-(sessionDroppedoffCar;(I[Car] /\ rcAssig

                       (TO MAINTAIN  -('_SESSION'[SESSION];sessionDroppedoffCar) \/ sessionDroppe
```

307

```
                    ONE OF DELETE FROM sessionDroppedoffCar[SESSION*Car]
                          SELECTFROM '_SESSION'[SESSION];sessionDroppedoffCar;((-I[Car] /\ :

                          (TO MAINTAIN  -(sessionDroppedoffCar~;'_SESSION'[SESSION];sessionD:
                          DELETE FROM sessionDroppedoffCar[SESSION*Car]
                           SELECTFROM '_SESSION'[SESSION];sessionDroppedoffCar;((-I[Car] /\ :

                          (TO MAINTAIN  -(sessionDroppedoffCar~;'_SESSION'[SESSION];sessionD:
                 (MAINTAINING -(sessionDroppedoffCar~;'_SESSION'[SESSION];sessionDroppedof:
          (MAINTAINING -I[Car] \/ carAvailableAt;carAvailableAt~ \/ rcAssignedCar~;(rental:
          (MAINTAINING -(rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsPaidQ~ /\ rcCarHasBeenDr:
          (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar) \/ sessionDroppedoffCar
          (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar) \/ sessionDroppedoffCar


------ Derivation ----->


        ALL of DELETE FROM Isn{detyp=Car}
              SELECTFROM -(carAvailableAt;carAvailableAt~) /\ -(rcAssignedCar~;(rentalHasBe:

              (TO MAINTAIN  -I[Car] \/ carAvailableAt;carAvailableAt~ \/ rcAssignedCar~;(ren:
              ONE OF DELETE FROM rentalIsPaidQ[RentalCase*YesNoAnswer]
                    SELECTFROM ((-rentalHasBeenEnded /\ rentalIsPaidQ;'Yes'[YesNoAnswer];r:

                    (TO MAINTAIN  -(rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsPaidQ~ /\ rcCa:
                    DELETE FROM rentalIsPaidQ[RentalCase*YesNoAnswer]
                     SELECTFROM ((-rentalHasBeenEnded~ /\ rentalIsPaidQ;'Yes'[YesNoAnswer];

                    (TO MAINTAIN  -(rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsPaidQ~ /\ rcCa:
                    DELETE FROM rcCarHasBeenDroppedOff[RentalCase*RentalCase]
                     SELECTFROM (-rentalHasBeenEnded /\ rentalIsPaidQ;'Yes'[YesNoAnswer];re:

                    (TO MAINTAIN  -(rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsPaidQ~ /\ rcCa:
                    DELETE FROM Isn{detyp=RentalCase}
                     SELECTFROM (-rentalHasBeenEnded /\ rentalIsPaidQ;'Yes'[YesNoAnswer];re:

                    (TO MAINTAIN  -(rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsPaidQ~ /\ rcCa:
              (MAINTAINING -(rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsPaidQ~ /\ rcCarHasBeen:
              DELETE FROM sessionDroppedoffCar[SESSION*Car]
               SELECTFROM '_SESSION'[SESSION];(-(sessionDroppedoffCar;(I[Car] /\ rcAssignedC:

              (TO MAINTAIN  -('_SESSION'[SESSION];sessionDroppedoffCar) \/ sessionDroppedoff:
              ONE OF DELETE FROM sessionDroppedoffCar[SESSION*Car]
                    SELECTFROM '_SESSION'[SESSION];sessionDroppedoffCar;((-I[Car] /\ sessi:

                    (TO MAINTAIN  -(sessionDroppedoffCar~;'_SESSION'[SESSION];sessionDroppe:
                    DELETE FROM sessionDroppedoffCar[SESSION*Car]
                     SELECTFROM '_SESSION'[SESSION];sessionDroppedoffCar;((-I[Car] /\ sessi:
```

308

```
                         (TO MAINTAIN  -(sessionDroppedoffCar~;'_SESSION'[SESSION];sessionDroppe
            (MAINTAINING -(sessionDroppedoffCar~;'_SESSION'[SESSION];sessionDroppedoffCar)
    (MAINTAINING -I[Car] \/ carAvailableAt;carAvailableAt~ \/ rcAssignedCar~;(rentalHasBe
    (MAINTAINING -(rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsPaidQ~ /\ rcCarHasBeenDropped
    (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar) \/ sessionDroppedoffCar;(I[C
    (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar) \/ sessionDroppedoffCar;(I[C


    <------End Derivation --


            ON INSERT Delta IN rcMaxRentalDuration[RentalCase*Integer] EXECUTE    -- (ECA ru
            ALL of INSERT INTO Isn{detyp=Integer}
                      SELECTFROM ((rcMaxRentalDuration \/ Delta)~;contractedPickupBranch;branc

                    (TO MAINTAIN  -(rcMaxRentalDuration~;contractedPickupBranch;branchOf;maxR
                    (TO MAINTAIN  -(rcMaxRentalDuration~;rcMaxRentalDuration) \/ I[Integer] F
                    INSERT INTO dateIntervalCompTrigger[Date*Date]
                     SELECTFROM (contractedStartDate~;rcMaxRentalDuration;(rcMaxRentalDuratio

                    (TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRentalDurat
                    INSERT INTO Isn{detyp=RentalCase}
                     SELECTFROM (Delta;Delta~ /\ I[RentalCase]) - I[RentalCase]

                    ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rcMaxRentalDuration;(r
                               THEN INSERT INTO contractedStartDate[RentalCase*Date]
                                      SELECTFROM 'a'[RentalCase]*'b'[Date]

                                    (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuratio
                               PICK a,b FROM contractedStartDate~;((rcMaxRentalDuration;(r
                               THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
                                          THEN INSERT INTO dateIntervalCompTrigger
                                                 SELECTFROM 'a'[Date]*'b'[Date]

                                               (TO MAINTAIN  -(rcMaxRentalDuration
                                          PICK a,b FROM dateIntervalCompTrigger~;(
                                          THEN INSERT INTO contractedEndDate[Renta
                                                 SELECTFROM 'b'[RentalCase]*'a'[Dat

                                               (TO MAINTAIN  -(rcMaxRentalDuration
                                    (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalD
                                    NEW x:Date;
                                      ALL of INSERT INTO dateIntervalCompTrigger[Da
                                                 SELECTFROM 'a'[Date]*'b'[RentalCase]*

                                               (TO MAINTAIN  -(rcMaxRentalDuration;rc
                                               INSERT INTO contractedEndDate[RentalCa
                                                 SELECTFROM 'b'[RentalCase]*'a'[Date]*

                                               (TO MAINTAIN  -(rcMaxRentalDuration;rc


                                               309
```

```
                                    (MAINTAINING -(rcMaxRentalDuration;rcMaxRenta
                              (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalD
                       (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration
               (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contrac
        NEW x:Date;
          ALL of INSERT INTO contractedStartDate[RentalCase*Date]
                   SELECTFROM ((rcMaxRentalDuration;(rcMaxRentalDuration \/

                       (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~ ,
                  ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'[Date
                            THEN INSERT INTO dateIntervalCompTrigger[Da
                                 SELECTFROM 'a'[Date]*'b'[Date]

                                 (TO MAINTAIN  -(rcMaxRentalDuration;rc
                         PICK a,b FROM dateIntervalCompTrigger~;('x'
                         THEN INSERT INTO contractedEndDate[RentalCa
                              SELECTFROM 'b'[RentalCase]*'a'[Date]

                                 (TO MAINTAIN  -(rcMaxRentalDuration;rc
                    (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDura
                    NEW x:Date;
                      ALL of INSERT INTO dateIntervalCompTrigger[Date*
                             SELECTFROM 'x'[Date]*((rcMaxRentalDuratio

                                 (TO MAINTAIN  -(rcMaxRentalDuration;rcMax
                                 INSERT INTO contractedEndDate[RentalCase*
                                  SELECTFROM (((rcMaxRentalDuration \/ Del

                                 (TO MAINTAIN  -(rcMaxRentalDuration;rcMax
                           (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDu
                           (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDura
                   (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /
              (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contra
         (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contrac
  (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEndD
  ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((contractedStartDate~;r
               THEN INSERT INTO dateIntervalCompTrigger[Date*Date]
                    SELECTFROM 'a'[Date]*'b'[Date]

                    (TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDurati
              PICK a,b FROM dateIntervalCompTrigger~;((contractedStartDat
              THEN INSERT INTO contractedEndDate[RentalCase*Date]
                   SELECTFROM 'b'[RentalCase]*'a'[Date]

                    (TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDurati
        (MAINTAINING -(contractedStartDate~;rcMaxRentalDuration;rcMaxRental
        NEW x:Date;
          ALL of INSERT INTO dateIntervalCompTrigger[Date*Date]
                   SELECTFROM ((contractedStartDate~;rcMaxRentalDuration;(r
```

```
                              (TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;
                    INSERT INTO contractedEndDate[RentalCase*Date]
                     SELECTFROM (((rcMaxRentalDuration \/ Delta);rcMaxRentalD

                              (TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;
                (MAINTAINING -(contractedStartDate~;rcMaxRentalDuration;rcMaxRen
                 (MAINTAINING -(contractedStartDate~;rcMaxRentalDuration;rcMaxRenta
            (MAINTAINING -(contractedStartDate~;rcMaxRentalDuration;rcMaxRentalDurati
         ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rcMaxRentalDuration;(r
                         THEN INSERT INTO contractedStartDate[RentalCase*Date]
                              SELECTFROM 'a'[RentalCase]*'b'[Date]

                              (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuratio
                    PICK a,b FROM contractedStartDate~;((rcMaxRentalDuration;(re
                    THEN INSERT INTO dateIntervalCompTrigger[Date*Date]
                         SELECTFROM 'a'[Date]*'b'[Date]

                              (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuratio
                 (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~;contractedE
                 NEW x:Date;
                    ALL of INSERT INTO contractedStartDate[RentalCase*Date]
                              SELECTFROM ((rcMaxRentalDuration;(rcMaxRentalDuration \/

                              (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~;
                    INSERT INTO dateIntervalCompTrigger[Date*Date]
                     SELECTFROM 'x'[Date]*((rcMaxRentalDuration;(rcMaxRentalD

                              (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~;
                 (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~;contracte
                 (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~;contractedE
            (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~;contractedEndDate
       (MAINTAINING -(contractedPickupBranch;branchOf;maxRentalDuration) \/ rcMaxRental
       (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEndDate;con
       (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEndDate;con
       (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEndDate;con
       (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEndDate;con
       (MAINTAINING -(rcMaxRentalDuration~;rcMaxRentalDuration) \/ I[Integer] FROM UNI

------ Derivation ----->


       ALL of INSERT INTO Isn{detyp=Integer}
              SELECTFROM ((rcMaxRentalDuration \/ Delta)~;contractedPickupBranch;branchOf;m

              (TO MAINTAIN  -(rcMaxRentalDuration~;contractedPickupBranch;branchOf;maxRental
              (TO MAINTAIN  -(rcMaxRentalDuration~;rcMaxRentalDuration) \/ I[Integer] FROM U
              INSERT INTO dateIntervalCompTrigger[Date*Date]
              SELECTFROM (contractedStartDate~;rcMaxRentalDuration;(rcMaxRentalDuration \/
```

311

```
(TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRentalDuration~;
INSERT INTO Isn{detyp=RentalCase}
 SELECTFROM (Delta;Delta~ /\ I[RentalCase]) - I[RentalCase]

ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rcMaxRentalDuration;(rcMaxR
              THEN INSERT INTO contractedStartDate[RentalCase*Date]
                  SELECTFROM 'a'[RentalCase]*'b'[Date]

                (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~ /\
              PICK a,b FROM contractedStartDate~;((rcMaxRentalDuration;(rcMaxR
              THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[Date]
                              THEN INSERT INTO dateIntervalCompTrigger[Date
                                  SELECTFROM 'a'[Date]*'b'[Date]

                                (TO MAINTAIN  -(rcMaxRentalDuration;rcMa
                          PICK a,b FROM dateIntervalCompTrigger~;('a'[D
                          THEN INSERT INTO contractedEndDate[RentalCase
                              SELECTFROM 'b'[RentalCase]*'a'[Date]

                                (TO MAINTAIN  -(rcMaxRentalDuration;rcMa
                    (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDurati
                    NEW x:Date;
                      ALL of INSERT INTO dateIntervalCompTrigger[Date*Da
                              SELECTFROM 'a'[Date]*'b'[RentalCase]*'x'[D

                                (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRe
                                INSERT INTO contractedEndDate[RentalCase*Da
                                SELECTFROM 'b'[RentalCase]*'a'[Date]*'x'[D

                                (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRe
                          (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDura
                        (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDurati
                  (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\
        (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEn
        NEW x:Date;
          ALL of INSERT INTO contractedStartDate[RentalCase*Date]
                  SELECTFROM ((rcMaxRentalDuration;(rcMaxRentalDuration \/ Delt

                (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ co
              ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'[Date]*((
                              THEN INSERT INTO dateIntervalCompTrigger[Date*Da
                                  SELECTFROM 'a'[Date]*'b'[Date]

                                (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRe
                          PICK a,b FROM dateIntervalCompTrigger~;('x'[Date
                          THEN INSERT INTO contractedEndDate[RentalCase*Da
                              SELECTFROM 'b'[RentalCase]*'a'[Date]

                                (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRe
                    (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~
```

312

```
                          NEW x:Date;
                            ALL of INSERT INTO dateIntervalCompTrigger[Date*Date]
                                SELECTFROM 'x'[Date]*((rcMaxRentalDuration;(r

                                (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRenta
                                INSERT INTO contractedEndDate[RentalCase*Date]
                                 SELECTFROM (((rcMaxRentalDuration \/ Delta);r

                                (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRenta
                         (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuratio
                          (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~
                 (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ con
            (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contracted
          (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEn
 (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEndDate;c
ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((contractedStartDate~;rcMaxR
               THEN INSERT INTO dateIntervalCompTrigger[Date*Date]
                     SELECTFROM 'a'[Date]*'b'[Date]

                    (TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rc
              PICK a,b FROM dateIntervalCompTrigger~;((contractedStartDate~;rc
              THEN INSERT INTO contractedEndDate[RentalCase*Date]
                     SELECTFROM 'b'[RentalCase]*'a'[Date]

                    (TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rc
         (MAINTAINING -(contractedStartDate~;rcMaxRentalDuration;rcMaxRentalDura
         NEW x:Date;
           ALL of INSERT INTO dateIntervalCompTrigger[Date*Date]
                    SELECTFROM ((contractedStartDate~;rcMaxRentalDuration;(rcMaxR

                   (TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMax
                   INSERT INTO contractedEndDate[RentalCase*Date]
                    SELECTFROM (((rcMaxRentalDuration \/ Delta);rcMaxRentalDurati

                   (TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMax
            (MAINTAINING -(contractedStartDate~;rcMaxRentalDuration;rcMaxRentalDu
         (MAINTAINING -(contractedStartDate~;rcMaxRentalDuration;rcMaxRentalDura
 (MAINTAINING -(contractedStartDate~;rcMaxRentalDuration;rcMaxRentalDuration~ /
ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((rcMaxRentalDuration;(rcMaxR
               THEN INSERT INTO contractedStartDate[RentalCase*Date]
                     SELECTFROM 'a'[RentalCase]*'b'[Date]

                    (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~;co
              PICK a,b FROM contractedStartDate~;((rcMaxRentalDuration;(rcMaxR
              THEN INSERT INTO dateIntervalCompTrigger[Date*Date]
                     SELECTFROM 'a'[Date]*'b'[Date]

                    (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~;co
          (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~;contractedEndDa
              NEW x:Date;
```

313

```
                          ALL of INSERT INTO contractedStartDate[RentalCase*Date]
                             SELECTFROM ((rcMaxRentalDuration;(rcMaxRentalDuration \/ Delt

                          (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~;contr
                          INSERT INTO dateIntervalCompTrigger[Date*Date]
                           SELECTFROM 'x'[Date]*((rcMaxRentalDuration;(rcMaxRentalDurati

                          (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~;contr
                   (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~;contractedEnd
                 (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~;contractedEndDa
            (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~;contractedEndDate /\ c
     (MAINTAINING -(contractedPickupBranch;branchOf;maxRentalDuration) \/ rcMaxRentalDurat
     (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEndDate;contract
     (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEndDate;contract
     (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEndDate;contract
     (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEndDate;contract
     (MAINTAINING -(rcMaxRentalDuration~;rcMaxRentalDuration) \/ I[Integer] FROM UNI rcMax

        <------End Derivation --


             ON DELETE Delta FROM rcMaxRentalDuration[RentalCase*Integer] EXECUTE    -- (ECA
             ONE OF DELETE FROM contractedPickupBranch[RentalCase*Branch]
                     SELECTFROM ((-rcMaxRentalDuration /\ contractedPickupBranch;branchOf;max

                     (TO MAINTAIN  -(contractedPickupBranch;branchOf;maxRentalDuration) \/ rcMa
                     DELETE FROM branchOf[Branch*CarRentalCompany]
                      SELECTFROM contractedPickupBranch~;((-rcMaxRentalDuration /\ contractedP

                     (TO MAINTAIN  -(contractedPickupBranch;branchOf;maxRentalDuration) \/ rcMa
                     DELETE FROM maxRentalDuration[CarRentalCompany*Integer]
                      SELECTFROM branchOf~;contractedPickupBranch~;((-rcMaxRentalDuration /\ co

                     (TO MAINTAIN  -(contractedPickupBranch;branchOf;maxRentalDuration) \/ rcMa
             (MAINTAINING -(contractedPickupBranch;branchOf;maxRentalDuration) \/ rcMaxRental

        ------ Derivation ----->


        ONE OF DELETE FROM contractedPickupBranch[RentalCase*Branch]
                SELECTFROM ((-rcMaxRentalDuration /\ contractedPickupBranch;branchOf;maxRenta

                (TO MAINTAIN  -(contractedPickupBranch;branchOf;maxRentalDuration) \/ rcMaxRen
                DELETE FROM branchOf[Branch*CarRentalCompany]
                 SELECTFROM contractedPickupBranch~;((-rcMaxRentalDuration /\ contractedPickup

                (TO MAINTAIN  -(contractedPickupBranch;branchOf;maxRentalDuration) \/ rcMaxRen
                DELETE FROM maxRentalDuration[CarRentalCompany*Integer]
                 SELECTFROM branchOf~;contractedPickupBranch~;((-rcMaxRentalDuration /\ contra
```

314

```
                    (TO MAINTAIN  -(contractedPickupBranch;branchOf;maxRentalDuration) \/ rcMaxRen
        (MAINTAINING -(contractedPickupBranch;branchOf;maxRentalDuration) \/ rcMaxRentalDurat


<------End Derivation --


            ON INSERT Delta IN dateIntervalCompTrigger[Date*Date] EXECUTE    -- (ECA rule 81
            INSERT INTO Isn{detyp=Date}
             SELECTFROM (Delta;Delta~ /\ I[Date]) - I[Date] \/ (Delta~;Delta /\ I[Date]) - I


------ Derivation ----->


        INSERT INTO Isn{detyp=Date}
         SELECTFROM (Delta;Delta~ /\ I[Date]) - I[Date] \/ (Delta~;Delta /\ I[Date]) - I[Date


<------End Derivation --


            ON DELETE Delta FROM dateIntervalCompTrigger[Date*Date] EXECUTE    -- (ECA rule
            ALL of ONE OF DELETE FROM rcMaxRentalDuration[RentalCase*Integer]
                        SELECTFROM (-(contractedStartDate;(dateIntervalCompTrigger /\ -Del

                    (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contra
                    DELETE FROM rcMaxRentalDuration[RentalCase*Integer]
                     SELECTFROM (-(contractedEndDate;(dateIntervalCompTrigger~ /\ -Del

                    (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contra
                    DELETE FROM contractedEndDate[RentalCase*Date]
                     SELECTFROM (-(contractedStartDate;(dateIntervalCompTrigger /\ -De

                    (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contra
                    DELETE FROM contractedEndDate[RentalCase*Date]
                     SELECTFROM (-(contractedEndDate;(dateIntervalCompTrigger~ /\ -Del

                    (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contra
                    DELETE FROM contractedStartDate[RentalCase*Date]
                     SELECTFROM (-(contractedStartDate;(dateIntervalCompTrigger /\ -De

                    (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contra
                    DELETE FROM contractedStartDate[RentalCase*Date]
                     SELECTFROM (-(contractedEndDate;(dateIntervalCompTrigger~ /\ -Del

                    (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contra
                    DELETE FROM Isn{detyp=RentalCase}
```

315

```
                         SELECTFROM -(contractedStartDate;(dateIntervalCompTrigger /\ -Del

           (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contra
(MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEndDa
ONE OF DELETE FROM contractedStartDate[RentalCase*Date]
           SELECTFROM rcMaxRentalDuration;rcMaxRentalDuration~;(-(contractedL

           (TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRenta
           DELETE FROM rcMaxRentalDuration[RentalCase*Integer]
            SELECTFROM contractedStartDate;(-((dateIntervalCompTrigger /\ -De

           (TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRenta
           DELETE FROM rcMaxRentalDuration[RentalCase*Integer]
            SELECTFROM (-(contractedEndDate;(dateIntervalCompTrigger~ /\ -Del

           (TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRenta
           DELETE FROM contractedStartDate[RentalCase*Date]
            SELECTFROM contractedEndDate;contractedEndDate~;(-(contractedEndDa

           (TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRenta
           DELETE FROM contractedEndDate[RentalCase*Date]
            SELECTFROM contractedStartDate;(-((dateIntervalCompTrigger /\ -De

           (TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRenta
           DELETE FROM contractedEndDate[RentalCase*Date]
            SELECTFROM (-(contractedEndDate;(dateIntervalCompTrigger~ /\ -Del

           (TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRenta
           DELETE FROM contractedStartDate[RentalCase*Date]
            SELECTFROM contractedStartDate;contractedStartDate~;(-(contractedL

           (TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRenta
           DELETE FROM contractedStartDate[RentalCase*Date]
            SELECTFROM contractedStartDate;(-((dateIntervalCompTrigger /\ -De

           (TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRenta
           DELETE FROM contractedStartDate[RentalCase*Date]
            SELECTFROM (-(contractedEndDate;(dateIntervalCompTrigger~ /\ -Del

           (TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRenta
           DELETE FROM contractedStartDate[RentalCase*Date]
            SELECTFROM -(contractedEndDate;(dateIntervalCompTrigger~ /\ -Delta

           (TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRenta
(MAINTAINING -(contractedStartDate~;rcMaxRentalDuration;rcMaxRentalDuratio
ONE OF DELETE FROM contractedStartDate[RentalCase*Date]
           SELECTFROM rcMaxRentalDuration;rcMaxRentalDuration~;contractedEndL

           (TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRenta
           DELETE FROM rcMaxRentalDuration[RentalCase*Integer]
```

```
  SELECTFROM contractedStartDate;((-dateIntervalCompTrigger /\ conti

(TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRenta
DELETE FROM rcMaxRentalDuration[RentalCase*Integer]
 SELECTFROM contractedEndDate;((-dateIntervalCompTrigger~ /\ contra

(TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRenta
DELETE FROM contractedEndDate[RentalCase*Date]
 SELECTFROM rcMaxRentalDuration;rcMaxRentalDuration~;contractedStar

(TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRenta
DELETE FROM contractedStartDate[RentalCase*Date]
 SELECTFROM contractedEndDate;contractedEndDate~;contractedEndDate

(TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRenta
DELETE FROM contractedEndDate[RentalCase*Date]
 SELECTFROM contractedStartDate;((-dateIntervalCompTrigger /\ conti

(TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRenta
DELETE FROM contractedEndDate[RentalCase*Date]
 SELECTFROM contractedEndDate;((-dateIntervalCompTrigger~ /\ contra

(TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRenta
DELETE FROM contractedEndDate[RentalCase*Date]
 SELECTFROM contractedEndDate;contractedEndDate~;contractedStartDa

(TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRenta
DELETE FROM contractedStartDate[RentalCase*Date]
 SELECTFROM contractedStartDate;contractedStartDate~;contractedEndD

(TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRenta
DELETE FROM contractedStartDate[RentalCase*Date]
 SELECTFROM contractedStartDate;((-dateIntervalCompTrigger /\ conti

(TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRenta
DELETE FROM contractedStartDate[RentalCase*Date]
 SELECTFROM contractedEndDate;((-dateIntervalCompTrigger~ /\ contra

(TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRenta
DELETE FROM contractedEndDate[RentalCase*Date]
 SELECTFROM contractedStartDate;contractedStartDate~;contractedStar

(TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRenta
DELETE FROM contractedStartDate[RentalCase*Date]
 SELECTFROM contractedEndDate;((-dateIntervalCompTrigger~ /\ contra

(TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRenta
DELETE FROM contractedEndDate[RentalCase*Date]
 SELECTFROM contractedStartDate;((-dateIntervalCompTrigger /\ conti
```

317

```
                        (TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRenta
            (MAINTAINING -(contractedStartDate~;rcMaxRentalDuration;rcMaxRentalDuratic
          ONE OF DELETE FROM rcMaxRentalDuration[RentalCase*Integer]
                  SELECTFROM (-(contractedStartDate;(dateIntervalCompTrigger /\ -De]

                  (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~;contracte
                  DELETE FROM rcMaxRentalDuration[RentalCase*Integer]
                   SELECTFROM contractedEndDate;(-((dateIntervalCompTrigger~ /\ -Del

                  (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~;contracte
                  DELETE FROM contractedEndDate[RentalCase*Date]
                   SELECTFROM rcMaxRentalDuration;rcMaxRentalDuration~;(-(contracted:

                  (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~;contracte
                  DELETE FROM contractedEndDate[RentalCase*Date]
                   SELECTFROM (-(contractedStartDate;(dateIntervalCompTrigger /\ -De]

                  (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~;contracte
                  DELETE FROM contractedEndDate[RentalCase*Date]
                   SELECTFROM contractedEndDate;(-((dateIntervalCompTrigger~ /\ -Del

                  (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~;contracte
                  DELETE FROM contractedEndDate[RentalCase*Date]
                   SELECTFROM contractedEndDate;contractedEndDate~;(-(contractedStar

                  (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~;contracte
                  DELETE FROM contractedStartDate[RentalCase*Date]
                   SELECTFROM (-(contractedStartDate;(dateIntervalCompTrigger /\ -De]

                  (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~;contracte
                  DELETE FROM contractedStartDate[RentalCase*Date]
                   SELECTFROM contractedEndDate;(-((dateIntervalCompTrigger~ /\ -Del

                  (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~;contracte
                  DELETE FROM contractedEndDate[RentalCase*Date]
                   SELECTFROM contractedStartDate;contractedStartDate~;(-(contracted:

                  (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~;contracte
                  DELETE FROM contractedEndDate[RentalCase*Date]
                   SELECTFROM -(contractedStartDate;(dateIntervalCompTrigger /\ -Del

                  (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~;contracte
            (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~;contractedEndDate
      (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEndDate;con
      (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEndDate;con
      (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEndDate;con
      (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEndDate;con
```

------ Derivation ----->

```
ALL of ONE OF DELETE FROM rcMaxRentalDuration[RentalCase*Integer]
                SELECTFROM (-(contractedStartDate;(dateIntervalCompTrigger /\ -Delta);

            (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedE
            DELETE FROM rcMaxRentalDuration[RentalCase*Integer]
             SELECTFROM (-(contractedEndDate;(dateIntervalCompTrigger~ /\ -Delta~);

            (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedE
            DELETE FROM contractedEndDate[RentalCase*Date]
             SELECTFROM (-(contractedStartDate;(dateIntervalCompTrigger /\ -Delta);

            (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedE
            DELETE FROM contractedEndDate[RentalCase*Date]
             SELECTFROM (-(contractedEndDate;(dateIntervalCompTrigger~ /\ -Delta~);

            (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedE
            DELETE FROM contractedStartDate[RentalCase*Date]
             SELECTFROM (-(contractedStartDate;(dateIntervalCompTrigger /\ -Delta);

            (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedE
            DELETE FROM contractedStartDate[RentalCase*Date]
             SELECTFROM (-(contractedEndDate;(dateIntervalCompTrigger~ /\ -Delta~);

            (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedE
            DELETE FROM Isn{detyp=RentalCase}
             SELECTFROM -(contractedStartDate;(dateIntervalCompTrigger /\ -Delta);c

            (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedE
      (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEndDate;c
    ONE OF DELETE FROM contractedStartDate[RentalCase*Date]
                SELECTFROM rcMaxRentalDuration;rcMaxRentalDuration~;(-(contractedEndDa

            (TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRentalDur
            DELETE FROM rcMaxRentalDuration[RentalCase*Integer]
             SELECTFROM contractedStartDate;(-((dateIntervalCompTrigger /\ -Delta);

            (TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRentalDur
            DELETE FROM rcMaxRentalDuration[RentalCase*Integer]
             SELECTFROM (-(contractedEndDate;(dateIntervalCompTrigger~ /\ -Delta~))

            (TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRentalDur
            DELETE FROM contractedStartDate[RentalCase*Date]
             SELECTFROM contractedEndDate;contractedEndDate~;(-(contractedEndDate;(

            (TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRentalDur
            DELETE FROM contractedEndDate[RentalCase*Date]
             SELECTFROM contractedStartDate;(-((dateIntervalCompTrigger /\ -Delta);

            (TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRentalDur
```

```
DELETE FROM contractedEndDate[RentalCase*Date]
 SELECTFROM (-(contractedEndDate;(dateIntervalCompTrigger~ /\ -Delta~))

(TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRentalDur
DELETE FROM contractedStartDate[RentalCase*Date]
 SELECTFROM contractedStartDate;contractedStartDate~;(-(contractedEndDa

(TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRentalDur
DELETE FROM contractedStartDate[RentalCase*Date]
 SELECTFROM contractedStartDate;(-((dateIntervalCompTrigger /\ -Delta);

(TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRentalDur
DELETE FROM contractedStartDate[RentalCase*Date]
 SELECTFROM (-(contractedEndDate;(dateIntervalCompTrigger~ /\ -Delta~))

(TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRentalDur
DELETE FROM contractedStartDate[RentalCase*Date]
 SELECTFROM -(contractedEndDate;(dateIntervalCompTrigger~ /\ -Delta~))

(TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRentalDur
(MAINTAINING -(contractedStartDate~;rcMaxRentalDuration;rcMaxRentalDuration~ /
ONE OF DELETE FROM contractedStartDate[RentalCase*Date]
        SELECTFROM rcMaxRentalDuration;rcMaxRentalDuration~;contractedEndDate;

(TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRentalDur
        DELETE FROM rcMaxRentalDuration[RentalCase*Integer]
 SELECTFROM contractedStartDate;((-dateIntervalCompTrigger /\ contracte

(TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRentalDur
        DELETE FROM rcMaxRentalDuration[RentalCase*Integer]
 SELECTFROM contractedEndDate;((-dateIntervalCompTrigger~ /\ contracted

(TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRentalDur
        DELETE FROM contractedEndDate[RentalCase*Date]
 SELECTFROM rcMaxRentalDuration;rcMaxRentalDuration~;contractedStartDat

(TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRentalDur
        DELETE FROM contractedStartDate[RentalCase*Date]
 SELECTFROM contractedEndDate;contractedEndDate~;contractedEndDate;((-d

(TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRentalDur
        DELETE FROM contractedEndDate[RentalCase*Date]
 SELECTFROM contractedStartDate;((-dateIntervalCompTrigger /\ contracte

(TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRentalDur
        DELETE FROM contractedEndDate[RentalCase*Date]
 SELECTFROM contractedEndDate;((-dateIntervalCompTrigger~ /\ contracted

(TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRentalDur
        DELETE FROM contractedEndDate[RentalCase*Date]
```

320

```
SELECTFROM contractedEndDate;contractedEndDate~;contractedStartDate;((

(TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRentalDur
DELETE FROM contractedStartDate[RentalCase*Date]
 SELECTFROM contractedStartDate;contractedStartDate~;contractedEndDate;

(TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRentalDur
DELETE FROM contractedStartDate[RentalCase*Date]
 SELECTFROM contractedStartDate;((-dateIntervalCompTrigger /\ contracte

(TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRentalDur
DELETE FROM contractedStartDate[RentalCase*Date]
 SELECTFROM contractedEndDate;((-dateIntervalCompTrigger~ /\ contracted

(TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRentalDur
DELETE FROM contractedEndDate[RentalCase*Date]
 SELECTFROM contractedStartDate;contractedStartDate~;contractedStartDat

(TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRentalDur
DELETE FROM contractedStartDate[RentalCase*Date]
 SELECTFROM contractedEndDate;((-dateIntervalCompTrigger~ /\ contracted

(TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRentalDur
DELETE FROM contractedEndDate[RentalCase*Date]
 SELECTFROM contractedStartDate;((-dateIntervalCompTrigger /\ contracte

(TO MAINTAIN  -(contractedStartDate~;rcMaxRentalDuration;rcMaxRentalDur
(MAINTAINING -(contractedStartDate~;rcMaxRentalDuration;rcMaxRentalDuration~;c
ONE OF DELETE FROM rcMaxRentalDuration[RentalCase*Integer]
     SELECTFROM (-(contractedStartDate;(dateIntervalCompTrigger /\ -Delta))

(TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~;contractedEndD
DELETE FROM rcMaxRentalDuration[RentalCase*Integer]
 SELECTFROM contractedEndDate;(-((dateIntervalCompTrigger~ /\ -Delta~);

(TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~;contractedEndD
DELETE FROM contractedEndDate[RentalCase*Date]
 SELECTFROM rcMaxRentalDuration;rcMaxRentalDuration~;(-(contractedStart

(TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~;contractedEndD
DELETE FROM contractedEndDate[RentalCase*Date]
 SELECTFROM (-(contractedStartDate;(dateIntervalCompTrigger /\ -Delta))

(TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~;contractedEndD
DELETE FROM contractedEndDate[RentalCase*Date]
 SELECTFROM contractedEndDate;(-((dateIntervalCompTrigger~ /\ -Delta~);

(TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~;contractedEndD
DELETE FROM contractedEndDate[RentalCase*Date]
 SELECTFROM contractedEndDate;contractedEndDate~;(-(contractedStartDate
```

321

```
                        (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~;contractedEndD
                        DELETE FROM contractedStartDate[RentalCase*Date]
                         SELECTFROM (-(contractedStartDate;(dateIntervalCompTrigger /\ -Delta))

                        (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~;contractedEndD
                        DELETE FROM contractedStartDate[RentalCase*Date]
                         SELECTFROM contractedEndDate;(-((dateIntervalCompTrigger~ /\ -Delta~);

                        (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~;contractedEndD
                        DELETE FROM contractedEndDate[RentalCase*Date]
                         SELECTFROM contractedStartDate;contractedStartDate~;(-(contractedStart

                        (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~;contractedEndD
                        DELETE FROM contractedEndDate[RentalCase*Date]
                         SELECTFROM -(contractedStartDate;(dateIntervalCompTrigger /\ -Delta))

                        (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~;contractedEndD
                (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~;contractedEndDate /\ c
        (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEndDate;contract
        (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEndDate;contract
        (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEndDate;contract
        (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEndDate;contract


    <------End Derivation --


            ON INSERT Delta IN arg1[CompRentalCharge*Amount] EXECUTE    -- (ECA rule 83)
            ONE OF INSERT INTO rentalCharge[RentalCase*Amount]
                    SELECTFROM (rentalBasicCharge;(arg1 \/ Delta)~ /\ rentalPenaltyCharge;ar

                    (TO MAINTAIN  -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\
                    INSERT INTO Isn{detyp=Amount}
                     SELECTFROM rentalCharge~;(rentalBasicCharge;(arg1 \/ Delta)~ /\ rentalPe

                    (TO MAINTAIN  -(rentalCharge~;(rentalBasicCharge;arg1~ /\ rentalPenaltyCh
                    INSERT INTO Isn{detyp=CompRentalCharge}
                     SELECTFROM (arg3;arg3~ /\ arg2;arg2~ /\ arg1;(arg1 \/ Delta)~ /\ -I[Comp

                    (TO MAINTAIN  -(arg3;arg3~ /\ arg2;arg2~ /\ arg1;arg1~) \/ I[CompRentalCh
                    INSERT INTO Isn{detyp=Amount}
                     SELECTFROM ((arg1 \/ Delta)~;arg1 /\ -I[Amount]) \/ ((arg1 \/ Delta)~;De

                    (TO MAINTAIN  -(arg1~;arg1) \/ I[Amount] FROM UNI arg1::CompRentalCharge*
                    INSERT INTO Isn{detyp=CompRentalCharge}
                     SELECTFROM (Delta;Delta~ /\ I[CompRentalCharge]) - I[CompRentalCharge]

                    INSERT INTO Isn{detyp=Amount}
                     SELECTFROM (Delta~;Delta /\ I[Amount]) - I[Amount]


                                322
```

```
            (MAINTAINING -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ rentalLo
            (MAINTAINING -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ rentalLo
            (MAINTAINING -(arg3;arg3~ /\ arg2;arg2~ /\ arg1;arg1~) \/ I[CompRentalCharge] FR
            (MAINTAINING -(arg1~;arg1) \/ I[Amount] FROM UNI arg1::CompRentalCharge*Amount)
            (MAINTAINING -I[CompRentalCharge] \/ arg1;arg1~ FROM TOT arg1::CompRentalCharge*
```

------ Derivation ----->

```
        ONE OF INSERT INTO rentalCharge[RentalCase*Amount]
              SELECTFROM (rentalBasicCharge;(arg1 \/ Delta)~ /\ rentalPenaltyCharge;arg2~ /

              (TO MAINTAIN  -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ renta
              INSERT INTO Isn{detyp=Amount}
               SELECTFROM rentalCharge~;(rentalBasicCharge;(arg1 \/ Delta)~ /\ rentalPenalty

              (TO MAINTAIN  -(rentalCharge~;(rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;
              INSERT INTO Isn{detyp=CompRentalCharge}
               SELECTFROM (arg3;arg3~ /\ arg2;arg2~ /\ arg1;(arg1 \/ Delta)~ /\ -I[CompRenta

              (TO MAINTAIN  -(arg3;arg3~ /\ arg2;arg2~ /\ arg1;arg1~) \/ I[CompRentalCharge]
              INSERT INTO Isn{detyp=Amount}
               SELECTFROM ((arg1 \/ Delta)~;arg1 /\ -I[Amount]) \/ ((arg1 \/ Delta)~;Delta /

              (TO MAINTAIN  -(arg1~;arg1) \/ I[Amount] FROM UNI arg1::CompRentalCharge*Amoun
              INSERT INTO Isn{detyp=CompRentalCharge}
               SELECTFROM (Delta;Delta~ /\ I[CompRentalCharge]) - I[CompRentalCharge]

              INSERT INTO Isn{detyp=Amount}
               SELECTFROM (Delta~;Delta /\ I[Amount]) - I[Amount]

        (MAINTAINING -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ rentalLocatio
        (MAINTAINING -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ rentalLocatio
        (MAINTAINING -(arg3;arg3~ /\ arg2;arg2~ /\ arg1;arg1~) \/ I[CompRentalCharge] FROM Un
        (MAINTAINING -(arg1~;arg1) \/ I[Amount] FROM UNI arg1::CompRentalCharge*Amount)
        (MAINTAINING -I[CompRentalCharge] \/ arg1;arg1~ FROM TOT arg1::CompRentalCharge*Amoun
```

<------End Derivation --

```
            ON DELETE Delta FROM arg1[CompRentalCharge*Amount] EXECUTE     -- (ECA rule 84)
            ONE OF DELETE FROM rentalLocationPenaltyCharge[RentalCase*Amount]
                  SELECTFROM (-((rentalBasicCharge;(arg1 /\ -Delta)~ /\ rentalPenaltyCharge

                  (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~ /
                  DELETE FROM rentalLocationPenaltyCharge[RentalCase*Amount]
                   SELECTFROM (-(V[RentalCase*CompRentalCharge];((arg1 /\ -Delta);rentalBas
```

```
                    (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~ ,
                    DELETE FROM rentalPenaltyCharge[RentalCase*Amount]
                     SELECTFROM (-((rentalBasicCharge;(arg1 /\ -Delta)~ /\ rentalPenaltyCharg

                    (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~ ,
                    DELETE FROM rentalPenaltyCharge[RentalCase*Amount]
                     SELECTFROM (-(V[RentalCase*CompRentalCharge];((arg1 /\ -Delta);rentalBas

                    (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~ ,
                    DELETE FROM rentalBasicCharge[RentalCase*Amount]
                     SELECTFROM (-((rentalBasicCharge;(arg1 /\ -Delta)~ /\ rentalPenaltyCharg

                    (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~ ,
                    DELETE FROM rentalBasicCharge[RentalCase*Amount]
                     SELECTFROM (-(V[RentalCase*CompRentalCharge];((arg1 /\ -Delta);rentalBas

                    (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~ ,
                    DELETE FROM Isn{detyp=RentalCase}
                     SELECTFROM -((rentalBasicCharge;(arg1 /\ -Delta)~ /\ rentalPenaltyCharge

                    (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~ ,
                    DELETE FROM Isn{detyp=CompRentalCharge}
                     SELECTFROM -((arg1 /\ -Delta);(arg1 /\ -Delta)~) /\ I[CompRentalCharge]

                    (TO MAINTAIN  -I[CompRentalCharge] \/ arg1;I[Amount];arg1~ FROM UNI arg1:
           (MAINTAINING -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~ /\ rental
           (MAINTAINING -(arg1~;arg1) \/ I[Amount] FROM UNI arg1::CompRentalCharge*Amount)
           (MAINTAINING -I[CompRentalCharge] \/ arg1;arg1~ FROM TOT arg1::CompRentalCharge*

----- Derivation ----->


         ONE OF DELETE FROM rentalLocationPenaltyCharge[RentalCase*Amount]
                SELECTFROM (-((rentalBasicCharge;(arg1 /\ -Delta)~ /\ rentalPenaltyCharge;arg

               (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~ /\ re
               DELETE FROM rentalLocationPenaltyCharge[RentalCase*Amount]
                SELECTFROM (-(V[RentalCase*CompRentalCharge];((arg1 /\ -Delta);rentalBasicCha

               (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~ /\ re
               DELETE FROM rentalPenaltyCharge[RentalCase*Amount]
                SELECTFROM (-((rentalBasicCharge;(arg1 /\ -Delta)~ /\ rentalPenaltyCharge;arg

               (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~ /\ re
               DELETE FROM rentalPenaltyCharge[RentalCase*Amount]
                SELECTFROM (-(V[RentalCase*CompRentalCharge];((arg1 /\ -Delta);rentalBasicCha

               (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~ /\ re
               DELETE FROM rentalBasicCharge[RentalCase*Amount]
```

```
                    SELECTFROM (-((rentalBasicCharge;(arg1 /\ -Delta)~ /\ rentalPenaltyCharge;arg

             (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~ /\ re
             DELETE FROM rentalBasicCharge[RentalCase*Amount]
              SELECTFROM (-(V[RentalCase*CompRentalCharge];((arg1 /\ -Delta);rentalBasicCha

             (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~ /\ re
             DELETE FROM Isn{detyp=RentalCase}
              SELECTFROM -((rentalBasicCharge;(arg1 /\ -Delta)~ /\ rentalPenaltyCharge;arg2

             (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~ /\ re
             DELETE FROM Isn{detyp=CompRentalCharge}
              SELECTFROM -((arg1 /\ -Delta);(arg1 /\ -Delta)~) /\ I[CompRentalCharge]

             (TO MAINTAIN  -I[CompRentalCharge] \/ arg1;I[Amount];arg1~ FROM UNI arg1::Comp
    (MAINTAINING -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~ /\ rentalPena
    (MAINTAINING -(arg1~;arg1) \/ I[Amount] FROM UNI arg1::CompRentalCharge*Amount)
    (MAINTAINING -I[CompRentalCharge] \/ arg1;arg1~ FROM TOT arg1::CompRentalCharge*Amoun

    <------End Derivation --


             ON INSERT Delta IN arg2[CompRentalCharge*Amount] EXECUTE    -- (ECA rule 85)
             ONE OF INSERT INTO rentalCharge[RentalCase*Amount]
                    SELECTFROM (rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;(arg2 \/ Delt

                    (TO MAINTAIN  -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\
                    INSERT INTO Isn{detyp=Amount}
                     SELECTFROM rentalCharge~;(rentalBasicCharge;arg1~ /\ rentalPenaltyCharge

                    (TO MAINTAIN  -(rentalCharge~;(rentalBasicCharge;arg1~ /\ rentalPenaltyCh
                    INSERT INTO Isn{detyp=CompRentalCharge}
                     SELECTFROM (arg3;arg3~ /\ arg2;(arg2 \/ Delta)~ /\ arg1;arg1~ /\ -I[Comp

                    (TO MAINTAIN  -(arg3;arg3~ /\ arg2;arg2~ /\ arg1;arg1~) \/ I[CompRentalCh
                    INSERT INTO Isn{detyp=Amount}
                     SELECTFROM ((arg2 \/ Delta)~;arg2 /\ -I[Amount]) \/ ((arg2 \/ Delta)~;De

                    (TO MAINTAIN  -(arg2~;arg2) \/ I[Amount] FROM UNI arg2::CompRentalCharge*.
                    INSERT INTO Isn{detyp=CompRentalCharge}
                     SELECTFROM (Delta;Delta~ /\ I[CompRentalCharge]) - I[CompRentalCharge]

                    INSERT INTO Isn{detyp=Amount}
                     SELECTFROM (Delta~;Delta /\ I[Amount]) - I[Amount]

             (MAINTAINING -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ rentalLo
             (MAINTAINING -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ rentalLo
             (MAINTAINING -(arg3;arg3~ /\ arg2;arg2~ /\ arg1;arg1~) \/ I[CompRentalCharge] FR
             (MAINTAINING -(arg2~;arg2) \/ I[Amount] FROM UNI arg2::CompRentalCharge*Amount)
             (MAINTAINING -I[CompRentalCharge] \/ arg2;arg2~ FROM TOT arg2::CompRentalCharge*.
```

------ Derivation ----->


        ONE OF INSERT INTO rentalCharge[RentalCase*Amount]
              SELECTFROM (rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;(arg2 \/ Delta)~ /

              (TO MAINTAIN  -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ renta
              INSERT INTO Isn{detyp=Amount}
               SELECTFROM rentalCharge~;(rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;(arg

              (TO MAINTAIN  -(rentalCharge~;(rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;
              INSERT INTO Isn{detyp=CompRentalCharge}
               SELECTFROM (arg3;arg3~ /\ arg2;(arg2 \/ Delta)~ /\ arg1;arg1~ /\ -I[CompRenta

              (TO MAINTAIN  -(arg3;arg3~ /\ arg2;arg2~ /\ arg1;arg1~) \/ I[CompRentalCharge]
              INSERT INTO Isn{detyp=Amount}
               SELECTFROM ((arg2 \/ Delta)~;arg2 /\ -I[Amount]) \/ ((arg2 \/ Delta)~;Delta /

              (TO MAINTAIN  -(arg2~;arg2) \/ I[Amount] FROM UNI arg2::CompRentalCharge*Amoun
              INSERT INTO Isn{detyp=CompRentalCharge}
               SELECTFROM (Delta;Delta~ /\ I[CompRentalCharge]) - I[CompRentalCharge]

              INSERT INTO Isn{detyp=Amount}
               SELECTFROM (Delta~;Delta /\ I[Amount]) - I[Amount]

        (MAINTAINING -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ rentalLocatio
        (MAINTAINING -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ rentalLocatio
        (MAINTAINING -(arg3;arg3~ /\ arg2;arg2~ /\ arg1;arg1~) \/ I[CompRentalCharge] FROM Un
        (MAINTAINING -(arg2~;arg2) \/ I[Amount] FROM UNI arg2::CompRentalCharge*Amount)
        (MAINTAINING -I[CompRentalCharge] \/ arg2;arg2~ FROM TOT arg2::CompRentalCharge*Amoun

   <------End Derivation --


            ON DELETE Delta FROM arg2[CompRentalCharge*Amount] EXECUTE    -- (ECA rule 86)
            ONE OF DELETE FROM rentalLocationPenaltyCharge[RentalCase*Amount]
                  SELECTFROM (-((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;(arg2 /\ -

                  (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~ 
                  DELETE FROM rentalLocationPenaltyCharge[RentalCase*Amount]
                   SELECTFROM (-(V[RentalCase*CompRentalCharge];(arg1;rentalBasicCharge~ /\

                  (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~ 
                  DELETE FROM rentalPenaltyCharge[RentalCase*Amount]
                   SELECTFROM (-((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;(arg2 /\ -

                  (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~ 
                  DELETE FROM rentalPenaltyCharge[RentalCase*Amount]
                   SELECTFROM (-(V[RentalCase*CompRentalCharge];(arg1;rentalBasicCharge~ /\

326

```
                    (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~
                    DELETE FROM rentalBasicCharge[RentalCase*Amount]
                     SELECTFROM (-((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;(arg2 /\ -

                    (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~
                    DELETE FROM rentalBasicCharge[RentalCase*Amount]
                     SELECTFROM (-(V[RentalCase*CompRentalCharge];(arg1;rentalBasicCharge~ /\

                    (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~
                    DELETE FROM Isn{detyp=RentalCase}
                     SELECTFROM -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;(arg2 /\ -D

                    (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~
                    DELETE FROM Isn{detyp=CompRentalCharge}
                     SELECTFROM -((arg2 /\ -Delta);(arg2 /\ -Delta)~) /\ I[CompRentalCharge]

                    (TO MAINTAIN  -I[CompRentalCharge] \/ arg2;I[Amount];arg2~ FROM UNI arg2:
              (MAINTAINING -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~ /\ rental
              (MAINTAINING -(arg2~;arg2) \/ I[Amount] FROM UNI arg2::CompRentalCharge*Amount)
              (MAINTAINING -I[CompRentalCharge] \/ arg2;arg2~ FROM TOT arg2::CompRentalCharge*

------ Derivation ----->


          ONE OF DELETE FROM rentalLocationPenaltyCharge[RentalCase*Amount]
                  SELECTFROM (-((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;(arg2 /\ -Delta

                 (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~ /\ re
                 DELETE FROM rentalLocationPenaltyCharge[RentalCase*Amount]
                  SELECTFROM (-(V[RentalCase*CompRentalCharge];(arg1;rentalBasicCharge~ /\ (arg

                 (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~ /\ re
                 DELETE FROM rentalPenaltyCharge[RentalCase*Amount]
                  SELECTFROM (-((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;(arg2 /\ -Delta

                 (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~ /\ re
                 DELETE FROM rentalPenaltyCharge[RentalCase*Amount]
                  SELECTFROM (-(V[RentalCase*CompRentalCharge];(arg1;rentalBasicCharge~ /\ (arg

                 (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~ /\ re
                 DELETE FROM rentalBasicCharge[RentalCase*Amount]
                  SELECTFROM (-((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;(arg2 /\ -Delta

                 (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~ /\ re
                 DELETE FROM rentalBasicCharge[RentalCase*Amount]
                  SELECTFROM (-(V[RentalCase*CompRentalCharge];(arg1;rentalBasicCharge~ /\ (arg

                 (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~ /\ re
```

```
                    DELETE FROM Isn{detyp=RentalCase}
                     SELECTFROM -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;(arg2 /\ -Delta)

                    (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~ /\ re
                    DELETE FROM Isn{detyp=CompRentalCharge}
                     SELECTFROM -((arg2 /\ -Delta);(arg2 /\ -Delta)~) /\ I[CompRentalCharge]

                    (TO MAINTAIN  -I[CompRentalCharge] \/ arg2;I[Amount];arg2~ FROM UNI arg2::Comp
          (MAINTAINING -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~ /\ rentalPena
          (MAINTAINING -(arg2~;arg2) \/ I[Amount] FROM UNI arg2::CompRentalCharge*Amount)
          (MAINTAINING -I[CompRentalCharge] \/ arg2;arg2~ FROM TOT arg2::CompRentalCharge*Amoun

    <------End Derivation --


              ON INSERT Delta IN arg3[CompRentalCharge*Amount] EXECUTE    -- (ECA rule 87)
              ONE OF INSERT INTO rentalCharge[RentalCase*Amount]
                       SELECTFROM (rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ renta

                       (TO MAINTAIN  -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\
                       INSERT INTO Isn{detyp=Amount}
                        SELECTFROM rentalCharge~;(rentalBasicCharge;arg1~ /\ rentalPenaltyCharge

                       (TO MAINTAIN  -(rentalCharge~;(rentalBasicCharge;arg1~ /\ rentalPenaltyCh
                       INSERT INTO Isn{detyp=CompRentalCharge}
                        SELECTFROM (arg3;(arg3 \/ Delta)~ /\ arg2;arg2~ /\ arg1;arg1~ /\ -I[Comp

                       (TO MAINTAIN  -(arg3;arg3~ /\ arg2;arg2~ /\ arg1;arg1~) \/ I[CompRentalCh
                       INSERT INTO Isn{detyp=Amount}
                        SELECTFROM ((arg3 \/ Delta)~;arg3 /\ -I[Amount]) \/ ((arg3 \/ Delta)~;De

                       (TO MAINTAIN  -(arg3~;arg3) \/ I[Amount] FROM UNI arg3::CompRentalCharge*
                       INSERT INTO Isn{detyp=CompRentalCharge}
                        SELECTFROM (Delta;Delta~ /\ I[CompRentalCharge]) - I[CompRentalCharge]

                       INSERT INTO Isn{detyp=Amount}
                        SELECTFROM (Delta~;Delta /\ I[Amount]) - I[Amount]

              (MAINTAINING -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ rentalLo
              (MAINTAINING -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ rentalLo
              (MAINTAINING -(arg3;arg3~ /\ arg2;arg2~ /\ arg1;arg1~) \/ I[CompRentalCharge] FR
              (MAINTAINING -(arg3~;arg3) \/ I[Amount] FROM UNI arg3::CompRentalCharge*Amount)
              (MAINTAINING -I[CompRentalCharge] \/ arg3;arg3~ FROM TOT arg3::CompRentalCharge*

    ------ Derivation ----->


         ONE OF INSERT INTO rentalCharge[RentalCase*Amount]
                  SELECTFROM (rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ rentalLoc

                                    328
```

```
                    (TO MAINTAIN  -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ renta
                    INSERT INTO Isn{detyp=Amount}
                     SELECTFROM rentalCharge~;(rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2

                    (TO MAINTAIN  -(rentalCharge~;(rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;
                    INSERT INTO Isn{detyp=CompRentalCharge}
                     SELECTFROM (arg3;(arg3 \/ Delta)~ /\ arg2;arg2~ /\ arg1;arg1~ /\ -I[CompRenta

                    (TO MAINTAIN  -(arg3;arg3~ /\ arg2;arg2~ /\ arg1;arg1~) \/ I[CompRentalCharge]
                    INSERT INTO Isn{detyp=Amount}
                     SELECTFROM ((arg3 \/ Delta)~;arg3 /\ -I[Amount]) \/ ((arg3 \/ Delta)~;Delta /

                    (TO MAINTAIN  -(arg3~;arg3) \/ I[Amount] FROM UNI arg3::CompRentalCharge*Amoun
                    INSERT INTO Isn{detyp=CompRentalCharge}
                     SELECTFROM (Delta;Delta~ /\ I[CompRentalCharge]) - I[CompRentalCharge]

                    INSERT INTO Isn{detyp=Amount}
                     SELECTFROM (Delta~;Delta /\ I[Amount]) - I[Amount]

            (MAINTAINING -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ rentalLocatio
            (MAINTAINING -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ rentalLocatio
            (MAINTAINING -(arg3;arg3~ /\ arg2;arg2~ /\ arg1;arg1~) \/ I[CompRentalCharge] FROM Un
            (MAINTAINING -(arg3~;arg3) \/ I[Amount] FROM UNI arg3::CompRentalCharge*Amount)
            (MAINTAINING -I[CompRentalCharge] \/ arg3;arg3~ FROM TOT arg3::CompRentalCharge*Amoun

        <------End Derivation --


                ON DELETE Delta FROM arg3[CompRentalCharge*Amount] EXECUTE    -- (ECA rule 88)
                ONE OF DELETE FROM rentalLocationPenaltyCharge[RentalCase*Amount]
                        SELECTFROM (-((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ r

                        (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~
                        DELETE FROM rentalLocationPenaltyCharge[RentalCase*Amount]
                         SELECTFROM (-(V[RentalCase*CompRentalCharge];(arg1;rentalBasicCharge~ /\

                        (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~
                        DELETE FROM rentalPenaltyCharge[RentalCase*Amount]
                         SELECTFROM (-((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ r

                        (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~
                        DELETE FROM rentalPenaltyCharge[RentalCase*Amount]
                         SELECTFROM (-(V[RentalCase*CompRentalCharge];(arg1;rentalBasicCharge~ /\

                        (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~
                        DELETE FROM rentalBasicCharge[RentalCase*Amount]
                         SELECTFROM (-((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ r
```

329

```
                    (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~
                    DELETE FROM rentalBasicCharge[RentalCase*Amount]
                     SELECTFROM (-(V[RentalCase*CompRentalCharge];(arg1;rentalBasicCharge~ /\

                    (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~
                    DELETE FROM Isn{detyp=RentalCase}
                     SELECTFROM -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ re

                    (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~
                    DELETE FROM Isn{detyp=CompRentalCharge}
                     SELECTFROM -((arg3 /\ -Delta);(arg3 /\ -Delta)~) /\ I[CompRentalCharge]

                    (TO MAINTAIN  -I[CompRentalCharge] \/ arg3;I[Amount];arg3~ FROM UNI arg3:
           (MAINTAINING -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~ /\ rental
           (MAINTAINING -(arg3~;arg3) \/ I[Amount] FROM UNI arg3::CompRentalCharge*Amount)
           (MAINTAINING -I[CompRentalCharge] \/ arg3;arg3~ FROM TOT arg3::CompRentalCharge*


------ Derivation ----->


        ONE OF DELETE FROM rentalLocationPenaltyCharge[RentalCase*Amount]
                SELECTFROM (-((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ rental

                (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~ /\ re
                DELETE FROM rentalLocationPenaltyCharge[RentalCase*Amount]
                 SELECTFROM (-(V[RentalCase*CompRentalCharge];(arg1;rentalBasicCharge~ /\ arg2

                (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~ /\ re
                DELETE FROM rentalPenaltyCharge[RentalCase*Amount]
                 SELECTFROM (-((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ rental

                (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~ /\ re
                DELETE FROM rentalPenaltyCharge[RentalCase*Amount]
                 SELECTFROM (-(V[RentalCase*CompRentalCharge];(arg1;rentalBasicCharge~ /\ arg2

                (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~ /\ re
                DELETE FROM rentalBasicCharge[RentalCase*Amount]
                 SELECTFROM (-((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ rental

                (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~ /\ re
                DELETE FROM rentalBasicCharge[RentalCase*Amount]
                 SELECTFROM (-(V[RentalCase*CompRentalCharge];(arg1;rentalBasicCharge~ /\ arg2

                (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~ /\ re
                DELETE FROM Isn{detyp=RentalCase}
                 SELECTFROM -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ rentalL

                (TO MAINTAIN  -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~ /\ re
                DELETE FROM Isn{detyp=CompRentalCharge}
```

```
                    SELECTFROM -((arg3 /\ -Delta);(arg3 /\ -Delta)~) /\ I[CompRentalCharge]

              (TO MAINTAIN  -I[CompRentalCharge] \/ arg3;I[Amount];arg3~ FROM UNI arg3::Comp
        (MAINTAINING -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~ /\ rentalPena
        (MAINTAINING -(arg3~;arg3) \/ I[Amount] FROM UNI arg3::CompRentalCharge*Amount)
        (MAINTAINING -I[CompRentalCharge] \/ arg3;arg3~ FROM TOT arg3::CompRentalCharge*Amoun
```

<------End Derivation --

```
            ON INSERT Delta IN computedRentalCharge[CompRentalCharge*Amount] EXECUTE    -- (
            ONE OF INSERT INTO rentalCharge[RentalCase*Amount]
                    SELECTFROM ((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ ren

                    (TO MAINTAIN  -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\
                    INSERT INTO Isn{detyp=Amount}
                     SELECTFROM (rentalCharge~;(rentalBasicCharge;arg1~ /\ rentalPenaltyCharge

                    (TO MAINTAIN  -(rentalCharge~;(rentalBasicCharge;arg1~ /\ rentalPenaltyCh
                    INSERT INTO Isn{detyp=Amount}
                     SELECTFROM ((computedRentalCharge \/ Delta)~;computedRentalCharge /\ -I[.

                    (TO MAINTAIN  -(computedRentalCharge~;I[CompRentalCharge];computedRentalC
                    INSERT INTO Isn{detyp=CompRentalCharge}
                     SELECTFROM (Delta;Delta~ /\ I[CompRentalCharge]) - I[CompRentalCharge]

                    INSERT INTO Isn{detyp=Amount}
                     SELECTFROM (Delta~;Delta /\ I[Amount]) - I[Amount]

            (MAINTAINING -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ rentalLo
            (MAINTAINING -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ rentalLo
            (MAINTAINING -I[CompRentalCharge] \/ computedRentalCharge;computedRentalCharge~
            (MAINTAINING -(computedRentalCharge~;computedRentalCharge) \/ I[Amount] FROM UNI
```

------ Derivation ----->

```
         ONE OF INSERT INTO rentalCharge[RentalCase*Amount]
                 SELECTFROM ((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ rentalLo

                 (TO MAINTAIN  -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ renta
                 INSERT INTO Isn{detyp=Amount}
                  SELECTFROM (rentalCharge~;(rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg

                 (TO MAINTAIN  -(rentalCharge~;(rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;
                 INSERT INTO Isn{detyp=Amount}
                  SELECTFROM ((computedRentalCharge \/ Delta)~;computedRentalCharge /\ -I[Amoun

                 (TO MAINTAIN  -(computedRentalCharge~;I[CompRentalCharge];computedRentalCharge
```

```
            INSERT INTO Isn{detyp=CompRentalCharge}
             SELECTFROM (Delta;Delta~ /\ I[CompRentalCharge]) - I[CompRentalCharge]

            INSERT INTO Isn{detyp=Amount}
             SELECTFROM (Delta~;Delta /\ I[Amount]) - I[Amount]

      (MAINTAINING -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ rentalLocatio
      (MAINTAINING -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ rentalLocatio
      (MAINTAINING -I[CompRentalCharge] \/ computedRentalCharge;computedRentalCharge~ FROM
      (MAINTAINING -(computedRentalCharge~;computedRentalCharge) \/ I[Amount] FROM UNI comp


<------End Derivation --


          ON DELETE Delta FROM computedRentalCharge[CompRentalCharge*Amount] EXECUTE     --
          DELETE FROM Isn{detyp=CompRentalCharge}
           SELECTFROM -((computedRentalCharge /\ -Delta);(computedRentalCharge /\ -Delta)~

            (TO MAINTAIN  -I[CompRentalCharge] \/ computedRentalCharge;computedRentalCharge~


------ Derivation ----->


       DELETE FROM Isn{detyp=CompRentalCharge}
        SELECTFROM -((computedRentalCharge /\ -Delta);(computedRentalCharge /\ -Delta)~) /\

        (TO MAINTAIN  -I[CompRentalCharge] \/ computedRentalCharge;computedRentalCharge~ FROM


<------End Derivation --


          ON INSERT Delta IN earliestDate[DateDifferencePlusOne*Date] EXECUTE     -- (ECA r
          ONE OF INSERT INTO rentalPeriod[RentalCase*Integer]
                SELECTFROM (contractedStartDate;(earliestDate \/ Delta)~ /\ rcDroppedOff

                (TO MAINTAIN  -((contractedStartDate;earliestDate~ /\ rcDroppedOffDate;la
                INSERT INTO Isn{detyp=Integer}
                 SELECTFROM rentalPeriod~;(contractedStartDate;(earliestDate \/ Delta)~ /

                (TO MAINTAIN  -(rentalPeriod~;(contractedStartDate;earliestDate~ /\ rcDro
                INSERT INTO Isn{detyp=DateDifferencePlusOne}
                 SELECTFROM (earliestDate;(earliestDate \/ Delta)~ /\ latestDate;latestDat

                (TO MAINTAIN  -(earliestDate;earliestDate~ /\ latestDate;latestDate~) \/
                INSERT INTO projectedRentalPeriod[RentalCase*Integer]
                 SELECTFROM (contractedStartDate;(earliestDate \/ Delta)~ /\ contractedEn

                (TO MAINTAIN  -((contractedStartDate;earliestDate~ /\ contractedEndDate;l
```

```
                        INSERT INTO Isn{detyp=Integer}
                         SELECTFROM projectedRentalPeriod~;(contractedStartDate;(earliestDate \/ 

                        (TO MAINTAIN  -(projectedRentalPeriod~;(contractedStartDate;earliestDate~ 
                        INSERT INTO Isn{detyp=Date}
                         SELECTFROM ((earliestDate \/ Delta)~;earliestDate /\ -I[Date]) \/ ((earl

                        (TO MAINTAIN  -(earliestDate~;earliestDate) \/ I[Date] FROM UNI earliestDa
                        INSERT INTO Isn{detyp=DateDifferencePlusOne}
                         SELECTFROM (Delta;Delta~ /\ I[DateDifferencePlusOne]) - I[DateDifference

                        INSERT INTO Isn{detyp=Date}
                         SELECTFROM (Delta~;Delta /\ I[Date]) - I[Date]

            (MAINTAINING -((contractedStartDate;earliestDate~ /\ rcDroppedOffDate;latestDate
            (MAINTAINING -((contractedStartDate;earliestDate~ /\ rcDroppedOffDate;latestDate
            (MAINTAINING -(earliestDate;earliestDate~ /\ latestDate;latestDate~) \/ I[DateDi
            (MAINTAINING -((contractedStartDate;earliestDate~ /\ contractedEndDate;latestDat
            (MAINTAINING -((contractedStartDate;earliestDate~ /\ contractedEndDate;latestDat
            (MAINTAINING -(earliestDate~;earliestDate) \/ I[Date] FROM UNI earliestDate::Date
            (MAINTAINING -I[DateDifferencePlusOne] \/ earliestDate;earliestDate~ FROM TOT ear


------ Derivation ----->


        ONE OF INSERT INTO rentalPeriod[RentalCase*Integer]
                 SELECTFROM (contractedStartDate;(earliestDate \/ Delta)~ /\ rcDroppedOffDate;

                (TO MAINTAIN  -((contractedStartDate;earliestDate~ /\ rcDroppedOffDate;latestD
                INSERT INTO Isn{detyp=Integer}
                 SELECTFROM rentalPeriod~;(contractedStartDate;(earliestDate \/ Delta)~ /\ rcD

                (TO MAINTAIN  -(rentalPeriod~;(contractedStartDate;earliestDate~ /\ rcDroppedO
                INSERT INTO Isn{detyp=DateDifferencePlusOne}
                 SELECTFROM (earliestDate;(earliestDate \/ Delta)~ /\ latestDate;latestDate~ /

                (TO MAINTAIN  -(earliestDate;earliestDate~ /\ latestDate;latestDate~) \/ I[Dat
                INSERT INTO projectedRentalPeriod[RentalCase*Integer]
                 SELECTFROM (contractedStartDate;(earliestDate \/ Delta)~ /\ contractedEndDate

                (TO MAINTAIN  -((contractedStartDate;earliestDate~ /\ contractedEndDate;latest
                INSERT INTO Isn{detyp=Integer}
                 SELECTFROM projectedRentalPeriod~;(contractedStartDate;(earliestDate \/ Delta

                (TO MAINTAIN  -(projectedRentalPeriod~;(contractedStartDate;earliestDate~ /\ c
                INSERT INTO Isn{detyp=Date}
                 SELECTFROM ((earliestDate \/ Delta)~;earliestDate /\ -I[Date]) \/ ((earliestD

                (TO MAINTAIN  -(earliestDate~;earliestDate) \/ I[Date] FROM UNI earliestDate::


                                    333
```

```
                    INSERT INTO Isn{detyp=DateDifferencePlusOne}
                     SELECTFROM (Delta;Delta~ /\ I[DateDifferencePlusOne]) - I[DateDifferencePlusO

                    INSERT INTO Isn{detyp=Date}
                     SELECTFROM (Delta~;Delta /\ I[Date]) - I[Date]

        (MAINTAINING -((contractedStartDate;earliestDate~ /\ rcDroppedOffDate;latestDate~);co
        (MAINTAINING -((contractedStartDate;earliestDate~ /\ rcDroppedOffDate;latestDate~);co
        (MAINTAINING -(earliestDate;earliestDate~ /\ latestDate;latestDate~) \/ I[DateDiffere
        (MAINTAINING -((contractedStartDate;earliestDate~ /\ contractedEndDate;latestDate~);c
        (MAINTAINING -((contractedStartDate;earliestDate~ /\ contractedEndDate;latestDate~);c
        (MAINTAINING -(earliestDate~;earliestDate) \/ I[Date] FROM UNI earliestDate::DateDiff
        (MAINTAINING -I[DateDifferencePlusOne] \/ earliestDate;earliestDate~ FROM TOT earlies

    <------End Derivation --


            ON DELETE Delta FROM earliestDate[DateDifferencePlusOne*Date] EXECUTE    -- (ECA
            ONE OF DELETE FROM rcDroppedOffDate[RentalCase*Date]
                    SELECTFROM (-((contractedStartDate;(earliestDate /\ -Delta)~ /\ rcDroppe

                    (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedStartDate
                    DELETE FROM rcDroppedOffDate[RentalCase*Date]
                     SELECTFROM (-(V[RentalCase*DateDifferencePlusOne];((earliestDate /\ -Del

                    (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedStartDate
                    DELETE FROM contractedStartDate[RentalCase*Date]
                     SELECTFROM (-((contractedStartDate;(earliestDate /\ -Delta)~ /\ rcDroppe

                    (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedStartDate
                    DELETE FROM contractedStartDate[RentalCase*Date]
                     SELECTFROM (-(V[RentalCase*DateDifferencePlusOne];((earliestDate /\ -Del

                    (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedStartDate
                    DELETE FROM Isn{detyp=RentalCase}
                     SELECTFROM -((contractedStartDate;(earliestDate /\ -Delta)~ /\ rcDropped

                    (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedStartDate
                    DELETE FROM contractedEndDate[RentalCase*Date]
                     SELECTFROM (-((contractedStartDate;(earliestDate /\ -Delta)~ /\ contract

                    (TO MAINTAIN  -(contractedEndDate;contractedEndDate~ /\ contractedStartDa
                    DELETE FROM contractedEndDate[RentalCase*Date]
                     SELECTFROM (-(V[RentalCase*DateDifferencePlusOne];((earliestDate /\ -Del

                    (TO MAINTAIN  -(contractedEndDate;contractedEndDate~ /\ contractedStartDa
                    DELETE FROM contractedStartDate[RentalCase*Date]
                     SELECTFROM (-((contractedStartDate;(earliestDate /\ -Delta)~ /\ contract
```

334

```
                              (TO MAINTAIN  -(contractedEndDate;contractedEndDate~ /\ contractedStartDa
                              DELETE FROM contractedStartDate[RentalCase*Date]
                               SELECTFROM (-(V[RentalCase*DateDifferencePlusOne];((earliestDate /\ -Del

                              (TO MAINTAIN  -(contractedEndDate;contractedEndDate~ /\ contractedStartDa
                              DELETE FROM Isn{detyp=RentalCase}
                               SELECTFROM -((contractedStartDate;(earliestDate /\ -Delta)~ /\ contracte

                              (TO MAINTAIN  -(contractedEndDate;contractedEndDate~ /\ contractedStartDa
                              DELETE FROM Isn{detyp=DateDifferencePlusOne}
                               SELECTFROM -((earliestDate /\ -Delta);(earliestDate /\ -Delta)~) /\ I[Da

                              (TO MAINTAIN  -I[DateDifferencePlusOne] \/ earliestDate;I[Date];earliestD
                    (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedStartDate;contrac
                    (MAINTAINING -(contractedEndDate;contractedEndDate~ /\ contractedStartDate;contra
                    (MAINTAINING -(earliestDate~;earliestDate) \/ I[Date] FROM UNI earliestDate::Date
                    (MAINTAINING -I[DateDifferencePlusOne] \/ earliestDate;earliestDate~ FROM TOT ear

------ Derivation ----->


        ONE OF DELETE FROM rcDroppedOffDate[RentalCase*Date]
                  SELECTFROM (-((contractedStartDate;(earliestDate /\ -Delta)~ /\ rcDroppedOffD

                  (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedStartDate;cont
                  DELETE FROM rcDroppedOffDate[RentalCase*Date]
                   SELECTFROM (-(V[RentalCase*DateDifferencePlusOne];((earliestDate /\ -Delta);c

                  (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedStartDate;cont
                  DELETE FROM contractedStartDate[RentalCase*Date]
                   SELECTFROM (-((contractedStartDate;(earliestDate /\ -Delta)~ /\ rcDroppedOffD

                  (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedStartDate;cont
                  DELETE FROM contractedStartDate[RentalCase*Date]
                   SELECTFROM (-(V[RentalCase*DateDifferencePlusOne];((earliestDate /\ -Delta);c

                  (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedStartDate;cont
                  DELETE FROM Isn{detyp=RentalCase}
                   SELECTFROM -((contractedStartDate;(earliestDate /\ -Delta)~ /\ rcDroppedOffDa

                  (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedStartDate;cont
                  DELETE FROM contractedEndDate[RentalCase*Date]
                   SELECTFROM (-((contractedStartDate;(earliestDate /\ -Delta)~ /\ contractedEnd

                  (TO MAINTAIN  -(contractedEndDate;contractedEndDate~ /\ contractedStartDate;co
                  DELETE FROM contractedEndDate[RentalCase*Date]
                   SELECTFROM (-(V[RentalCase*DateDifferencePlusOne];((earliestDate /\ -Delta);c

                  (TO MAINTAIN  -(contractedEndDate;contractedEndDate~ /\ contractedStartDate;co
```

335

```
                DELETE FROM contractedStartDate[RentalCase*Date]
                 SELECTFROM (-((contractedStartDate;(earliestDate /\ -Delta)~ /\ contractedEnd

                (TO MAINTAIN  -(contractedEndDate;contractedEndDate~ /\ contractedStartDate;co
                DELETE FROM contractedStartDate[RentalCase*Date]
                 SELECTFROM (-(V[RentalCase*DateDifferencePlusOne];((earliestDate /\ -Delta);c

                (TO MAINTAIN  -(contractedEndDate;contractedEndDate~ /\ contractedStartDate;co
                DELETE FROM Isn{detyp=RentalCase}
                 SELECTFROM -((contractedStartDate;(earliestDate /\ -Delta)~ /\ contractedEndD

                (TO MAINTAIN  -(contractedEndDate;contractedEndDate~ /\ contractedStartDate;co
                DELETE FROM Isn{detyp=DateDifferencePlusOne}
                 SELECTFROM -((earliestDate /\ -Delta);(earliestDate /\ -Delta)~) /\ I[DateDif

                (TO MAINTAIN  -I[DateDifferencePlusOne] \/ earliestDate;I[Date];earliestDate~
        (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedStartDate;contractedSt
        (MAINTAINING -(contractedEndDate;contractedEndDate~ /\ contractedStartDate;contracted
        (MAINTAINING -(earliestDate~;earliestDate) \/ I[Date] FROM UNI earliestDate::DateDiff
        (MAINTAINING -I[DateDifferencePlusOne] \/ earliestDate;earliestDate~ FROM TOT earlies


    <------End Derivation --


                ON INSERT Delta IN latestDate[DateDifferencePlusOne*Date] EXECUTE    -- (ECA rul
                ONE OF INSERT INTO rentalPeriod[RentalCase*Integer]
                     SELECTFROM (contractedStartDate;earliestDate~ /\ rcDroppedOffDate;(latest

                    (TO MAINTAIN  -((contractedStartDate;earliestDate~ /\ rcDroppedOffDate;la
                    INSERT INTO Isn{detyp=Integer}
                     SELECTFROM rentalPeriod~;(contractedStartDate;earliestDate~ /\ rcDropped0

                    (TO MAINTAIN  -(rentalPeriod~;(contractedStartDate;earliestDate~ /\ rcDrop
                    INSERT INTO Isn{detyp=DateDifferencePlusOne}
                     SELECTFROM (earliestDate;earliestDate~ /\ latestDate;(latestDate \/ Delt

                    (TO MAINTAIN  -(earliestDate;earliestDate~ /\ latestDate;latestDate~) \/
                    INSERT INTO projectedRentalPeriod[RentalCase*Integer]
                     SELECTFROM (contractedStartDate;earliestDate~ /\ contractedEndDate;(late

                    (TO MAINTAIN  -((contractedStartDate;earliestDate~ /\ contractedEndDate;l
                    INSERT INTO Isn{detyp=Integer}
                     SELECTFROM projectedRentalPeriod~;(contractedStartDate;earliestDate~ /\

                    (TO MAINTAIN  -(projectedRentalPeriod~;(contractedStartDate;earliestDate~
                    INSERT INTO Isn{detyp=Date}
                     SELECTFROM ((latestDate \/ Delta)~;latestDate /\ -I[Date]) \/ ((latestDa

                    (TO MAINTAIN  -(latestDate~;latestDate) \/ I[Date] FROM UNI latestDate::Da


                                        336
```

```
                    INSERT INTO Isn{detyp=DateDifferencePlusOne}
                     SELECTFROM (Delta;Delta~ /\ I[DateDifferencePlusOne]) - I[DateDifference

                    INSERT INTO Isn{detyp=Date}
                     SELECTFROM (Delta~;Delta /\ I[Date]) - I[Date]

         (MAINTAINING -((contractedStartDate;earliestDate~ /\ rcDroppedOffDate;latestDate
         (MAINTAINING -((contractedStartDate;earliestDate~ /\ rcDroppedOffDate;latestDate
         (MAINTAINING -(earliestDate;earliestDate~ /\ latestDate;latestDate~) \/ I[DateDif
         (MAINTAINING -((contractedStartDate;earliestDate~ /\ contractedEndDate;latestDate
         (MAINTAINING -((contractedStartDate;earliestDate~ /\ contractedEndDate;latestDate
         (MAINTAINING -(latestDate~;latestDate) \/ I[Date] FROM UNI latestDate::DateDiffe
         (MAINTAINING -I[DateDifferencePlusOne] \/ latestDate;latestDate~ FROM TOT latestD

------ Derivation ----->


      ONE OF INSERT INTO rentalPeriod[RentalCase*Integer]
              SELECTFROM (contractedStartDate;earliestDate~ /\ rcDroppedOffDate;(latestDate

              (TO MAINTAIN  -((contractedStartDate;earliestDate~ /\ rcDroppedOffDate;latestD
              INSERT INTO Isn{detyp=Integer}
               SELECTFROM rentalPeriod~;(contractedStartDate;earliestDate~ /\ rcDroppedOffDa

              (TO MAINTAIN  -(rentalPeriod~;(contractedStartDate;earliestDate~ /\ rcDroppedO
              INSERT INTO Isn{detyp=DateDifferencePlusOne}
               SELECTFROM (earliestDate;earliestDate~ /\ latestDate;(latestDate \/ Delta)~ /

              (TO MAINTAIN  -(earliestDate;earliestDate~ /\ latestDate;latestDate~) \/ I[Dat
              INSERT INTO projectedRentalPeriod[RentalCase*Integer]
               SELECTFROM (contractedStartDate;earliestDate~ /\ contractedEndDate;(latestDat

              (TO MAINTAIN  -((contractedStartDate;earliestDate~ /\ contractedEndDate;latest
              INSERT INTO Isn{detyp=Integer}
               SELECTFROM projectedRentalPeriod~;(contractedStartDate;earliestDate~ /\ contr

              (TO MAINTAIN  -(projectedRentalPeriod~;(contractedStartDate;earliestDate~ /\ c
              INSERT INTO Isn{detyp=Date}
               SELECTFROM ((latestDate \/ Delta)~;latestDate /\ -I[Date]) \/ ((latestDate \/

              (TO MAINTAIN  -(latestDate~;latestDate) \/ I[Date] FROM UNI latestDate::DateDi
              INSERT INTO Isn{detyp=DateDifferencePlusOne}
               SELECTFROM (Delta;Delta~ /\ I[DateDifferencePlusOne]) - I[DateDifferencePlusO

              INSERT INTO Isn{detyp=Date}
               SELECTFROM (Delta~;Delta /\ I[Date]) - I[Date]

         (MAINTAINING -((contractedStartDate;earliestDate~ /\ rcDroppedOffDate;latestDate~);co
         (MAINTAINING -((contractedStartDate;earliestDate~ /\ rcDroppedOffDate;latestDate~);co
```

337

```
(MAINTAINING -(earliestDate;earliestDate~ /\ latestDate;latestDate~) \/ I[DateDiffere
(MAINTAINING -((contractedStartDate;earliestDate~ /\ contractedEndDate;latestDate~);c
(MAINTAINING -((contractedStartDate;earliestDate~ /\ contractedEndDate;latestDate~);c
(MAINTAINING -(latestDate~;latestDate) \/ I[Date] FROM UNI latestDate::DateDifference
(MAINTAINING -I[DateDifferencePlusOne] \/ latestDate;latestDate~ FROM TOT latestDate:
```

<------End Derivation --

```
ON DELETE Delta FROM latestDate[DateDifferencePlusOne*Date] EXECUTE     -- (ECA r
ONE OF DELETE FROM rcDroppedOffDate[RentalCase*Date]
          SELECTFROM (-((contractedStartDate;earliestDate~ /\ rcDroppedOffDate;(la

       (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedStartDate
       DELETE FROM rcDroppedOffDate[RentalCase*Date]
        SELECTFROM (-(V[RentalCase*DateDifferencePlusOne];(earliestDate;contracte

       (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedStartDate
       DELETE FROM contractedStartDate[RentalCase*Date]
        SELECTFROM (-((contractedStartDate;earliestDate~ /\ rcDroppedOffDate;(la

       (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedStartDate
       DELETE FROM contractedStartDate[RentalCase*Date]
        SELECTFROM (-(V[RentalCase*DateDifferencePlusOne];(earliestDate;contracte

       (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedStartDate
       DELETE FROM Isn{detyp=RentalCase}
        SELECTFROM -((contractedStartDate;earliestDate~ /\ rcDroppedOffDate;(late

       (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedStartDate
       DELETE FROM contractedEndDate[RentalCase*Date]
        SELECTFROM (-((contractedStartDate;earliestDate~ /\ contractedEndDate;(la

       (TO MAINTAIN  -(contractedEndDate;contractedEndDate~ /\ contractedStartDa
       DELETE FROM contractedEndDate[RentalCase*Date]
        SELECTFROM (-(V[RentalCase*DateDifferencePlusOne];(earliestDate;contracte

       (TO MAINTAIN  -(contractedEndDate;contractedEndDate~ /\ contractedStartDa
       DELETE FROM contractedStartDate[RentalCase*Date]
        SELECTFROM (-((contractedStartDate;earliestDate~ /\ contractedEndDate;(la

       (TO MAINTAIN  -(contractedEndDate;contractedEndDate~ /\ contractedStartDa
       DELETE FROM contractedStartDate[RentalCase*Date]
        SELECTFROM (-(V[RentalCase*DateDifferencePlusOne];(earliestDate;contracte

       (TO MAINTAIN  -(contractedEndDate;contractedEndDate~ /\ contractedStartDa
       DELETE FROM Isn{detyp=RentalCase}
        SELECTFROM -((contractedStartDate;earliestDate~ /\ contractedEndDate;(la
```

338

```
                      (TO MAINTAIN  -(contractedEndDate;contractedEndDate~ /\ contractedStartDa
                      DELETE FROM Isn{detyp=DateDifferencePlusOne}
                       SELECTFROM -((latestDate /\ -Delta);(latestDate /\ -Delta)~) /\ I[DateDi

                      (TO MAINTAIN  -I[DateDifferencePlusOne] \/ latestDate;I[Date];latestDate~
            (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedStartDate;contrac
            (MAINTAINING -(contractedEndDate;contractedEndDate~ /\ contractedStartDate;contra
            (MAINTAINING -(latestDate~;latestDate) \/ I[Date] FROM UNI latestDate::DateDiffe
            (MAINTAINING -I[DateDifferencePlusOne] \/ latestDate;latestDate~ FROM TOT latestD
```

------ Derivation ----->


```
       ONE OF DELETE FROM rcDroppedOffDate[RentalCase*Date]
               SELECTFROM (-((contractedStartDate;earliestDate~ /\ rcDroppedOffDate;(latestD

               (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedStartDate;cont
               DELETE FROM rcDroppedOffDate[RentalCase*Date]
                SELECTFROM (-(V[RentalCase*DateDifferencePlusOne];(earliestDate;contractedSta

               (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedStartDate;cont
               DELETE FROM contractedStartDate[RentalCase*Date]
                SELECTFROM (-((contractedStartDate;earliestDate~ /\ rcDroppedOffDate;(latestD

               (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedStartDate;cont
               DELETE FROM contractedStartDate[RentalCase*Date]
                SELECTFROM (-(V[RentalCase*DateDifferencePlusOne];(earliestDate;contractedSta

               (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedStartDate;cont
               DELETE FROM Isn{detyp=RentalCase}
                SELECTFROM -((contractedStartDate;earliestDate~ /\ rcDroppedOffDate;(latestDa

               (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedStartDate;cont
               DELETE FROM contractedEndDate[RentalCase*Date]
                SELECTFROM (-((contractedStartDate;earliestDate~ /\ contractedEndDate;(latest

               (TO MAINTAIN  -(contractedEndDate;contractedEndDate~ /\ contractedStartDate;co
               DELETE FROM contractedEndDate[RentalCase*Date]
                SELECTFROM (-(V[RentalCase*DateDifferencePlusOne];(earliestDate;contractedSta

               (TO MAINTAIN  -(contractedEndDate;contractedEndDate~ /\ contractedStartDate;co
               DELETE FROM contractedStartDate[RentalCase*Date]
                SELECTFROM (-((contractedStartDate;earliestDate~ /\ contractedEndDate;(latest

               (TO MAINTAIN  -(contractedEndDate;contractedEndDate~ /\ contractedStartDate;co
               DELETE FROM contractedStartDate[RentalCase*Date]
                SELECTFROM (-(V[RentalCase*DateDifferencePlusOne];(earliestDate;contractedSta

               (TO MAINTAIN  -(contractedEndDate;contractedEndDate~ /\ contractedStartDate;co
```

339

```
            DELETE FROM Isn{detyp=RentalCase}
             SELECTFROM -((contractedStartDate;earliestDate~ /\ contractedEndDate;(latestD

            (TO MAINTAIN  -(contractedEndDate;contractedEndDate~ /\ contractedStartDate;co
            DELETE FROM Isn{detyp=DateDifferencePlusOne}
             SELECTFROM -((latestDate /\ -Delta);(latestDate /\ -Delta)~) /\ I[DateDiffere

            (TO MAINTAIN  -I[DateDifferencePlusOne] \/ latestDate;I[Date];latestDate~ FROM
    (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedStartDate;contractedSt
    (MAINTAINING -(contractedEndDate;contractedEndDate~ /\ contractedStartDate;contracted
    (MAINTAINING -(latestDate~;latestDate) \/ I[Date] FROM UNI latestDate::DateDifference
    (MAINTAINING -I[DateDifferencePlusOne] \/ latestDate;latestDate~ FROM TOT latestDate:


<------End Derivation --


            ON INSERT Delta IN computedRentalPeriod[DateDifferencePlusOne*Integer] EXECUTE
            ONE OF INSERT INTO rentalPeriod[RentalCase*Integer]
                    SELECTFROM ((contractedStartDate;earliestDate~ /\ rcDroppedOffDate;lates

                    (TO MAINTAIN  -((contractedStartDate;earliestDate~ /\ rcDroppedOffDate;la
                    INSERT INTO Isn{detyp=Integer}
                     SELECTFROM (rentalPeriod~;(contractedStartDate;earliestDate~ /\ rcDroppe

                    (TO MAINTAIN  -(rentalPeriod~;(contractedStartDate;earliestDate~ /\ rcDro
                    INSERT INTO Isn{detyp=Integer}
                     SELECTFROM ((computedRentalPeriod \/ Delta)~;computedRentalPeriod /\ -I[

                    (TO MAINTAIN  -(computedRentalPeriod~;I[DateDifferencePlusOne];computedRe
                    INSERT INTO projectedRentalPeriod[RentalCase*Integer]
                     SELECTFROM ((contractedStartDate;earliestDate~ /\ contractedEndDate;late

                    (TO MAINTAIN  -((contractedStartDate;earliestDate~ /\ contractedEndDate;l
                    INSERT INTO Isn{detyp=Integer}
                     SELECTFROM (projectedRentalPeriod~;(contractedStartDate;earliestDate~ /\

                    (TO MAINTAIN  -(projectedRentalPeriod~;(contractedStartDate;earliestDate~
                    INSERT INTO Isn{detyp=DateDifferencePlusOne}
                     SELECTFROM (Delta;Delta~ /\ I[DateDifferencePlusOne]) - I[DateDifference

                    INSERT INTO Isn{detyp=Integer}
                     SELECTFROM (Delta~;Delta /\ I[Integer]) - I[Integer]

            (MAINTAINING -((contractedStartDate;earliestDate~ /\ rcDroppedOffDate;latestDate
            (MAINTAINING -((contractedStartDate;earliestDate~ /\ rcDroppedOffDate;latestDate
            (MAINTAINING -I[DateDifferencePlusOne] \/ computedRentalPeriod;computedRentalPer
            (MAINTAINING -((contractedStartDate;earliestDate~ /\ contractedEndDate;latestDat
            (MAINTAINING -((contractedStartDate;earliestDate~ /\ contractedEndDate;latestDat
            (MAINTAINING -(computedRentalPeriod~;computedRentalPeriod) \/ I[Integer] FROM UN
```

------ Derivation ----->


        ONE OF INSERT INTO rentalPeriod[RentalCase*Integer]
              SELECTFROM ((contractedStartDate;earliestDate~ /\ rcDroppedOffDate;latestDate

            (TO MAINTAIN  -((contractedStartDate;earliestDate~ /\ rcDroppedOffDate;latestD
            INSERT INTO Isn{detyp=Integer}
             SELECTFROM (rentalPeriod~;(contractedStartDate;earliestDate~ /\ rcDroppedOffD

            (TO MAINTAIN  -(rentalPeriod~;(contractedStartDate;earliestDate~ /\ rcDroppedO
            INSERT INTO Isn{detyp=Integer}
             SELECTFROM ((computedRentalPeriod \/ Delta)~;computedRentalPeriod /\ -I[Integ

            (TO MAINTAIN  -(computedRentalPeriod~;I[DateDifferencePlusOne];computedRentalP
            INSERT INTO projectedRentalPeriod[RentalCase*Integer]
             SELECTFROM ((contractedStartDate;earliestDate~ /\ contractedEndDate;latestDat

            (TO MAINTAIN  -((contractedStartDate;earliestDate~ /\ contractedEndDate;latest
            INSERT INTO Isn{detyp=Integer}
             SELECTFROM (projectedRentalPeriod~;(contractedStartDate;earliestDate~ /\ cont

            (TO MAINTAIN  -(projectedRentalPeriod~;(contractedStartDate;earliestDate~ /\ c
            INSERT INTO Isn{detyp=DateDifferencePlusOne}
             SELECTFROM (Delta;Delta~ /\ I[DateDifferencePlusOne]) - I[DateDifferencePlusO

            INSERT INTO Isn{detyp=Integer}
             SELECTFROM (Delta~;Delta /\ I[Integer]) - I[Integer]

      (MAINTAINING -((contractedStartDate;earliestDate~ /\ rcDroppedOffDate;latestDate~);co
      (MAINTAINING -((contractedStartDate;earliestDate~ /\ rcDroppedOffDate;latestDate~);co
      (MAINTAINING -I[DateDifferencePlusOne] \/ computedRentalPeriod;computedRentalPeriod~
      (MAINTAINING -((contractedStartDate;earliestDate~ /\ contractedEndDate;latestDate~);c
      (MAINTAINING -((contractedStartDate;earliestDate~ /\ contractedEndDate;latestDate~);c
      (MAINTAINING -(computedRentalPeriod~;computedRentalPeriod) \/ I[Integer] FROM UNI com

    <------End Derivation --


          ON DELETE Delta FROM computedRentalPeriod[DateDifferencePlusOne*Integer] EXECUTE
          DELETE FROM Isn{detyp=DateDifferencePlusOne}
           SELECTFROM -((computedRentalPeriod /\ -Delta);(computedRentalPeriod /\ -Delta)~

            (TO MAINTAIN  -I[DateDifferencePlusOne] \/ computedRentalPeriod;computedRentalPe

------ Derivation ----->


                                        341

```
       DELETE FROM Isn{detyp=DateDifferencePlusOne}
        SELECTFROM -((computedRentalPeriod /\ -Delta);(computedRentalPeriod /\ -Delta)~) /\

      (TO MAINTAIN  -I[DateDifferencePlusOne] \/ computedRentalPeriod;computedRentalPeriod~

  <------End Derivation --


            ON INSERT Delta IN ctcNrOfDays[CompTariffedCharge*Integer] EXECUTE    -- (ECA ru
            ONE OF INSERT INTO rentalBasicCharge[RentalCase*Amount]
                   SELECTFROM (rentalPeriod;(ctcNrOfDays \/ Delta)~ /\ rcAssignedCar;carType

                   (TO MAINTAIN  -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;renta
                   INSERT INTO Isn{detyp=Amount}
                    SELECTFROM rentalBasicCharge~;(rentalPeriod;(ctcNrOfDays \/ Delta)~ /\ r

                   (TO MAINTAIN  -(rentalBasicCharge~;(rentalPeriod;ctcNrOfDays~ /\ rcAssigne
                   INSERT INTO rentalPenaltyCharge[RentalCase*Amount]
                    SELECTFROM (rentalExcessPeriod;(ctcNrOfDays \/ Delta)~ /\ rcAssignedCar;

                   (TO MAINTAIN  -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType
                   INSERT INTO Isn{detyp=Amount}
                    SELECTFROM rentalPenaltyCharge~;(rentalExcessPeriod;(ctcNrOfDays \/ Delt

                   (TO MAINTAIN  -(rentalPenaltyCharge~;(rentalExcessPeriod;ctcNrOfDays~ /\ 
                   INSERT INTO Isn{detyp=CompTariffedCharge}
                    SELECTFROM (ctcDailyAmount;ctcDailyAmount~ /\ ctcNrOfDays;(ctcNrOfDays \

                   (TO MAINTAIN  -(ctcDailyAmount;ctcDailyAmount~ /\ ctcNrOfDays;ctcNrOfDays
                   INSERT INTO projectedBasicCharge[RentalCase*Amount]
                    SELECTFROM (projectedRentalPeriod;(ctcNrOfDays \/ Delta)~ /\ contractedC

                   (TO MAINTAIN  -((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;
                   INSERT INTO Isn{detyp=Amount}
                    SELECTFROM projectedBasicCharge~;(projectedRentalPeriod;(ctcNrOfDays \/ 

                   (TO MAINTAIN  -(projectedBasicCharge~;(projectedRentalPeriod;ctcNrOfDays~
                   INSERT INTO Isn{detyp=Integer}
                    SELECTFROM ((ctcNrOfDays \/ Delta)~;ctcNrOfDays /\ -I[Integer]) \/ ((ctc

                   (TO MAINTAIN  -(ctcNrOfDays~;ctcNrOfDays) \/ I[Integer] FROM UNI ctcNrOfDa
                   INSERT INTO Isn{detyp=CompTariffedCharge}
                    SELECTFROM (Delta;Delta~ /\ I[CompTariffedCharge]) - I[CompTariffedCharg

                   INSERT INTO Isn{detyp=Integer}
                    SELECTFROM (Delta~;Delta /\ I[Integer]) - I[Integer]

            (MAINTAINING -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;rentalTariffP
            (MAINTAINING -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;rentalTariffP
```

342

```
                (MAINTAINING -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;excessT
                (MAINTAINING -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;excessT
                (MAINTAINING -(ctcDailyAmount;ctcDailyAmount~ /\ ctcNrOfDays;ctcNrOfDays~) \/ I[
                (MAINTAINING -((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;rentalTa
                (MAINTAINING -((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;rentalTa
                (MAINTAINING -(ctcNrOfDays~;ctcNrOfDays) \/ I[Integer] FROM UNI ctcNrOfDays::Com
                (MAINTAINING -I[CompTariffedCharge] \/ ctcNrOfDays;ctcNrOfDays~ FROM TOT ctcNrOf
```

------ Derivation ----->


```
        ONE OF INSERT INTO rentalBasicCharge[RentalCase*Amount]
                SELECTFROM (rentalPeriod;(ctcNrOfDays \/ Delta)~ /\ rcAssignedCar;carType;ren

                (TO MAINTAIN  -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;rentalTari
                INSERT INTO Isn{detyp=Amount}
                 SELECTFROM rentalBasicCharge~;(rentalPeriod;(ctcNrOfDays \/ Delta)~ /\ rcAssi

                (TO MAINTAIN  -(rentalBasicCharge~;(rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar
                INSERT INTO rentalPenaltyCharge[RentalCase*Amount]
                 SELECTFROM (rentalExcessPeriod;(ctcNrOfDays \/ Delta)~ /\ rcAssignedCar;carTy

                (TO MAINTAIN  -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;exce
                INSERT INTO Isn{detyp=Amount}
                 SELECTFROM rentalPenaltyCharge~;(rentalExcessPeriod;(ctcNrOfDays \/ Delta)~ /

                (TO MAINTAIN  -(rentalPenaltyCharge~;(rentalExcessPeriod;ctcNrOfDays~ /\ rcAss
                INSERT INTO Isn{detyp=CompTariffedCharge}
                 SELECTFROM (ctcDailyAmount;ctcDailyAmount~ /\ ctcNrOfDays;(ctcNrOfDays \/ Del

                (TO MAINTAIN  -(ctcDailyAmount;ctcDailyAmount~ /\ ctcNrOfDays;ctcNrOfDays~) \/
                INSERT INTO projectedBasicCharge[RentalCase*Amount]
                 SELECTFROM (projectedRentalPeriod;(ctcNrOfDays \/ Delta)~ /\ contractedCarTyp

                (TO MAINTAIN  -((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;renta
                INSERT INTO Isn{detyp=Amount}
                 SELECTFROM projectedBasicCharge~;(projectedRentalPeriod;(ctcNrOfDays \/ Delta

                (TO MAINTAIN  -(projectedBasicCharge~;(projectedRentalPeriod;ctcNrOfDays~ /\ c
                INSERT INTO Isn{detyp=Integer}
                 SELECTFROM ((ctcNrOfDays \/ Delta)~;ctcNrOfDays /\ -I[Integer]) \/ ((ctcNrOfD

                (TO MAINTAIN  -(ctcNrOfDays~;ctcNrOfDays) \/ I[Integer] FROM UNI ctcNrOfDays::
                INSERT INTO Isn{detyp=CompTariffedCharge}
                 SELECTFROM (Delta;Delta~ /\ I[CompTariffedCharge]) - I[CompTariffedCharge]

                INSERT INTO Isn{detyp=Integer}
                 SELECTFROM (Delta~;Delta /\ I[Integer]) - I[Integer]
```


                                        343

```
(MAINTAINING -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;rentalTariffPerDay
(MAINTAINING -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;rentalTariffPerDay
(MAINTAINING -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;excessTariff
(MAINTAINING -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;excessTariff
(MAINTAINING -(ctcDailyAmount;ctcDailyAmount~ /\ ctcNrOfDays;ctcNrOfDays~) \/ I[CompT
(MAINTAINING -((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;rentalTariffP
(MAINTAINING -((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;rentalTariffP
(MAINTAINING -(ctcNrOfDays~;ctcNrOfDays) \/ I[Integer] FROM UNI ctcNrOfDays::CompTari
(MAINTAINING -I[CompTariffedCharge] \/ ctcNrOfDays;ctcNrOfDays~ FROM TOT ctcNrOfDays:


     <------End Derivation --


        ON DELETE Delta FROM ctcNrOfDays[CompTariffedCharge*Integer] EXECUTE    -- (ECA
        ONE OF DELETE FROM rcAssignedCar[RentalCase*Car]
              SELECTFROM (-((rentalPeriod;(ctcNrOfDays /\ -Delta)~ /\ rcAssignedCar;ca

              (TO MAINTAIN  -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod
              DELETE FROM rcAssignedCar[RentalCase*Car]
               SELECTFROM (-(V[RentalCase*CompTariffedCharge];((ctcNrOfDays /\ -Delta);

              (TO MAINTAIN  -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod
              DELETE FROM rentalPeriod[RentalCase*Integer]
               SELECTFROM (-((rentalPeriod;(ctcNrOfDays /\ -Delta)~ /\ rcAssignedCar;ca

              (TO MAINTAIN  -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod
              DELETE FROM rentalPeriod[RentalCase*Integer]
               SELECTFROM (-(V[RentalCase*CompTariffedCharge];((ctcNrOfDays /\ -Delta);

              (TO MAINTAIN  -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod
              DELETE FROM Isn{detyp=RentalCase}
               SELECTFROM -((rentalPeriod;(ctcNrOfDays /\ -Delta)~ /\ rcAssignedCar;car

              (TO MAINTAIN  -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod
              DELETE FROM rentalExcessPeriod[RentalCase*Integer]
               SELECTFROM (-((rentalExcessPeriod;(ctcNrOfDays /\ -Delta)~ /\ rcAssigned

              (TO MAINTAIN  -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[RentalCase])
              DELETE FROM rentalExcessPeriod[RentalCase*Integer]
               SELECTFROM (-(V[RentalCase*CompTariffedCharge];((ctcNrOfDays /\ -Delta);

              (TO MAINTAIN  -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[RentalCase])
              DELETE FROM Isn{detyp=RentalCase}
               SELECTFROM -((rentalExcessPeriod;(ctcNrOfDays /\ -Delta)~ /\ rcAssignedC

              (TO MAINTAIN  -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[RentalCase])
              DELETE FROM contractedCarType[RentalCase*CarType]
               SELECTFROM (-((projectedRentalPeriod;(ctcNrOfDays /\ -Delta)~ /\ contract
```

344

```
                          (TO MAINTAIN  -(contractedCarType;contractedCarType~ /\ projectedRentalPer
                          DELETE FROM contractedCarType[RentalCase*CarType]
                           SELECTFROM (-(V[RentalCase*CompTariffedCharge];((ctcNrOfDays /\ -Delta);p

                          (TO MAINTAIN  -(contractedCarType;contractedCarType~ /\ projectedRentalPer
                          DELETE FROM projectedRentalPeriod[RentalCase*Integer]
                           SELECTFROM (-((projectedRentalPeriod;(ctcNrOfDays /\ -Delta)~ /\ contract

                          (TO MAINTAIN  -(contractedCarType;contractedCarType~ /\ projectedRentalPer
                          DELETE FROM projectedRentalPeriod[RentalCase*Integer]
                           SELECTFROM (-(V[RentalCase*CompTariffedCharge];((ctcNrOfDays /\ -Delta);p

                          (TO MAINTAIN  -(contractedCarType;contractedCarType~ /\ projectedRentalPer
                          DELETE FROM Isn{detyp=RentalCase}
                           SELECTFROM -((projectedRentalPeriod;(ctcNrOfDays /\ -Delta)~ /\ contracte

                          (TO MAINTAIN  -(contractedCarType;contractedCarType~ /\ projectedRentalPer
                          DELETE FROM Isn{detyp=CompTariffedCharge}
                           SELECTFROM -((ctcNrOfDays /\ -Delta);(ctcNrOfDays /\ -Delta)~) /\ I[CompT

                          (TO MAINTAIN  -I[CompTariffedCharge] \/ ctcNrOfDays;I[Integer];ctcNrOfDay
              (MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod~ /\ I[R
              (MAINTAINING -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[RentalCase]) \/ (rent
              (MAINTAINING -(contractedCarType;contractedCarType~ /\ projectedRentalPeriod;pro
              (MAINTAINING -(ctcNrOfDays~;ctcNrOfDays) \/ I[Integer] FROM UNI ctcNrOfDays::Com
              (MAINTAINING -I[CompTariffedCharge] \/ ctcNrOfDays;ctcNrOfDays~ FROM TOT ctcNrOf

------ Derivation ----->


        ONE OF DELETE FROM rcAssignedCar[RentalCase*Car]
                 SELECTFROM (-((rentalPeriod;(ctcNrOfDays /\ -Delta)~ /\ rcAssignedCar;carType

               (TO MAINTAIN  -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod~ /\
               DELETE FROM rcAssignedCar[RentalCase*Car]
                SELECTFROM (-(V[RentalCase*CompTariffedCharge];((ctcNrOfDays /\ -Delta);renta

               (TO MAINTAIN  -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod~ /\
               DELETE FROM rentalPeriod[RentalCase*Integer]
                SELECTFROM (-((rentalPeriod;(ctcNrOfDays /\ -Delta)~ /\ rcAssignedCar;carType

               (TO MAINTAIN  -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod~ /\
               DELETE FROM rentalPeriod[RentalCase*Integer]
                SELECTFROM (-(V[RentalCase*CompTariffedCharge];((ctcNrOfDays /\ -Delta);renta

               (TO MAINTAIN  -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod~ /\
               DELETE FROM Isn{detyp=RentalCase}
                SELECTFROM -((rentalPeriod;(ctcNrOfDays /\ -Delta)~ /\ rcAssignedCar;carType;
```

```
                (TO MAINTAIN  -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod~ /\
                DELETE FROM rentalExcessPeriod[RentalCase*Integer]
                 SELECTFROM (-((rentalExcessPeriod;(ctcNrOfDays /\ -Delta)~ /\ rcAssignedCar;c

                (TO MAINTAIN  -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[RentalCase]) \/ (r
                DELETE FROM rentalExcessPeriod[RentalCase*Integer]
                 SELECTFROM (-(V[RentalCase*CompTariffedCharge];((ctcNrOfDays /\ -Delta);renta

                (TO MAINTAIN  -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[RentalCase]) \/ (r
                DELETE FROM Isn{detyp=RentalCase}
                 SELECTFROM -((rentalExcessPeriod;(ctcNrOfDays /\ -Delta)~ /\ rcAssignedCar;ca

                (TO MAINTAIN  -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[RentalCase]) \/ (r
                DELETE FROM contractedCarType[RentalCase*CarType]
                 SELECTFROM (-((projectedRentalPeriod;(ctcNrOfDays /\ -Delta)~ /\ contractedCa

                (TO MAINTAIN  -(contractedCarType;contractedCarType~ /\ projectedRentalPeriod;
                DELETE FROM contractedCarType[RentalCase*CarType]
                 SELECTFROM (-(V[RentalCase*CompTariffedCharge];((ctcNrOfDays /\ -Delta);proje

                (TO MAINTAIN  -(contractedCarType;contractedCarType~ /\ projectedRentalPeriod;
                DELETE FROM projectedRentalPeriod[RentalCase*Integer]
                 SELECTFROM (-((projectedRentalPeriod;(ctcNrOfDays /\ -Delta)~ /\ contractedCa

                (TO MAINTAIN  -(contractedCarType;contractedCarType~ /\ projectedRentalPeriod;
                DELETE FROM projectedRentalPeriod[RentalCase*Integer]
                 SELECTFROM (-(V[RentalCase*CompTariffedCharge];((ctcNrOfDays /\ -Delta);proje

                (TO MAINTAIN  -(contractedCarType;contractedCarType~ /\ projectedRentalPeriod;
                DELETE FROM Isn{detyp=RentalCase}
                 SELECTFROM -((projectedRentalPeriod;(ctcNrOfDays /\ -Delta)~ /\ contractedCar

                (TO MAINTAIN  -(contractedCarType;contractedCarType~ /\ projectedRentalPeriod;
                DELETE FROM Isn{detyp=CompTariffedCharge}
                 SELECTFROM -((ctcNrOfDays /\ -Delta);(ctcNrOfDays /\ -Delta)~) /\ I[CompTarif

                (TO MAINTAIN  -I[CompTariffedCharge] \/ ctcNrOfDays;I[Integer];ctcNrOfDays~ FR
     (MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod~ /\ I[Rental
     (MAINTAINING -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[RentalCase]) \/ (rentalExc
     (MAINTAINING -(contractedCarType;contractedCarType~ /\ projectedRentalPeriod;projecte
     (MAINTAINING -(ctcNrOfDays~;ctcNrOfDays) \/ I[Integer] FROM UNI ctcNrOfDays::CompTari
     (MAINTAINING -I[CompTariffedCharge] \/ ctcNrOfDays;ctcNrOfDays~ FROM TOT ctcNrOfDays:

<------End Derivation --


                ON INSERT Delta IN ctcDailyAmount[CompTariffedCharge*Amount] EXECUTE    -- (ECA
                ONE OF INSERT INTO rentalBasicCharge[RentalCase*Amount]
                        SELECTFROM (rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;rentalTar
```

```
                        (TO MAINTAIN  -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;rental
                        INSERT INTO Isn{detyp=Amount}
                         SELECTFROM rentalBasicCharge~;(rentalPeriod;ctcNrOfDays~ /\ rcAssignedCa

                        (TO MAINTAIN  -(rentalBasicCharge~;(rentalPeriod;ctcNrOfDays~ /\ rcAssigne
                        INSERT INTO rentalPenaltyCharge[RentalCase*Amount]
                         SELECTFROM (rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;exc

                        (TO MAINTAIN  -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType
                        INSERT INTO Isn{detyp=Amount}
                         SELECTFROM rentalPenaltyCharge~;(rentalExcessPeriod;ctcNrOfDays~ /\ rcAs

                        (TO MAINTAIN  -(rentalPenaltyCharge~;(rentalExcessPeriod;ctcNrOfDays~ /\ 
                        INSERT INTO Isn{detyp=CompTariffedCharge}
                         SELECTFROM (ctcDailyAmount;(ctcDailyAmount \/ Delta)~ /\ ctcNrOfDays;ctc

                        (TO MAINTAIN  -(ctcDailyAmount;ctcDailyAmount~ /\ ctcNrOfDays;ctcNrOfDays
                        INSERT INTO projectedBasicCharge[RentalCase*Amount]
                         SELECTFROM (projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;rent

                        (TO MAINTAIN  -((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;
                        INSERT INTO Isn{detyp=Amount}
                         SELECTFROM projectedBasicCharge~;(projectedRentalPeriod;ctcNrOfDays~ /\ 

                        (TO MAINTAIN  -(projectedBasicCharge~;(projectedRentalPeriod;ctcNrOfDays~
                        INSERT INTO Isn{detyp=Amount}
                         SELECTFROM ((ctcDailyAmount \/ Delta)~;ctcDailyAmount /\ -I[Amount]) \/ 

                        (TO MAINTAIN  -(ctcDailyAmount~;ctcDailyAmount) \/ I[Amount] FROM UNI ctc
                        INSERT INTO Isn{detyp=CompTariffedCharge}
                         SELECTFROM (Delta;Delta~ /\ I[CompTariffedCharge]) - I[CompTariffedCharg

                        INSERT INTO Isn{detyp=Amount}
                         SELECTFROM (Delta~;Delta /\ I[Amount]) - I[Amount]
              (MAINTAINING -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;rentalTariffP
              (MAINTAINING -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;rentalTariffP
              (MAINTAINING -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;excessTa
              (MAINTAINING -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;excessTa
              (MAINTAINING -(ctcDailyAmount;ctcDailyAmount~ /\ ctcNrOfDays;ctcNrOfDays~) \/ I[
              (MAINTAINING -((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;rentalTa
              (MAINTAINING -((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;rentalTa
              (MAINTAINING -(ctcDailyAmount~;ctcDailyAmount) \/ I[Amount] FROM UNI ctcDailyAmo
              (MAINTAINING -I[CompTariffedCharge] \/ ctcDailyAmount;ctcDailyAmount~ FROM TOT c

------ Derivation ----->
```

347

```
ONE OF INSERT INTO rentalBasicCharge[RentalCase*Amount]
        SELECTFROM (rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;rentalTariffPe

    (TO MAINTAIN  -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;rentalTari
    INSERT INTO Isn{detyp=Amount}
     SELECTFROM rentalBasicCharge~;(rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;car

    (TO MAINTAIN  -(rentalBasicCharge~;(rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar
    INSERT INTO rentalPenaltyCharge[RentalCase*Amount]
     SELECTFROM (rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;excessTa

    (TO MAINTAIN  -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;exce
    INSERT INTO Isn{detyp=Amount}
     SELECTFROM rentalPenaltyCharge~;(rentalExcessPeriod;ctcNrOfDays~ /\ rcAssigne

    (TO MAINTAIN  -(rentalPenaltyCharge~;(rentalExcessPeriod;ctcNrOfDays~ /\ rcAss
    INSERT INTO Isn{detyp=CompTariffedCharge}
     SELECTFROM (ctcDailyAmount;(ctcDailyAmount \/ Delta)~ /\ ctcNrOfDays;ctcNrOfD

    (TO MAINTAIN  -(ctcDailyAmount;ctcDailyAmount~ /\ ctcNrOfDays;ctcNrOfDays~) \/
    INSERT INTO projectedBasicCharge[RentalCase*Amount]
     SELECTFROM (projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;rentalTar

    (TO MAINTAIN  -((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;renta
    INSERT INTO Isn{detyp=Amount}
     SELECTFROM projectedBasicCharge~;(projectedRentalPeriod;ctcNrOfDays~ /\ contr

    (TO MAINTAIN  -(projectedBasicCharge~;(projectedRentalPeriod;ctcNrOfDays~ /\ c
    INSERT INTO Isn{detyp=Amount}
     SELECTFROM ((ctcDailyAmount \/ Delta)~;ctcDailyAmount /\ -I[Amount]) \/ ((ctc

    (TO MAINTAIN  -(ctcDailyAmount~;ctcDailyAmount) \/ I[Amount] FROM UNI ctcDaily
    INSERT INTO Isn{detyp=CompTariffedCharge}
     SELECTFROM (Delta;Delta~ /\ I[CompTariffedCharge]) - I[CompTariffedCharge]

    INSERT INTO Isn{detyp=Amount}
     SELECTFROM (Delta~;Delta /\ I[Amount]) - I[Amount]

(MAINTAINING -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;rentalTariffPerDay
(MAINTAINING -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;rentalTariffPerDay
(MAINTAINING -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;excessTariff
(MAINTAINING -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;excessTariff
(MAINTAINING -(ctcDailyAmount;ctcDailyAmount~ /\ ctcNrOfDays;ctcNrOfDays~) \/ I[CompT
(MAINTAINING -((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;rentalTariffP
(MAINTAINING -((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;rentalTariffP
(MAINTAINING -(ctcDailyAmount~;ctcDailyAmount) \/ I[Amount] FROM UNI ctcDailyAmount::
(MAINTAINING -I[CompTariffedCharge] \/ ctcDailyAmount;ctcDailyAmount~ FROM TOT ctcDai

<------End Derivation --


                           348
```

```
ON DELETE Delta FROM ctcDailyAmount[CompTariffedCharge*Amount] EXECUTE     -- (EC
ONE OF DELETE FROM rcAssignedCar[RentalCase*Car]
         SELECTFROM (-((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;rental

         (TO MAINTAIN  -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod
         DELETE FROM rcAssignedCar[RentalCase*Car]
          SELECTFROM (-(V[RentalCase*CompTariffedCharge];(ctcNrOfDays;rentalPeriod

         (TO MAINTAIN  -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod
         DELETE FROM rentalPeriod[RentalCase*Integer]
          SELECTFROM (-((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;rental

         (TO MAINTAIN  -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod
         DELETE FROM rentalPeriod[RentalCase*Integer]
          SELECTFROM (-(V[RentalCase*CompTariffedCharge];(ctcNrOfDays;rentalPeriod

         (TO MAINTAIN  -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod
         DELETE FROM Isn{detyp=RentalCase}
          SELECTFROM -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;rentalT

         (TO MAINTAIN  -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod
         DELETE FROM rentalExcessPeriod[RentalCase*Integer]
          SELECTFROM (-((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;

         (TO MAINTAIN  -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[RentalCase])
         DELETE FROM rentalExcessPeriod[RentalCase*Integer]
          SELECTFROM (-(V[RentalCase*CompTariffedCharge];(ctcNrOfDays;rentalExcess

         (TO MAINTAIN  -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[RentalCase])
         DELETE FROM Isn{detyp=RentalCase}
          SELECTFROM -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;e

         (TO MAINTAIN  -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[RentalCase])
         DELETE FROM contractedCarType[RentalCase*CarType]
          SELECTFROM (-((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;r

         (TO MAINTAIN  -(contractedCarType;contractedCarType~ /\ projectedRentalPe
         DELETE FROM contractedCarType[RentalCase*CarType]
          SELECTFROM (-(V[RentalCase*CompTariffedCharge];(ctcNrOfDays;projectedRen

         (TO MAINTAIN  -(contractedCarType;contractedCarType~ /\ projectedRentalPe
         DELETE FROM projectedRentalPeriod[RentalCase*Integer]
          SELECTFROM (-((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;r

         (TO MAINTAIN  -(contractedCarType;contractedCarType~ /\ projectedRentalPe
         DELETE FROM projectedRentalPeriod[RentalCase*Integer]
          SELECTFROM (-(V[RentalCase*CompTariffedCharge];(ctcNrOfDays;projectedRen

         (TO MAINTAIN  -(contractedCarType;contractedCarType~ /\ projectedRentalPe
```

349

```
                    DELETE FROM Isn{detyp=RentalCase}
                     SELECTFROM -((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;re

                    (TO MAINTAIN  -(contractedCarType;contractedCarType~ /\ projectedRentalPe
                    DELETE FROM Isn{detyp=CompTariffedCharge}
                     SELECTFROM -((ctcDailyAmount /\ -Delta);(ctcDailyAmount /\ -Delta)~) /\

                    (TO MAINTAIN  -I[CompTariffedCharge] \/ ctcDailyAmount;I[Amount];ctcDaily
            (MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod~ /\ I[R
            (MAINTAINING -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[RentalCase]) \/ (rent
            (MAINTAINING -(contractedCarType;contractedCarType~ /\ projectedRentalPeriod;pro
            (MAINTAINING -(ctcDailyAmount~;ctcDailyAmount) \/ I[Amount] FROM UNI ctcDailyAmo
            (MAINTAINING -I[CompTariffedCharge] \/ ctcDailyAmount;ctcDailyAmount~ FROM TOT c


------ Derivation ----->



        ONE OF DELETE FROM rcAssignedCar[RentalCase*Car]
                SELECTFROM (-((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;rentalTarif

                (TO MAINTAIN  -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod~ /\
                DELETE FROM rcAssignedCar[RentalCase*Car]
                 SELECTFROM (-(V[RentalCase*CompTariffedCharge];(ctcNrOfDays;rentalPeriod~ /\

                (TO MAINTAIN  -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod~ /\
                DELETE FROM rentalPeriod[RentalCase*Integer]
                 SELECTFROM (-((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;rentalTarif

                (TO MAINTAIN  -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod~ /\
                DELETE FROM rentalPeriod[RentalCase*Integer]
                 SELECTFROM (-(V[RentalCase*CompTariffedCharge];(ctcNrOfDays;rentalPeriod~ /\

                (TO MAINTAIN  -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod~ /\
                DELETE FROM Isn{detyp=RentalCase}
                 SELECTFROM -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;rentalTariff

                (TO MAINTAIN  -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod~ /\
                DELETE FROM rentalExcessPeriod[RentalCase*Integer]
                 SELECTFROM (-((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;exces

                (TO MAINTAIN  -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[RentalCase]) \/ (r
                DELETE FROM rentalExcessPeriod[RentalCase*Integer]
                 SELECTFROM (-(V[RentalCase*CompTariffedCharge];(ctcNrOfDays;rentalExcessPerio

                (TO MAINTAIN  -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[RentalCase]) \/ (r
                DELETE FROM Isn{detyp=RentalCase}
                 SELECTFROM -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;excess

                (TO MAINTAIN  -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[RentalCase]) \/ (r
```

350

```
                    DELETE FROM contractedCarType[RentalCase*CarType]
                     SELECTFROM (-((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;rental

                    (TO MAINTAIN  -(contractedCarType;contractedCarType~ /\ projectedRentalPeriod;
                    DELETE FROM contractedCarType[RentalCase*CarType]
                     SELECTFROM (-(V[RentalCase*CompTariffedCharge];(ctcNrOfDays;projectedRentalPe

                    (TO MAINTAIN  -(contractedCarType;contractedCarType~ /\ projectedRentalPeriod;
                    DELETE FROM projectedRentalPeriod[RentalCase*Integer]
                     SELECTFROM (-((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;rental

                    (TO MAINTAIN  -(contractedCarType;contractedCarType~ /\ projectedRentalPeriod;
                    DELETE FROM projectedRentalPeriod[RentalCase*Integer]
                     SELECTFROM (-(V[RentalCase*CompTariffedCharge];(ctcNrOfDays;projectedRentalPe

                    (TO MAINTAIN  -(contractedCarType;contractedCarType~ /\ projectedRentalPeriod;
                    DELETE FROM Isn{detyp=RentalCase}
                     SELECTFROM -((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;rentalT

                    (TO MAINTAIN  -(contractedCarType;contractedCarType~ /\ projectedRentalPeriod;
                    DELETE FROM Isn{detyp=CompTariffedCharge}
                     SELECTFROM -((ctcDailyAmount /\ -Delta);(ctcDailyAmount /\ -Delta)~) /\ I[Com

                    (TO MAINTAIN  -I[CompTariffedCharge] \/ ctcDailyAmount;I[Amount];ctcDailyAmoun
          (MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod~ /\ I[Rental
          (MAINTAINING -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[RentalCase]) \/ (rentalExc
          (MAINTAINING -(contractedCarType;contractedCarType~ /\ projectedRentalPeriod;projecte
          (MAINTAINING -(ctcDailyAmount~;ctcDailyAmount) \/ I[Amount] FROM UNI ctcDailyAmount::
          (MAINTAINING -I[CompTariffedCharge] \/ ctcDailyAmount;ctcDailyAmount~ FROM TOT ctcDai

   <------End Derivation --


                    ON INSERT Delta IN computedTariffedCharge[CompTariffedCharge*Amount] EXECUTE    -
                    ONE OF INSERT INTO rentalBasicCharge[RentalCase*Amount]
                            SELECTFROM ((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;rentalTa

                            (TO MAINTAIN  -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;renta
                            INSERT INTO Isn{detyp=Amount}
                             SELECTFROM (rentalBasicCharge~;(rentalPeriod;ctcNrOfDays~ /\ rcAssignedCa

                            (TO MAINTAIN  -(rentalBasicCharge~;(rentalPeriod;ctcNrOfDays~ /\ rcAssigne
                            INSERT INTO rentalPenaltyCharge[RentalCase*Amount]
                             SELECTFROM ((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;exc

                            (TO MAINTAIN  -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType
                            INSERT INTO Isn{detyp=Amount}
                             SELECTFROM (rentalPenaltyCharge~;(rentalExcessPeriod;ctcNrOfDays~ /\ rcAs
```

```
                    (TO MAINTAIN  -(rentalPenaltyCharge~;(rentalExcessPeriod;ctcNrOfDays~ /\
                    INSERT INTO Isn{detyp=Amount}
                     SELECTFROM ((computedTariffedCharge \/ Delta)~;computedTariffedCharge /\

                    (TO MAINTAIN  -(computedTariffedCharge~;I[CompTariffedCharge];computedTar
                    INSERT INTO projectedBasicCharge[RentalCase*Amount]
                     SELECTFROM ((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;ren

                    (TO MAINTAIN  -((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;
                    INSERT INTO Isn{detyp=Amount}
                     SELECTFROM (projectedBasicCharge~;(projectedRentalPeriod;ctcNrOfDays~ /\

                    (TO MAINTAIN  -(projectedBasicCharge~;(projectedRentalPeriod;ctcNrOfDays~
                    INSERT INTO Isn{detyp=CompTariffedCharge}
                     SELECTFROM (Delta;Delta~ /\ I[CompTariffedCharge]) - I[CompTariffedCharg

                    INSERT INTO Isn{detyp=Amount}
                     SELECTFROM (Delta~;Delta /\ I[Amount]) - I[Amount]

          (MAINTAINING -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;rentalTariffP
          (MAINTAINING -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;rentalTariffP
          (MAINTAINING -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;excessT
          (MAINTAINING -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;excessT
          (MAINTAINING -I[CompTariffedCharge] \/ computedTariffedCharge;computedTariffedCh
          (MAINTAINING -((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;rentalTa
          (MAINTAINING -((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;rentalTa
          (MAINTAINING -(computedTariffedCharge~;computedTariffedCharge) \/ I[Amount] FROM

------ Derivation ----->


       ONE OF INSERT INTO rentalBasicCharge[RentalCase*Amount]
                SELECTFROM ((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;rentalTariffP

               (TO MAINTAIN  -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;rentalTari
               INSERT INTO Isn{detyp=Amount}
                SELECTFROM (rentalBasicCharge~;(rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;ca

               (TO MAINTAIN  -(rentalBasicCharge~;(rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar
               INSERT INTO rentalPenaltyCharge[RentalCase*Amount]
                SELECTFROM ((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;excessT

               (TO MAINTAIN  -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;exce
               INSERT INTO Isn{detyp=Amount}
                SELECTFROM (rentalPenaltyCharge~;(rentalExcessPeriod;ctcNrOfDays~ /\ rcAssign

               (TO MAINTAIN  -(rentalPenaltyCharge~;(rentalExcessPeriod;ctcNrOfDays~ /\ rcAss
               INSERT INTO Isn{detyp=Amount}
                SELECTFROM ((computedTariffedCharge \/ Delta)~;computedTariffedCharge /\ -I[A

                                            352
```

```
                    (TO MAINTAIN  -(computedTariffedCharge~;I[CompTariffedCharge];computedTariffed
                    INSERT INTO projectedBasicCharge[RentalCase*Amount]
                     SELECTFROM ((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;rentalTa

                    (TO MAINTAIN  -((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;renta
                    INSERT INTO Isn{detyp=Amount}
                     SELECTFROM (projectedBasicCharge~;(projectedRentalPeriod;ctcNrOfDays~ /\ cont

                    (TO MAINTAIN  -(projectedBasicCharge~;(projectedRentalPeriod;ctcNrOfDays~ /\ c
                    INSERT INTO Isn{detyp=CompTariffedCharge}
                     SELECTFROM (Delta;Delta~ /\ I[CompTariffedCharge]) - I[CompTariffedCharge]

                    INSERT INTO Isn{detyp=Amount}
                     SELECTFROM (Delta~;Delta /\ I[Amount]) - I[Amount]

        (MAINTAINING -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;rentalTariffPerDay
        (MAINTAINING -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;rentalTariffPerDay
        (MAINTAINING -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;excessTariff
        (MAINTAINING -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;excessTariff
        (MAINTAINING -I[CompTariffedCharge] \/ computedTariffedCharge;computedTariffedCharge~
        (MAINTAINING -((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;rentalTariffP
        (MAINTAINING -((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;rentalTariffP
        (MAINTAINING -(computedTariffedCharge~;computedTariffedCharge) \/ I[Amount] FROM UNI

    <------End Derivation --


                    ON DELETE Delta FROM computedTariffedCharge[CompTariffedCharge*Amount] EXECUTE
                    DELETE FROM Isn{detyp=CompTariffedCharge}
                     SELECTFROM -((computedTariffedCharge /\ -Delta);(computedTariffedCharge /\ -Del

                    (TO MAINTAIN  -I[CompTariffedCharge] \/ computedTariffedCharge;computedTariffedC

    ------ Derivation ----->


        DELETE FROM Isn{detyp=CompTariffedCharge}
         SELECTFROM -((computedTariffedCharge /\ -Delta);(computedTariffedCharge /\ -Delta)~)

        (TO MAINTAIN  -I[CompTariffedCharge] \/ computedTariffedCharge;computedTariffedCharge

    <------End Derivation --


                    ON INSERT Delta IN firstDate[DateDifference*Date] EXECUTE     -- (ECA rule 103)
                    ONE OF INSERT INTO rentalExcessPeriod[RentalCase*Integer]
                            SELECTFROM (rcDroppedOffDate;lastDate~ /\ contractedEndDate;(firstDate \
```

```
                            (TO MAINTAIN  -((rcDroppedOffDate;lastDate~ /\ contractedEndDate;firstDate
                  INSERT INTO Isn{detyp=Integer}
                   SELECTFROM rentalExcessPeriod~;(rcDroppedOffDate;lastDate~ /\ contracted

                            (TO MAINTAIN  -(rentalExcessPeriod~;(rcDroppedOffDate;lastDate~ /\ contra
                  INSERT INTO Isn{detyp=DateDifference}
                   SELECTFROM (lastDate;lastDate~ /\ firstDate;(firstDate \/ Delta)~ /\ -I[

                            (TO MAINTAIN  -(lastDate;lastDate~ /\ firstDate;firstDate~) \/ I[DateDiff
                  INSERT INTO Isn{detyp=Date}
                   SELECTFROM ((firstDate \/ Delta)~;firstDate /\ -I[Date]) \/ ((firstDate

                            (TO MAINTAIN  -(firstDate~;firstDate) \/ I[Date] FROM UNI firstDate::Date
                  INSERT INTO Isn{detyp=DateDifference}
                   SELECTFROM (Delta;Delta~ /\ I[DateDifference]) - I[DateDifference]

                  INSERT INTO Isn{detyp=Date}
                   SELECTFROM (Delta~;Delta /\ I[Date]) - I[Date]

            (MAINTAINING -((rcDroppedOffDate;lastDate~ /\ contractedEndDate;firstDate~);comp
            (MAINTAINING -((rcDroppedOffDate;lastDate~ /\ contractedEndDate;firstDate~);comp
            (MAINTAINING -(lastDate;lastDate~ /\ firstDate;firstDate~) \/ I[DateDifference] 
            (MAINTAINING -(firstDate~;firstDate) \/ I[Date] FROM UNI firstDate::DateDifferenc
            (MAINTAINING -I[DateDifference] \/ firstDate;firstDate~ FROM TOT firstDate::Date

------ Derivation ----->


      ONE OF INSERT INTO rentalExcessPeriod[RentalCase*Integer]
            SELECTFROM (rcDroppedOffDate;lastDate~ /\ contractedEndDate;(firstDate \/ Del

              (TO MAINTAIN  -((rcDroppedOffDate;lastDate~ /\ contractedEndDate;firstDate~);c
            INSERT INTO Isn{detyp=Integer}
             SELECTFROM rentalExcessPeriod~;(rcDroppedOffDate;lastDate~ /\ contractedEndDa

              (TO MAINTAIN  -(rentalExcessPeriod~;(rcDroppedOffDate;lastDate~ /\ contractedE
            INSERT INTO Isn{detyp=DateDifference}
             SELECTFROM (lastDate;lastDate~ /\ firstDate;(firstDate \/ Delta)~ /\ -I[DateD

              (TO MAINTAIN  -(lastDate;lastDate~ /\ firstDate;firstDate~) \/ I[DateDifferenc
            INSERT INTO Isn{detyp=Date}
             SELECTFROM ((firstDate \/ Delta)~;firstDate /\ -I[Date]) \/ ((firstDate \/ De

              (TO MAINTAIN  -(firstDate~;firstDate) \/ I[Date] FROM UNI firstDate::DateDiffe
            INSERT INTO Isn{detyp=DateDifference}
             SELECTFROM (Delta;Delta~ /\ I[DateDifference]) - I[DateDifference]

            INSERT INTO Isn{detyp=Date}
```

354

```
                    SELECTFROM (Delta~;Delta /\ I[Date]) - I[Date]

        (MAINTAINING -((rcDroppedOffDate;lastDate~ /\ contractedEndDate;firstDate~);computedN
        (MAINTAINING -((rcDroppedOffDate;lastDate~ /\ contractedEndDate;firstDate~);computedN
        (MAINTAINING -(lastDate;lastDate~ /\ firstDate;firstDate~) \/ I[DateDifference] FROM
        (MAINTAINING -(firstDate~;firstDate) \/ I[Date] FROM UNI firstDate::DateDifference*Da
        (MAINTAINING -I[DateDifference] \/ firstDate;firstDate~ FROM TOT firstDate::DateDiffe

<------End Derivation --


        ON DELETE Delta FROM firstDate[DateDifference*Date] EXECUTE    -- (ECA rule 104)
        ONE OF DELETE FROM rcDroppedOffDate[RentalCase*Date]
              SELECTFROM (-((contractedEndDate;(firstDate /\ -Delta)~ /\ rcDroppedOffDa

              (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEndDate;co
              DELETE FROM rcDroppedOffDate[RentalCase*Date]
               SELECTFROM (-(V[RentalCase*DateDifference];((firstDate /\ -Delta);contra

              (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEndDate;co
              DELETE FROM contractedEndDate[RentalCase*Date]
               SELECTFROM (-((contractedEndDate;(firstDate /\ -Delta)~ /\ rcDroppedOffDa

              (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEndDate;co
              DELETE FROM contractedEndDate[RentalCase*Date]
               SELECTFROM (-(V[RentalCase*DateDifference];((firstDate /\ -Delta);contra

              (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEndDate;co
              DELETE FROM Isn{detyp=RentalCase}
               SELECTFROM -((contractedEndDate;(firstDate /\ -Delta)~ /\ rcDroppedOffDat

              (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEndDate;co
              DELETE FROM Isn{detyp=DateDifference}
               SELECTFROM -((firstDate /\ -Delta);(firstDate /\ -Delta)~) /\ I[DateDiff

              (TO MAINTAIN  -I[DateDifference] \/ firstDate;I[Date];firstDate~ FROM UNI
        (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEndDate;contracte
        (MAINTAINING -(firstDate~;firstDate) \/ I[Date] FROM UNI firstDate::DateDifferen
        (MAINTAINING -I[DateDifference] \/ firstDate;firstDate~ FROM TOT firstDate::Date

------ Derivation ----->


      ONE OF DELETE FROM rcDroppedOffDate[RentalCase*Date]
            SELECTFROM (-((contractedEndDate;(firstDate /\ -Delta)~ /\ rcDroppedOffDate;l

            (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEndDate;contra
            DELETE FROM rcDroppedOffDate[RentalCase*Date]
             SELECTFROM (-(V[RentalCase*DateDifference];((firstDate /\ -Delta);contractedE

                              355
```

```
        (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEndDate;contra
        DELETE FROM contractedEndDate[RentalCase*Date]
         SELECTFROM (-((contractedEndDate;(firstDate /\ -Delta)~ /\ rcDroppedOffDate;l

        (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEndDate;contra
        DELETE FROM contractedEndDate[RentalCase*Date]
         SELECTFROM (-(V[RentalCase*DateDifference];((firstDate /\ -Delta);contractedE

        (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEndDate;contra
        DELETE FROM Isn{detyp=RentalCase}
         SELECTFROM -((contractedEndDate;(firstDate /\ -Delta)~ /\ rcDroppedOffDate;la

        (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEndDate;contra
        DELETE FROM Isn{detyp=DateDifference}
         SELECTFROM -((firstDate /\ -Delta);(firstDate /\ -Delta)~) /\ I[DateDifferenc

        (TO MAINTAIN  -I[DateDifference] \/ firstDate;I[Date];firstDate~ FROM UNI firs
    (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEndDate;contractedEndD
    (MAINTAINING -(firstDate~;firstDate) \/ I[Date] FROM UNI firstDate::DateDifference*Da
    (MAINTAINING -I[DateDifference] \/ firstDate;firstDate~ FROM TOT firstDate::DateDiffe

<------End Derivation --


        ON INSERT Delta IN lastDate[DateDifference*Date] EXECUTE    -- (ECA rule 105)
        ONE OF INSERT INTO rentalExcessPeriod[RentalCase*Integer]
            SELECTFROM (rcDroppedOffDate;(lastDate \/ Delta)~ /\ contractedEndDate;f

            (TO MAINTAIN  -((rcDroppedOffDate;lastDate~ /\ contractedEndDate;firstDat
            INSERT INTO Isn{detyp=Integer}
             SELECTFROM rentalExcessPeriod~;(rcDroppedOffDate;(lastDate \/ Delta)~ /\

            (TO MAINTAIN  -(rentalExcessPeriod~;(rcDroppedOffDate;lastDate~ /\ contra
            INSERT INTO Isn{detyp=DateDifference}
             SELECTFROM (lastDate;(lastDate \/ Delta)~ /\ firstDate;firstDate~ /\ -I[

            (TO MAINTAIN  -(lastDate;lastDate~ /\ firstDate;firstDate~) \/ I[DateDiff
            INSERT INTO Isn{detyp=Date}
             SELECTFROM ((lastDate \/ Delta)~;lastDate /\ -I[Date]) \/ ((lastDate \/ 

            (TO MAINTAIN  -(lastDate~;lastDate) \/ I[Date] FROM UNI lastDate::DateDif
            INSERT INTO Isn{detyp=DateDifference}
             SELECTFROM (Delta;Delta~ /\ I[DateDifference]) - I[DateDifference]

            INSERT INTO Isn{detyp=Date}
             SELECTFROM (Delta~;Delta /\ I[Date]) - I[Date]

        (MAINTAINING -((rcDroppedOffDate;lastDate~ /\ contractedEndDate;firstDate~);compu
```

```
                    (MAINTAINING -((rcDroppedOffDate;lastDate~ /\ contractedEndDate;firstDate~);comp
                    (MAINTAINING -(lastDate;lastDate~ /\ firstDate;firstDate~) \/ I[DateDifference]
                    (MAINTAINING -(lastDate~;lastDate) \/ I[Date] FROM UNI lastDate::DateDifference*
                    (MAINTAINING -I[DateDifference] \/ lastDate;lastDate~ FROM TOT lastDate::DateDif

    ----- Derivation ----->


        ONE OF INSERT INTO rentalExcessPeriod[RentalCase*Integer]
                SELECTFROM (rcDroppedOffDate;(lastDate \/ Delta)~ /\ contractedEndDate;firstD

                (TO MAINTAIN  -((rcDroppedOffDate;lastDate~ /\ contractedEndDate;firstDate~);c
                INSERT INTO Isn{detyp=Integer}
                 SELECTFROM rentalExcessPeriod~;(rcDroppedOffDate;(lastDate \/ Delta)~ /\ cont

                (TO MAINTAIN  -(rentalExcessPeriod~;(rcDroppedOffDate;lastDate~ /\ contractedE
                INSERT INTO Isn{detyp=DateDifference}
                 SELECTFROM (lastDate;(lastDate \/ Delta)~ /\ firstDate;firstDate~ /\ -I[DateD

                (TO MAINTAIN  -(lastDate;lastDate~ /\ firstDate;firstDate~) \/ I[DateDifferenc
                INSERT INTO Isn{detyp=Date}
                 SELECTFROM ((lastDate \/ Delta)~;lastDate /\ -I[Date]) \/ ((lastDate \/ Delta

                (TO MAINTAIN  -(lastDate~;lastDate) \/ I[Date] FROM UNI lastDate::DateDifferen
                INSERT INTO Isn{detyp=DateDifference}
                 SELECTFROM (Delta;Delta~ /\ I[DateDifference]) - I[DateDifference]

                INSERT INTO Isn{detyp=Date}
                 SELECTFROM (Delta~;Delta /\ I[Date]) - I[Date]

        (MAINTAINING -((rcDroppedOffDate;lastDate~ /\ contractedEndDate;firstDate~);computedN
        (MAINTAINING -((rcDroppedOffDate;lastDate~ /\ contractedEndDate;firstDate~);computedN
        (MAINTAINING -(lastDate;lastDate~ /\ firstDate;firstDate~) \/ I[DateDifference] FROM
        (MAINTAINING -(lastDate~;lastDate) \/ I[Date] FROM UNI lastDate::DateDifference*Date)
        (MAINTAINING -I[DateDifference] \/ lastDate;lastDate~ FROM TOT lastDate::DateDifferen

    <------End Derivation --


            ON DELETE Delta FROM lastDate[DateDifference*Date] EXECUTE     -- (ECA rule 106)
            ONE OF DELETE FROM rcDroppedOffDate[RentalCase*Date]
                    SELECTFROM (-((contractedEndDate;firstDate~ /\ rcDroppedOffDate;(lastDate

                    (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEndDate;co
                    DELETE FROM rcDroppedOffDate[RentalCase*Date]
                     SELECTFROM (-(V[RentalCase*DateDifference];(firstDate;contractedEndDate~

                    (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEndDate;co
                    DELETE FROM contractedEndDate[RentalCase*Date]

                                    357
```

```
                    SELECTFROM (-((contractedEndDate;firstDate~ /\ rcDroppedOffDate;(lastDate

            (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEndDate;co
            DELETE FROM contractedEndDate[RentalCase*Date]
             SELECTFROM (-(V[RentalCase*DateDifference];(firstDate;contractedEndDate~

            (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEndDate;co
            DELETE FROM Isn{detyp=RentalCase}
             SELECTFROM -((contractedEndDate;firstDate~ /\ rcDroppedOffDate;(lastDate

            (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEndDate;co
            DELETE FROM Isn{detyp=DateDifference}
             SELECTFROM -((lastDate /\ -Delta);(lastDate /\ -Delta)~) /\ I[DateDiffere

            (TO MAINTAIN  -I[DateDifference] \/ lastDate;I[Date];lastDate~ FROM UNI la
        (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEndDate;contracte
        (MAINTAINING -(lastDate~;lastDate) \/ I[Date] FROM UNI lastDate::DateDifference*
        (MAINTAINING -I[DateDifference] \/ lastDate;lastDate~ FROM TOT lastDate::DateDif
```

------ Derivation ----->

```
     ONE OF DELETE FROM rcDroppedOffDate[RentalCase*Date]
            SELECTFROM (-((contractedEndDate;firstDate~ /\ rcDroppedOffDate;(lastDate /\

            (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEndDate;contra
            DELETE FROM rcDroppedOffDate[RentalCase*Date]
             SELECTFROM (-(V[RentalCase*DateDifference];(firstDate;contractedEndDate~ /\ (

            (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEndDate;contra
            DELETE FROM contractedEndDate[RentalCase*Date]
             SELECTFROM (-((contractedEndDate;firstDate~ /\ rcDroppedOffDate;(lastDate /\

            (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEndDate;contra
            DELETE FROM contractedEndDate[RentalCase*Date]
             SELECTFROM (-(V[RentalCase*DateDifference];(firstDate;contractedEndDate~ /\ (

            (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEndDate;contra
            DELETE FROM Isn{detyp=RentalCase}
             SELECTFROM -((contractedEndDate;firstDate~ /\ rcDroppedOffDate;(lastDate /\ -

            (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEndDate;contra
            DELETE FROM Isn{detyp=DateDifference}
             SELECTFROM -((lastDate /\ -Delta);(lastDate /\ -Delta)~) /\ I[DateDifference]

            (TO MAINTAIN  -I[DateDifference] \/ lastDate;I[Date];lastDate~ FROM UNI lastDa
        (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEndDate;contractedEndD
        (MAINTAINING -(lastDate~;lastDate) \/ I[Date] FROM UNI lastDate::DateDifference*Date)
        (MAINTAINING -I[DateDifference] \/ lastDate;lastDate~ FROM TOT lastDate::DateDifferen
```

358

<------End Derivation --

```
ON INSERT Delta IN computedNrOfExcessDays[DateDifference*Integer] EXECUTE    --
ONE OF INSERT INTO rentalExcessPeriod[RentalCase*Integer]
         SELECTFROM ((rcDroppedOffDate;lastDate~ /\ contractedEndDate;firstDate~)

        (TO MAINTAIN  -((rcDroppedOffDate;lastDate~ /\ contractedEndDate;firstDate
        INSERT INTO Isn{detyp=Integer}
         SELECTFROM (rentalExcessPeriod~;(rcDroppedOffDate;lastDate~ /\ contracte

        (TO MAINTAIN  -(rentalExcessPeriod~;(rcDroppedOffDate;lastDate~ /\ contra
        INSERT INTO Isn{detyp=Integer}
         SELECTFROM ((computedNrOfExcessDays \/ Delta)~;computedNrOfExcessDays /\

        (TO MAINTAIN  -(computedNrOfExcessDays~;I[DateDifference];computedNrOfExc
        INSERT INTO Isn{detyp=DateDifference}
         SELECTFROM (Delta;Delta~ /\ I[DateDifference]) - I[DateDifference]

        INSERT INTO Isn{detyp=Integer}
         SELECTFROM (Delta~;Delta /\ I[Integer]) - I[Integer]

    (MAINTAINING -((rcDroppedOffDate;lastDate~ /\ contractedEndDate;firstDate~);comp
    (MAINTAINING -((rcDroppedOffDate;lastDate~ /\ contractedEndDate;firstDate~);comp
    (MAINTAINING -I[DateDifference] \/ computedNrOfExcessDays;computedNrOfExcessDays
    (MAINTAINING -(computedNrOfExcessDays~;computedNrOfExcessDays) \/ I[Integer] FRO
```

------ Derivation ----->

```
ONE OF INSERT INTO rentalExcessPeriod[RentalCase*Integer]
         SELECTFROM ((rcDroppedOffDate;lastDate~ /\ contractedEndDate;firstDate~);comp

        (TO MAINTAIN  -((rcDroppedOffDate;lastDate~ /\ contractedEndDate;firstDate~);c
        INSERT INTO Isn{detyp=Integer}
         SELECTFROM (rentalExcessPeriod~;(rcDroppedOffDate;lastDate~ /\ contractedEndD

        (TO MAINTAIN  -(rentalExcessPeriod~;(rcDroppedOffDate;lastDate~ /\ contractedE
        INSERT INTO Isn{detyp=Integer}
         SELECTFROM ((computedNrOfExcessDays \/ Delta)~;computedNrOfExcessDays /\ -I[I

        (TO MAINTAIN  -(computedNrOfExcessDays~;I[DateDifference];computedNrOfExcessDa
        INSERT INTO Isn{detyp=DateDifference}
         SELECTFROM (Delta;Delta~ /\ I[DateDifference]) - I[DateDifference]

        INSERT INTO Isn{detyp=Integer}
         SELECTFROM (Delta~;Delta /\ I[Integer]) - I[Integer]

    (MAINTAINING -((rcDroppedOffDate;lastDate~ /\ contractedEndDate;firstDate~);computedN
```

```
        (MAINTAINING -((rcDroppedOffDate;lastDate~ /\ contractedEndDate;firstDate~);computedN
        (MAINTAINING -I[DateDifference] \/ computedNrOfExcessDays;computedNrOfExcessDays~ FRO
        (MAINTAINING -(computedNrOfExcessDays~;computedNrOfExcessDays) \/ I[Integer] FROM UNI
```

<------End Derivation --

```
            ON DELETE Delta FROM computedNrOfExcessDays[DateDifference*Integer] EXECUTE    -
            DELETE FROM Isn{detyp=DateDifference}
             SELECTFROM -((computedNrOfExcessDays /\ -Delta);(computedNrOfExcessDays /\ -Del

            (TO MAINTAIN  -I[DateDifference] \/ computedNrOfExcessDays;computedNrOfExcessDay
```

------ Derivation ----->

```
        DELETE FROM Isn{detyp=DateDifference}
         SELECTFROM -((computedNrOfExcessDays /\ -Delta);(computedNrOfExcessDays /\ -Delta)~)

        (TO MAINTAIN  -I[DateDifference] \/ computedNrOfExcessDays;computedNrOfExcessDays~ FR
```

<------End Derivation --

```
            ON INSERT Delta IN distbranch[DistanceBetweenLocations*Branch] EXECUTE    -- (EC
            ALL of INSERT INTO rentalLocationPenaltyCharge[RentalCase*Amount]
                    SELECTFROM (rcDroppedOffBranch;(distbranch \/ Delta)~ /\ contractedDropof

                    (TO MAINTAIN  -((rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranc
                    INSERT INTO Isn{detyp=Amount}
                     SELECTFROM rentalLocationPenaltyCharge~;(rcDroppedOffBranch;(distbranch
 
                    (TO MAINTAIN  -(rentalLocationPenaltyCharge~;(rcDroppedOffBranch;distbran
                    ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (rcDroppedOffBranch;(dis
                                THEN INSERT INTO rentalLocationPenaltyCharge[RentalCase*Amou
                                    SELECTFROM 'a'[RentalCase]*'b'[Amount]

                                    (TO MAINTAIN  -(rcDroppedOffBranch;distbranch~ /\ cont
                                PICK a,b FROM rentalLocationPenaltyCharge~;(rcDroppedOffBra
                                THEN INSERT INTO computedLocationPenaltyCharge[DistanceBetw
                                    SELECTFROM 'b'[DistanceBetweenLocations]*'a'[Amount]

                                    (TO MAINTAIN  -(rcDroppedOffBranch;distbranch~ /\ cont
                            (MAINTAINING -(rcDroppedOffBranch;distbranch~ /\ contractedDropoff
                            NEW x:Amount;
                              ALL of INSERT INTO rentalLocationPenaltyCharge[RentalCase*Amount
                                    SELECTFROM (rcDroppedOffBranch;(distbranch \/ Delta)~ /\
```

```
                              (TO MAINTAIN  -(rcDroppedOffBranch;distbranch~ /\ contrac
                              INSERT INTO computedLocationPenaltyCharge[DistanceBetween
                               SELECTFROM ((distbranch \/ Delta);rcDroppedOffBranch~ /\

                              (TO MAINTAIN  -(rcDroppedOffBranch;distbranch~ /\ contrac
                     (MAINTAINING -(rcDroppedOffBranch;distbranch~ /\ contractedDropo
                    (MAINTAINING -(rcDroppedOffBranch;distbranch~ /\ contractedDropoff
             (MAINTAINING -(rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch;
             INSERT INTO Isn{detyp=DistanceBetweenLocations}
              SELECTFROM (Delta;Delta~ /\ I[DistanceBetweenLocations]) - I[DistanceBetw

             INSERT INTO Isn{detyp=Branch}
              SELECTFROM (Delta~;Delta /\ I[Branch]) - I[Branch]

         (MAINTAINING -((rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch;distbr
         (MAINTAINING -((rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch;distbr
         (MAINTAINING -((rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch;distbr

------ Derivation ----->


         ALL of INSERT INTO rentalLocationPenaltyCharge[RentalCase*Amount]
               SELECTFROM (rcDroppedOffBranch;(distbranch \/ Delta)~ /\ contractedDropoffBra

              (TO MAINTAIN  -((rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch;dis
              INSERT INTO Isn{detyp=Amount}
               SELECTFROM rentalLocationPenaltyCharge~;(rcDroppedOffBranch;(distbranch \/ De

              (TO MAINTAIN  -(rentalLocationPenaltyCharge~;(rcDroppedOffBranch;distbranch~ /
              ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (rcDroppedOffBranch;(distbran
                        THEN INSERT INTO rentalLocationPenaltyCharge[RentalCase*Amount]
                             SELECTFROM 'a'[RentalCase]*'b'[Amount]

                             (TO MAINTAIN  -(rcDroppedOffBranch;distbranch~ /\ contracte
                        PICK a,b FROM rentalLocationPenaltyCharge~;(rcDroppedOffBranch;(
                        THEN INSERT INTO computedLocationPenaltyCharge[DistanceBetweenLo
                             SELECTFROM 'b'[DistanceBetweenLocations]*'a'[Amount]

                             (TO MAINTAIN  -(rcDroppedOffBranch;distbranch~ /\ contracte
                     (MAINTAINING -(rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranc
                    NEW x:Amount;
                      ALL of INSERT INTO rentalLocationPenaltyCharge[RentalCase*Amount]
                             SELECTFROM (rcDroppedOffBranch;(distbranch \/ Delta)~ /\ cont

                            (TO MAINTAIN  -(rcDroppedOffBranch;distbranch~ /\ contractedDr
                             INSERT INTO computedLocationPenaltyCharge[DistanceBetweenLocat
                              SELECTFROM ((distbranch \/ Delta);rcDroppedOffBranch~ /\ (dis

                            (TO MAINTAIN  -(rcDroppedOffBranch;distbranch~ /\ contractedDr
```

361

```
                          (MAINTAINING -(rcDroppedOffBranch;distbranch~ /\ contractedDropoffBra
                    (MAINTAINING -(rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranc
            (MAINTAINING -(rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch;distb
            INSERT INTO Isn{detyp=DistanceBetweenLocations}
             SELECTFROM (Delta;Delta~ /\ I[DistanceBetweenLocations]) - I[DistanceBetweenL

            INSERT INTO Isn{detyp=Branch}
             SELECTFROM (Delta~;Delta /\ I[Branch]) - I[Branch]

     (MAINTAINING -((rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch;distbranch~
     (MAINTAINING -((rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch;distbranch~
     (MAINTAINING -((rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch;distbranch~
```

<------End Derivation --

```
        ON DELETE Delta FROM distbranch[DistanceBetweenLocations*Branch] EXECUTE    -- (
        BLOCK
        (CANNOT CHANGE V[Branch*Branch] FROM Completeness of distance table)
```

------ Derivation ----->

```
     BLOCK
     (CANNOT CHANGE V[Branch*Branch] FROM Completeness of distance table)
```

<------End Derivation --

```
        ON INSERT Delta IN distance[DistanceBetweenLocations*Distance] EXECUTE    -- (EC
        ONE OF INSERT INTO Isn{detyp=Distance}
               SELECTFROM ((distance \/ Delta)~;distance /\ -I[Distance]) \/ ((distance

               (TO MAINTAIN  -(distance~;distance) \/ I[Distance] FROM UNI distance::Dis
               INSERT INTO Isn{detyp=DistanceBetweenLocations}
                SELECTFROM (Delta;Delta~ /\ I[DistanceBetweenLocations]) - I[DistanceBet

               INSERT INTO Isn{detyp=Distance}
                SELECTFROM (Delta~;Delta /\ I[Distance]) - I[Distance]

        (MAINTAINING -(distance~;distance) \/ I[Distance] FROM UNI distance::DistanceBet
        (MAINTAINING -I[DistanceBetweenLocations] \/ distance;distance~ FROM TOT distance
```

------ Derivation ----->

```
     ONE OF INSERT INTO Isn{detyp=Distance}
            SELECTFROM ((distance \/ Delta)~;distance /\ -I[Distance]) \/ ((distance \/ D
```

```
                    (TO MAINTAIN  -(distance~;distance) \/ I[Distance] FROM UNI distance::Distance
                 INSERT INTO Isn{detyp=DistanceBetweenLocations}
                  SELECTFROM (Delta;Delta~ /\ I[DistanceBetweenLocations]) - I[DistanceBetweenL

                 INSERT INTO Isn{detyp=Distance}
                  SELECTFROM (Delta~;Delta /\ I[Distance]) - I[Distance]

       (MAINTAINING -(distance~;distance) \/ I[Distance] FROM UNI distance::DistanceBetweenL
       (MAINTAINING -I[DistanceBetweenLocations] \/ distance;distance~ FROM TOT distance::Di


<-----End Derivation --


              ON DELETE Delta FROM distance[DistanceBetweenLocations*Distance] EXECUTE    -- (
              DELETE FROM Isn{detyp=DistanceBetweenLocations}
               SELECTFROM -((distance /\ -Delta);(distance /\ -Delta)~) /\ I[DistanceBetweenLo

              (TO MAINTAIN  -(distance~;distance) \/ I[Distance] FROM UNI distance::DistanceBe
              (TO MAINTAIN  -I[DistanceBetweenLocations] \/ distance;distance~ FROM TOT distanc


------ Derivation ----->


        DELETE FROM Isn{detyp=DistanceBetweenLocations}
         SELECTFROM -((distance /\ -Delta);(distance /\ -Delta)~) /\ I[DistanceBetweenLocatio

       (TO MAINTAIN  -(distance~;distance) \/ I[Distance] FROM UNI distance::DistanceBetween
       (TO MAINTAIN  -I[DistanceBetweenLocations] \/ distance;distance~ FROM TOT distance::D


<-----End Derivation --


              ON INSERT Delta IN projectedRentalPeriod[RentalCase*Integer] EXECUTE    -- (ECA
              ALL of INSERT INTO Isn{detyp=Integer}
                      SELECTFROM ((projectedRentalPeriod \/ Delta)~;(contractedStartDate;earli

                     (TO MAINTAIN  -(projectedRentalPeriod~;(contractedStartDate;earliestDate~
                     (TO MAINTAIN  -(projectedRentalPeriod~;projectedRentalPeriod) \/ I[Intege
                     INSERT INTO projectedBasicCharge[RentalCase*Amount]
                      SELECTFROM ((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;ren

                     (TO MAINTAIN  -((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;
                     INSERT INTO Isn{detyp=Amount}
                      SELECTFROM (projectedBasicCharge~;(projectedRentalPeriod;ctcNrOfDays~ /\

                     (TO MAINTAIN  -(projectedBasicCharge~;(projectedRentalPeriod;ctcNrOfDays~
                     INSERT INTO Isn{detyp=RentalCase}
```

```
SELECTFROM (Delta;Delta~ /\ I[RentalCase]) - I[RentalCase]

ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((contractedCarType;contractedC
        THEN ALL of ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
                            THEN INSERT INTO projectedRentalPeriod[R
                                SELECTFROM 'a'[RentalCase]*'b'[Int

                            (TO MAINTAIN  -(contractedCarType;c
                        PICK a,b FROM projectedRentalPeriod~;('a
                        THEN INSERT INTO ctcNrOfDays[CompTariffe
                            SELECTFROM 'b'[CompTariffedCharge]

                            (TO MAINTAIN  -(contractedCarType;c
                (MAINTAINING -(contractedCarType;contractedCarT
                NEW x:Integer;
                  ALL of INSERT INTO projectedRentalPeriod[Rent
                            SELECTFROM 'a'[RentalCase]*'b'[CompTa

                            (TO MAINTAIN  -(contractedCarType;conti
                        INSERT INTO ctcNrOfDays[CompTariffedCh
                        SELECTFROM 'b'[CompTariffedCharge]*'a

                            (TO MAINTAIN  -(contractedCarType;conti
                    (MAINTAINING -(contractedCarType;contractedCa
                (MAINTAINING -(contractedCarType;contractedCarT
            (MAINTAINING -(contractedCarType;contractedCarType~ /\
            ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
                        THEN INSERT INTO contractedCarType[Renta
                            SELECTFROM 'a'[RentalCase]*'b'[Car

                            (TO MAINTAIN  -(contractedCarType;c
                        PICK a,b FROM contractedCarType~;('a'[Re
                        THEN ONE OF ONE NONEMPTY ALTERNATIVE OF
                                    THEN INSERT INTO renta
                                        SELECTFROM 'a'[

                                    (TO MAINTAIN  -(
                                PICK a,b FROM rentalT
                                THEN INSERT INTO ctcDa
                                    SELECTFROM 'b'[

                                    (TO MAINTAIN  -(
                        (MAINTAINING -(contractedCar
                        NEW x:Amount;
                          ALL of INSERT INTO rentalT
                                    SELECTFROM 'a'[Car

                                    (TO MAINTAIN  -(con
                                INSERT INTO ctcDail
                                SELECTFROM 'b'[Com

                    364
```

```
                                              (TO MAINTAIN  -(con
                                (MAINTAINING -(contractedCa
                                (MAINTAINING -(contractedCar'
                          (MAINTAINING -(contractedCarType;co
                  (MAINTAINING -(contractedCarType;contractedCarT
                NEW x:CarType;
                  ALL of INSERT INTO contractedCarType[RentalCa
                          SELECTFROM 'a'[RentalCase]*'b'[CompTa

                          (TO MAINTAIN  -(contractedCarType;conti
                          ONE OF ONE NONEMPTY ALTERNATIVE OF PIC
                                        THEN INSERT INTO rentalTa
                                            SELECTFROM 'a'[Car'

                                        (TO MAINTAIN  -(con
                                  PICK a,b FROM rentalTarin
                                  THEN INSERT INTO ctcDail
                                        SELECTFROM 'b'[Com

                                        (TO MAINTAIN  -(con
                            (MAINTAINING -(contractedCarType
                          NEW x:Amount;
                            ALL of INSERT INTO rentalTarin
                                        SELECTFROM 'x'[CarType

                                        (TO MAINTAIN  -(contra
                                  INSERT INTO ctcDailyAm
                                  SELECTFROM 'b'[CompTa

                                        (TO MAINTAIN  -(contra
                              (MAINTAINING -(contractedCarT
                            (MAINTAINING -(contractedCarType
                      (MAINTAINING -(contractedCarType;contr
                  (MAINTAINING -(contractedCarType;contractedCa
                  (MAINTAINING -(contractedCarType;contractedCarT
              (MAINTAINING -(contractedCarType;contractedCarType~ /\
          (MAINTAINING -(contractedCarType;contractedCarType~ /\ projec
          PICK a,b FROM (ctcNrOfDays;projectedRentalPeriod~ /\ ctcDailyAmoun
          THEN BLOCK
                (CANNOT CHANGE V[CompTariffedCharge*RentalCase] FROM Trigger
          (MAINTAINING -(contractedCarType;contractedCarType~ /\ projectedRentalPer
    (MAINTAINING -((contractedStartDate;earliestDate~ /\ contractedEndDate;latestDate
    (MAINTAINING -(contractedCarType;contractedCarType~ /\ projectedRentalPeriod;pro
    (MAINTAINING -((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;rentalTa
    (MAINTAINING -((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;rentalTa
    (MAINTAINING -(projectedRentalPeriod~;projectedRentalPeriod) \/ I[Integer] FROM
```

------ Derivation ----->

```
ALL of INSERT INTO Isn{detyp=Integer}
        SELECTFROM ((projectedRentalPeriod \/ Delta)~;(contractedStartDate;earliestDa

    (TO MAINTAIN  -(projectedRentalPeriod~;(contractedStartDate;earliestDate~ /\ c
    (TO MAINTAIN  -(projectedRentalPeriod~;projectedRentalPeriod) \/ I[Integer] FR
    INSERT INTO projectedBasicCharge[RentalCase*Amount]
     SELECTFROM ((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;rentalTa

    (TO MAINTAIN  -((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;renta
    INSERT INTO Isn{detyp=Amount}
     SELECTFROM (projectedBasicCharge~;(projectedRentalPeriod;ctcNrOfDays~ /\ cont

    (TO MAINTAIN  -(projectedBasicCharge~;(projectedRentalPeriod;ctcNrOfDays~ /\ c
    INSERT INTO Isn{detyp=RentalCase}
     SELECTFROM (Delta;Delta~ /\ I[RentalCase]) - I[RentalCase]

    ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((contractedCarType;contractedCarTyp
          THEN ALL of ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[Renta
                              THEN INSERT INTO projectedRentalPeriod[Rental
                                  SELECTFROM 'a'[RentalCase]*'b'[Integer]

                                  (TO MAINTAIN  -(contractedCarType;contra
                              PICK a,b FROM projectedRentalPeriod~;('a'[Ren
                              THEN INSERT INTO ctcNrOfDays[CompTariffedChar
                                  SELECTFROM 'b'[CompTariffedCharge]*'a'[

                                  (TO MAINTAIN  -(contractedCarType;contra
                      (MAINTAINING -(contractedCarType;contractedCarType~
                      NEW x:Integer;
                        ALL of INSERT INTO projectedRentalPeriod[RentalCas
                                  SELECTFROM 'a'[RentalCase]*'b'[CompTariffe

                                  (TO MAINTAIN  -(contractedCarType;contracte
                              INSERT INTO ctcNrOfDays[CompTariffedCharge*
                               SELECTFROM 'b'[CompTariffedCharge]*'a'[Ren

                                  (TO MAINTAIN  -(contractedCarType;contracte
                      (MAINTAINING -(contractedCarType;contractedCarType
                      (MAINTAINING -(contractedCarType;contractedCarType~
                  (MAINTAINING -(contractedCarType;contractedCarType~ /\ proj
                  ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[Renta
                              THEN INSERT INTO contractedCarType[RentalCase
                                  SELECTFROM 'a'[RentalCase]*'b'[CarType]

                                  (TO MAINTAIN  -(contractedCarType;contra
                              PICK a,b FROM contractedCarType~;('a'[RentalC
                              THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK
                                      THEN INSERT INTO rentalTar
                                          SELECTFROM 'a'[CarTy

                              366
```

```
                                    (TO MAINTAIN  -(contr
                        PICK a,b FROM rentalTariff
                        THEN INSERT INTO ctcDailyA
                              SELECTFROM 'b'[CompT


                                    (TO MAINTAIN  -(contr
                      (MAINTAINING -(contractedCarType;
                    NEW x:Amount;
                        ALL of INSERT INTO rentalTariff
                                SELECTFROM 'a'[CarType]


                                      (TO MAINTAIN  -(contract
                        INSERT INTO ctcDailyAmou
                        SELECTFROM 'b'[CompTari


                                      (TO MAINTAIN  -(contract
                        (MAINTAINING -(contractedCarTyp
                      (MAINTAINING -(contractedCarType;
                (MAINTAINING -(contractedCarType;contrac
      (MAINTAINING -(contractedCarType;contractedCarType~
NEW x:CarType;
    ALL of INSERT INTO contractedCarType[RentalCase*Ca
              SELECTFROM 'a'[RentalCase]*'b'[CompTariffe


              (TO MAINTAIN  -(contractedCarType;contracte
              ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b
                          THEN INSERT INTO rentalTariff
                              SELECTFROM 'a'[CarType]


                                    (TO MAINTAIN  -(contract
                        PICK a,b FROM rentalTariffPer
                        THEN INSERT INTO ctcDailyAmou
                            SELECTFROM 'b'[CompTari


                                    (TO MAINTAIN  -(contract
                        (MAINTAINING -(contractedCarType;con
                    NEW x:Amount;
                        ALL of INSERT INTO rentalTariffPer
                                SELECTFROM 'x'[CarType]*'a


                                    (TO MAINTAIN  -(contractedC
                        INSERT INTO ctcDailyAmount[
                        SELECTFROM 'b'[CompTariffe


                                    (TO MAINTAIN  -(contractedC
                      (MAINTAINING -(contractedCarType;c
                    (MAINTAINING -(contractedCarType;con
                (MAINTAINING -(contractedCarType;contracted
      (MAINTAINING -(contractedCarType;contractedCarType
```

```
                                           (MAINTAINING -(contractedCarType;contractedCarType~
                              (MAINTAINING -(contractedCarType;contractedCarType~ /\ proj
                     (MAINTAINING -(contractedCarType;contractedCarType~ /\ projectedRe
              PICK a,b FROM (ctcNrOfDays;projectedRentalPeriod~ /\ ctcDailyAmount;ren
              THEN BLOCK
                        (CANNOT CHANGE V[CompTariffedCharge*RentalCase] FROM Trigger proje
            (MAINTAINING -(contractedCarType;contractedCarType~ /\ projectedRentalPeriod;p
     (MAINTAINING -((contractedStartDate;earliestDate~ /\ contractedEndDate;latestDate~);c
     (MAINTAINING -(contractedCarType;contractedCarType~ /\ projectedRentalPeriod;projecte
     (MAINTAINING -((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;rentalTariffP
     (MAINTAINING -((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;rentalTariffP
     (MAINTAINING -(projectedRentalPeriod~;projectedRentalPeriod) \/ I[Integer] FROM UNI p

     <------End Derivation --


            ON DELETE Delta FROM projectedRentalPeriod[RentalCase*Integer] EXECUTE    -- (EC
            ALL of ONE OF DELETE FROM contractedStartDate[RentalCase*Date]
                          SELECTFROM ((-projectedRentalPeriod /\ (contractedStartDate;earli

                          (TO MAINTAIN  -((contractedStartDate;earliestDate~ /\ contractedEn
                          DELETE FROM earliestDate[DateDifferencePlusOne*Date]
                           SELECTFROM computedRentalPeriod;((-projectedRentalPeriod~ /\ comp

                          (TO MAINTAIN  -((contractedStartDate;earliestDate~ /\ contractedEn
                          DELETE FROM contractedEndDate[RentalCase*Date]
                           SELECTFROM ((-projectedRentalPeriod /\ (contractedStartDate;earli

                          (TO MAINTAIN  -((contractedStartDate;earliestDate~ /\ contractedEn
                          DELETE FROM latestDate[DateDifferencePlusOne*Date]
                           SELECTFROM computedRentalPeriod;((-projectedRentalPeriod~ /\ comp

                          (TO MAINTAIN  -((contractedStartDate;earliestDate~ /\ contractedEn
                          DELETE FROM computedRentalPeriod[DateDifferencePlusOne*Integer]
                           SELECTFROM (earliestDate;contractedStartDate~ /\ latestDate;contra

                          (TO MAINTAIN  -((contractedStartDate;earliestDate~ /\ contractedEn
                   (MAINTAINING -((contractedStartDate;earliestDate~ /\ contractedEndDate;la
            ONE OF DELETE FROM contractedCarType[RentalCase*CarType]
                          SELECTFROM (-(((projectedRentalPeriod /\ -Delta);ctcNrOfDays~ /\ 

                          (TO MAINTAIN  -(contractedCarType;contractedCarType~ /\ projectedR
                          DELETE FROM contractedCarType[RentalCase*CarType]
                           SELECTFROM (-(V[RentalCase*CompTariffedCharge];(ctcNrOfDays;(proj

                          (TO MAINTAIN  -(contractedCarType;contractedCarType~ /\ projectedR
                          DELETE FROM projectedRentalPeriod[RentalCase*Integer]
                           SELECTFROM (-(((projectedRentalPeriod /\ -Delta);ctcNrOfDays~ /\ 


                                         368
```

```
                        (TO MAINTAIN  -(contractedCarType;contractedCarType~ /\ projectedR
                    DELETE FROM projectedRentalPeriod[RentalCase*Integer]
                     SELECTFROM (-(V[RentalCase*CompTariffedCharge];(ctcNrOfDays;(proj

                        (TO MAINTAIN  -(contractedCarType;contractedCarType~ /\ projectedR
                    DELETE FROM Isn{detyp=RentalCase}
                     SELECTFROM -(((projectedRentalPeriod /\ -Delta);ctcNrOfDays~ /\ c

                        (TO MAINTAIN  -(contractedCarType;contractedCarType~ /\ projectedR
             (MAINTAINING -(contractedCarType;contractedCarType~ /\ projectedRentalPer
        (MAINTAINING -((contractedStartDate;earliestDate~ /\ contractedEndDate;latestDat
        (MAINTAINING -(contractedCarType;contractedCarType~ /\ projectedRentalPeriod;pro
```

------ Derivation ----->

```
     ALL of ONE OF DELETE FROM contractedStartDate[RentalCase*Date]
                    SELECTFROM ((-projectedRentalPeriod /\ (contractedStartDate;earliestDa

                   (TO MAINTAIN  -((contractedStartDate;earliestDate~ /\ contractedEndDate
                   DELETE FROM earliestDate[DateDifferencePlusOne*Date]
                    SELECTFROM computedRentalPeriod;((-projectedRentalPeriod~ /\ computedR

                   (TO MAINTAIN  -((contractedStartDate;earliestDate~ /\ contractedEndDate
                   DELETE FROM contractedEndDate[RentalCase*Date]
                    SELECTFROM ((-projectedRentalPeriod /\ (contractedStartDate;earliestDa

                   (TO MAINTAIN  -((contractedStartDate;earliestDate~ /\ contractedEndDate
                   DELETE FROM latestDate[DateDifferencePlusOne*Date]
                    SELECTFROM computedRentalPeriod;((-projectedRentalPeriod~ /\ computedR

                   (TO MAINTAIN  -((contractedStartDate;earliestDate~ /\ contractedEndDate
                   DELETE FROM computedRentalPeriod[DateDifferencePlusOne*Integer]
                    SELECTFROM (earliestDate;contractedStartDate~ /\ latestDate;contracted

                   (TO MAINTAIN  -((contractedStartDate;earliestDate~ /\ contractedEndDate
            (MAINTAINING -((contractedStartDate;earliestDate~ /\ contractedEndDate;latestD
           ONE OF DELETE FROM contractedCarType[RentalCase*CarType]
                    SELECTFROM (-(((projectedRentalPeriod /\ -Delta);ctcNrOfDays~ /\ contr

                   (TO MAINTAIN  -(contractedCarType;contractedCarType~ /\ projectedRental
                   DELETE FROM contractedCarType[RentalCase*CarType]
                    SELECTFROM (-(V[RentalCase*CompTariffedCharge];(ctcNrOfDays;(projected

                   (TO MAINTAIN  -(contractedCarType;contractedCarType~ /\ projectedRental
                   DELETE FROM projectedRentalPeriod[RentalCase*Integer]
                    SELECTFROM (-(((projectedRentalPeriod /\ -Delta);ctcNrOfDays~ /\ contr

                   (TO MAINTAIN  -(contractedCarType;contractedCarType~ /\ projectedRental
```

369

```
                    DELETE FROM projectedRentalPeriod[RentalCase*Integer]
                     SELECTFROM (-(V[RentalCase*CompTariffedCharge];(ctcNrOfDays;(projected

                    (TO MAINTAIN  -(contractedCarType;contractedCarType~ /\ projectedRental
                    DELETE FROM Isn{detyp=RentalCase}
                     SELECTFROM -(((projectedRentalPeriod /\ -Delta);ctcNrOfDays~ /\ contra

                    (TO MAINTAIN  -(contractedCarType;contractedCarType~ /\ projectedRental
          (MAINTAINING -(contractedCarType;contractedCarType~ /\ projectedRentalPeriod;p
    (MAINTAINING -((contractedStartDate;earliestDate~ /\ contractedEndDate;latestDate~);c
    (MAINTAINING -(contractedCarType;contractedCarType~ /\ projectedRentalPeriod;projecte


<------End Derivation --


            ON INSERT Delta IN projectedBasicCharge[RentalCase*Amount] EXECUTE     -- (ECA ru
            ALL of INSERT INTO Isn{detyp=Amount}
                     SELECTFROM ((projectedBasicCharge \/ Delta)~;(projectedRentalPeriod;ctcN

                    (TO MAINTAIN  -(projectedBasicCharge~;(projectedRentalPeriod;ctcNrOfDays~
                    (TO MAINTAIN  -(projectedBasicCharge~;projectedBasicCharge) \/ I[Amount]
                    INSERT INTO Isn{detyp=RentalCase}
                     SELECTFROM (Delta;Delta~ /\ I[RentalCase]) - I[RentalCase]

            (MAINTAINING -((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;rentalTa
            (MAINTAINING -(projectedBasicCharge~;projectedBasicCharge) \/ I[Amount] FROM UNI


------ Derivation ----->


        ALL of INSERT INTO Isn{detyp=Amount}
                 SELECTFROM ((projectedBasicCharge \/ Delta)~;(projectedRentalPeriod;ctcNrOfDa

                (TO MAINTAIN  -(projectedBasicCharge~;(projectedRentalPeriod;ctcNrOfDays~ /\ c
                (TO MAINTAIN  -(projectedBasicCharge~;projectedBasicCharge) \/ I[Amount] FROM
                INSERT INTO Isn{detyp=RentalCase}
                 SELECTFROM (Delta;Delta~ /\ I[RentalCase]) - I[RentalCase]

        (MAINTAINING -((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;rentalTariffP
        (MAINTAINING -(projectedBasicCharge~;projectedBasicCharge) \/ I[Amount] FROM UNI proj


<------End Derivation --


            ON DELETE Delta FROM projectedBasicCharge[RentalCase*Amount] EXECUTE     -- (ECA
            ONE OF DELETE FROM projectedRentalPeriod[RentalCase*Integer]
                     SELECTFROM ((-projectedBasicCharge /\ (projectedRentalPeriod;ctcNrOfDays
```

```
                        (TO MAINTAIN  -((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;
                        DELETE FROM ctcNrOfDays[CompTariffedCharge*Integer]
                         SELECTFROM computedTariffedCharge;((-projectedBasicCharge~ /\ computedTa

                        (TO MAINTAIN  -((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;
                        DELETE FROM contractedCarType[RentalCase*CarType]
                         SELECTFROM ((-projectedBasicCharge /\ (projectedRentalPeriod;ctcNrOfDays

                        (TO MAINTAIN  -((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;
                        DELETE FROM rentalTariffPerDay[CarType*Amount]
                         SELECTFROM contractedCarType~;((-projectedBasicCharge /\ (projectedRental

                        (TO MAINTAIN  -((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;
                        DELETE FROM ctcDailyAmount[CompTariffedCharge*Amount]
                         SELECTFROM computedTariffedCharge;((-projectedBasicCharge~ /\ computedTa

                        (TO MAINTAIN  -((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;
                        DELETE FROM computedTariffedCharge[CompTariffedCharge*Amount]
                         SELECTFROM (ctcNrOfDays;projectedRentalPeriod~ /\ ctcDailyAmount;rentalTa

                        (TO MAINTAIN  -((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;
              (MAINTAINING -((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;rentalTa


------ Derivation ----->


        ONE OF DELETE FROM projectedRentalPeriod[RentalCase*Integer]
               SELECTFROM ((-projectedBasicCharge /\ (projectedRentalPeriod;ctcNrOfDays~ /\

               (TO MAINTAIN  -((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;renta
               DELETE FROM ctcNrOfDays[CompTariffedCharge*Integer]
                SELECTFROM computedTariffedCharge;((-projectedBasicCharge~ /\ computedTariffe

               (TO MAINTAIN  -((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;renta
               DELETE FROM contractedCarType[RentalCase*CarType]
                SELECTFROM ((-projectedBasicCharge /\ (projectedRentalPeriod;ctcNrOfDays~ /\

               (TO MAINTAIN  -((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;renta
               DELETE FROM rentalTariffPerDay[CarType*Amount]
                SELECTFROM contractedCarType~;((-projectedBasicCharge /\ (projectedRentalPeri

               (TO MAINTAIN  -((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;renta
               DELETE FROM ctcDailyAmount[CompTariffedCharge*Amount]
                SELECTFROM computedTariffedCharge;((-projectedBasicCharge~ /\ computedTariffe

               (TO MAINTAIN  -((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;renta
               DELETE FROM computedTariffedCharge[CompTariffedCharge*Amount]
                SELECTFROM (ctcNrOfDays;projectedRentalPeriod~ /\ ctcDailyAmount;rentalTariff
```

(TO MAINTAIN  -((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;renta
        (MAINTAINING -((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;rentalTariffP


<------End Derivation --


            ON INSERT Delta IN sessionUser[SESSION*Person] EXECUTE    -- (ECA rule 117)
            ALL of INSERT INTO Isn{detyp=Person}
                    SELECTFROM ((sessionUser \/ Delta)~;sessionUser /\ -I[Person]) \/ ((sess

                    (TO MAINTAIN  -(sessionUser~;sessionUser) \/ I[Person] FROM UNI sessionUs
                    INSERT INTO Isn{detyp=SESSION}
                     SELECTFROM (Delta;Delta~ /\ I[SESSION]) - I[SESSION]

            (MAINTAINING -(sessionUser~;sessionUser) \/ I[Person] FROM UNI sessionUser::SESS


------ Derivation ----->


        ALL of INSERT INTO Isn{detyp=Person}
                SELECTFROM ((sessionUser \/ Delta)~;sessionUser /\ -I[Person]) \/ ((sessionUs

                (TO MAINTAIN  -(sessionUser~;sessionUser) \/ I[Person] FROM UNI sessionUser::S
                INSERT INTO Isn{detyp=SESSION}
                 SELECTFROM (Delta;Delta~ /\ I[SESSION]) - I[SESSION]

        (MAINTAINING -(sessionUser~;sessionUser) \/ I[Person] FROM UNI sessionUser::SESSION*P


<------End Derivation --


            ON INSERT Delta IN sessionToday[SESSION*Date] EXECUTE    -- (ECA rule 119)
            ONE OF INSERT INTO Isn{detyp=Date}
                    SELECTFROM ((sessionToday \/ Delta)~;sessionToday /\ -I[Date]) \/ ((sess

                    (TO MAINTAIN  -(sessionToday~;I[SESSION];sessionToday) \/ I[Date] FROM In
                    INSERT INTO contractedStartDate[RentalCase*Date]
                     SELECTFROM ((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBra

                    (TO MAINTAIN  -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rc
                    INSERT INTO Isn{detyp=Date}
                     SELECTFROM (contractedStartDate~;(I[RentalCase] /\ rcBranchRequestedQ;'Y

                    (TO MAINTAIN  -(contractedStartDate~;(I[RentalCase] /\ rcBranchRequestedQ
                    INSERT INTO rcDroppedOffDate[RentalCase*Date]
                     SELECTFROM (rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));

                    (TO MAINTAIN  -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~


                                        372

```
                    INSERT INTO Isn{detyp=Date}
                     SELECTFROM (rcDroppedOffDate~;rcAssignedCar;(I[Car] /\ -(carAvailableAt;

                    (TO MAINTAIN  -(rcDroppedOffDate~;rcAssignedCar;(I[Car] /\ -(carAvailable,
                    INSERT INTO Isn{detyp=SESSION}
                     SELECTFROM (Delta;Delta~ /\ I[SESSION]) - I[SESSION]

                    INSERT INTO Isn{detyp=Date}
                     SELECTFROM (Delta~;Delta /\ I[Date]) - I[Date]

        (MAINTAINING -I[SESSION] \/ sessionToday;sessionToday~ FROM Initialize today's d
        (MAINTAINING -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchR
        (MAINTAINING -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchR
        (MAINTAINING -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));sessi
        (MAINTAINING -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));sessi
        (MAINTAINING -(sessionToday~;sessionToday) \/ I[Date] FROM UNI sessionToday::SES

------ Derivation ----->


        ONE OF INSERT INTO Isn{detyp=Date}
                 SELECTFROM ((sessionToday \/ Delta)~;sessionToday /\ -I[Date]) \/ ((sessionTo

                (TO MAINTAIN  -(sessionToday~;I[SESSION];sessionToday) \/ I[Date] FROM Initial
                INSERT INTO contractedStartDate[RentalCase*Date]
                 SELECTFROM ((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchR

                (TO MAINTAIN  -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBran
                INSERT INTO Isn{detyp=Date}
                 SELECTFROM (contractedStartDate~;(I[RentalCase] /\ rcBranchRequestedQ;'Yes'[Y

                (TO MAINTAIN  -(contractedStartDate~;(I[RentalCase] /\ rcBranchRequestedQ;'Yes
                INSERT INTO rcDroppedOffDate[RentalCase*Date]
                 SELECTFROM (rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));sessi

                (TO MAINTAIN  -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));se
                INSERT INTO Isn{detyp=Date}
                 SELECTFROM (rcDroppedOffDate~;rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAv

                (TO MAINTAIN  -(rcDroppedOffDate~;rcAssignedCar;(I[Car] /\ -(carAvailableAt;ca
                INSERT INTO Isn{detyp=SESSION}
                 SELECTFROM (Delta;Delta~ /\ I[SESSION]) - I[SESSION]

                INSERT INTO Isn{detyp=Date}
                 SELECTFROM (Delta~;Delta /\ I[Date]) - I[Date]

        (MAINTAINING -I[SESSION] \/ sessionToday;sessionToday~ FROM Initialize today's date)
        (MAINTAINING -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchReques
        (MAINTAINING -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchReques

                                        373
```

```
        (MAINTAINING -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));sessionDro
        (MAINTAINING -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));sessionDro
        (MAINTAINING -(sessionToday~;sessionToday) \/ I[Date] FROM UNI sessionToday::SESSION*
```

<-----End Derivation --

```
        ON DELETE Delta FROM sessionToday[SESSION*Date] EXECUTE     -- (ECA rule 120)
        DELETE FROM Isn{detyp=SESSION}
         SELECTFROM -((sessionToday /\ -Delta);(sessionToday /\ -Delta)~) /\ I[SESSION]

            (TO MAINTAIN  -I[SESSION] \/ sessionToday;sessionToday~ FROM Initialize today's
```

------ Derivation ----->

```
      DELETE FROM Isn{detyp=SESSION}
       SELECTFROM -((sessionToday /\ -Delta);(sessionToday /\ -Delta)~) /\ I[SESSION]

      (TO MAINTAIN  -I[SESSION] \/ sessionToday;sessionToday~ FROM Initialize today's date)
```

<-----End Derivation --

```
        ON INSERT Delta IN sessionNewUserRC[SESSION*RentalCase] EXECUTE     -- (ECA rule
        ALL of INSERT INTO Isn{detyp=SESSION}
                SELECTFROM (sessionNewUserRC;(sessionNewUserRC \/ Delta)~ /\ -I[SESSION]

                (TO MAINTAIN  -(sessionNewUserRC;sessionNewUserRC~) \/ I[SESSION] FROM IN
                INSERT INTO Isn{detyp=RentalCase}
                 SELECTFROM ((sessionNewUserRC \/ Delta)~;sessionNewUserRC /\ -I[RentalCas

                (TO MAINTAIN  -(sessionNewUserRC~;sessionNewUserRC) \/ I[RentalCase] FROM
                ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (('_SESSION'[SESSION];se
                        THEN INSERT INTO sessionNewUserRC[SESSION*RentalCase]
                             SELECTFROM 'a'[SESSION]*'b'[RentalCase]

                                (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewUserRC)
                             PICK a,b FROM sessionNewUserRC~;(('_SESSION'[SESSION];sessi
                             THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
                                      THEN INSERT INTO rcUserRequestedQ[Rental
                                           SELECTFROM 'a'[RentalCase]*'b'[Yes

                                           (TO MAINTAIN  -('_SESSION'[SESSION]
                                        PICK a,b FROM rcUserRequestedQ~;('a'[Rent
                                        THEN ONE OF ONE NONEMPTY ALTERNATIVE OF
                                                 THEN BLOCK
                                                     (CANNOT CHANGE '
```

374

```
                                               PICK a,b FROM 'Yes'[Y
                                         THEN BLOCK
                                               (CANNOT CHANGE V
                                  (MAINTAINING -('_SESSION'[SES
                                  NEW x:YesNoAnswer;
                                    ALL of BLOCK
                                            (CANNOT CHANGE 'Yes
                                            BLOCK
                                            (CANNOT CHANGE V[Ye
                                     (MAINTAINING -('_SESSION'[
                                  (MAINTAINING -('_SESSION'[SES
                          (MAINTAINING -('_SESSION'[SESSION];
                   (MAINTAINING -('_SESSION'[SESSION];sessionNewUs
                   NEW x:YesNoAnswer;
                     ALL of INSERT INTO rcUserRequestedQ[RentalCase
                             SELECTFROM 'a'[RentalCase]*'b'[Rental

                            (TO MAINTAIN  -('_SESSION'[SESSION];se
                            ONE OF ONE NONEMPTY ALTERNATIVE OF PIC
                                         THEN BLOCK
                                               (CANNOT CHANGE 'Yes
                                            PICK a,b FROM 'Yes'[YesN
                                         THEN BLOCK
                                               (CANNOT CHANGE V[Ye
                                     (MAINTAINING -('_SESSION'[SESSI
                                  NEW x:YesNoAnswer;
                                    ALL of BLOCK
                                            (CANNOT CHANGE 'Yes'[Y
                                            BLOCK
                                            (CANNOT CHANGE V[YesNo.
                                     (MAINTAINING -('_SESSION'[SES
                                  (MAINTAINING -('_SESSION'[SESSI
                          (MAINTAINING -('_SESSION'[SESSION];ses
                   (MAINTAINING -('_SESSION'[SESSION];sessionNewU
                 (MAINTAINING -('_SESSION'[SESSION];sessionNewUse
            (MAINTAINING -('_SESSION'[SESSION];sessionNewUserRC) \
(MAINTAINING -('_SESSION'[SESSION];sessionNewUserRC) \/ sessionNew
NEW x:RentalCase;
  ALL of INSERT INTO sessionNewUserRC[SESSION*RentalCase]
          SELECTFROM (('_SESSION'[SESSION];sessionNewUserRC /\ -(s

          (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewUserRC) \/
          ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'[Rent
                     THEN INSERT INTO rcUserRequestedQ[RentalCase
                             SELECTFROM 'a'[RentalCase]*'b'[YesNoA

                            (TO MAINTAIN  -('_SESSION'[SESSION];se
                   PICK a,b FROM rcUserRequestedQ~;('x'[Rental
                     THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PIC
                                         THEN BLOCK
```

```
                                            (CANNOT CHANGE 'Yes
                                    PICK a,b FROM 'Yes'[YesNo
                                    THEN BLOCK
                                            (CANNOT CHANGE V[Ye
                            (MAINTAINING -('_SESSION'[SESSI
                            NEW x:YesNoAnswer;
                              ALL of BLOCK
                                        (CANNOT CHANGE 'Yes'[Y
                                        BLOCK
                                        (CANNOT CHANGE V[YesNo
                                (MAINTAINING -('_SESSION'[SES
                                (MAINTAINING -('_SESSION'[SESSI
                        (MAINTAINING -('_SESSION'[SESSION];ses
                (MAINTAINING -('_SESSION'[SESSION];sessionNewUserR
                NEW x:YesNoAnswer;
                  ALL of INSERT INTO rcUserRequestedQ[RentalCase*Y
                            SELECTFROM 'x'[RentalCase]*(('_SESSION'[

                        (TO MAINTAIN  -('_SESSION'[SESSION];sessi
                        ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM
                                THEN BLOCK
                                        (CANNOT CHANGE 'Yes'[YesNoAns
                                    PICK a,b FROM 'Yes'[YesNoAnswer];(
                                    THEN BLOCK
                                            (CANNOT CHANGE V[YesNoAnswer*
                            (MAINTAINING -('_SESSION'[SESSION];sessior
                        (MAINTAINING -('_SESSION'[SESSION];sessionNewUser
                    (MAINTAINING -('_SESSION'[SESSION];sessionNewUserR
                (MAINTAINING -('_SESSION'[SESSION];sessionNewUserRC) \/ s
        (MAINTAINING -('_SESSION'[SESSION];sessionNewUserRC) \/ sessionN
      (MAINTAINING -('_SESSION'[SESSION];sessionNewUserRC) \/ sessionNewU
(MAINTAINING -('_SESSION'[SESSION];sessionNewUserRC) \/ sessionNewUserRC;
ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (((sessionNewUserRC \/ D
            THEN INSERT INTO rcUserRequestedQ[RentalCase*YesNoAnswer]
                    SELECTFROM 'a'[RentalCase]*'b'[YesNoAnswer]

            (TO MAINTAIN  -(sessionNewUserRC~;'_SESSION'[SESSION];
        PICK a,b FROM rcUserRequestedQ~;(((sessionNewUserRC \/ Delt
        THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
                        THEN BLOCK
                                (CANNOT CHANGE 'Yes'[YesNoAnswer] FF
                            PICK a,b FROM 'Yes'[YesNoAnswer];('a'[Ye
                            THEN BLOCK
                                    (CANNOT CHANGE V[YesNoAnswer*Rental
                        (MAINTAINING -(sessionNewUserRC~;'_SESSION'[SES
                        NEW x:YesNoAnswer;
                          ALL of BLOCK
                                    (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM
                                    BLOCK
                                    (CANNOT CHANGE V[YesNoAnswer*RentalCase
```

376

```
                                      (MAINTAINING -(sessionNewUserRC~;'_SESSION'[S
                                  (MAINTAINING -(sessionNewUserRC~;'_SESSION'[SES
                              (MAINTAINING -(sessionNewUserRC~;'_SESSION'[SESSION];s
                     (MAINTAINING -(sessionNewUserRC~;'_SESSION'[SESSION];sessionNewUse
                     NEW x:YesNoAnswer;
                       ALL of INSERT INTO rcUserRequestedQ[RentalCase*YesNoAnswer]
                             SELECTFROM (((sessionNewUserRC \/ Delta)~;'_SESSION'[SES

                          (TO MAINTAIN  -(sessionNewUserRC~;'_SESSION'[SESSION];sess
                          ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'[YesNoAnswe
                                  THEN BLOCK
                                       (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM Submit
                                  PICK a,b FROM 'Yes'[YesNoAnswer];('x'[YesNoAnswer];
                                  THEN BLOCK
                                       (CANNOT CHANGE V[YesNoAnswer*RentalCase] FROM
                           (MAINTAINING -(sessionNewUserRC~;'_SESSION'[SESSION];sess
                       (MAINTAINING -(sessionNewUserRC~;'_SESSION'[SESSION];sessionNewU
                        (MAINTAINING -(sessionNewUserRC~;'_SESSION'[SESSION];sessionNewUse
                (MAINTAINING -(sessionNewUserRC~;'_SESSION'[SESSION];sessionNewUserRC) \/
          (MAINTAINING -('_SESSION'[SESSION];sessionNewUserRC) \/ sessionNewUserRC;rcUserR
          (MAINTAINING -('_SESSION'[SESSION];sessionNewUserRC) \/ sessionNewUserRC;rcUserR
          (MAINTAINING -(sessionNewUserRC;sessionNewUserRC~) \/ I[SESSION] FROM INJ sessio
          (MAINTAINING -(sessionNewUserRC~;sessionNewUserRC) \/ I[RentalCase] FROM UNI ses


------ Derivation ----->


      ALL of INSERT INTO Isn{detyp=SESSION}
              SELECTFROM (sessionNewUserRC;(sessionNewUserRC \/ Delta)~ /\ -I[SESSION]) \/

          (TO MAINTAIN  -(sessionNewUserRC;sessionNewUserRC~) \/ I[SESSION] FROM INJ ses
          INSERT INTO Isn{detyp=RentalCase}
           SELECTFROM ((sessionNewUserRC \/ Delta)~;sessionNewUserRC /\ -I[RentalCase])

          (TO MAINTAIN  -(sessionNewUserRC~;sessionNewUserRC) \/ I[RentalCase] FROM UNI
          ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (('_SESSION'[SESSION];session
                      THEN INSERT INTO sessionNewUserRC[SESSION*RentalCase]
                            SELECTFROM 'a'[SESSION]*'b'[RentalCase]

                          (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewUserRC) \/ se
                      PICK a,b FROM sessionNewUserRC~;(('_SESSION'[SESSION];sessionNew
                      THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[Renta
                                    THEN INSERT INTO rcUserRequestedQ[RentalCase*
                                         SELECTFROM 'a'[RentalCase]*'b'[YesNoAns

                                      (TO MAINTAIN  -('_SESSION'[SESSION];sess
                                   PICK a,b FROM rcUserRequestedQ~;('a'[RentalCa
                                   THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK
                                                    THEN BLOCK
```

```
                                                          (CANNOT CHANGE 'Yes'[
                                       PICK a,b FROM 'Yes'[YesNoA
                                       THEN BLOCK
                                                (CANNOT CHANGE V[YesN
                              (MAINTAINING -('_SESSION'[SESSION
                              NEW x:YesNoAnswer;
                                 ALL of BLOCK
                                          (CANNOT CHANGE 'Yes'[Yes
                                          BLOCK
                                          (CANNOT CHANGE V[YesNoAn
                                  (MAINTAINING -('_SESSION'[SESSI
                                  (MAINTAINING -('_SESSION'[SESSION
                          (MAINTAINING -('_SESSION'[SESSION];sessi
                 (MAINTAINING -('_SESSION'[SESSION];sessionNewUserRC)
                NEW x:YesNoAnswer;
                  ALL of INSERT INTO rcUserRequestedQ[RentalCase*Yes
                          SELECTFROM 'a'[RentalCase]*'b'[RentalCase]


                        (TO MAINTAIN  -('_SESSION'[SESSION];session
                        ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b
                                      THEN BLOCK
                                               (CANNOT CHANGE 'Yes'[Yes
                                      PICK a,b FROM 'Yes'[YesNoAnsw
                                      THEN BLOCK
                                               (CANNOT CHANGE V[YesNoAn
                               (MAINTAINING -('_SESSION'[SESSION];s
                               NEW x:YesNoAnswer;
                                  ALL of BLOCK
                                           (CANNOT CHANGE 'Yes'[YesNoA
                                           BLOCK
                                           (CANNOT CHANGE V[YesNoAnswe
                                   (MAINTAINING -('_SESSION'[SESSION]
                                   (MAINTAINING -('_SESSION'[SESSION];s
                             (MAINTAINING -('_SESSION'[SESSION];sessionN
                        (MAINTAINING -('_SESSION'[SESSION];sessionNewUserR
                     (MAINTAINING -('_SESSION'[SESSION];sessionNewUserRC)
                 (MAINTAINING -('_SESSION'[SESSION];sessionNewUserRC) \/ ses
            (MAINTAINING -('_SESSION'[SESSION];sessionNewUserRC) \/ sessionNewUserR
            NEW x:RentalCase;
              ALL of INSERT INTO sessionNewUserRC[SESSION*RentalCase]
                      SELECTFROM (('_SESSION'[SESSION];sessionNewUserRC /\ -(sessio


                    (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewUserRC) \/ sessi
                    ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'[RentalCa
                                    THEN INSERT INTO rcUserRequestedQ[RentalCase*Yes
                                         SELECTFROM 'a'[RentalCase]*'b'[YesNoAnswer


                                    (TO MAINTAIN  -('_SESSION'[SESSION];session
                        PICK a,b FROM rcUserRequestedQ~;('x'[RentalCase]
                        THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b
```

378

```
                                            THEN BLOCK
                                                    (CANNOT CHANGE 'Yes'[Yes
                                            PICK a,b FROM 'Yes'[YesNoAnsw
                                            THEN BLOCK
                                                    (CANNOT CHANGE V[YesNoAn
                                    (MAINTAINING -('_SESSION'[SESSION];s
                                    NEW x:YesNoAnswer;
                                      ALL of BLOCK
                                                    (CANNOT CHANGE 'Yes'[YesNoA
                                                    BLOCK
                                                    (CANNOT CHANGE V[YesNoAnswe
                                      (MAINTAINING -('_SESSION'[SESSION]
                                    (MAINTAINING -('_SESSION'[SESSION];s
                            (MAINTAINING -('_SESSION'[SESSION];sessionN
                        (MAINTAINING -('_SESSION'[SESSION];sessionNewUserRC) \/
                    NEW x:YesNoAnswer;
                      ALL of INSERT INTO rcUserRequestedQ[RentalCase*YesNoA
                                SELECTFROM 'x'[RentalCase]*(('_SESSION'[SESSI

                                (TO MAINTAIN  -('_SESSION'[SESSION];sessionNew
                                ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'
                                        THEN BLOCK
                                                (CANNOT CHANGE 'Yes'[YesNoAnswer]
                                        PICK a,b FROM 'Yes'[YesNoAnswer];('x'[Y
                                        THEN BLOCK
                                                (CANNOT CHANGE V[YesNoAnswer*Renta
                                (MAINTAINING -('_SESSION'[SESSION];sessionNewU
                            (MAINTAINING -('_SESSION'[SESSION];sessionNewUserRC)
                        (MAINTAINING -('_SESSION'[SESSION];sessionNewUserRC) \/
                (MAINTAINING -('_SESSION'[SESSION];sessionNewUserRC) \/ sessio
            (MAINTAINING -('_SESSION'[SESSION];sessionNewUserRC) \/ sessionNewUse
        (MAINTAINING -('_SESSION'[SESSION];sessionNewUserRC) \/ sessionNewUserR
    (MAINTAINING -('_SESSION'[SESSION];sessionNewUserRC) \/ sessionNewUserRC;rcUse
    ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (((sessionNewUserRC \/ Delta)
            THEN INSERT INTO rcUserRequestedQ[RentalCase*YesNoAnswer]
                SELECTFROM 'a'[RentalCase]*'b'[YesNoAnswer]

            (TO MAINTAIN  -(sessionNewUserRC~;'_SESSION'[SESSION];sessi
            PICK a,b FROM rcUserRequestedQ~;(((sessionNewUserRC \/ Delta)~;'
            THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[YesNo
                            THEN BLOCK
                                    (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM S
                            PICK a,b FROM 'Yes'[YesNoAnswer];('a'[YesNoAn
                            THEN BLOCK
                                    (CANNOT CHANGE V[YesNoAnswer*RentalCase]
                    (MAINTAINING -(sessionNewUserRC~;'_SESSION'[SESSION]
                    NEW x:YesNoAnswer;
                      ALL of BLOCK
                                    (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM Subm
                                    BLOCK
```

379

```
                                                      (CANNOT CHANGE V[YesNoAnswer*RentalCase] FR
                                    (MAINTAINING -(sessionNewUserRC~;'_SESSION'[SESSIO
                                   (MAINTAINING -(sessionNewUserRC~;'_SESSION'[SESSION]
                              (MAINTAINING -(sessionNewUserRC~;'_SESSION'[SESSION];sessio
                    (MAINTAINING -(sessionNewUserRC~;'_SESSION'[SESSION];sessionNewUserRC)
                    NEW x:YesNoAnswer;
                      ALL of INSERT INTO rcUserRequestedQ[RentalCase*YesNoAnswer]
                          SELECTFROM (((sessionNewUserRC \/ Delta)~;'_SESSION'[SESSION]

                        (TO MAINTAIN  -(sessionNewUserRC~;'_SESSION'[SESSION];sessionN
                        ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'[YesNoAnswer]*((
                                THEN BLOCK
                                    (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM Submit rent
                              PICK a,b FROM 'Yes'[YesNoAnswer];('x'[YesNoAnswer]*(((s
                                THEN BLOCK
                                    (CANNOT CHANGE V[YesNoAnswer*RentalCase] FROM Subm
                          (MAINTAINING -(sessionNewUserRC~;'_SESSION'[SESSION];sessionNe
                       (MAINTAINING -(sessionNewUserRC~;'_SESSION'[SESSION];sessionNewUserRC
                     (MAINTAINING -(sessionNewUserRC~;'_SESSION'[SESSION];sessionNewUserRC)
              (MAINTAINING -(sessionNewUserRC~;'_SESSION'[SESSION];sessionNewUserRC) \/ rcUs
       (MAINTAINING -('_SESSION'[SESSION];sessionNewUserRC) \/ sessionNewUserRC;rcUserReques
       (MAINTAINING -('_SESSION'[SESSION];sessionNewUserRC) \/ sessionNewUserRC;rcUserReques
       (MAINTAINING -(sessionNewUserRC;sessionNewUserRC~) \/ I[SESSION] FROM INJ sessionNewU
       (MAINTAINING -(sessionNewUserRC~;sessionNewUserRC) \/ I[RentalCase] FROM UNI sessionN

    <------End Derivation --


           ON DELETE Delta FROM sessionNewUserRC[SESSION*RentalCase] EXECUTE    -- (ECA rul
           DELETE FROM sessionNewUserRC[SESSION*RentalCase]
            SELECTFROM '_SESSION'[SESSION];(-((sessionNewUserRC /\ -Delta);rcUserRequestedQ

           (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewUserRC) \/ sessionNewUserRC;rcUser

    ------ Derivation ----->


        DELETE FROM sessionNewUserRC[SESSION*RentalCase]
         SELECTFROM '_SESSION'[SESSION];(-((sessionNewUserRC /\ -Delta);rcUserRequestedQ;'Yes

        (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewUserRC) \/ sessionNewUserRC;rcUserReque

    <------End Derivation --


           ON INSERT Delta IN sessionBranch[SESSION*Branch] EXECUTE    -- (ECA rule 123)
           ALL of INSERT INTO contractedPickupBranch[RentalCase*Branch]
                 SELECTFROM ((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBra
```

380

```
                    (TO MAINTAIN  -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];r
                    INSERT INTO Isn{detyp=Branch}
                     SELECTFROM (contractedPickupBranch~;(I[RentalCase] /\ rcBranchRequestedQ

                    (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ rcBranchRequeste
                    (TO MAINTAIN  -(rcDroppedOffBranch~;rcAssignedCar;(I[Car] /\ -(carAvailabl
                    (TO MAINTAIN  -(sessionBranch~;sessionBranch) \/ I[Branch] FROM UNI sessi
                    INSERT INTO rcDroppedOffBranch[RentalCase*Branch]
                     SELECTFROM (rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));

                    (TO MAINTAIN  -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~
                    INSERT INTO Isn{detyp=SESSION}
                     SELECTFROM (Delta;Delta~ /\ I[SESSION]) - I[SESSION]

        (MAINTAINING -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchR
        (MAINTAINING -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchR
        (MAINTAINING -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));sessi
        (MAINTAINING -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));sessi
        (MAINTAINING -(sessionBranch~;sessionBranch) \/ I[Branch] FROM UNI sessionBranch

------ Derivation ----->


        ALL of INSERT INTO contractedPickupBranch[RentalCase*Branch]
               SELECTFROM ((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchR

               (TO MAINTAIN  -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBran
               INSERT INTO Isn{detyp=Branch}
                SELECTFROM (contractedPickupBranch~;(I[RentalCase] /\ rcBranchRequestedQ;'Yes

               (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ rcBranchRequestedQ;'
               (TO MAINTAIN  -(rcDroppedOffBranch~;rcAssignedCar;(I[Car] /\ -(carAvailableAt;
               (TO MAINTAIN  -(sessionBranch~;sessionBranch) \/ I[Branch] FROM UNI sessionBra
               INSERT INTO rcDroppedOffBranch[RentalCase*Branch]
                SELECTFROM (rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));sessi

               (TO MAINTAIN  -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));se
               INSERT INTO Isn{detyp=SESSION}
                SELECTFROM (Delta;Delta~ /\ I[SESSION]) - I[SESSION]

        (MAINTAINING -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchReques
        (MAINTAINING -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchReques
        (MAINTAINING -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));sessionDro
        (MAINTAINING -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));sessionDro
        (MAINTAINING -(sessionBranch~;sessionBranch) \/ I[Branch] FROM UNI sessionBranch::SES

        <------End Derivation --
```

```
ON INSERT Delta IN sessionNewBranchRC[SESSION*RentalCase] EXECUTE    -- (ECA rul
ALL of INSERT INTO rcBranchRequestedQ[RentalCase*YesNoAnswer]
        SELECTFROM ((sessionNewBranchRC \/ Delta)~;sessionNewBranchRC;(I[RentalC

        (TO MAINTAIN  -(sessionNewBranchRC~;sessionNewBranchRC;(I[RentalCase] /\
        INSERT INTO contractedPickupBranch[RentalCase*Branch]
        SELECTFROM (I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBra

        (TO MAINTAIN  -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];r
        INSERT INTO Isn{detyp=Branch}
        SELECTFROM contractedPickupBranch~;(I[RentalCase] /\ rcBranchRequestedQ;

        (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ rcBranchRequest
        INSERT INTO contractedStartDate[RentalCase*Date]
        SELECTFROM (I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBra

        (TO MAINTAIN  -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];r
        INSERT INTO Isn{detyp=Date}
        SELECTFROM contractedStartDate~;(I[RentalCase] /\ rcBranchRequestedQ;'Ye

        (TO MAINTAIN  -(contractedStartDate~;(I[RentalCase] /\ rcBranchRequestedQ
        INSERT INTO Isn{detyp=RentalCase}
        SELECTFROM ((sessionNewBranchRC \/ Delta)~;sessionNewBranchRC /\ -I[Renta

        (TO MAINTAIN  -(sessionNewBranchRC~;sessionNewBranchRC) \/ I[RentalCase]
        INSERT INTO Isn{detyp=SESSION}
        SELECTFROM (Delta;Delta~ /\ I[SESSION]) - I[SESSION]

        ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (('_SESSION'[SESSION];se
                    THEN INSERT INTO sessionNewBranchRC[SESSION*RentalCase]
                        SELECTFROM 'a'[SESSION]*'b'[RentalCase]

                        (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewBranchRC
                    PICK a,b FROM sessionNewBranchRC~;(('_SESSION'[SESSION];ses
                    THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
                                THEN INSERT INTO rcBranchRequestedQ[Renta
                                    SELECTFROM 'a'[RentalCase]*'b'[Yes

                                    (TO MAINTAIN  -('_SESSION'[SESSION]
                                PICK a,b FROM rcBranchRequestedQ~;('a'[R
                                THEN ONE OF ONE NONEMPTY ALTERNATIVE OF
                                            THEN BLOCK
                                                (CANNOT CHANGE '
                                            PICK a,b FROM 'Yes'[Y
                                            THEN BLOCK
                                                (CANNOT CHANGE V
                                    (MAINTAINING -('_SESSION'[SE
                                    NEW x:YesNoAnswer;
                                     ALL of BLOCK
```

382

```
                                                            (CANNOT CHANGE 'Yes
                                                            BLOCK
                                                            (CANNOT CHANGE V[Ye
                                          (MAINTAINING -('_SESSION'[
                                        (MAINTAINING -('_SESSION'[SE
                              (MAINTAINING -('_SESSION'[SESSION];
                        (MAINTAINING -('_SESSION'[SESSION];sessionNewBr
                 NEW x:YesNoAnswer;
                    ALL of INSERT INTO rcBranchRequestedQ[RentalCa
                              SELECTFROM 'a'[RentalCase]*'b'[RentalC

                              (TO MAINTAIN  -('_SESSION'[SESSION];se
                              ONE OF ONE NONEMPTY ALTERNATIVE OF PICK
                                          THEN BLOCK
                                                (CANNOT CHANGE 'Yes
                                          PICK a,b FROM 'Yes'[YesNo
                                          THEN BLOCK
                                                (CANNOT CHANGE V[Ye
                                    (MAINTAINING -('_SESSION'[SESSIO
                                    NEW x:YesNoAnswer;
                                      ALL of BLOCK
                                                (CANNOT CHANGE 'Yes'[Y
                                                BLOCK
                                                (CANNOT CHANGE V[YesNo
                                          (MAINTAINING -('_SESSION'[SES
                                        (MAINTAINING -('_SESSION'[SESSIO
                                    (MAINTAINING -('_SESSION'[SESSION];ses
                              (MAINTAINING -('_SESSION'[SESSION];sessionNewl
                                (MAINTAINING -('_SESSION'[SESSION];sessionNewBr
                        (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC)
            (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC) \/ sessionN
                 NEW x:RentalCase;
            ALL of INSERT INTO sessionNewBranchRC[SESSION*RentalCase]
                      SELECTFROM (('_SESSION'[SESSION];sessionNewBranchRC /\ -

                    (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewBranchRC) \.
                    ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'[Rent
                              THEN INSERT INTO rcBranchRequestedQ[RentalC
                                    SELECTFROM 'a'[RentalCase]*'b'[YesNoA

                                    (TO MAINTAIN  -('_SESSION'[SESSION];se
                              PICK a,b FROM rcBranchRequestedQ~;('x'[Renta
                              THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PIC
                                          THEN BLOCK
                                                (CANNOT CHANGE 'Yes
                                          PICK a,b FROM 'Yes'[YesNo
                                          THEN BLOCK
                                                (CANNOT CHANGE V[Ye
                                    (MAINTAINING -('_SESSION'[SESSIO
                                    NEW x:YesNoAnswer;
```

383

```
                                                  ALL of BLOCK
                                                        (CANNOT CHANGE 'Yes'[Ye
                                                        BLOCK
                                                        (CANNOT CHANGE V[YesNo.
                                              (MAINTAINING -('_SESSION'[SES
                                          (MAINTAINING -('_SESSION'[SESSI
                                    (MAINTAINING -('_SESSION'[SESSION];ses
                            (MAINTAINING -('_SESSION'[SESSION];sessionNewBranc
                            NEW x:YesNoAnswer;
                              ALL of INSERT INTO rcBranchRequestedQ[RentalCase
                                    SELECTFROM 'x'[RentalCase]*(('_SESSION'[

                                    (TO MAINTAIN  -('_SESSION'[SESSION];sessi
                                    ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM
                                          THEN BLOCK
                                                (CANNOT CHANGE 'Yes'[YesNoAns
                                          PICK a,b FROM 'Yes'[YesNoAnswer];(
                                          THEN BLOCK
                                                (CANNOT CHANGE V[YesNoAnswer*
                                    (MAINTAINING -('_SESSION'[SESSION];session
                              (MAINTAINING -('_SESSION'[SESSION];sessionNewBra
                            (MAINTAINING -('_SESSION'[SESSION];sessionNewBranc
                  (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC) \/
          (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC) \/ sessio
        (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC) \/ sessionN
  (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC) \/ sessionNewBranc
ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (((sessionNewBranchRC \/
            THEN INSERT INTO rcBranchRequestedQ[RentalCase*YesNoAnswer]
                SELECTFROM 'a'[RentalCase]*'b'[YesNoAnswer]

                  (TO MAINTAIN  -(sessionNewBranchRC~;'_SESSION'[SESSION]
            PICK a,b FROM rcBranchRequestedQ~;(((sessionNewBranchRC \/
            THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
                          THEN BLOCK
                                (CANNOT CHANGE 'Yes'[YesNoAnswer] F
                          PICK a,b FROM 'Yes'[YesNoAnswer];('a'[Ye
                          THEN BLOCK
                                (CANNOT CHANGE V[YesNoAnswer*Rental
                    (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[S
                    NEW x:YesNoAnswer;
                      ALL of BLOCK
                              (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM
                              BLOCK
                              (CANNOT CHANGE V[YesNoAnswer*RentalCase
                        (MAINTAINING -(sessionNewBranchRC~;'_SESSION'
                      (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[S
                (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION]
        (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewB:
        NEW x:YesNoAnswer;
          ALL of INSERT INTO rcBranchRequestedQ[RentalCase*YesNoAnswer]

            384
```

```
SELECTFROM (((sessionNewBranchRC \/ Delta)~;'_SESSION'[S

(TO MAINTAIN  -(sessionNewBranchRC~;'_SESSION'[SESSION];se
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'[YesNoAnswe
        THEN BLOCK
            (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM Comple
        PICK a,b FROM 'Yes'[YesNoAnswer];('x'[YesNoAnswer]
        THEN BLOCK
            (CANNOT CHANGE V[YesNoAnswer*RentalCase] FROM
    (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];se
  (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNe
 (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewB
(MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewBranchRC
ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (('_SESSION'[SESSION];se
        THEN INSERT INTO sessionNewBranchRC[SESSION*RentalCase]
            SELECTFROM 'a'[SESSION]*'b'[RentalCase]

            (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewBranchRC
        PICK a,b FROM sessionNewBranchRC~;(('_SESSION'[SESSION];ses
        THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
                    THEN INSERT INTO rcKeysHandedOverQ[Renta
                        SELECTFROM 'a'[RentalCase]*'b'[Yes

                    (TO MAINTAIN  -('_SESSION'[SESSION]
                PICK a,b FROM rcKeysHandedOverQ~;('a'[Re
                THEN ONE OF ONE NONEMPTY ALTERNATIVE OF
                            THEN BLOCK
                                (CANNOT CHANGE '
                            PICK a,b FROM 'Yes'[Y
                            THEN BLOCK
                                (CANNOT CHANGE V
                        (MAINTAINING -('_SESSION'[SES
                        NEW x:YesNoAnswer;
                          ALL of BLOCK
                                (CANNOT CHANGE 'Yes
                                BLOCK
                                (CANNOT CHANGE V[Ye
                            (MAINTAINING -('_SESSION'[
                        (MAINTAINING -('_SESSION'[SES
                    (MAINTAINING -('_SESSION'[SESSION];
                (MAINTAINING -('_SESSION'[SESSION];sessionNewBra
                NEW x:YesNoAnswer;
                  ALL of INSERT INTO rcKeysHandedOverQ[RentalCa
                        SELECTFROM 'a'[RentalCase]*'b'[Rental

                    (TO MAINTAIN  -('_SESSION'[SESSION];se
                    ONE OF ONE NONEMPTY ALTERNATIVE OF PIC
                                THEN BLOCK
                                    (CANNOT CHANGE 'Yes
                                PICK a,b FROM 'Yes'[YesN
```

```
                                                        THEN BLOCK
                                                                (CANNOT CHANGE V[Ye
                                            (MAINTAINING -('_SESSION'[SESSI
                                            NEW x:YesNoAnswer;
                                              ALL of BLOCK
                                                        (CANNOT CHANGE 'Yes'[Y
                                                        BLOCK
                                                        (CANNOT CHANGE V[YesNo
                                            (MAINTAINING -('_SESSION'[SES
                                            (MAINTAINING -('_SESSION'[SESSI
                                    (MAINTAINING -('_SESSION'[SESSION];ses
                              (MAINTAINING -('_SESSION'[SESSION];sessionNew
                            (MAINTAINING -('_SESSION'[SESSION];sessionNewBr
                    (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;
(MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBe
NEW x:RentalCase;
   ALL of INSERT INTO sessionNewBranchRC[SESSION*RentalCase]
            SELECTFROM (('_SESSION'[SESSION];sessionNewBranchRC;(rent

            (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewBranchRC;(r
            ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'[Rent
                        THEN INSERT INTO rcKeysHandedOverQ[RentalCas
                            SELECTFROM 'a'[RentalCase]*'b'[YesNoAn

                            (TO MAINTAIN  -('_SESSION'[SESSION];se
                    PICK a,b FROM rcKeysHandedOverQ~;('x'[Rental
                    THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PIC
                                    THEN BLOCK
                                            (CANNOT CHANGE 'Yes
                                    PICK a,b FROM 'Yes'[YesNo
                                    THEN BLOCK
                                            (CANNOT CHANGE V[Ye
                            (MAINTAINING -('_SESSION'[SESSI
                            NEW x:YesNoAnswer;
                              ALL of BLOCK
                                        (CANNOT CHANGE 'Yes'[Y
                                        BLOCK
                                        (CANNOT CHANGE V[YesNo
                            (MAINTAINING -('_SESSION'[SES
                            (MAINTAINING -('_SESSION'[SESSI
                        (MAINTAINING -('_SESSION'[SESSION];ses
                (MAINTAINING -('_SESSION'[SESSION];sessionNewBranc
                NEW x:YesNoAnswer;
                  ALL of INSERT INTO rcKeysHandedOverQ[RentalCase*
                            SELECTFROM 'x'[RentalCase]*(('_SESSION'[

                            (TO MAINTAIN  -('_SESSION'[SESSION];sessi
                            ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM
                                    THEN BLOCK
                                            (CANNOT CHANGE 'Yes'[YesNoAnsw
```

386

```
                                                PICK a,b FROM 'Yes'[YesNoAnswer];(
                                                THEN BLOCK
                                                        (CANNOT CHANGE V[YesNoAnswer*
                                        (MAINTAINING -('_SESSION'[SESSION];session
                                    (MAINTAINING -('_SESSION'[SESSION];sessionNewBra
                                (MAINTAINING -('_SESSION'[SESSION];sessionNewBranch
                        (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(re
                (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHas
            (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBee
    (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenPromis
ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (((sessionNewBranchRC \/
                THEN INSERT INTO rcKeysHandedOverQ[RentalCase*YesNoAnswer]
                    SELECTFROM 'a'[RentalCase]*'b'[YesNoAnswer]


                (TO MAINTAIN  -(sessionNewBranchRC~;'_SESSION'[SESSION
                PICK a,b FROM rcKeysHandedOverQ~;(((sessionNewBranchRC \/ D
                THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
                            THEN BLOCK
                                    (CANNOT CHANGE 'Yes'[YesNoAnswer] F
                                PICK a,b FROM 'Yes'[YesNoAnswer];('a'[Ye
                                THEN BLOCK
                                        (CANNOT CHANGE V[YesNoAnswer*Rental
                        (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SE
                        NEW x:YesNoAnswer;
                          ALL of BLOCK
                                    (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM
                                    BLOCK
                                    (CANNOT CHANGE V[YesNoAnswer*RentalCase
                            (MAINTAINING -(sessionNewBranchRC~;'_SESSION'
                        (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SE
                    (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION]
            (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewB
            NEW x:YesNoAnswer;
              ALL of INSERT INTO rcKeysHandedOverQ[RentalCase*YesNoAnswer]
                    SELECTFROM (((sessionNewBranchRC \/ Delta)~;'_SESSION'[S

                (TO MAINTAIN  -(sessionNewBranchRC~;'_SESSION'[SESSION];s
                ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'[YesNoAnswe
                        THEN BLOCK
                                (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM Hand t
                            PICK a,b FROM 'Yes'[YesNoAnswer];('x'[YesNoAnswer];
                            THEN BLOCK
                                    (CANNOT CHANGE V[YesNoAnswer*RentalCase] FROM
                        (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];se
                (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNew
            (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewB
    (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewBranchRC
ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((sessionNewBranchRC;(I[
                THEN INSERT INTO sessionNewBranchRC[SESSION*RentalCase]
                    SELECTFROM 'a'[SESSION]*'b'[RentalCase]
```

387

```
                              (TO MAINTAIN  -(sessionNewBranchRC;(I[RentalCase] /\ r
                    PICK a,b FROM sessionNewBranchRC~;((sessionNewBranchRC;(I[R
                    THEN INSERT INTO rcBranchRequestedQ[RentalCase*YesNoAnswer]
                         SELECTFROM 'a'[RentalCase]*'b'[YesNoAnswer]

                              (TO MAINTAIN  -(sessionNewBranchRC;(I[RentalCase] /\ r
               (MAINTAINING -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;:
               NEW x:RentalCase;
                  ALL of INSERT INTO sessionNewBranchRC[SESSION*RentalCase]
                         SELECTFROM ((sessionNewBranchRC;(I[RentalCase] /\ rcAssi

                              (TO MAINTAIN  -(sessionNewBranchRC;(I[RentalCase] /\ rcAs
                         INSERT INTO rcBranchRequestedQ[RentalCase*YesNoAnswer]
                          SELECTFROM 'x'[RentalCase]*((sessionNewBranchRC;(I[Rental

                              (TO MAINTAIN  -(sessionNewBranchRC;(I[RentalCase] /\ rcAs
                    (MAINTAINING -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar
                    (MAINTAINING -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;:
            (MAINTAINING -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;rcAssig
     (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC) \/ sessionNewBranchRC;rcB:
     (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC) \/ sessionNewBranchRC;rcB:
     (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenPromised /\ :
     (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenPromised /\ :
     (MAINTAINING -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;rcAssignedCar~
     (MAINTAINING -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;rcAssignedCar~
     (MAINTAINING -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchR
     (MAINTAINING -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchR
     (MAINTAINING -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchR
     (MAINTAINING -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchR
     (MAINTAINING -(sessionNewBranchRC~;sessionNewBranchRC) \/ I[RentalCase] FROM UNI
```

------ Derivation ----->

```
     ALL of INSERT INTO rcBranchRequestedQ[RentalCase*YesNoAnswer]
            SELECTFROM ((sessionNewBranchRC \/ Delta)~;sessionNewBranchRC;(I[RentalCase]

         (TO MAINTAIN  -(sessionNewBranchRC~;sessionNewBranchRC;(I[RentalCase] /\ rcAss
         INSERT INTO contractedPickupBranch[RentalCase*Branch]
          SELECTFROM (I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchRe

         (TO MAINTAIN  -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBran
         INSERT INTO Isn{detyp=Branch}
          SELECTFROM contractedPickupBranch~;(I[RentalCase] /\ rcBranchRequestedQ;'Yes'

         (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ rcBranchRequestedQ;'
         INSERT INTO contractedStartDate[RentalCase*Date]
          SELECTFROM (I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchRe
```

388

```
(TO MAINTAIN  -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBran
INSERT INTO Isn{detyp=Date}
 SELECTFROM contractedStartDate~;(I[RentalCase] /\ rcBranchRequestedQ;'Yes'[Ye


(TO MAINTAIN  -(contractedStartDate~;(I[RentalCase] /\ rcBranchRequestedQ;'Yes
INSERT INTO Isn{detyp=RentalCase}
 SELECTFROM ((sessionNewBranchRC \/ Delta)~;sessionNewBranchRC /\ -I[RentalCas


(TO MAINTAIN  -(sessionNewBranchRC~;sessionNewBranchRC) \/ I[RentalCase] FROM
INSERT INTO Isn{detyp=SESSION}
 SELECTFROM (Delta;Delta~ /\ I[SESSION]) - I[SESSION]


ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (('_SESSION'[SESSION];session
              THEN INSERT INTO sessionNewBranchRC[SESSION*RentalCase]
                  SELECTFROM 'a'[SESSION]*'b'[RentalCase]


                  (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewBranchRC) \/
              PICK a,b FROM sessionNewBranchRC~;(('_SESSION'[SESSION];sessionN
              THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[Renta
                          THEN INSERT INTO rcBranchRequestedQ[RentalCas
                              SELECTFROM 'a'[RentalCase]*'b'[YesNoAns


                              (TO MAINTAIN  -('_SESSION'[SESSION];sess
                          PICK a,b FROM rcBranchRequestedQ~;('a'[Rental
                          THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK
                                          THEN BLOCK
                                              (CANNOT CHANGE 'Yes'[
                                          PICK a,b FROM 'Yes'[YesNoA
                                          THEN BLOCK
                                              (CANNOT CHANGE V[YesN
                              (MAINTAINING -('_SESSION'[SESSION
                          NEW x:YesNoAnswer;
                            ALL of BLOCK
                                      (CANNOT CHANGE 'Yes'[Yes
                                      BLOCK
                                      (CANNOT CHANGE V[YesNoAn
                              (MAINTAINING -('_SESSION'[SESSI
                              (MAINTAINING -('_SESSION'[SESSION
                          (MAINTAINING -('_SESSION'[SESSION];sessi
                  (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchR
                  NEW x:YesNoAnswer;
                    ALL of INSERT INTO rcBranchRequestedQ[RentalCase*Y
                          SELECTFROM 'a'[RentalCase]*'b'[RentalCase]


                          (TO MAINTAIN  -('_SESSION'[SESSION];session
                          ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b
                                      THEN BLOCK
                                          (CANNOT CHANGE 'Yes'[Yes
                                      PICK a,b FROM 'Yes'[YesNoAnsw
```

```
                                            THEN BLOCK
                                                 (CANNOT CHANGE V[YesNoAn
                                 (MAINTAINING -('_SESSION'[SESSION];s
                                 NEW x:YesNoAnswer;
                                   ALL of BLOCK
                                              (CANNOT CHANGE 'Yes'[YesNoA
                                              BLOCK
                                              (CANNOT CHANGE V[YesNoAnswe
                                 (MAINTAINING -('_SESSION'[SESSION]
                                 (MAINTAINING -('_SESSION'[SESSION];s
                          (MAINTAINING -('_SESSION'[SESSION];sessionN
                      (MAINTAINING -('_SESSION'[SESSION];sessionNewBranc
                   (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchR
             (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC) \/ s
(MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC) \/ sessionNewBra
NEW x:RentalCase;
   ALL of INSERT INTO sessionNewBranchRC[SESSION*RentalCase]
            SELECTFROM (('_SESSION'[SESSION];sessionNewBranchRC /\ -(sess

        (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewBranchRC) \/ ses
       ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'[RentalCa
                 THEN INSERT INTO rcBranchRequestedQ[RentalCase*Y
                    SELECTFROM 'a'[RentalCase]*'b'[YesNoAnswer

                   (TO MAINTAIN  -('_SESSION'[SESSION];session
                  PICK a,b FROM rcBranchRequestedQ~;('x'[RentalCas
                  THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b
                                  THEN BLOCK
                                       (CANNOT CHANGE 'Yes'[Yes
                                  PICK a,b FROM 'Yes'[YesNoAnsw
                                  THEN BLOCK
                                       (CANNOT CHANGE V[YesNoAn
                     (MAINTAINING -('_SESSION'[SESSION];s
                     NEW x:YesNoAnswer;
                       ALL of BLOCK
                                  (CANNOT CHANGE 'Yes'[YesNoA
                                  BLOCK
                                  (CANNOT CHANGE V[YesNoAnswe
                     (MAINTAINING -('_SESSION'[SESSION]
                     (MAINTAINING -('_SESSION'[SESSION];s
                  (MAINTAINING -('_SESSION'[SESSION];sessionN
           (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC)
          NEW x:YesNoAnswer;
            ALL of INSERT INTO rcBranchRequestedQ[RentalCase*YesN
                    SELECTFROM 'x'[RentalCase]*(('_SESSION'[SESSI

                   (TO MAINTAIN  -('_SESSION'[SESSION];sessionNew
                  ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'
                      THEN BLOCK
                               (CANNOT CHANGE 'Yes'[YesNoAnswer]

390
```

```
                                             PICK a,b FROM 'Yes'[YesNoAnswer];('x'[Y
                                             THEN BLOCK
                                                     (CANNOT CHANGE V[YesNoAnswer*Renta
                                   (MAINTAINING -('_SESSION'[SESSION];sessionNewB
                               (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC
                              (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC)
                       (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC) \/ sess
                  (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC) \/ sessionNewB
               (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC) \/ sessionNewBra
         (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC) \/ sessionNewBranchRC;r
 ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (((sessionNewBranchRC \/ Delt
                THEN INSERT INTO rcBranchRequestedQ[RentalCase*YesNoAnswer]
                        SELECTFROM 'a'[RentalCase]*'b'[YesNoAnswer]


                  (TO MAINTAIN  -(sessionNewBranchRC~;'_SESSION'[SESSION];ses
               PICK a,b FROM rcBranchRequestedQ~;(((sessionNewBranchRC \/ Delta
               THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[YesNo
                            THEN BLOCK
                                    (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM C
                            PICK a,b FROM 'Yes'[YesNoAnswer];('a'[YesNoAn
                            THEN BLOCK
                                    (CANNOT CHANGE V[YesNoAnswer*RentalCase]
                        (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSIO
                       NEW x:YesNoAnswer;
                          ALL of BLOCK
                                    (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM Comp
                                    BLOCK
                                    (CANNOT CHANGE V[YesNoAnswer*RentalCase] FR
                          (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESS
                         (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSIO
                     (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];sess
             (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewBranch
            NEW x:YesNoAnswer;
             ALL of INSERT INTO rcBranchRequestedQ[RentalCase*YesNoAnswer]
                     SELECTFROM (((sessionNewBranchRC \/ Delta)~;'_SESSION'[SESSIO


                   (TO MAINTAIN  -(sessionNewBranchRC~;'_SESSION'[SESSION];sessio
                   ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'[YesNoAnswer]*((
                          THEN BLOCK
                                  (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM Complete br
                          PICK a,b FROM 'Yes'[YesNoAnswer];('x'[YesNoAnswer]*(((s
                          THEN BLOCK
                                  (CANNOT CHANGE V[YesNoAnswer*RentalCase] FROM Comp
                 (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];session
             (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewBran
           (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewBranch
      (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewBranchRC) \/
 ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (('_SESSION'[SESSION];session
                THEN INSERT INTO sessionNewBranchRC[SESSION*RentalCase]
                        SELECTFROM 'a'[SESSION]*'b'[RentalCase]
```

391

```
                        (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewBranchRC;(ren
            PICK a,b FROM sessionNewBranchRC~;(('_SESSION'[SESSION];sessionN
            THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[Renta
                        THEN INSERT INTO rcKeysHandedOverQ[RentalCase
                          SELECTFROM 'a'[RentalCase]*'b'[YesNoAns

                        (TO MAINTAIN  -('_SESSION'[SESSION];sess
                    PICK a,b FROM rcKeysHandedOverQ~;('a'[RentalC
                    THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK
                                    THEN BLOCK
                                        (CANNOT CHANGE 'Yes'[
                                    PICK a,b FROM 'Yes'[YesNoA
                                    THEN BLOCK
                                        (CANNOT CHANGE V[YesN
                        (MAINTAINING -('_SESSION'[SESSION
                        NEW x:YesNoAnswer;
                          ALL of BLOCK
                                        (CANNOT CHANGE 'Yes'[Yes
                                        BLOCK
                                        (CANNOT CHANGE V[YesNoAn
                            (MAINTAINING -('_SESSION'[SESSI
                        (MAINTAINING -('_SESSION'[SESSION
                    (MAINTAINING -('_SESSION'[SESSION];sessi
                (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchR
                NEW x:YesNoAnswer;
                  ALL of INSERT INTO rcKeysHandedOverQ[RentalCase*Ye
                            SELECTFROM 'a'[RentalCase]*'b'[RentalCase]

                        (TO MAINTAIN  -('_SESSION'[SESSION];session
                    ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b
                                    THEN BLOCK
                                        (CANNOT CHANGE 'Yes'[Yes
                                    PICK a,b FROM 'Yes'[YesNoAnsw
                                    THEN BLOCK
                                        (CANNOT CHANGE V[YesNoAn
                            (MAINTAINING -('_SESSION'[SESSION];s
                        NEW x:YesNoAnswer;
                          ALL of BLOCK
                                        (CANNOT CHANGE 'Yes'[YesNoA
                                        BLOCK
                                        (CANNOT CHANGE V[YesNoAnswe
                            (MAINTAINING -('_SESSION'[SESSION]
                        (MAINTAINING -('_SESSION'[SESSION];s
                    (MAINTAINING -('_SESSION'[SESSION];sessionN
                (MAINTAINING -('_SESSION'[SESSION];sessionNewBranc
                (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchR
            (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rent
(MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenPro
            NEW x:RentalCase;
```

```
                        ALL of INSERT INTO sessionNewBranchRC[SESSION*RentalCase]
                           SELECTFROM (('_SESSION'[SESSION];sessionNewBranchRC;(rentalHa

                   (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewBranchRC;(rental
                 ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'[RentalCa
                          THEN INSERT INTO rcKeysHandedOverQ[RentalCase*Ye
                             SELECTFROM 'a'[RentalCase]*'b'[YesNoAnswer

                             (TO MAINTAIN  -('_SESSION'[SESSION];session
                         PICK a,b FROM rcKeysHandedOverQ~;('x'[RentalCase
                         THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b
                                    THEN BLOCK
                                            (CANNOT CHANGE 'Yes'[Yes
                                      PICK a,b FROM 'Yes'[YesNoAnsw
                                      THEN BLOCK
                                              (CANNOT CHANGE V[YesNoAn
                             (MAINTAINING -('_SESSION'[SESSION];s
                           NEW x:YesNoAnswer;
                             ALL of BLOCK
                                         (CANNOT CHANGE 'Yes'[YesNoA
                                         BLOCK
                                         (CANNOT CHANGE V[YesNoAnswe
                           (MAINTAINING -('_SESSION'[SESSION]
                         (MAINTAINING -('_SESSION'[SESSION];s
                       (MAINTAINING -('_SESSION'[SESSION];sessionN
                 (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(
                  NEW x:YesNoAnswer;
                    ALL of INSERT INTO rcKeysHandedOverQ[RentalCase*YesNo
                          SELECTFROM 'x'[RentalCase]*(('_SESSION'[SESSI

                          (TO MAINTAIN  -('_SESSION'[SESSION];sessionNew
                          ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'
                               THEN BLOCK
                                       (CANNOT CHANGE 'Yes'[YesNoAnswer]
                                 PICK a,b FROM 'Yes'[YesNoAnswer];('x'[Y
                                 THEN BLOCK
                                         (CANNOT CHANGE V[YesNoAnswer*Renta
                            (MAINTAINING -('_SESSION'[SESSION];sessionNewB
                        (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC
                      (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(
                 (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalH
            (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenP
         (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenPro
  (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenPromised /
 ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (((sessionNewBranchRC \/ Delt
          THEN INSERT INTO rcKeysHandedOverQ[RentalCase*YesNoAnswer]
              SELECTFROM 'a'[RentalCase]*'b'[YesNoAnswer]

                 (TO MAINTAIN  -(sessionNewBranchRC~;'_SESSION'[SESSION];ses
             PICK a,b FROM rcKeysHandedOverQ~;(((sessionNewBranchRC \/ Delta)


                        393
```

```
                  THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[YesNo
                             THEN BLOCK
                                   (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM H
                             PICK a,b FROM 'Yes'[YesNoAnswer];('a'[YesNoAn
                             THEN BLOCK
                                   (CANNOT CHANGE V[YesNoAnswer*RentalCase]
                     (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSIO
                     NEW x:YesNoAnswer;
                        ALL of BLOCK
                                   (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM Hand
                                   BLOCK
                                   (CANNOT CHANGE V[YesNoAnswer*RentalCase] FR
                        (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESS
                        (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSIO
                  (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];sess
            (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewBranch
            NEW x:YesNoAnswer;
               ALL of INSERT INTO rcKeysHandedOverQ[RentalCase*YesNoAnswer]
                        SELECTFROM (((sessionNewBranchRC \/ Delta)~;'_SESSION'[SESSIO


                  (TO MAINTAIN  -(sessionNewBranchRC~;'_SESSION'[SESSION];sessio
                  ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'[YesNoAnswer]*((
                        THEN BLOCK
                              (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM Hand the ca
                        PICK a,b FROM 'Yes'[YesNoAnswer];('x'[YesNoAnswer]*(((s
                        THEN BLOCK
                              (CANNOT CHANGE V[YesNoAnswer*RentalCase] FROM Hand
                     (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];session
                  (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewBran
               (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewBranch
         (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewBranchRC;(ren
      ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((sessionNewBranchRC;(I[Renta
               THEN INSERT INTO sessionNewBranchRC[SESSION*RentalCase]
                        SELECTFROM 'a'[SESSION]*'b'[RentalCase]


                  (TO MAINTAIN  -(sessionNewBranchRC;(I[RentalCase] /\ rcAssi
               PICK a,b FROM sessionNewBranchRC~;((sessionNewBranchRC;(I[Rental
               THEN INSERT INTO rcBranchRequestedQ[RentalCase*YesNoAnswer]
                        SELECTFROM 'a'[RentalCase]*'b'[YesNoAnswer]


                  (TO MAINTAIN  -(sessionNewBranchRC;(I[RentalCase] /\ rcAssi
         (MAINTAINING -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;rcAss
         NEW x:RentalCase;
            ALL of INSERT INTO sessionNewBranchRC[SESSION*RentalCase]
                     SELECTFROM ((sessionNewBranchRC;(I[RentalCase] /\ rcAssignedC


                  (TO MAINTAIN  -(sessionNewBranchRC;(I[RentalCase] /\ rcAssigne
                  INSERT INTO rcBranchRequestedQ[RentalCase*YesNoAnswer]
                     SELECTFROM 'x'[RentalCase]*((sessionNewBranchRC;(I[RentalCase
```

```
                    (TO MAINTAIN  -(sessionNewBranchRC;(I[RentalCase] /\ rcAssigne
        (MAINTAINING -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;rcA
          (MAINTAINING -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;rcAss
        (MAINTAINING -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;rcAssignedCa
  (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC) \/ sessionNewBranchRC;rcBranch
  (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC) \/ sessionNewBranchRC;rcBranch
  (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenPromised /\ rcAss
  (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenPromised /\ rcAss
  (MAINTAINING -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;rcAssignedCar~);rcK
  (MAINTAINING -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;rcAssignedCar~);rcK
  (MAINTAINING -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchReques
  (MAINTAINING -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchReques
  (MAINTAINING -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchReques
  (MAINTAINING -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchReques
  (MAINTAINING -(sessionNewBranchRC~;sessionNewBranchRC) \/ I[RentalCase] FROM UNI sess

<------End Derivation --


        ON DELETE Delta FROM sessionNewBranchRC[SESSION*RentalCase] EXECUTE     -- (ECA r
        ALL of DELETE FROM sessionNewBranchRC[SESSION*RentalCase]
                SELECTFROM '_SESSION'[SESSION];(-((sessionNewBranchRC /\ -Delta);rcBranc

              (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewBranchRC) \/ sessionNewBran
              ONE OF DELETE FROM sessionNewBranchRC[SESSION*RentalCase]
                      SELECTFROM '_SESSION'[SESSION];(-((sessionNewBranchRC /\ -Delta);

                    (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBe
                    DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
                     SELECTFROM sessionNewBranchRC~;'_SESSION'[SESSION];(-((sessionNewB

                    (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBe
                    DELETE FROM rcAssignedCar[RentalCase*Car]
                     SELECTFROM sessionNewBranchRC~;'_SESSION'[SESSION];(-((sessionNewB

                    (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBe
                    DELETE FROM rcAssignedCar[RentalCase*Car]
                     SELECTFROM (-(V[RentalCase*YesNoAnswer];'Yes'[YesNoAnswer];rcKeysh

                    (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBe
              (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenPromi
              ONE OF DELETE FROM sessionNewBranchRC[SESSION*RentalCase]
                      SELECTFROM (-((sessionNewBranchRC /\ -Delta);rcBranchRequestedQ)

                    (TO MAINTAIN  -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar
                    DELETE FROM Isn{detyp=RentalCase}
                     SELECTFROM sessionNewBranchRC~;(-((sessionNewBranchRC /\ -Delta);

                    (TO MAINTAIN  -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar


                                    395
```

```
                              DELETE FROM rcAssignedCar[RentalCase*Car]
                               SELECTFROM sessionNewBranchRC~;(-((sessionNewBranchRC /\ -Delta);

                          (TO MAINTAIN  -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar
                          DELETE FROM rcAssignedCar[RentalCase*Car]
                           SELECTFROM rcKeysHandedOverQ;'Yes'[YesNoAnswer];(-(rcBranchReques

                          (TO MAINTAIN  -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar
                          DELETE FROM rcKeysHandedOverQ[RentalCase*YesNoAnswer]
                           SELECTFROM (I[RentalCase] /\ rcAssignedCar;rcAssignedCar~);sessio

                          (TO MAINTAIN  -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar
                 (MAINTAINING -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;rcAssig
          (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC) \/ sessionNewBranchRC;rcB
          (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenPromised /\
          (MAINTAINING -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;rcAssignedCar~
```

------ Derivation ----->

```
        ALL of DELETE FROM sessionNewBranchRC[SESSION*RentalCase]
                SELECTFROM '_SESSION'[SESSION];(-((sessionNewBranchRC /\ -Delta);rcBranchRequ

              (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewBranchRC) \/ sessionNewBranchRC;
              ONE OF DELETE FROM sessionNewBranchRC[SESSION*RentalCase]
                      SELECTFROM '_SESSION'[SESSION];(-((sessionNewBranchRC /\ -Delta);rcKey

                      (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenPr
                      DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
                       SELECTFROM sessionNewBranchRC~;'_SESSION'[SESSION];(-((sessionNewBranc

                      (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenPr
                      DELETE FROM rcAssignedCar[RentalCase*Car]
                       SELECTFROM sessionNewBranchRC~;'_SESSION'[SESSION];(-((sessionNewBranc

                      (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenPr
                      DELETE FROM rcAssignedCar[RentalCase*Car]
                       SELECTFROM (-(V[RentalCase*YesNoAnswer];'Yes'[YesNoAnswer];rcKeysHande

                      (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenPr
              (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenPromised /
              ONE OF DELETE FROM sessionNewBranchRC[SESSION*RentalCase]
                      SELECTFROM (-((sessionNewBranchRC /\ -Delta);rcBranchRequestedQ) /\ se

                      (TO MAINTAIN  -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;rcAs
                      DELETE FROM Isn{detyp=RentalCase}
                       SELECTFROM sessionNewBranchRC~;(-((sessionNewBranchRC /\ -Delta);rcBra

                      (TO MAINTAIN  -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;rcAs
```

```
                          DELETE FROM rcAssignedCar[RentalCase*Car]
                           SELECTFROM sessionNewBranchRC~;(-((sessionNewBranchRC /\ -Delta);rcBra

                          (TO MAINTAIN  -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;rcAs
                          DELETE FROM rcAssignedCar[RentalCase*Car]
                           SELECTFROM rcKeysHandedOverQ;'Yes'[YesNoAnswer];(-(rcBranchRequestedQ~

                          (TO MAINTAIN  -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;rcAs
                          DELETE FROM rcKeysHandedOverQ[RentalCase*YesNoAnswer]
                           SELECTFROM (I[RentalCase] /\ rcAssignedCar;rcAssignedCar~);sessionNewB

                          (TO MAINTAIN  -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;rcAs
              (MAINTAINING -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;rcAssignedCa
     (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC) \/ sessionNewBranchRC;rcBranch
     (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenPromised /\ rcAss
     (MAINTAINING -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;rcAssignedCar~);rcK
```

<------End Derivation --

```
          ON INSERT Delta IN sessionPickupPerson[SESSION*Person] EXECUTE    -- (ECA rule 1
          ALL of INSERT INTO Isn{detyp=Person}
                    SELECTFROM ((sessionPickupPerson \/ Delta)~;sessionPickupPerson /\ -I[Pe

                    (TO MAINTAIN  -(sessionPickupPerson~;sessionPickupPerson) \/ I[Person] FR
                    INSERT INTO Isn{detyp=SESSION}
                     SELECTFROM (Delta;Delta~ /\ I[SESSION]) - I[SESSION]

          (MAINTAINING -(sessionPickupPerson~;sessionPickupPerson) \/ I[Person] FROM UNI s
```

------ Derivation ----->

```
      ALL of INSERT INTO Isn{detyp=Person}
             SELECTFROM ((sessionPickupPerson \/ Delta)~;sessionPickupPerson /\ -I[Person]

             (TO MAINTAIN  -(sessionPickupPerson~;sessionPickupPerson) \/ I[Person] FROM UN
             INSERT INTO Isn{detyp=SESSION}
              SELECTFROM (Delta;Delta~ /\ I[SESSION]) - I[SESSION]

      (MAINTAINING -(sessionPickupPerson~;sessionPickupPerson) \/ I[Person] FROM UNI sessio
```

<------End Derivation --

```
          ON INSERT Delta IN sessionDroppedoffCar[SESSION*Car] EXECUTE    -- (ECA rule 129
          ALL of INSERT INTO Isn{detyp=Car}
                    SELECTFROM ((sessionDroppedoffCar \/ Delta)~;'_SESSION'[SESSION];session
```

(TO MAINTAIN  -(sessionDroppedoffCar~;'_SESSION'[SESSION];sessionDroppedo
(TO MAINTAIN  -(sessionDroppedoffCar~;sessionDroppedoffCar) \/ I[Car] FRO
INSERT INTO rcDroppedOffBranch[RentalCase*Branch]
 SELECTFROM rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));(a

(TO MAINTAIN  -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~
INSERT INTO Isn{detyp=Branch}
 SELECTFROM rcDroppedOffBranch~;rcAssignedCar;(I[Car] /\ -(carAvailableAt

(TO MAINTAIN  -(rcDroppedOffBranch~;rcAssignedCar;(I[Car] /\ -(carAvailabl
INSERT INTO rcDroppedOffDate[RentalCase*Date]
 SELECTFROM rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));(a

(TO MAINTAIN  -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~
INSERT INTO Isn{detyp=Date}
 SELECTFROM rcDroppedOffDate~;rcAssignedCar;(I[Car] /\ -(carAvailableAt;ca

(TO MAINTAIN  -(rcDroppedOffDate~;rcAssignedCar;(I[Car] /\ -(carAvailableA
INSERT INTO Isn{detyp=SESSION}
 SELECTFROM (Delta;Delta~ /\ I[SESSION]) - I[SESSION]

ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (('_SESSION'[SESSION];se
                THEN INSERT INTO sessionDroppedoffCar[SESSION*Car]
                    SELECTFROM 'a'[SESSION]*'b'[Car]

                (TO MAINTAIN  -('_SESSION'[SESSION];sessionDroppedoffCa
                PICK a,b FROM sessionDroppedoffCar~;(('_SESSION'[SESSION];s
                THEN ALL of INSERT INTO Isn{detyp=Car}
                        SELECTFROM 'a'[Car]*'b'[Car]

                    (TO MAINTAIN  -('_SESSION'[SESSION];sessionDropp
                    ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FRO
                            THEN INSERT INTO rcAssignedCar[Re
                                SELECTFROM 'b'[RentalCase]*

                            (TO MAINTAIN  -('_SESSION'[S
                            PICK a,b FROM rcAssignedCar;('a'[
                            THEN ONE OF ONE NONEMPTY ALTERNAT
                                        THEN ALL of INS
                                                SI

                                        (TO
                                        DE
                                        SI

                                        (TO
                                    (MAINTAIN
                            PICK a,b FROM
                            THEN INSERT INT

398

SELECTFRO

(TO MAINT
(MAINTAINING -('_SESS
NEW x:RentalCase;
  ALL of ALL of INSERT
            SELEC

(TO M
DELET
SELEC

(TO M
(MAINTAINING
INSERT INTO
SELECTFROM

(TO MAINTAIN
(MAINTAINING -('_SES
(MAINTAINING -('_SESS
(MAINTAINING -('_SESSION'[SE
(MAINTAINING -('_SESSION'[SESSION];sessi
NEW x:RentalCase;
  ALL of INSERT INTO rcAssignedCar[Rental
       SELECTFROM 'x'[RentalCase]*'b'

(TO MAINTAIN  -('_SESSION'[SESS
ONE OF ONE NONEMPTY ALTERNATIVE
          THEN ALL of INSERT
                 SELEC

(TO M
DELET
SELEC

(TO M
(MAINTAINING
PICK a,b FROM (re
THEN INSERT INTO
SELECTFROM

(TO MAINTAIN
(MAINTAINING -('_SESSION
NEW x:RentalCase;
  ALL of ALL of INSERT I
          SELECTF

(TO MAINT
DELETE F
SELECTF

399

```
                                                          (TO MAIN
                                        (MAINTAINING -(
                                        INSERT INTO rcA
                                         SELECTFROM 'x'

                                                          (TO MAINTAIN  -
                                       (MAINTAINING -('_SESSI
                                        (MAINTAINING -('_SESSION
                                      (MAINTAINING -('_SESSION'[SESSI
                                (MAINTAINING -('_SESSION'[SESSION];ses
                              (MAINTAINING -('_SESSION'[SESSION];sessi
                      (MAINTAINING -('_SESSION'[SESSION];sessionDropp
                 (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCa
(MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar) \/ sessio
NEW x:Car;
   ALL of INSERT INTO sessionDroppedoffCar[SESSION*Car]
             SELECTFROM (('_SESSION'[SESSION];sessionDroppedoffCar /\

          (TO MAINTAIN  -('_SESSION'[SESSION];sessionDroppedoffCar)
          INSERT INTO Isn{detyp=Car}
           SELECTFROM 'x'[Car]*(('_SESSION'[SESSION];sessionDroppedo

          (TO MAINTAIN  -('_SESSION'[SESSION];sessionDroppedoffCar)
          ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'[Car]
                     THEN INSERT INTO rcAssignedCar[RentalCase*Ca
                           SELECTFROM 'b'[RentalCase]*'a'[Car]

                     (TO MAINTAIN  -('_SESSION'[SESSION];se
                     PICK a,b FROM rcAssignedCar;('x'[Car]*(('_SI
                     THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PIC
                                 THEN ALL of INSERT INTO
                                         SELECTFROM

                                  (TO MAINTAIN
                                  DELETE FROM
                                   SELECTFROM

                                  (TO MAINTAIN
                            (MAINTAINING -('_SES
                      PICK a,b FROM (rentalHash
                      THEN INSERT INTO rcAssig
                            SELECTFROM 'a'[Rent

                              (TO MAINTAIN  -('_SI
                  (MAINTAINING -('_SESSION'[SESSIC
                  NEW x:RentalCase;
                    ALL of ALL of INSERT INTO rent
                                 SELECTFROM 'a'
```

400

```
                                              (TO MAINTAIN -
                                        DELETE FROM ren
                                          SELECTFROM 'a'

                                              (TO MAINTAIN -
                                  (MAINTAINING -('_SESSI
                                  INSERT INTO rcAssigned
                                   SELECTFROM 'x'[RentalO

                                        (TO MAINTAIN -('_SESS
                              (MAINTAINING -('_SESSION'[SES
                            (MAINTAINING -('_SESSION'[SESSIO
                    (MAINTAINING -('_SESSION'[SESSION];ses
        (MAINTAINING -('_SESSION'[SESSION];sessionDroppedo
NEW x:RentalCase;
   ALL of INSERT INTO rcAssignedCar[RentalCase*Car]
                SELECTFROM 'x'[RentalCase]*((sessionDrop

              (TO MAINTAIN -('_SESSION'[SESSION];sessi
              ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a
                          THEN ALL of INSERT INTO ren
                                      SELECTFROM 'a'

                                        (TO MAINTAIN -
                                        DELETE FROM ren
                                          SELECTFROM 'a'

                                        (TO MAINTAIN -
                              (MAINTAINING -('_SESSI
                          PICK a,b FROM (rentalHasBee
                          THEN INSERT INTO rcAssigned
                                SELECTFROM 'a'[RentalO

                                        (TO MAINTAIN -('_SESS
                    (MAINTAINING -('_SESSION'[SESSION]
                    NEW x:RentalCase;
                      ALL of INSERT INTO rentalHasBeen
                                SELECTFROM 'x'[RentalCas

                              (TO MAINTAIN -('_SESSION
                              DELETE FROM rentalHasBeen
                                SELECTFROM 'x'[RentalCas

                              (TO MAINTAIN -('_SESSION
                              INSERT INTO rcAssignedCar
                                SELECTFROM 'x'[RentalCas

                              (TO MAINTAIN -('_SESSION
                    (MAINTAINING -('_SESSION'[SESSIO
                    (MAINTAINING -('_SESSION'[SESSION]
```

401

```
                              (MAINTAINING -('_SESSION'[SESSION];sessio
                        (MAINTAINING -('_SESSION'[SESSION];sessionDroppe
                     (MAINTAINING -('_SESSION'[SESSION];sessionDroppedo
               (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar)
          (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar) \/ sess
       (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar) \/ sessio
   (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar) \/ sessionDroppe
ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (((sessionDroppedoffCar
          THEN INSERT INTO rcAssignedCar[RentalCase*Car]
               SELECTFROM 'b'[RentalCase]*'a'[Car]

                 (TO MAINTAIN  -(sessionDroppedoffCar~;'_SESSION'[SESSI
          PICK a,b FROM rcAssignedCar;(((sessionDroppedoffCar \/ Delt
               THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
                        THEN ALL of INSERT INTO rentalHasBeenStar
                                    SELECTFROM 'a'[RentalCase]*

                            (TO MAINTAIN  -(sessionDropp
                            DELETE FROM rentalHasBeenEnd
                             SELECTFROM 'a'[RentalCase]*

                            (TO MAINTAIN  -(sessionDropp
                      (MAINTAINING -(sessionDroppedoffCar
                  PICK a,b FROM (rentalHasBeenStarted~ /\
                  THEN INSERT INTO rcAssignedCar[RentalCase
                       SELECTFROM 'a'[RentalCase]*'b'[Car

                          (TO MAINTAIN  -(sessionDroppedoffCa
                   (MAINTAINING -(sessionDroppedoffCar~;'_SESSION'
                  NEW x:RentalCase;
                    ALL of ALL of INSERT INTO rentalHasBeenStarte
                                    SELECTFROM 'a'[RentalCase]*'b'

                              (TO MAINTAIN  -(sessionDroppedo
                              DELETE FROM rentalHasBeenEnded[
                               SELECTFROM 'a'[RentalCase]*'b'

                              (TO MAINTAIN  -(sessionDroppedo
                      (MAINTAINING -(sessionDroppedoffCar~;'
                      INSERT INTO rcAssignedCar[RentalCase*Ca
                       SELECTFROM 'x'[RentalCase]*'a'[RentalC

                              (TO MAINTAIN  -(sessionDroppedoffCar~;
                     (MAINTAINING -(sessionDroppedoffCar~;'_SESSION
                     (MAINTAINING -(sessionDroppedoffCar~;'_SESSION'
               (MAINTAINING -(sessionDroppedoffCar~;'_SESSION'[SESSIO
          (MAINTAINING -(sessionDroppedoffCar~;'_SESSION'[SESSION];sessionDr
          NEW x:RentalCase;
            ALL of INSERT INTO rcAssignedCar[RentalCase*Car]
                    SELECTFROM 'x'[RentalCase]*((sessionDroppedoffCar~;'_SES

                    402
```

```
                              (TO MAINTAIN  -(sessionDroppedoffCar~;'_SESSION'[SESSION]
                      ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'[Rent
                                  THEN ALL of INSERT INTO rentalHasBeenStarte
                                            SELECTFROM 'a'[RentalCase]*'b'

                                          (TO MAINTAIN  -(sessionDroppedo
                                      DELETE FROM rentalHasBeenEnded[
                                        SELECTFROM 'a'[RentalCase]*'b'

                                          (TO MAINTAIN  -(sessionDroppedo
                                  (MAINTAINING -(sessionDroppedoffCar~;'
                          PICK a,b FROM (rentalHasBeenStarted~ /\ -re
                          THEN INSERT INTO rcAssignedCar[RentalCase*Ca
                                    SELECTFROM 'a'[RentalCase]*'b'[Car]

                                        (TO MAINTAIN  -(sessionDroppedoffCar~;
                            (MAINTAINING -(sessionDroppedoffCar~;'_SESSION'[SES
                      NEW x:RentalCase;
                        ALL of INSERT INTO rentalHasBeenStarted[RentalCa
                                    SELECTFROM 'x'[RentalCase]*(((sessionDro

                                        (TO MAINTAIN  -(sessionDroppedoffCar~;'_SI
                                      DELETE FROM rentalHasBeenEnded[RentalCase
                                        SELECTFROM 'x'[RentalCase]*(((sessionDro

                                        (TO MAINTAIN  -(sessionDroppedoffCar~;'_SI
                                      INSERT INTO rcAssignedCar[RentalCase*Car]
                                        SELECTFROM 'x'[RentalCase]*'x'[RentalCase

                                        (TO MAINTAIN  -(sessionDroppedoffCar~;'_SI
                                (MAINTAINING -(sessionDroppedoffCar~;'_SESSION'[
                              (MAINTAINING -(sessionDroppedoffCar~;'_SESSION'[SE
                        (MAINTAINING -(sessionDroppedoffCar~;'_SESSION'[SESSION];
                  (MAINTAINING -(sessionDroppedoffCar~;'_SESSION'[SESSION];session
              (MAINTAINING -(sessionDroppedoffCar~;'_SESSION'[SESSION];sessionDr
        (MAINTAINING -(sessionDroppedoffCar~;'_SESSION'[SESSION];sessionDroppedof
        ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (('_SESSION'[SESSION];sessionDr
                  THEN BLOCK
                          (CANNOT CHANGE V[SESSION*RentalCase] FROM Car drop-off handli
                  PICK a,b FROM V[RentalCase*SESSION];(('_SESSION'[SESSION];sessionD
                  THEN ALL of INSERT INTO Isn{detyp=RentalCase}
                              SELECTFROM 'a'[RentalCase]*'b'[RentalCase]

                                  (TO MAINTAIN  -('_SESSION'[SESSION];sessionDroppedoffC
                                  ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
                                              THEN INSERT INTO rentalIsPaidQ[RentalCas
                                                  SELECTFROM 'a'[RentalCase]*'b'[Yes

                                                    (TO MAINTAIN  -('_SESSION'[SESSION]
```

403

```
                     PICK a,b FROM rentalIsPaidQ~;('a'[RentalC
                     THEN ONE OF ONE NONEMPTY ALTERNATIVE OF
                                 THEN BLOCK
                                       (CANNOT CHANGE '
                                 PICK a,b FROM 'Yes'[Ye
                                 THEN INSERT INTO renta
                                       SELECTFROM 'b'[
                                       (TO MAINTAIN  -(
                           (MAINTAINING -('_SESSION'[SES
                           NEW x:YesNoAnswer;
                             ALL of BLOCK
                                       (CANNOT CHANGE 'Yes
                                        INSERT INTO rentalIs
                                        SELECTFROM 'b'[Rent
                                        (TO MAINTAIN  -('_S
                              (MAINTAINING -('_SESSION'[
                           (MAINTAINING -('_SESSION'[SES
                     (MAINTAINING -('_SESSION'[SESSION];
               (MAINTAINING -('_SESSION'[SESSION];sessionDropp
                     NEW x:YesNoAnswer;
                       ALL of INSERT INTO rentalIsPaidQ[RentalCase*Y
                                 SELECTFROM 'a'[RentalCase]*'b'[Rental
                                 (TO MAINTAIN  -('_SESSION'[SESSION];se
                                 ONE OF ONE NONEMPTY ALTERNATIVE OF PIC
                                       THEN BLOCK
                                             (CANNOT CHANGE 'Yes
                                        PICK a,b FROM 'Yes'[YesNo
                                        THEN INSERT INTO rentalIs
                                              SELECTFROM 'b'[Rent
                                              (TO MAINTAIN  -('_S
                              (MAINTAINING -('_SESSION'[SESSI
                              NEW x:YesNoAnswer;
                                ALL of BLOCK
                                             (CANNOT CHANGE 'Yes'[Y
                                              INSERT INTO rentalIsPai
                                              SELECTFROM 'b'[RentalC
                                              (TO MAINTAIN  -('_SESS
                                 (MAINTAINING -('_SESSION'[SES
                              (MAINTAINING -('_SESSION'[SESSI
                        (MAINTAINING -('_SESSION'[SESSION];ses
                  (MAINTAINING -('_SESSION'[SESSION];sessionDro
                (MAINTAINING -('_SESSION'[SESSION];sessionDroppe
            (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCa
        (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar;rcAss
  (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssignedCar~;(I
```

404

```
                      (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar) \/ sessionDroppedoffCar
                      (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar) \/ sessionDroppedoffCar
                      (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssignedCar~;(I[Rental
                      (MAINTAINING -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));sessi
                      (MAINTAINING -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));sessi
                      (MAINTAINING -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));sessi
                      (MAINTAINING -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));sessi
                      (MAINTAINING -(sessionDroppedoffCar~;sessionDroppedoffCar) \/ I[Car] FROM UNI se


     ----- Derivation ----->


            ALL of INSERT INTO Isn{detyp=Car}
                     SELECTFROM ((sessionDroppedoffCar \/ Delta)~;'_SESSION'[SESSION];sessionDropp

                     (TO MAINTAIN  -(sessionDroppedoffCar~;'_SESSION'[SESSION];sessionDroppedoffCar
                     (TO MAINTAIN  -(sessionDroppedoffCar~;sessionDroppedoffCar) \/ I[Car] FROM UNI
                     INSERT INTO rcDroppedOffBranch[RentalCase*Branch]
                      SELECTFROM rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));(sessi

                     (TO MAINTAIN  -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));se
                     INSERT INTO Isn{detyp=Branch}
                      SELECTFROM rcDroppedOffBranch~;rcAssignedCar;(I[Car] /\ -(carAvailableAt;carA

                     (TO MAINTAIN  -(rcDroppedOffBranch~;rcAssignedCar;(I[Car] /\ -(carAvailableAt;
                     INSERT INTO rcDroppedOffDate[RentalCase*Date]
                      SELECTFROM rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));(sessi

                     (TO MAINTAIN  -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));se
                     INSERT INTO Isn{detyp=Date}
                      SELECTFROM rcDroppedOffDate~;rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAva

                     (TO MAINTAIN  -(rcDroppedOffDate~;rcAssignedCar;(I[Car] /\ -(carAvailableAt;ca
                     INSERT INTO Isn{detyp=SESSION}
                      SELECTFROM (Delta;Delta~ /\ I[SESSION]) - I[SESSION]

                     ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (('_SESSION'[SESSION];session
                                   THEN INSERT INTO sessionDroppedoffCar[SESSION*Car]
                                        SELECTFROM 'a'[SESSION]*'b'[Car]

                                        (TO MAINTAIN  -('_SESSION'[SESSION];sessionDroppedoffCar) \
                                   PICK a,b FROM sessionDroppedoffCar~;(('_SESSION'[SESSION];sessio
                                   THEN ALL of INSERT INTO Isn{detyp=Car}
                                              SELECTFROM 'a'[Car]*'b'[Car]

                                              (TO MAINTAIN  -('_SESSION'[SESSION];sessionDroppedof
                                              ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a
                                                          THEN INSERT INTO rcAssignedCar[RentalC
                                                               SELECTFROM 'b'[RentalCase]*'a'[C


                                             405
```

```
                              (TO MAINTAIN  -('_SESSION'[SESSIO
        PICK a,b FROM rcAssignedCar;('a'[Car]*
        THEN ONE OF ONE NONEMPTY ALTERNATIVE O
                         THEN ALL of INSERT
                                   SELECT


                                   (TO MAI
                                   DELETE
                                   SELECT


                                   (TO MAI
                           (MAINTAINING -
                PICK a,b FROM (rent
                THEN INSERT INTO rc
                      SELECTFROM 'a


                       (TO MAINTAIN
               (MAINTAINING -('_SESSION'[
               NEW x:RentalCase;
                 ALL of ALL of INSERT INT
                                 SELECTFRO


                                 (TO MAINTA
                                 DELETE FRO
                                 SELECTFRO


                                 (TO MAINTA
                         (MAINTAINING -('_
                         INSERT INTO rcAss
                          SELECTFROM 'x'[R


                         (TO MAINTAIN  -('
                   (MAINTAINING -('_SESSION
                  (MAINTAINING -('_SESSION'[
              (MAINTAINING -('_SESSION'[SESSION
        (MAINTAINING -('_SESSION'[SESSION];sessionDro
        NEW x:RentalCase;
          ALL of INSERT INTO rcAssignedCar[RentalCase
                 SELECTFROM 'x'[RentalCase]*'b'[Car]


                (TO MAINTAIN  -('_SESSION'[SESSION];
                ONE OF ONE NONEMPTY ALTERNATIVE OF P
                         THEN ALL of INSERT INT
                                     SELECTFRO


                                     (TO MAINTA
                                     DELETE FRO
                                     SELECTFRO
```

406

```
                                                (TO MAINTA
                                       (MAINTAINING -('_
                            PICK a,b FROM (rentalH
                            THEN INSERT INTO rcAss
                                       SELECTFROM 'a'[R


                                       (TO MAINTAIN  -('
                            (MAINTAINING -('_SESSION'[SES
                   NEW x:RentalCase;
                     ALL of ALL of INSERT INTO r
                                       SELECTFROM '


                                           (TO MAINTAIN
                                       DELETE FROM r
                                       SELECTFROM '


                                           (TO MAINTAIN
                                       (MAINTAINING -('_SES
                                       INSERT INTO rcAssign
                                       SELECTFROM 'x'[Rent


                                       (TO MAINTAIN  -('_SE
                                  (MAINTAINING -('_SESSION'[S
                                  (MAINTAINING -('_SESSION'[SES
                          (MAINTAINING -('_SESSION'[SESSION];s
                    (MAINTAINING -('_SESSION'[SESSION];sessionD
                  (MAINTAINING -('_SESSION'[SESSION];sessionDro
             (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoff
          (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar) \/
   (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar) \/ sessionDrop
NEW x:Car;
   ALL of INSERT INTO sessionDroppedoffCar[SESSION*Car]
            SELECTFROM (('_SESSION'[SESSION];sessionDroppedoffCar /\ -(se


          (TO MAINTAIN  -('_SESSION'[SESSION];sessionDroppedoffCar) \/ s
          INSERT INTO Isn{detyp=Car}
           SELECTFROM 'x'[Car]*(('_SESSION'[SESSION];sessionDroppedoffCa


          (TO MAINTAIN  -('_SESSION'[SESSION];sessionDroppedoffCar) \/ s
          ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'[Car]*(('
                         THEN INSERT INTO rcAssignedCar[RentalCase*Car]
                             SELECTFROM 'b'[RentalCase]*'a'[Car]


                              (TO MAINTAIN  -('_SESSION'[SESSION];session
                       PICK a,b FROM rcAssignedCar;('x'[Car]*(('_SESSIO
                       THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b
                                       THEN ALL of INSERT INTO renta
                                               SELECTFROM 'a'[R


                                           (TO MAINTAIN  -('
```

```
                                                          DELETE FROM renta
                                                       SELECTFROM 'a'[R


                                              (TO MAINTAIN  -('
                                        (MAINTAINING -('_SESSION
                                  PICK a,b FROM (rentalHasBeenS
                                  THEN INSERT INTO rcAssignedCa
                                       SELECTFROM 'a'[RentalCa


                                              (TO MAINTAIN  -('_SESSIO
                              (MAINTAINING -('_SESSION'[SESSION];s
                        NEW x:RentalCase;
                          ALL of ALL of INSERT INTO rentalHa
                                            SELECTFROM 'a'[Rent


                                              (TO MAINTAIN  -('_SE
                                          DELETE FROM rentalHa
                                            SELECTFROM 'a'[Rent


                                              (TO MAINTAIN  -('_SE
                                       (MAINTAINING -('_SESSION'[S
                                       INSERT INTO rcAssignedCar[R
                                        SELECTFROM 'x'[RentalCase]


                                              (TO MAINTAIN  -('_SESSION'[
                                   (MAINTAINING -('_SESSION'[SESSION]
                                   (MAINTAINING -('_SESSION'[SESSION];s
                             (MAINTAINING -('_SESSION'[SESSION];sessionD
                     (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar
                        NEW x:RentalCase;
                          ALL of INSERT INTO rcAssignedCar[RentalCase*Car]
                                   SELECTFROM 'x'[RentalCase]*((sessionDroppedof


                                       (TO MAINTAIN  -('_SESSION'[SESSION];sessionDro
                               ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FR
                                          THEN ALL of INSERT INTO rentalHa
                                                       SELECTFROM 'a'[Rent


                                              (TO MAINTAIN  -('_SE
                                              DELETE FROM rentalHa
                                               SELECTFROM 'a'[Rent


                                              (TO MAINTAIN  -('_SE
                                       (MAINTAINING -('_SESSION'[S
                                  PICK a,b FROM (rentalHasBeenStar
                                  THEN INSERT INTO rcAssignedCar[R
                                          SELECTFROM 'a'[RentalCase]


                                              (TO MAINTAIN  -('_SESSION'[
                                   (MAINTAINING -('_SESSION'[SESSION];sess
```

```
                                    NEW x:RentalCase;
                                 ALL of INSERT INTO rentalHasBeenStart
                                    SELECTFROM 'x'[RentalCase]*'x

                                    (TO MAINTAIN  -('_SESSION'[SES
                                    DELETE FROM rentalHasBeenEnded
                                    SELECTFROM 'x'[RentalCase]*'x

                                    (TO MAINTAIN  -('_SESSION'[SES
                                    INSERT INTO rcAssignedCar[Rent
                                    SELECTFROM 'x'[RentalCase]*'x

                                    (TO MAINTAIN  -('_SESSION'[SES
                           (MAINTAINING -('_SESSION'[SESSION];se
                          (MAINTAINING -('_SESSION'[SESSION];sess
                        (MAINTAINING -('_SESSION'[SESSION];sessionDrop
                      (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffC
                    (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar
                 (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar) \/ se
             (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar) \/ sessionDr
          (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar) \/ sessionDrop
      (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar) \/ sessionDroppedoffC
ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (((sessionDroppedoffCar \/ De
             THEN INSERT INTO rcAssignedCar[RentalCase*Car]
                    SELECTFROM 'b'[RentalCase]*'a'[Car]

                  (TO MAINTAIN  -(sessionDroppedoffCar~;'_SESSION'[SESSION];s
            PICK a,b FROM rcAssignedCar;(((sessionDroppedoffCar \/ Delta)~;'
            THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[Renta
                      THEN ALL of INSERT INTO rentalHasBeenStarted[
                                  SELECTFROM 'a'[RentalCase]*'b'[R

                                  (TO MAINTAIN  -(sessionDroppedoff
                                  DELETE FROM rentalHasBeenEnded[Re
                                  SELECTFROM 'a'[RentalCase]*'b'[R

                                  (TO MAINTAIN  -(sessionDroppedoff
                           (MAINTAINING -(sessionDroppedoffCar~;'_S
                     PICK a,b FROM (rentalHasBeenStarted~ /\ -rent
                     THEN INSERT INTO rcAssignedCar[RentalCase*Car
                           SELECTFROM 'a'[RentalCase]*'b'[Car]

                                  (TO MAINTAIN  -(sessionDroppedoffCar~;'_
                    (MAINTAINING -(sessionDroppedoffCar~;'_SESSION'[SESS
                    NEW x:RentalCase;
                       ALL of ALL of INSERT INTO rentalHasBeenStarted[Ren
                                     SELECTFROM 'a'[RentalCase]*'b'[Car]

                                  (TO MAINTAIN  -(sessionDroppedoffCar
                                  DELETE FROM rentalHasBeenEnded[Renta
```

409

```
                                   SELECTFROM 'a'[RentalCase]*'b'[Car]

                          (TO MAINTAIN  -(sessionDroppedoffCar
              (MAINTAINING -(sessionDroppedoffCar~;'_SESS
              INSERT INTO rcAssignedCar[RentalCase*Car]
               SELECTFROM 'x'[RentalCase]*'a'[RentalCase]

                          (TO MAINTAIN  -(sessionDroppedoffCar~;'_SES
                 (MAINTAINING -(sessionDroppedoffCar~;'_SESSION'[SE
                 (MAINTAINING -(sessionDroppedoffCar~;'_SESSION'[SESS
            (MAINTAINING -(sessionDroppedoffCar~;'_SESSION'[SESSION];se
(MAINTAINING -(sessionDroppedoffCar~;'_SESSION'[SESSION];sessionDropped
NEW x:RentalCase;
   ALL of INSERT INTO rcAssignedCar[RentalCase*Car]
           SELECTFROM 'x'[RentalCase]*((sessionDroppedoffCar~;'_SESSION'

           (TO MAINTAIN  -(sessionDroppedoffCar~;'_SESSION'[SESSION];sess
         ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'[RentalCa
                    THEN ALL of INSERT INTO rentalHasBeenStarted[Ren
                          SELECTFROM 'a'[RentalCase]*'b'[Rent

                          (TO MAINTAIN  -(sessionDroppedoffCar
                          DELETE FROM rentalHasBeenEnded[Renta
                          SELECTFROM 'a'[RentalCase]*'b'[Rent

                          (TO MAINTAIN  -(sessionDroppedoffCar
                  (MAINTAINING -(sessionDroppedoffCar~;'_SESS
               PICK a,b FROM (rentalHasBeenStarted~ /\ -rentalH
               THEN INSERT INTO rcAssignedCar[RentalCase*Car]
                    SELECTFROM 'a'[RentalCase]*'b'[Car]

                          (TO MAINTAIN  -(sessionDroppedoffCar~;'_SES
               (MAINTAINING -(sessionDroppedoffCar~;'_SESSION'[SESSION
                NEW x:RentalCase;
                  ALL of INSERT INTO rentalHasBeenStarted[RentalCase*Re
                     SELECTFROM 'x'[RentalCase]*(((sessionDroppedo

                    (TO MAINTAIN  -(sessionDroppedoffCar~;'_SESSIO
                    DELETE FROM rentalHasBeenEnded[RentalCase*Rent
                    SELECTFROM 'x'[RentalCase]*(((sessionDroppedo

                    (TO MAINTAIN  -(sessionDroppedoffCar~;'_SESSIO
                    INSERT INTO rcAssignedCar[RentalCase*Car]
                     SELECTFROM 'x'[RentalCase]*'x'[RentalCase]*((

                    (TO MAINTAIN  -(sessionDroppedoffCar~;'_SESSIO
                 (MAINTAINING -(sessionDroppedoffCar~;'_SESSION'[SESSI
               (MAINTAINING -(sessionDroppedoffCar~;'_SESSION'[SESSION
            (MAINTAINING -(sessionDroppedoffCar~;'_SESSION'[SESSION];sessi
         (MAINTAINING -(sessionDroppedoffCar~;'_SESSION'[SESSION];sessionDropp
```

410

```
                    (MAINTAINING -(sessionDroppedoffCar~;'_SESSION'[SESSION];sessionDropped
 (MAINTAINING -(sessionDroppedoffCar~;'_SESSION'[SESSION];sessionDroppedoffCar)
 ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (('_SESSION'[SESSION];sessionDropped
         THEN BLOCK
             (CANNOT CHANGE V[SESSION*RentalCase] FROM Car drop-off handling)
         PICK a,b FROM V[RentalCase*SESSION];(('_SESSION'[SESSION];sessionDroppe
         THEN ALL of INSERT INTO Isn{detyp=RentalCase}
                     SELECTFROM 'a'[RentalCase]*'b'[RentalCase]

                     (TO MAINTAIN  -('_SESSION'[SESSION];sessionDroppedoffCar;rc
                     ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[Renta
                             THEN INSERT INTO rentalIsPaidQ[RentalCase*Yes
                                 SELECTFROM 'a'[RentalCase]*'b'[YesNoAns

                             (TO MAINTAIN  -('_SESSION'[SESSION];sess
                     PICK a,b FROM rentalIsPaidQ~;('a'[RentalCase]
                     THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK
                                     THEN BLOCK
                                         (CANNOT CHANGE 'Yes'[
                                     PICK a,b FROM 'Yes'[YesNoA
                                     THEN INSERT INTO rentalIsP
                                         SELECTFROM 'b'[Renta

                                         (TO MAINTAIN  -('_SES
                         (MAINTAINING -('_SESSION'[SESSION
                         NEW x:YesNoAnswer;
                           ALL of BLOCK
                                     (CANNOT CHANGE 'Yes'[Yes
                                     INSERT INTO rentalIsPaid
                                         SELECTFROM 'b'[RentalCa

                                         (TO MAINTAIN  -('_SESSIO
                             (MAINTAINING -('_SESSION'[SESSI
                             (MAINTAINING -('_SESSION'[SESSION
                       (MAINTAINING -('_SESSION'[SESSION];sessi
           (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoff
                     NEW x:YesNoAnswer;
                       ALL of INSERT INTO rentalIsPaidQ[RentalCase*YesNoA
                             SELECTFROM 'a'[RentalCase]*'b'[RentalCase]

                             (TO MAINTAIN  -('_SESSION'[SESSION];session
                             ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b
                                     THEN BLOCK
                                         (CANNOT CHANGE 'Yes'[Yes
                                     PICK a,b FROM 'Yes'[YesNoAnsw
                                     THEN INSERT INTO rentalIsPaid
                                         SELECTFROM 'b'[RentalCa

                                         (TO MAINTAIN  -('_SESSIO
                         (MAINTAINING -('_SESSION'[SESSION];s
```

```
                                                NEW x:YesNoAnswer;
                                                ALL of BLOCK
                                                        (CANNOT CHANGE 'Yes'[YesNoA
                                                        INSERT INTO rentalIsPaidQ[R
                                                        SELECTFROM 'b'[RentalCase]

                                                        (TO MAINTAIN  -('_SESSION'[
                                                (MAINTAINING -('_SESSION'[SESSION]
                                                (MAINTAINING -('_SESSION'[SESSION];s
                                        (MAINTAINING -('_SESSION'[SESSION];sessionD
                                    (MAINTAINING -('_SESSION'[SESSION];sessionDroppedo
                                    (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoff
                                (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar;rcA
                            (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssigned
                    (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssignedCar~;(I[Rent
            (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar) \/ sessionDroppedoffCar;(I[C
            (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar) \/ sessionDroppedoffCar;(I[C
            (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssignedCar~;(I[RentalCase]
            (MAINTAINING -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));sessionDro
            (MAINTAINING -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));sessionDro
            (MAINTAINING -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));sessionDro
            (MAINTAINING -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));sessionDro
            (MAINTAINING -(sessionDroppedoffCar~;sessionDroppedoffCar) \/ I[Car] FROM UNI session

        <------End Derivation --


            ON DELETE Delta FROM sessionDroppedoffCar[SESSION*Car] EXECUTE     -- (ECA rule 1
            DELETE FROM sessionDroppedoffCar[SESSION*Car]
             SELECTFROM '_SESSION'[SESSION];(-((sessionDroppedoffCar /\ -Delta);(I[Car] /\ r

            (TO MAINTAIN  -('_SESSION'[SESSION];sessionDroppedoffCar) \/ sessionDroppedoffCa

        ------ Derivation ----->


            DELETE FROM sessionDroppedoffCar[SESSION*Car]
             SELECTFROM '_SESSION'[SESSION];(-((sessionDroppedoffCar /\ -Delta);(I[Car] /\ rcAssi

            (TO MAINTAIN  -('_SESSION'[SESSION];sessionDroppedoffCar) \/ sessionDroppedoffCar;(I[

        <------End Derivation --


            ON INSERT Delta IN sessionDroppedoffPerson[SESSION*Person] EXECUTE     -- (ECA ru
            ALL of INSERT INTO Isn{detyp=Person}
                    SELECTFROM ((sessionDroppedoffPerson \/ Delta)~;sessionDroppedoffPerson
```

412

```
                    (TO MAINTAIN  -(sessionDroppedoffPerson~;sessionDroppedoffPerson) \/ I[Per
                 INSERT INTO Isn{detyp=SESSION}
                  SELECTFROM (Delta;Delta~ /\ I[SESSION]) - I[SESSION]

          (MAINTAINING -(sessionDroppedoffPerson~;sessionDroppedoffPerson) \/ I[Person] FR(

----- Derivation ----->


      ALL of INSERT INTO Isn{detyp=Person}
             SELECTFROM ((sessionDroppedoffPerson \/ Delta)~;sessionDroppedoffPerson /\ -I

            (TO MAINTAIN  -(sessionDroppedoffPerson~;sessionDroppedoffPerson) \/ I[Person]
            INSERT INTO Isn{detyp=SESSION}
             SELECTFROM (Delta;Delta~ /\ I[SESSION]) - I[SESSION]

       (MAINTAINING -(sessionDroppedoffPerson~;sessionDroppedoffPerson) \/ I[Person] FROM UN

<------End Derivation --


           ON INSERT Delta IN Isn{detyp=Branch} EXECUTE    -- (ECA rule 133)
           ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (I[Branch] /\ -(branchOf;'EU-Rer
                       THEN INSERT INTO branchOf[Branch*CarRentalCompany]
                             SELECTFROM 'a'[Branch]*'b'[CarRentalCompany]

                          (TO MAINTAIN  -I[Branch] \/ branchOf;'EU-Rent'[CarRentalCompar
                  PICK a,b FROM branchOf~;(I[Branch] /\ -(branchOf;'EU-Rent'[CarRenta
                  THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[CarRenta
                                THEN BLOCK
                                     (CANNOT CHANGE 'EU-Rent'[CarRentalCompany]
                                PICK a,b FROM 'EU-Rent'[CarRentalCompany];('a'[C
                                THEN INSERT INTO branchOf[Branch*CarRentalCompar
                                     SELECTFROM 'b'[Branch]*'a'[CarRentalCompar

                                     (TO MAINTAIN  -I[Branch] \/ branchOf;'EU-R
                         (MAINTAINING -I[Branch] \/ branchOf;'EU-Rent'[CarRenta
                         NEW x:CarRentalCompany;
                           ALL of BLOCK
                                     (CANNOT CHANGE 'EU-Rent'[CarRentalCompany] FR(
                                     INSERT INTO branchOf[Branch*CarRentalCompany]
                                      SELECTFROM 'b'[Branch]*'a'[CarRentalCompany]=

                                     (TO MAINTAIN  -I[Branch] \/ branchOf;'EU-Rent
                            (MAINTAINING -I[Branch] \/ branchOf;'EU-Rent'[CarRent
                          (MAINTAINING -I[Branch] \/ branchOf;'EU-Rent'[CarRenta1
                    (MAINTAINING -I[Branch] \/ branchOf;'EU-Rent'[CarRentalCompan
             (MAINTAINING -I[Branch] \/ branchOf;'EU-Rent'[CarRentalCompany];branchOf~
             NEW x:CarRentalCompany;
```

413

```
                    ALL of INSERT INTO branchOf[Branch*CarRentalCompany]
                       SELECTFROM (I[Branch] /\ -(branchOf;'EU-Rent'[CarRentalCompany]

                    (TO MAINTAIN  -I[Branch] \/ branchOf;'EU-Rent'[CarRentalCompany]
                  ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'[CarRentalCompany]
                          THEN BLOCK
                               (CANNOT CHANGE 'EU-Rent'[CarRentalCompany] FROM EURer
                          PICK a,b FROM 'EU-Rent'[CarRentalCompany];('x'[CarRentalC
                          THEN INSERT INTO branchOf[Branch*CarRentalCompany]
                               SELECTFROM 'b'[Branch]*'a'[CarRentalCompany]

                               (TO MAINTAIN  -I[Branch] \/ branchOf;'EU-Rent'[CarRe
                    (MAINTAINING -I[Branch] \/ branchOf;'EU-Rent'[CarRentalCompany];
                (MAINTAINING -I[Branch] \/ branchOf;'EU-Rent'[CarRentalCompany];branchO
               (MAINTAINING -I[Branch] \/ branchOf;'EU-Rent'[CarRentalCompany];branchOf~
               ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (I[Branch] /\ -(branchOf;branch
                      THEN INSERT INTO branchOf[Branch*CarRentalCompany]
                           SELECTFROM 'a'[Branch]*'b'[CarRentalCompany]

                           (TO MAINTAIN  -I[Branch] \/ branchOf;I[CarRentalCompany];bran
                    PICK a,b FROM branchOf~;(I[Branch] /\ -(branchOf;branchOf~))
                    THEN INSERT INTO branchOf[Branch*CarRentalCompany]
                         SELECTFROM 'b'[Branch]*'a'[CarRentalCompany]

                         (TO MAINTAIN  -I[Branch] \/ branchOf;I[CarRentalCompany];bran
               (MAINTAINING -I[Branch] \/ branchOf;I[CarRentalCompany];branchOf~ FROM UN
               ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (I[Branch] /\ -(branchLocation;
                      THEN INSERT INTO branchLocation[Branch*Location]
                           SELECTFROM 'a'[Branch]*'b'[Location]

                           (TO MAINTAIN  -I[Branch] \/ branchLocation;I[Location];branch
                    PICK a,b FROM branchLocation~;(I[Branch] /\ -(branchLocation;branc
                    THEN INSERT INTO branchLocation[Branch*Location]
                         SELECTFROM 'b'[Branch]*'a'[Location]

                         (TO MAINTAIN  -I[Branch] \/ branchLocation;I[Location];branch
               (MAINTAINING -I[Branch] \/ branchLocation;I[Location];branchLocation~ FRO
               NEW x:Location;
                 INSERT INTO branchLocation[Branch*Location]
                  SELECTFROM (I[Branch] /\ -(branchLocation;branchLocation~))*'x'[Locati

                 (TO MAINTAIN  -I[Branch] \/ branchLocation;I[Location];branchLocation~
                 (MAINTAINING -I[Branch] \/ branchLocation;I[Location];branchLocation~ FRO
            (MAINTAINING -branchOf \/ branchOf;'EU-Rent'[CarRentalCompany] FROM EURent branc
            (MAINTAINING -(branchOf~;branchOf) \/ I[CarRentalCompany] FROM UNI branchOf::Bra
            (MAINTAINING -I[Branch] \/ branchOf;branchOf~ FROM TOT branchOf::Branch*CarRental
            (MAINTAINING -(branchLocation~;branchLocation) \/ I[Location] FROM UNI branchLoc
            (MAINTAINING -I[Branch] \/ branchLocation;branchLocation~ FROM TOT branchLocatio
```

------ Derivation ----->

414

```
ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (I[Branch] /\ -(branchOf;'EU-Rent'[C
            THEN INSERT INTO branchOf[Branch*CarRentalCompany]
                SELECTFROM 'a'[Branch]*'b'[CarRentalCompany]

            (TO MAINTAIN  -I[Branch] \/ branchOf;'EU-Rent'[CarRentalCompany];b
        PICK a,b FROM branchOf~;(I[Branch] /\ -(branchOf;'EU-Rent'[CarRentalCom
        THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[CarRentalCom
                        THEN BLOCK
                            (CANNOT CHANGE 'EU-Rent'[CarRentalCompany] FROM
                        PICK a,b FROM 'EU-Rent'[CarRentalCompany];('a'[CarRe
                        THEN INSERT INTO branchOf[Branch*CarRentalCompany]
                            SELECTFROM 'b'[Branch]*'a'[CarRentalCompany]

                            (TO MAINTAIN  -I[Branch] \/ branchOf;'EU-Rent'[
                (MAINTAINING -I[Branch] \/ branchOf;'EU-Rent'[CarRentalComp
                NEW x:CarRentalCompany;
                    ALL of BLOCK
                            (CANNOT CHANGE 'EU-Rent'[CarRentalCompany] FROM EU
                            INSERT INTO branchOf[Branch*CarRentalCompany]
                            SELECTFROM 'b'[Branch]*'a'[CarRentalCompany]*'x'[

                            (TO MAINTAIN  -I[Branch] \/ branchOf;'EU-Rent'[Car
                        (MAINTAINING -I[Branch] \/ branchOf;'EU-Rent'[CarRentalCo
                    (MAINTAINING -I[Branch] \/ branchOf;'EU-Rent'[CarRentalComp
            (MAINTAINING -I[Branch] \/ branchOf;'EU-Rent'[CarRentalCompany];br
    (MAINTAINING -I[Branch] \/ branchOf;'EU-Rent'[CarRentalCompany];branchOf~ FROM
    NEW x:CarRentalCompany;
        ALL of INSERT INTO branchOf[Branch*CarRentalCompany]
                SELECTFROM (I[Branch] /\ -(branchOf;'EU-Rent'[CarRentalCompany];bran

            (TO MAINTAIN  -I[Branch] \/ branchOf;'EU-Rent'[CarRentalCompany];bran
        ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'[CarRentalCompany]*(I[B
                    THEN BLOCK
                            (CANNOT CHANGE 'EU-Rent'[CarRentalCompany] FROM EURent br
                    PICK a,b FROM 'EU-Rent'[CarRentalCompany];('x'[CarRentalCompan
                    THEN INSERT INTO branchOf[Branch*CarRentalCompany]
                        SELECTFROM 'b'[Branch]*'a'[CarRentalCompany]

                            (TO MAINTAIN  -I[Branch] \/ branchOf;'EU-Rent'[CarRentalC
                (MAINTAINING -I[Branch] \/ branchOf;'EU-Rent'[CarRentalCompany];branc
        (MAINTAINING -I[Branch] \/ branchOf;'EU-Rent'[CarRentalCompany];branchOf~ FR
    (MAINTAINING -I[Branch] \/ branchOf;'EU-Rent'[CarRentalCompany];branchOf~ FROM
    ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (I[Branch] /\ -(branchOf;branchOf~))
            THEN INSERT INTO branchOf[Branch*CarRentalCompany]
                SELECTFROM 'a'[Branch]*'b'[CarRentalCompany]

            (TO MAINTAIN  -I[Branch] \/ branchOf;I[CarRentalCompany];branchOf~
        PICK a,b FROM branchOf~;(I[Branch] /\ -(branchOf;branchOf~))
        THEN INSERT INTO branchOf[Branch*CarRentalCompany]
```

415

```
                        SELECTFROM 'b'[Branch]*'a'[CarRentalCompany]

                  (TO MAINTAIN  -I[Branch] \/ branchOf;I[CarRentalCompany];branchOf~
          (MAINTAINING -I[Branch] \/ branchOf;I[CarRentalCompany];branchOf~ FROM UNI bra
          ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (I[Branch] /\ -(branchLocation;branc
                THEN INSERT INTO branchLocation[Branch*Location]
                  SELECTFROM 'a'[Branch]*'b'[Location]

                  (TO MAINTAIN  -I[Branch] \/ branchLocation;I[Location];branchLocat
              PICK a,b FROM branchLocation~;(I[Branch] /\ -(branchLocation;branchLoca
                THEN INSERT INTO branchLocation[Branch*Location]
                  SELECTFROM 'b'[Branch]*'a'[Location]

                  (TO MAINTAIN  -I[Branch] \/ branchLocation;I[Location];branchLocat
          (MAINTAINING -I[Branch] \/ branchLocation;I[Location];branchLocation~ FROM UNI
          NEW x:Location;
            INSERT INTO branchLocation[Branch*Location]
             SELECTFROM (I[Branch] /\ -(branchLocation;branchLocation~))*'x'[Location]

                  (TO MAINTAIN  -I[Branch] \/ branchLocation;I[Location];branchLocation~ FROM
            (MAINTAINING -I[Branch] \/ branchLocation;I[Location];branchLocation~ FROM UNI
      (MAINTAINING -branchOf \/ branchOf;'EU-Rent'[CarRentalCompany] FROM EURent branches)
      (MAINTAINING -(branchOf~;branchOf) \/ I[CarRentalCompany] FROM UNI branchOf::Branch*C
      (MAINTAINING -I[Branch] \/ branchOf;branchOf~ FROM TOT branchOf::Branch*CarRentalComp
      (MAINTAINING -(branchLocation~;branchLocation) \/ I[Location] FROM UNI branchLocation
      (MAINTAINING -I[Branch] \/ branchLocation;branchLocation~ FROM TOT branchLocation::Br
```

<------End Derivation --


```
        ON DELETE Delta FROM Isn{detyp=Branch} EXECUTE    -- (ECA rule 134)
        BLOCK
        (CANNOT CHANGE V[Branch*Branch] FROM Completeness of distance table)
```

------ Derivation ----->


```
      BLOCK
      (CANNOT CHANGE V[Branch*Branch] FROM Completeness of distance table)
```

<------End Derivation --


```
        ON INSERT Delta IN Isn{detyp=CarRentalCompany} EXECUTE    -- (ECA rule 135)
        ONE OF INSERT INTO Isn{detyp=CarRentalCompany}
                SELECTFROM 'EU-Rent'[CarRentalCompany];branchOf~;branchOf /\ -I[CarRental

                  (TO MAINTAIN  -('EU-Rent'[CarRentalCompany];branchOf~;branchOf) \/ I[CarR
```

```
                     INSERT INTO Isn{detyp=CarRentalCompany}
                      SELECTFROM branchOf~;branchOf;'EU-Rent'[CarRentalCompany] /\ -I[CarRental

                     (TO MAINTAIN  -(branchOf~;branchOf;'EU-Rent'[CarRentalCompany]) \/ I[CarR
                     INSERT INTO branchOf[Branch*CarRentalCompany]
                      SELECTFROM branchOf;'EU-Rent'[CarRentalCompany] /\ -branchOf

                     (TO MAINTAIN  -(branchOf;'EU-Rent'[CarRentalCompany]) \/ branchOf FROM EU
           (MAINTAINING -branchOf \/ branchOf;'EU-Rent'[CarRentalCompany] FROM EURent branc
           (MAINTAINING -branchOf \/ branchOf;'EU-Rent'[CarRentalCompany] FROM EURent branc
           (MAINTAINING -branchOf \/ branchOf;'EU-Rent'[CarRentalCompany] FROM EURent branc
           (MAINTAINING -branchOf \/ branchOf;'EU-Rent'[CarRentalCompany] FROM EURent branc

------ Derivation ----->


       ONE OF INSERT INTO Isn{detyp=CarRentalCompany}
                  SELECTFROM 'EU-Rent'[CarRentalCompany];branchOf~;branchOf /\ -I[CarRentalComp

                  (TO MAINTAIN  -('EU-Rent'[CarRentalCompany];branchOf~;branchOf) \/ I[CarRental
                  INSERT INTO Isn{detyp=CarRentalCompany}
                   SELECTFROM branchOf~;branchOf;'EU-Rent'[CarRentalCompany] /\ -I[CarRentalComp

                  (TO MAINTAIN  -(branchOf~;branchOf;'EU-Rent'[CarRentalCompany]) \/ I[CarRental
                  INSERT INTO branchOf[Branch*CarRentalCompany]
                   SELECTFROM branchOf;'EU-Rent'[CarRentalCompany] /\ -branchOf

                  (TO MAINTAIN  -(branchOf;'EU-Rent'[CarRentalCompany]) \/ branchOf FROM EURent
         (MAINTAINING -branchOf \/ branchOf;'EU-Rent'[CarRentalCompany] FROM EURent branches)
         (MAINTAINING -branchOf \/ branchOf;'EU-Rent'[CarRentalCompany] FROM EURent branches)
         (MAINTAINING -branchOf \/ branchOf;'EU-Rent'[CarRentalCompany] FROM EURent branches)
         (MAINTAINING -branchOf \/ branchOf;'EU-Rent'[CarRentalCompany] FROM EURent branches)

<------End Derivation --


            ON DELETE Delta FROM Isn{detyp=CarRentalCompany} EXECUTE     -- (ECA rule 136)
            ONE OF DELETE FROM branchOf[Branch*CarRentalCompany]
                      SELECTFROM -(branchOf;'EU-Rent'[CarRentalCompany]) /\ branchOf

                     (TO MAINTAIN  -branchOf \/ branchOf;'EU-Rent'[CarRentalCompany] FROM EURen
                     DELETE FROM branchOf[Branch*CarRentalCompany]
                      SELECTFROM branchOf;(-'EU-Rent'[CarRentalCompany] /\ branchOf~;branchOf)

                     (TO MAINTAIN  -(branchOf~;branchOf) \/ 'EU-Rent'[CarRentalCompany] FROM E
                     DELETE FROM branchOf[Branch*CarRentalCompany]
                      SELECTFROM branchOf;(-I[CarRentalCompany] /\ branchOf~;branchOf;'EU-Rent

                     (TO MAINTAIN  -('EU-Rent'[CarRentalCompany];branchOf~;branchOf) \/ I[CarR
```

417

```
                    DELETE FROM branchOf[Branch*CarRentalCompany]
                     SELECTFROM branchOf;'EU-Rent'[CarRentalCompany];(-I[CarRentalCompany] /\

                   (TO MAINTAIN  -('EU-Rent'[CarRentalCompany];branchOf~;branchOf) \/ I[CarRe
                    DELETE FROM branchOf[Branch*CarRentalCompany]
                     SELECTFROM branchOf;'EU-Rent'[CarRentalCompany];(-I[CarRentalCompany] /\

                   (TO MAINTAIN  -(branchOf~;branchOf;'EU-Rent'[CarRentalCompany]) \/ I[CarRe
                    DELETE FROM branchOf[Branch*CarRentalCompany]
                     SELECTFROM branchOf;(-I[CarRentalCompany] /\ branchOf~;branchOf;'EU-Rent

                   (TO MAINTAIN  -(branchOf~;branchOf;'EU-Rent'[CarRentalCompany]) \/ I[CarRe
                    DELETE FROM Isn{detyp=Branch}
                     SELECTFROM -(branchOf;'EU-Rent'[CarRentalCompany];branchOf~) /\ I[Branch]

                   (TO MAINTAIN  -I[Branch] \/ branchOf;'EU-Rent'[CarRentalCompany];branchOf
                    DELETE FROM branchOf[Branch*CarRentalCompany]
                     SELECTFROM branchOf;(-I[CarRentalCompany] /\ branchOf~;branchOf)

                   (TO MAINTAIN  -(branchOf~;branchOf) \/ I[CarRentalCompany] FROM UNI branc
                    DELETE FROM branchOf[Branch*CarRentalCompany]
                     SELECTFROM V[Branch*CarRentalCompany];Delta

                    DELETE FROM maxRentalDuration[CarRentalCompany*Integer]
                     SELECTFROM Delta;V[CarRentalCompany*Integer]

         (MAINTAINING -branchOf \/ branchOf;'EU-Rent'[CarRentalCompany] FROM EURent branc
         (MAINTAINING -branchOf \/ branchOf;'EU-Rent'[CarRentalCompany] FROM EURent branc
         (MAINTAINING -branchOf \/ branchOf;'EU-Rent'[CarRentalCompany] FROM EURent branc
         (MAINTAINING -branchOf \/ branchOf;'EU-Rent'[CarRentalCompany] FROM EURent branc
         (MAINTAINING -branchOf \/ branchOf;'EU-Rent'[CarRentalCompany] FROM EURent branc
         (MAINTAINING -branchOf \/ branchOf;'EU-Rent'[CarRentalCompany] FROM EURent branc
         (MAINTAINING -(branchOf~;branchOf) \/ I[CarRentalCompany] FROM UNI branchOf::Bra
         (MAINTAINING -I[Branch] \/ branchOf;branchOf~ FROM TOT branchOf::Branch*CarRental

------ Derivation ----->


     ONE OF DELETE FROM branchOf[Branch*CarRentalCompany]
             SELECTFROM -(branchOf;'EU-Rent'[CarRentalCompany]) /\ branchOf

           (TO MAINTAIN  -branchOf \/ branchOf;'EU-Rent'[CarRentalCompany] FROM EURent br
            DELETE FROM branchOf[Branch*CarRentalCompany]
             SELECTFROM branchOf;(-'EU-Rent'[CarRentalCompany] /\ branchOf~;branchOf)

           (TO MAINTAIN  -(branchOf~;branchOf) \/ 'EU-Rent'[CarRentalCompany] FROM EURent
            DELETE FROM branchOf[Branch*CarRentalCompany]
             SELECTFROM branchOf;(-I[CarRentalCompany] /\ branchOf~;branchOf;'EU-Rent'[Car
```

```
                    (TO MAINTAIN  -('EU-Rent'[CarRentalCompany];branchOf~;branchOf) \/ I[CarRental
                    DELETE FROM branchOf[Branch*CarRentalCompany]
                     SELECTFROM branchOf;'EU-Rent'[CarRentalCompany];(-I[CarRentalCompany] /\ 'EU-

                    (TO MAINTAIN  -('EU-Rent'[CarRentalCompany];branchOf~;branchOf) \/ I[CarRental
                    DELETE FROM branchOf[Branch*CarRentalCompany]
                     SELECTFROM branchOf;'EU-Rent'[CarRentalCompany];(-I[CarRentalCompany] /\ 'EU-

                    (TO MAINTAIN  -(branchOf~;branchOf;'EU-Rent'[CarRentalCompany]) \/ I[CarRental
                    DELETE FROM branchOf[Branch*CarRentalCompany]
                     SELECTFROM branchOf;(-I[CarRentalCompany] /\ branchOf~;branchOf;'EU-Rent'[Car

                    (TO MAINTAIN  -(branchOf~;branchOf;'EU-Rent'[CarRentalCompany]) \/ I[CarRental
                    DELETE FROM Isn{detyp=Branch}
                     SELECTFROM -(branchOf;'EU-Rent'[CarRentalCompany];branchOf~) /\ I[Branch]

                    (TO MAINTAIN  -I[Branch] \/ branchOf;'EU-Rent'[CarRentalCompany];branchOf~ FRO
                    DELETE FROM branchOf[Branch*CarRentalCompany]
                     SELECTFROM branchOf;(-I[CarRentalCompany] /\ branchOf~;branchOf)

                    (TO MAINTAIN  -(branchOf~;branchOf) \/ I[CarRentalCompany] FROM UNI branchOf::
                    DELETE FROM branchOf[Branch*CarRentalCompany]
                     SELECTFROM V[Branch*CarRentalCompany];Delta

                    DELETE FROM maxRentalDuration[CarRentalCompany*Integer]
                     SELECTFROM Delta;V[CarRentalCompany*Integer]

        (MAINTAINING -branchOf \/ branchOf;'EU-Rent'[CarRentalCompany] FROM EURent branches)
        (MAINTAINING -branchOf \/ branchOf;'EU-Rent'[CarRentalCompany] FROM EURent branches)
        (MAINTAINING -branchOf \/ branchOf;'EU-Rent'[CarRentalCompany] FROM EURent branches)
        (MAINTAINING -branchOf \/ branchOf;'EU-Rent'[CarRentalCompany] FROM EURent branches)
        (MAINTAINING -branchOf \/ branchOf;'EU-Rent'[CarRentalCompany] FROM EURent branches)
        (MAINTAINING -branchOf \/ branchOf;'EU-Rent'[CarRentalCompany] FROM EURent branches)
        (MAINTAINING -(branchOf~;branchOf) \/ I[CarRentalCompany] FROM UNI branchOf::Branch*C
        (MAINTAINING -I[Branch] \/ branchOf;branchOf~ FROM TOT branchOf::Branch*CarRentalComp

   <------End Derivation --


            ON INSERT Delta IN Isn{detyp=Car} EXECUTE     -- (ECA rule 137)
            ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (I[Car] /\ -(carAvailableAt;car
                        THEN INSERT INTO carAvailableAt[Car*Branch]
                            SELECTFROM 'a'[Car]*'b'[Branch]

                        (TO MAINTAIN  -I[Car] \/ carAvailableAt;carAvailableAt~ \/ rc
                    PICK a,b FROM carAvailableAt~;(I[Car] /\ -(carAvailableAt;carAvail
                    THEN INSERT INTO carAvailableAt[Car*Branch]
                        SELECTFROM 'b'[Car]*'a'[Branch]
```

419

```
                (TO MAINTAIN  -I[Car] \/ carAvailableAt;carAvailableAt~ \/ rc
(MAINTAINING -I[Car] \/ carAvailableAt;carAvailableAt~ \/ rcAssignedCar~;
NEW x:Branch;
  INSERT INTO carAvailableAt[Car*Branch]
   SELECTFROM (I[Car] /\ -(carAvailableAt;carAvailableAt~) /\ -(rcAssigne

  (TO MAINTAIN  -I[Car] \/ carAvailableAt;carAvailableAt~ \/ rcAssignedCa
(MAINTAINING -I[Car] \/ carAvailableAt;carAvailableAt~ \/ rcAssignedCar~;
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (I[Car] /\ -(carAvailableAt;car
      THEN INSERT INTO rcAssignedCar[RentalCase*Car]
              SELECTFROM 'b'[RentalCase]*'a'[Car]

                (TO MAINTAIN  -I[Car] \/ carAvailableAt;carAvailableAt~ \/ rc
        PICK a,b FROM rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailabl
        THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[RentalC
                        THEN ALL of INSERT INTO rentalHasBeenStarted[Re
                                SELECTFROM 'a'[RentalCase]*'b'[Ren

                          (TO MAINTAIN  -I[Car] \/ carAvailabl
                          DELETE FROM rentalHasBeenEnded[Renta
                          SELECTFROM 'a'[RentalCase]*'b'[Ren

                          (TO MAINTAIN  -I[Car] \/ carAvailabl
                    (MAINTAINING -I[Car] \/ carAvailableAt;car
                    PICK a,b FROM (rentalHasBeenStarted~ /\ -rental
                    THEN INSERT INTO rcAssignedCar[RentalCase*Car]
                        SELECTFROM 'a'[RentalCase]*'b'[Car]

                          (TO MAINTAIN  -I[Car] \/ carAvailableAt;car
                  (MAINTAINING -I[Car] \/ carAvailableAt;carAvailableAt~
                  NEW x:RentalCase;
                    ALL of ALL of INSERT INTO rentalHasBeenStarted[Rental
                                SELECTFROM 'a'[RentalCase]*'b'[Car]*':

                          (TO MAINTAIN  -I[Car] \/ carAvailableA
                          DELETE FROM rentalHasBeenEnded[RentalC
                          SELECTFROM 'a'[RentalCase]*'b'[Car]*':

                          (TO MAINTAIN  -I[Car] \/ carAvailableA
                    (MAINTAINING -I[Car] \/ carAvailableAt;carAva
                    INSERT INTO rcAssignedCar[RentalCase*Car]
                     SELECTFROM 'x'[RentalCase]*'a'[RentalCase]*'

                          (TO MAINTAIN  -I[Car] \/ carAvailableAt;carAva
                  (MAINTAINING -I[Car] \/ carAvailableAt;carAvailableA
                  (MAINTAINING -I[Car] \/ carAvailableAt;carAvailableAt~
              (MAINTAINING -I[Car] \/ carAvailableAt;carAvailableAt~ \/ rcA
(MAINTAINING -I[Car] \/ carAvailableAt;carAvailableAt~ \/ rcAssignedCar~;
NEW x:RentalCase;
  ALL of INSERT INTO rcAssignedCar[RentalCase*Car]
```

420

```
                              SELECTFROM 'x'[RentalCase]*(I[Car] /\ -(carAvailableAt;carAvail

                   (TO MAINTAIN  -I[Car] \/ carAvailableAt;carAvailableAt~ \/ rcAss
             ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'[RentalCase]
                        THEN ALL of INSERT INTO rentalHasBeenStarted[Renta]
                                  SELECTFROM 'a'[RentalCase]*'b'[Rental(

                              (TO MAINTAIN  -I[Car] \/ carAvailableAt
                              DELETE FROM rentalHasBeenEnded[RentalC
                               SELECTFROM 'a'[RentalCase]*'b'[Rental(

                              (TO MAINTAIN  -I[Car] \/ carAvailableAt
                        (MAINTAINING -I[Car] \/ carAvailableAt;carAva
                     PICK a,b FROM (rentalHasBeenStarted~ /\ -rentalHas]
                     THEN INSERT INTO rcAssignedCar[RentalCase*Car]
                          SELECTFROM 'a'[RentalCase]*'b'[Car]

                              (TO MAINTAIN  -I[Car] \/ carAvailableAt;carAva
                   (MAINTAINING -I[Car] \/ carAvailableAt;carAvailableAt~ \/
                     NEW x:RentalCase;
                       ALL of INSERT INTO rentalHasBeenStarted[RentalCase*Rent
                              SELECTFROM 'x'[RentalCase]*(I[Car] /\ -(carAvai]

                              (TO MAINTAIN  -I[Car] \/ carAvailableAt;carAvail
                              DELETE FROM rentalHasBeenEnded[RentalCase*RentalC
                               SELECTFROM 'x'[RentalCase]*(I[Car] /\ -(carAvail

                              (TO MAINTAIN  -I[Car] \/ carAvailableAt;carAvail
                              INSERT INTO rcAssignedCar[RentalCase*Car]
                               SELECTFROM 'x'[RentalCase]*'x'[RentalCase]*(I[Ca

                              (TO MAINTAIN  -I[Car] \/ carAvailableAt;carAvail
                     (MAINTAINING -I[Car] \/ carAvailableAt;carAvailableAt~
                   (MAINTAINING -I[Car] \/ carAvailableAt;carAvailableAt~ \/
            (MAINTAINING -I[Car] \/ carAvailableAt;carAvailableAt~ \/ rcAssi
     (MAINTAINING -I[Car] \/ carAvailableAt;carAvailableAt~ \/ rcAssignedCar
  (MAINTAINING -I[Car] \/ carAvailableAt;carAvailableAt~ \/ rcAssignedCar~;
  INSERT INTO rcDroppedOffBranch[RentalCase*Branch]
   SELECTFROM rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));s

  (TO MAINTAIN  -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~
  INSERT INTO Isn{detyp=Branch}
   SELECTFROM rcDroppedOffBranch~;rcAssignedCar;(I[Car] /\ -(carAvailableAt

  (TO MAINTAIN  -(rcDroppedOffBranch~;rcAssignedCar;(I[Car] /\ -(carAvailab]
  INSERT INTO rcDroppedOffDate[RentalCase*Date]
   SELECTFROM rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));s

  (TO MAINTAIN  -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~
  INSERT INTO Isn{detyp=Date}
```

421

```
                    SELECTFROM rcDroppedOffDate~;rcAssignedCar;(I[Car] /\ -(carAvailableAt;ca

              (TO MAINTAIN  -(rcDroppedOffDate~;rcAssignedCar;(I[Car] /\ -(carAvailable
              ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (I[Car] /\ -(carType;carType~))
                    THEN INSERT INTO carType[Car*CarType]
                        SELECTFROM 'a'[Car]*'b'[CarType]

                          (TO MAINTAIN  -I[Car] \/ carType;I[CarType];carType~ FROM UNI
                  PICK a,b FROM carType~;(I[Car] /\ -(carType;carType~))
                  THEN INSERT INTO carType[Car*CarType]
                        SELECTFROM 'b'[Car]*'a'[CarType]

                          (TO MAINTAIN  -I[Car] \/ carType;I[CarType];carType~ FROM UNI
              (MAINTAINING -I[Car] \/ carType;I[CarType];carType~ FROM UNI carType::Car*
              NEW x:CarType;
                INSERT INTO carType[Car*CarType]
                 SELECTFROM (I[Car] /\ -(carType;carType~))*'x'[CarType]

                    (TO MAINTAIN  -I[Car] \/ carType;I[CarType];carType~ FROM UNI carType::(
                    (MAINTAINING -I[Car] \/ carType;I[CarType];carType~ FROM UNI carType::Car
        (MAINTAINING -I[Car] \/ carAvailableAt;carAvailableAt~ \/ rcAssignedCar~;(rental
        (MAINTAINING -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));sessi
        (MAINTAINING -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));sessi
        (MAINTAINING -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));sessi
        (MAINTAINING -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));sessi
        (MAINTAINING -(carType~;carType) \/ I[CarType] FROM UNI carType::Car*CarType)
        (MAINTAINING -I[Car] \/ carType;carType~ FROM TOT carType::Car*CarType)

----- Derivation ----->


        ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (I[Car] /\ -(carAvailableAt;carAvail
                  THEN INSERT INTO carAvailableAt[Car*Branch]
                        SELECTFROM 'a'[Car]*'b'[Branch]

                        (TO MAINTAIN  -I[Car] \/ carAvailableAt;carAvailableAt~ \/ rcAssig
                  PICK a,b FROM carAvailableAt~;(I[Car] /\ -(carAvailableAt;carAvailableA
                  THEN INSERT INTO carAvailableAt[Car*Branch]
                        SELECTFROM 'b'[Car]*'a'[Branch]

                        (TO MAINTAIN  -I[Car] \/ carAvailableAt;carAvailableAt~ \/ rcAssig
              (MAINTAINING -I[Car] \/ carAvailableAt;carAvailableAt~ \/ rcAssignedCar~;(rent
              NEW x:Branch;
                INSERT INTO carAvailableAt[Car*Branch]
                 SELECTFROM (I[Car] /\ -(carAvailableAt;carAvailableAt~)) /\ -(rcAssignedCar~

              (TO MAINTAIN  -I[Car] \/ carAvailableAt;carAvailableAt~ \/ rcAssignedCar~;(r
              (MAINTAINING -I[Car] \/ carAvailableAt;carAvailableAt~ \/ rcAssignedCar~;(rent
              ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (I[Car] /\ -(carAvailableAt;carAvail

                                      422
```

```
                    THEN INSERT INTO rcAssignedCar[RentalCase*Car]
                        SELECTFROM 'b'[RentalCase]*'a'[Car]

              (TO MAINTAIN  -I[Car] \/ carAvailableAt;carAvailableAt~ \/ rcAssig
          PICK a,b FROM rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~
          THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[RentalCase]*
                        THEN ALL of INSERT INTO rentalHasBeenStarted[RentalC
                            SELECTFROM 'a'[RentalCase]*'b'[RentalCa

                                  (TO MAINTAIN  -I[Car] \/ carAvailableAt;
                                  DELETE FROM rentalHasBeenEnded[RentalCas
                                  SELECTFROM 'a'[RentalCase]*'b'[RentalCa

                                  (TO MAINTAIN  -I[Car] \/ carAvailableAt;
                            (MAINTAINING -I[Car] \/ carAvailableAt;carAvail
                          PICK a,b FROM (rentalHasBeenStarted~ /\ -rentalHasBe
                          THEN INSERT INTO rcAssignedCar[RentalCase*Car]
                              SELECTFROM 'a'[RentalCase]*'b'[Car]

                                  (TO MAINTAIN  -I[Car] \/ carAvailableAt;carAvai
                    (MAINTAINING -I[Car] \/ carAvailableAt;carAvailableAt~ \/ r
                    NEW x:RentalCase;
                      ALL of ALL of INSERT INTO rentalHasBeenStarted[RentalCase
                                  SELECTFROM 'a'[RentalCase]*'b'[Car]*'x'[Re

                                      (TO MAINTAIN  -I[Car] \/ carAvailableAt;car
                                      DELETE FROM rentalHasBeenEnded[RentalCase*R
                                      SELECTFROM 'a'[RentalCase]*'b'[Car]*'x'[Re

                                      (TO MAINTAIN  -I[Car] \/ carAvailableAt;car
                              (MAINTAINING -I[Car] \/ carAvailableAt;carAvailabl
                              INSERT INTO rcAssignedCar[RentalCase*Car]
                              SELECTFROM 'x'[RentalCase]*'a'[RentalCase]*'b'[Ca

                                  (TO MAINTAIN  -I[Car] \/ carAvailableAt;carAvailab
                          (MAINTAINING -I[Car] \/ carAvailableAt;carAvailableAt~ \/
                          (MAINTAINING -I[Car] \/ carAvailableAt;carAvailableAt~ \/ r
                    (MAINTAINING -I[Car] \/ carAvailableAt;carAvailableAt~ \/ rcAssign
          (MAINTAINING -I[Car] \/ carAvailableAt;carAvailableAt~ \/ rcAssignedCar~;(rent
          NEW x:RentalCase;
            ALL of INSERT INTO rcAssignedCar[RentalCase*Car]
                    SELECTFROM 'x'[RentalCase]*(I[Car] /\ -(carAvailableAt;carAvailableA

                  (TO MAINTAIN  -I[Car] \/ carAvailableAt;carAvailableAt~ \/ rcAssigned
                ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'[RentalCase]*(I[
                            THEN ALL of INSERT INTO rentalHasBeenStarted[RentalCase
                                        SELECTFROM 'a'[RentalCase]*'b'[RentalCase]

                                      (TO MAINTAIN  -I[Car] \/ carAvailableAt;car
                                      DELETE FROM rentalHasBeenEnded[RentalCase*R
```

423

```
                                    SELECTFROM 'a'[RentalCase]*'b'[RentalCase]

                        (TO MAINTAIN  -I[Car] \/ carAvailableAt;car
                    (MAINTAINING -I[Car] \/ carAvailableAt;carAvailabl
                PICK a,b FROM (rentalHasBeenStarted~ /\ -rentalHasBeenE
                THEN INSERT INTO rcAssignedCar[RentalCase*Car]
                  SELECTFROM 'a'[RentalCase]*'b'[Car]

                        (TO MAINTAIN  -I[Car] \/ carAvailableAt;carAvailab
                (MAINTAINING -I[Car] \/ carAvailableAt;carAvailableAt~ \/ rcAs
            NEW x:RentalCase;
              ALL of INSERT INTO rentalHasBeenStarted[RentalCase*RentalCas
                      SELECTFROM 'x'[RentalCase]*(I[Car] /\ -(carAvailable

                        (TO MAINTAIN  -I[Car] \/ carAvailableAt;carAvailableA
                    DELETE FROM rentalHasBeenEnded[RentalCase*RentalCase]
                      SELECTFROM 'x'[RentalCase]*(I[Car] /\ -(carAvailable

                        (TO MAINTAIN  -I[Car] \/ carAvailableAt;carAvailableA
                    INSERT INTO rcAssignedCar[RentalCase*Car]
                      SELECTFROM 'x'[RentalCase]*'x'[RentalCase]*(I[Car] /

                        (TO MAINTAIN  -I[Car] \/ carAvailableAt;carAvailableA
                  (MAINTAINING -I[Car] \/ carAvailableAt;carAvailableAt~ \/ rc
                  (MAINTAINING -I[Car] \/ carAvailableAt;carAvailableAt~ \/ rcAs
            (MAINTAINING -I[Car] \/ carAvailableAt;carAvailableAt~ \/ rcAssignedC
    (MAINTAINING -I[Car] \/ carAvailableAt;carAvailableAt~ \/ rcAssignedCar~;(re
(MAINTAINING -I[Car] \/ carAvailableAt;carAvailableAt~ \/ rcAssignedCar~;(rent
INSERT INTO rcDroppedOffBranch[RentalCase*Branch]
 SELECTFROM rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));sessio

(TO MAINTAIN  -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));se
INSERT INTO Isn{detyp=Branch}
 SELECTFROM rcDroppedOffBranch~;rcAssignedCar;(I[Car] /\ -(carAvailableAt;carA

(TO MAINTAIN  -(rcDroppedOffBranch~;rcAssignedCar;(I[Car] /\ -(carAvailableAt;
INSERT INTO rcDroppedOffDate[RentalCase*Date]
 SELECTFROM rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));sessio

(TO MAINTAIN  -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));se
INSERT INTO Isn{detyp=Date}
 SELECTFROM rcDroppedOffDate~;rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAva

(TO MAINTAIN  -(rcDroppedOffDate~;rcAssignedCar;(I[Car] /\ -(carAvailableAt;ca
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (I[Car] /\ -(carType;carType~));carT
        THEN INSERT INTO carType[Car*CarType]
              SELECTFROM 'a'[Car]*'b'[CarType]

            (TO MAINTAIN  -I[Car] \/ carType;I[CarType];carType~ FROM UNI carT
        PICK a,b FROM carType~;(I[Car] /\ -(carType;carType~))
```

424

```
                        THEN INSERT INTO carType[Car*CarType]
                              SELECTFROM 'b'[Car]*'a'[CarType]

                        (TO MAINTAIN  -I[Car] \/ carType;I[CarType];carType~ FROM UNI carT
            (MAINTAINING -I[Car] \/ carType;I[CarType];carType~ FROM UNI carType::Car*CarT
            NEW x:CarType;
              INSERT INTO carType[Car*CarType]
               SELECTFROM (I[Car] /\ -(carType;carType~))*'x'[CarType]

                        (TO MAINTAIN  -I[Car] \/ carType;I[CarType];carType~ FROM UNI carType::Car*C
            (MAINTAINING -I[Car] \/ carType;I[CarType];carType~ FROM UNI carType::Car*CarT
     (MAINTAINING -I[Car] \/ carAvailableAt;carAvailableAt~ \/ rcAssignedCar~;(rentalHasBe
     (MAINTAINING -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));sessionDro
     (MAINTAINING -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));sessionDro
     (MAINTAINING -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));sessionDro
     (MAINTAINING -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));sessionDro
     (MAINTAINING -(carType~;carType) \/ I[CarType] FROM UNI carType::Car*CarType)
     (MAINTAINING -I[Car] \/ carType;carType~ FROM TOT carType::Car*CarType)


     <------End Derivation --


            ON DELETE Delta FROM Isn{detyp=Car} EXECUTE     -- (ECA rule 138)
            ONE OF DELETE FROM rcAssignedCar[RentalCase*Car]
                   SELECTFROM rentalHasBeenStarted;rcAssignedCar;(-I[Car] /\ rcAssignedCar~

                   (TO MAINTAIN  -(rcAssignedCar~;rentalHasBeenStarted;rcAssignedCar) \/ I[C
                   DELETE FROM rentalHasBeenStarted[RentalCase*RentalCase]
                    SELECTFROM rcAssignedCar;(-I[Car] /\ rcAssignedCar~;rentalHasBeenStarted

                   (TO MAINTAIN  -(rcAssignedCar~;rentalHasBeenStarted;rcAssignedCar) \/ I[C
                   DELETE FROM rcAssignedCar[RentalCase*Car]
                    SELECTFROM rentalHasBeenStarted~;rcAssignedCar;(-I[Car] /\ rcAssignedCar

                   (TO MAINTAIN  -(rcAssignedCar~;rentalHasBeenStarted;rcAssignedCar) \/ I[C
                   DELETE FROM rcDroppedOffCar[RentalCase*Car]
                    SELECTFROM rcCarHasBeenDroppedOff;rcDroppedOffCar;(-I[Car] /\ rcDroppedO

                   (TO MAINTAIN  -(rcDroppedOffCar~;rcCarHasBeenDroppedOff;rcDroppedOffCar)
                   DELETE FROM rcCarHasBeenDroppedOff[RentalCase*RentalCase]
                    SELECTFROM rcDroppedOffCar;(-I[Car] /\ rcDroppedOffCar~;rcCarHasBeenDrop

                   (TO MAINTAIN  -(rcDroppedOffCar~;rcCarHasBeenDroppedOff;rcDroppedOffCar)
                   DELETE FROM rcDroppedOffCar[RentalCase*Car]
                    SELECTFROM rcCarHasBeenDroppedOff~;rcDroppedOffCar;(-I[Car] /\ rcDroppedU

                   (TO MAINTAIN  -(rcDroppedOffCar~;rcCarHasBeenDroppedOff;rcDroppedOffCar)
                   DELETE FROM rcAssignedCar[RentalCase*Car]
                    SELECTFROM rcDroppedOffCar;(-I[Car] /\ rcDroppedOffCar~;rcAssignedCar)
```

425

```
(TO MAINTAIN  -(rcAssignedCar~;rcDroppedOffCar) \/ I[Car] FROM Dropped-of
DELETE FROM rcDroppedOffCar[RentalCase*Car]
 SELECTFROM rcAssignedCar;(-I[Car] /\ rcAssignedCar~;rcDroppedOffCar)


(TO MAINTAIN  -(rcAssignedCar~;rcDroppedOffCar) \/ I[Car] FROM Dropped-of
DELETE FROM sessionDroppedoffCar[SESSION*Car]
 SELECTFROM '_SESSION'[SESSION];(-(sessionDroppedoffCar;(I[Car] /\ rcAssi


(TO MAINTAIN  -('_SESSION'[SESSION];sessionDroppedoffCar) \/ sessionDropp
DELETE FROM sessionDroppedoffCar[SESSION*Car]
 SELECTFROM '_SESSION'[SESSION];sessionDroppedoffCar;((-I[Car] /\ session


(TO MAINTAIN  -(sessionDroppedoffCar~;'_SESSION'[SESSION];sessionDroppedo
DELETE FROM sessionDroppedoffCar[SESSION*Car]
 SELECTFROM '_SESSION'[SESSION];sessionDroppedoffCar;((-I[Car] /\ session


(TO MAINTAIN  -(sessionDroppedoffCar~;'_SESSION'[SESSION];sessionDroppedo
DELETE FROM rcAssignedCar[RentalCase*Car]
 SELECTFROM rcAssignedCar;(-I[Car] /\ rcAssignedCar~;rcAssignedCar)


(TO MAINTAIN  -(rcAssignedCar~;rcAssignedCar) \/ I[Car] FROM UNI rcAssigne
DELETE FROM rcDroppedOffCar[RentalCase*Car]
 SELECTFROM rcDroppedOffCar;(-I[Car] /\ rcDroppedOffCar~;rcDroppedOffCar)


(TO MAINTAIN  -(rcDroppedOffCar~;rcDroppedOffCar) \/ I[Car] FROM UNI rcDr
DELETE FROM sessionDroppedoffCar[SESSION*Car]
 SELECTFROM sessionDroppedoffCar;(-I[Car] /\ sessionDroppedoffCar~;sessio


(TO MAINTAIN  -(sessionDroppedoffCar~;sessionDroppedoffCar) \/ I[Car] FROM
DELETE FROM carAvailableAt[Car*Branch]
 SELECTFROM Delta;V[Car*Branch]


DELETE FROM carType[Car*CarType]
 SELECTFROM Delta;V[Car*CarType]


DELETE FROM rcAssignedCar[RentalCase*Car]
 SELECTFROM V[RentalCase*Car];Delta


DELETE FROM rcDroppedOffCar[RentalCase*Car]
 SELECTFROM V[RentalCase*Car];Delta


DELETE FROM sessionDroppedoffCar[SESSION*Car]
 SELECTFROM V[SESSION*Car];Delta


(MAINTAINING -rentalHasBeenStarted \/ rcAssignedCar;rcAssignedCar~ FROM Started
(MAINTAINING -rentalHasBeenStarted \/ rcAssignedCar;rcAssignedCar~ FROM Started
(MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffCar;rcDroppedOffCar~ FROM Dr
(MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffCar;rcDroppedOffCar~ FROM Dr
(MAINTAINING -rcDroppedOffCar \/ rcAssignedCar FROM Dropped-off car type integri
```

426

```
            (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar) \/ sessionDroppedoffCar
            (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar) \/ sessionDroppedoffCar
            (MAINTAINING -(rcAssignedCar~;rcAssignedCar) \/ I[Car] FROM UNI rcAssignedCar::R
            (MAINTAINING -(rcDroppedOffCar~;rcDroppedOffCar) \/ I[Car] FROM UNI rcDroppedOffC
            (MAINTAINING -(sessionDroppedoffCar~;sessionDroppedoffCar) \/ I[Car] FROM UNI se


------ Derivation ----->



        ONE OF DELETE FROM rcAssignedCar[RentalCase*Car]
                SELECTFROM rentalHasBeenStarted;rcAssignedCar;(-I[Car] /\ rcAssignedCar~;rent


                (TO MAINTAIN  -(rcAssignedCar~;rentalHasBeenStarted;rcAssignedCar) \/ I[Car] F
                DELETE FROM rentalHasBeenStarted[RentalCase*RentalCase]
                 SELECTFROM rcAssignedCar;(-I[Car] /\ rcAssignedCar~;rentalHasBeenStarted;rcAs


                (TO MAINTAIN  -(rcAssignedCar~;rentalHasBeenStarted;rcAssignedCar) \/ I[Car] F
                DELETE FROM rcAssignedCar[RentalCase*Car]
                 SELECTFROM rentalHasBeenStarted~;rcAssignedCar;(-I[Car] /\ rcAssignedCar~;ren


                (TO MAINTAIN  -(rcAssignedCar~;rentalHasBeenStarted;rcAssignedCar) \/ I[Car] F
                DELETE FROM rcDroppedOffCar[RentalCase*Car]
                 SELECTFROM rcCarHasBeenDroppedOff;rcDroppedOffCar;(-I[Car] /\ rcDroppedOffCar


                (TO MAINTAIN  -(rcDroppedOffCar~;rcCarHasBeenDroppedOff;rcDroppedOffCar) \/ I[
                DELETE FROM rcCarHasBeenDroppedOff[RentalCase*RentalCase]
                 SELECTFROM rcDroppedOffCar;(-I[Car] /\ rcDroppedOffCar~;rcCarHasBeenDroppedOf


                (TO MAINTAIN  -(rcDroppedOffCar~;rcCarHasBeenDroppedOff;rcDroppedOffCar) \/ I[
                DELETE FROM rcDroppedOffCar[RentalCase*Car]
                 SELECTFROM rcCarHasBeenDroppedOff~;rcDroppedOffCar;(-I[Car] /\ rcDroppedOffCa


                (TO MAINTAIN  -(rcDroppedOffCar~;rcCarHasBeenDroppedOff;rcDroppedOffCar) \/ I[
                DELETE FROM rcAssignedCar[RentalCase*Car]
                 SELECTFROM rcDroppedOffCar;(-I[Car] /\ rcDroppedOffCar~;rcAssignedCar)


                (TO MAINTAIN  -(rcAssignedCar~;rcDroppedOffCar) \/ I[Car] FROM Dropped-off car
                DELETE FROM rcDroppedOffCar[RentalCase*Car]
                 SELECTFROM rcAssignedCar;(-I[Car] /\ rcAssignedCar~;rcDroppedOffCar)


                (TO MAINTAIN  -(rcAssignedCar~;rcDroppedOffCar) \/ I[Car] FROM Dropped-off car
                DELETE FROM sessionDroppedoffCar[SESSION*Car]
                 SELECTFROM '_SESSION'[SESSION];(-(sessionDroppedoffCar;(I[Car] /\ rcAssignedC


                (TO MAINTAIN  -('_SESSION'[SESSION];sessionDroppedoffCar) \/ sessionDroppedoff
                DELETE FROM sessionDroppedoffCar[SESSION*Car]
                 SELECTFROM '_SESSION'[SESSION];sessionDroppedoffCar;((-I[Car] /\ sessionDropp


                (TO MAINTAIN  -(sessionDroppedoffCar~;'_SESSION'[SESSION];sessionDroppedoffCar
```

427

```
            DELETE FROM sessionDroppedoffCar[SESSION*Car]
             SELECTFROM '_SESSION'[SESSION];sessionDroppedoffCar;((-I[Car] /\ sessionDropp

            (TO MAINTAIN  -(sessionDroppedoffCar~;'_SESSION'[SESSION];sessionDroppedoffCar
            DELETE FROM rcAssignedCar[RentalCase*Car]
             SELECTFROM rcAssignedCar;(-I[Car] /\ rcAssignedCar~;rcAssignedCar)

            (TO MAINTAIN  -(rcAssignedCar~;rcAssignedCar) \/ I[Car] FROM UNI rcAssignedCar
            DELETE FROM rcDroppedOffCar[RentalCase*Car]
             SELECTFROM rcDroppedOffCar;(-I[Car] /\ rcDroppedOffCar~;rcDroppedOffCar)

            (TO MAINTAIN  -(rcDroppedOffCar~;rcDroppedOffCar) \/ I[Car] FROM UNI rcDropped
            DELETE FROM sessionDroppedoffCar[SESSION*Car]
             SELECTFROM sessionDroppedoffCar;(-I[Car] /\ sessionDroppedoffCar~;sessionDrop

            (TO MAINTAIN  -(sessionDroppedoffCar~;sessionDroppedoffCar) \/ I[Car] FROM UNI
            DELETE FROM carAvailableAt[Car*Branch]
             SELECTFROM Delta;V[Car*Branch]

            DELETE FROM carType[Car*CarType]
             SELECTFROM Delta;V[Car*CarType]

            DELETE FROM rcAssignedCar[RentalCase*Car]
             SELECTFROM V[RentalCase*Car];Delta

            DELETE FROM rcDroppedOffCar[RentalCase*Car]
             SELECTFROM V[RentalCase*Car];Delta

            DELETE FROM sessionDroppedoffCar[SESSION*Car]
             SELECTFROM V[SESSION*Car];Delta

      (MAINTAINING -rentalHasBeenStarted \/ rcAssignedCar;rcAssignedCar~ FROM Started renta
      (MAINTAINING -rentalHasBeenStarted \/ rcAssignedCar;rcAssignedCar~ FROM Started renta
      (MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffCar;rcDroppedOffCar~ FROM Dropped
      (MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffCar;rcDroppedOffCar~ FROM Dropped
      (MAINTAINING -rcDroppedOffCar \/ rcAssignedCar FROM Dropped-off car type integrity)
      (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar) \/ sessionDroppedoffCar;(I[C
      (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar) \/ sessionDroppedoffCar;(I[C
      (MAINTAINING -(rcAssignedCar~;rcAssignedCar) \/ I[Car] FROM UNI rcAssignedCar::Rental
      (MAINTAINING -(rcDroppedOffCar~;rcDroppedOffCar) \/ I[Car] FROM UNI rcDroppedOffCar::
      (MAINTAINING -(sessionDroppedoffCar~;sessionDroppedoffCar) \/ I[Car] FROM UNI session

    <------End Derivation --


            ON INSERT Delta IN Isn{detyp=RentalCase} EXECUTE    -- (ECA rule 139)
            ALL of INSERT INTO rentalHasBeenPromised[RentalCase*RentalCase]
                  SELECTFROM (rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarTyp
```

428

```
(TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCar~
(TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCar~
INSERT INTO rentalHasBeenStarted[RentalCase*RentalCase]
 SELECTFROM rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\ rc

(TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /'
INSERT INTO rcCarHasBeenDroppedOff[RentalCase*RentalCase]
 SELECTFROM rcDroppedOffBranch;rcDroppedOffBranch~ /\ rcDroppedOffDate;rcl

(TO MAINTAIN  -(rcDroppedOffBranch;rcDroppedOffBranch~ /\ rcDroppedOffDate
INSERT INTO paymentHasBeenRequested[RentalCase*RentalCase]
 SELECTFROM rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsPaidQ~ /\ I[RentalCa;

(TO MAINTAIN  -(rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsPaidQ~ /\ I[Renta
INSERT INTO rentalHasBeenEnded[RentalCase*RentalCase]
 SELECTFROM rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsPaidQ~ /\ rcCarHasBee

(TO MAINTAIN  -(rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsPaidQ~ /\ rcCarHa
INSERT INTO rcBranchRequestedQ[RentalCase*YesNoAnswer]
 SELECTFROM sessionNewBranchRC~;sessionNewBranchRC;(I[RentalCase] /\ rcAs;

(TO MAINTAIN  -(sessionNewBranchRC~;sessionNewBranchRC;(I[RentalCase] /\ :
INSERT INTO contractedPickupBranch[RentalCase*Branch]
 SELECTFROM (I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBrai

(TO MAINTAIN  -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];re
INSERT INTO Isn{detyp=Branch}
 SELECTFROM contractedPickupBranch~;(I[RentalCase] /\ rcBranchRequestedQ;

(TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ rcBranchRequeste
INSERT INTO contractedStartDate[RentalCase*Date]
 SELECTFROM (I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBrai

(TO MAINTAIN  -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];re
INSERT INTO Isn{detyp=Date}
 SELECTFROM contractedStartDate~;(I[RentalCase] /\ rcBranchRequestedQ;'Yea

(TO MAINTAIN  -(contractedStartDate~;(I[RentalCase] /\ rcBranchRequestedQ
ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (contractedPickupBranch~
                THEN INSERT INTO carAvailableAt[Car*Branch]
                    SELECTFROM 'b'[Car]*'a'[Branch]

                    (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase]
                PICK a,b FROM carAvailableAt;(contractedPickupBranch~;(I[Rei
                THEN INSERT INTO carType[Car*CarType]
                    SELECTFROM 'a'[Car]*'b'[CarType]

                    (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase]
        (MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasl
        NEW x:Car;
```

429

```
                    ALL of INSERT INTO carAvailableAt[Car*Branch]
                         SELECTFROM 'x'[Car]*(contractedCarType~;(I[RentalCase] /

                       (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\
                        INSERT INTO carType[Car*CarType]
                         SELECTFROM 'x'[Car]*(contractedPickupBranch~;(I[RentalCa

                       (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\
              (MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHa
            (MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHas
   (MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeenProm
   ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (rcKeysHandedOverQ;'Yes'
                    THEN INSERT INTO rcDriver[RentalCase*Person]
                         SELECTFROM 'a'[RentalCase]*'b'[Person]

                           (TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];r
                    PICK a,b FROM rcDriver~;(rcKeysHandedOverQ;'Yes'[YesNoAnswe
                    THEN INSERT INTO rcDriver[RentalCase*Person]
                         SELECTFROM 'b'[RentalCase]*'a'[Person]

                           (TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];r
              (MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOv
              NEW x:Person;
               INSERT INTO rcDriver[RentalCase*Person]
                SELECTFROM (rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOv

                       (TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHande
              (MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOv
   (MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\
   ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (rcKeysHandedOverQ;'Yes'
                    THEN INSERT INTO rcRenter[RentalCase*Person]
                         SELECTFROM 'a'[RentalCase]*'b'[Person]

                           (TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];r
                    PICK a,b FROM rcRenter~;(rcKeysHandedOverQ;'Yes'[YesNoAnswe
                    THEN INSERT INTO rcRenter[RentalCase*Person]
                         SELECTFROM 'b'[RentalCase]*'a'[Person]

                           (TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];r
              (MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOv
              NEW x:Person;
               INSERT INTO rcRenter[RentalCase*Person]
                SELECTFROM (rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOv

                       (TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHande
              (MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOv
   (MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\
   ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (rcMaxRentalDuration;rcMa
                    THEN INSERT INTO contractedStartDate[RentalCase*Date]
                         SELECTFROM 'a'[RentalCase]*'b'[Date]
```

```
                        (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuratio
            PICK a,b FROM contractedStartDate~;(rcMaxRentalDuration;rcMa
            THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
                                THEN INSERT INTO dateIntervalCompTrigger
                                   SELECTFROM 'a'[Date]*'b'[Date]


                                (TO MAINTAIN  -(rcMaxRentalDuration
                            PICK a,b FROM dateIntervalCompTrigger~;(
                            THEN INSERT INTO contractedEndDate[Rental
                                SELECTFROM 'b'[RentalCase]*'a'[Date


                                (TO MAINTAIN  -(rcMaxRentalDuration
                    (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDu
                    NEW x:Date;
                       ALL of INSERT INTO dateIntervalCompTrigger[Da
                                SELECTFROM 'a'[Date]*'b'[RentalCase]*


                                (TO MAINTAIN  -(rcMaxRentalDuration;rc
                                INSERT INTO contractedEndDate[RentalCa
                                 SELECTFROM 'b'[RentalCase]*'a'[Date]*


                                (TO MAINTAIN  -(rcMaxRentalDuration;rc
                        (MAINTAINING -(rcMaxRentalDuration;rcMaxRental
                        (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDu
                (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration
(MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contrac
NEW x:Date;
  ALL of INSERT INTO contractedStartDate[RentalCase*Date]
            SELECTFROM (rcMaxRentalDuration;rcMaxRentalDuration~ /\


            (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~ ,
            ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'[Date
                            THEN INSERT INTO dateIntervalCompTrigger[Da
                                SELECTFROM 'a'[Date]*'b'[Date]


                                (TO MAINTAIN  -(rcMaxRentalDuration;rc
                        PICK a,b FROM dateIntervalCompTrigger~;('x'
                        THEN INSERT INTO contractedEndDate[RentalCa
                             SELECTFROM 'b'[RentalCase]*'a'[Date]


                                (TO MAINTAIN  -(rcMaxRentalDuration;rc
                    (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDura
                    NEW x:Date;
                       ALL of INSERT INTO dateIntervalCompTrigger[Date*
                                SELECTFROM 'x'[Date]*(rcMaxRentalDuratio


                                (TO MAINTAIN  -(rcMaxRentalDuration;rcMax
                                INSERT INTO contractedEndDate[RentalCase*
                                 SELECTFROM (rcMaxRentalDuration;rcMaxRen


                        431
```

```
                                      (TO MAINTAIN  -(rcMaxRentalDuration;rcMax
                      (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDu
                      (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDura
             (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /
         (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contra
       (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contrac
 (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEndDa
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (rentalLocationPenaltyCharge;re
       THEN ALL of ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
                          THEN INSERT INTO rentalBasicCharge[Rental
                              SELECTFROM 'a'[RentalCase]*'b'[Amo

                          (TO MAINTAIN  -(rentalLocationPenal
                  PICK a,b FROM rentalBasicCharge~;('a'[Re
                  THEN INSERT INTO arg1[CompRentalCharge*An
                      SELECTFROM 'b'[CompRentalCharge]*'

                          (TO MAINTAIN  -(rentalLocationPenal
              (MAINTAINING -(rentalLocationPenaltyCharge;renta
              NEW x:Amount;
                ALL of INSERT INTO rentalBasicCharge[RentalCas
                      SELECTFROM 'a'[RentalCase]*'b'[CompReı

                          (TO MAINTAIN  -(rentalLocationPenaltyCl
                  INSERT INTO arg1[CompRentalCharge*Amou
                      SELECTFROM 'b'[CompRentalCharge]*'a'[

                          (TO MAINTAIN  -(rentalLocationPenaltyCl
                (MAINTAINING -(rentalLocationPenaltyCharge;re
                (MAINTAINING -(rentalLocationPenaltyCharge;renta
          (MAINTAINING -(rentalLocationPenaltyCharge;rentalLocat
ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
                  THEN INSERT INTO rentalPenaltyCharge[Ren
                      SELECTFROM 'a'[RentalCase]*'b'[Amo

                          (TO MAINTAIN  -(rentalLocationPenal
                  PICK a,b FROM rentalPenaltyCharge~;('a'[
                  THEN INSERT INTO arg2[CompRentalCharge*An
                      SELECTFROM 'b'[CompRentalCharge]*'

                          (TO MAINTAIN  -(rentalLocationPenal
              (MAINTAINING -(rentalLocationPenaltyCharge;renta
              NEW x:Amount;
                ALL of INSERT INTO rentalPenaltyCharge[Rental
                      SELECTFROM 'a'[RentalCase]*'b'[CompReı

                          (TO MAINTAIN  -(rentalLocationPenaltyCl
                  INSERT INTO arg2[CompRentalCharge*Amou
                      SELECTFROM 'b'[CompRentalCharge]*'a'[
```

432

```
                                          (TO MAINTAIN  -(rentalLocationPenaltyC
                     (MAINTAINING -(rentalLocationPenaltyCharge;rer
                     (MAINTAINING -(rentalLocationPenaltyCharge;renta
             (MAINTAINING -(rentalLocationPenaltyCharge;rentalLocat:
             ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
                          THEN INSERT INTO rentalLocationPenaltyCha
                               SELECTFROM 'a'[RentalCase]*'b'[Amou

                               (TO MAINTAIN  -(rentalLocationPenal
                          PICK a,b FROM rentalLocationPenaltyCharge
                          THEN INSERT INTO arg3[CompRentalCharge*Am
                               SELECTFROM 'b'[CompRentalCharge]*'a

                               (TO MAINTAIN  -(rentalLocationPenal
                     (MAINTAINING -(rentalLocationPenaltyCharge;renta
             NEW x:Amount;
               ALL of INSERT INTO rentalLocationPenaltyCharge
                               SELECTFROM 'a'[RentalCase]*'b'[CompRen

                               (TO MAINTAIN  -(rentalLocationPenaltyC
                          INSERT INTO arg3[CompRentalCharge*Amoun
                               SELECTFROM 'b'[CompRentalCharge]*'a'[

                               (TO MAINTAIN  -(rentalLocationPenaltyC
                     (MAINTAINING -(rentalLocationPenaltyCharge;re
                     (MAINTAINING -(rentalLocationPenaltyCharge;renta
             (MAINTAINING -(rentalLocationPenaltyCharge;rentalLocat:
          (MAINTAINING -(rentalLocationPenaltyCharge;rentalLocationPenal
      PICK a,b FROM (arg1;rentalBasicCharge~ /\ arg2;rentalPenaltyCharge
      THEN BLOCK
             (CANNOT CHANGE V[CompRentalCharge*RentalCase] FROM Trigger re
  (MAINTAINING -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~ /
  ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (rcDroppedOffDate;rcDroppedOffD
          THEN ALL of ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
                               THEN INSERT INTO contractedStartDate[Ren
                                    SELECTFROM 'a'[RentalCase]*'b'[Date

                               (TO MAINTAIN  -(rcDroppedOffDate;rc
                          PICK a,b FROM contractedStartDate~;('a'[
                          THEN INSERT INTO earliestDate[DateDiffere
                               SELECTFROM 'b'[DateDifferencePlusO

                               (TO MAINTAIN  -(rcDroppedOffDate;rc
                     (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate
             NEW x:Date;
               ALL of INSERT INTO contractedStartDate[RentalC
                               SELECTFROM 'a'[RentalCase]*'b'[DateDi

                               (TO MAINTAIN  -(rcDroppedOffDate;rcDro
```

```
                              INSERT INTO earliestDate[DateDifference
                                 SELECTFROM 'b'[DateDifferencePlusOne]

                              (TO MAINTAIN  -(rcDroppedOffDate;rcDrop
                        (MAINTAINING -(rcDroppedOffDate;rcDroppedOffD
                      (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate
                 (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ c
          ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
                        THEN INSERT INTO rcDroppedOffDate[RentalC
                              SELECTFROM 'a'[RentalCase]*'b'[Date

                              (TO MAINTAIN  -(rcDroppedOffDate;rc
                        PICK a,b FROM rcDroppedOffDate~;('a'[Rent
                        THEN INSERT INTO latestDate[DateDifferenc
                              SELECTFROM 'b'[DateDifferencePlusOn

                              (TO MAINTAIN  -(rcDroppedOffDate;rc
                        (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate
                        NEW x:Date;
                         ALL of INSERT INTO rcDroppedOffDate[RentalCas
                              SELECTFROM 'a'[RentalCase]*'b'[DateDi

                              (TO MAINTAIN  -(rcDroppedOffDate;rcDrop
                        INSERT INTO latestDate[DateDifferenceP
                              SELECTFROM 'b'[DateDifferencePlusOne]

                              (TO MAINTAIN  -(rcDroppedOffDate;rcDrop
                        (MAINTAINING -(rcDroppedOffDate;rcDroppedOffD
                      (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate
                 (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ c
          (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contracte
          PICK a,b FROM (earliestDate;contractedStartDate~ /\ latestDate;rcD
          THEN BLOCK
                 (CANNOT CHANGE V[DateDifferencePlusOne*RentalCase] FROM Trigge
       (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedStartDate;
   ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (rcAssignedCar;rcAssignedCar~ /
          THEN ALL of ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
                              THEN INSERT INTO rentalPeriod[RentalCase
                                 SELECTFROM 'a'[RentalCase]*'b'[Inte

                              (TO MAINTAIN  -(rcAssignedCar;rcAss
                        PICK a,b FROM rentalPeriod~;('a'[RentalCa
                        THEN INSERT INTO ctcNrOfDays[CompTariffe
                              SELECTFROM 'b'[CompTariffedCharge]

                              (TO MAINTAIN  -(rcAssignedCar;rcAss
                        (MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ 
                        NEW x:Integer;
                         ALL of INSERT INTO rentalPeriod[RentalCase*In
                              SELECTFROM 'a'[RentalCase]*'b'[CompTar
```

434

```
                                        (TO MAINTAIN  -(rcAssignedCar;rcAssign
                                        INSERT INTO ctcNrOfDays[CompTariffedCha
                                         SELECTFROM 'b'[CompTariffedCharge]*'a

                                        (TO MAINTAIN  -(rcAssignedCar;rcAssign
                           (MAINTAINING -(rcAssignedCar;rcAssignedCar~ /
                      (MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\
              (MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ rentalP
      ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
                    THEN INSERT INTO rcAssignedCar[RentalCase
                            SELECTFROM 'a'[RentalCase]*'b'[Car

                         (TO MAINTAIN  -(rcAssignedCar;rcAss
                   PICK a,b FROM rcAssignedCar~;('a'[RentalC
                   THEN ONE OF ONE NONEMPTY ALTERNATIVE OF
                                THEN INSERT INTO carTy
                                   SELECTFROM 'a'[

                              (TO MAINTAIN  -(
                     PICK a,b FROM carType
                     THEN ONE OF ONE NONEM
                                     TH

                                     PI
                                     TH

                              (MAINTAIN
                     NEW x:Amou
                       ALL of

                              (MAINTA
                              (MAINTAIN
                        (MAINTAINING -(r
                   (MAINTAINING -(rcAssignedCar
                   NEW x:CarType;
                     ALL of INSERT INTO carType
                                SELECTFROM 'a'[Car

                              (TO MAINTAIN  -(rcA
```

ONE OF ONE NONEMPTY
THEN

PICK a
THEN

(MAINTAINING
NEW x:Amount
ALL of INSE
SEL

(TO
INSE
SEL

(TO
(MAINTAINI
(MAINTAINING
(MAINTAINING -(rcAs
(MAINTAINING -(rcAssignedCa
(MAINTAINING -(rcAssignedCar
(MAINTAINING -(rcAssignedCar;rcAssig
(MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ :
NEW x:Car;
ALL of INSERT INTO rcAssignedCar[RentalCase*Ca
SELECTFROM 'a'[RentalCase]*'b'[CompTa]

(TO MAINTAIN -(rcAssignedCar;rcAssigne
ONE OF ONE NONEMPTY ALTERNATIVE OF PIC
THEN INSERT INTO carType
SELECTFROM 'a'[Car]

(TO MAINTAIN -(rcAs
PICK a,b FROM carType~;(
THEN ONE OF ONE NONEMPTY
THEN

PICK a
THEN

(MAINTAINING
NEW x:Amount

436

ALL of INSE

SET

(TO

INSE

SET

(TO

(MAINTAINI

(MAINTAINING

(MAINTAINING -(rcAss

(MAINTAINING -(rcAssignedCar;rc

NEW x:CarType;

ALL of INSERT INTO carType[Ca

SELECTFROM 'x'[Car]*'a

(TO MAINTAIN  -(rcAssi

ONE OF ONE NONEMPTY AL

THEN INSE

SE

(TO

PICK a,b

THEN INSE

SE

(TO

(MAINTAINING -(

NEW x:Amount;

ALL of INSERT

SELEC

(TO MA

INSERT

SELEC

(TO MA

(MAINTAINING

(MAINTAINING -(

(MAINTAINING -(rcAssig

(MAINTAINING -(rcAssignedCar;

(MAINTAINING -(rcAssignedCar;rc

(MAINTAINING -(rcAssignedCar;rcAssigned

(MAINTAINING -(rcAssignedCar;rcAssignedCar~ /

(MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ 

(MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ rentalPe

(MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rc

PICK a,b FROM (ctcNrOfDays;rentalPeriod~ /\ ctcDailyAmount;rentalTa

THEN BLOCK

(CANNOT CHANGE V[CompTariffedCharge*RentalCase] FROM Trigger

437

```
(MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod~
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (rentalExcessPeriod;rentalExces
        THEN ALL of ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
                    THEN INSERT INTO rentalExcessPeriod[Renta
                        SELECTFROM 'a'[RentalCase]*'b'[Int

                    (TO MAINTAIN  -(rentalExcessPeriod;
                PICK a,b FROM rentalExcessPeriod~;('a'[R
                THEN INSERT INTO ctcNrOfDays[CompTariffe
                    SELECTFROM 'b'[CompTariffedCharge]

                    (TO MAINTAIN  -(rentalExcessPeriod;
            (MAINTAINING -(rentalExcessPeriod;rentalExcessP
            NEW x:Integer;
            ALL of INSERT INTO rentalExcessPeriod[RentalC
                    SELECTFROM 'a'[RentalCase]*'b'[CompTa

                    (TO MAINTAIN  -(rentalExcessPeriod;rent
                    INSERT INTO ctcNrOfDays[CompTariffedCha
                    SELECTFROM 'b'[CompTariffedCharge]*'a

                    (TO MAINTAIN  -(rentalExcessPeriod;rent
            (MAINTAINING -(rentalExcessPeriod;rentalExcess
            (MAINTAINING -(rentalExcessPeriod;rentalExcessP
        (MAINTAINING -(rentalExcessPeriod;rentalExcessPeriod~ /
ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
                THEN INSERT INTO rcAssignedCar[RentalCase
                    SELECTFROM 'a'[RentalCase]*'b'[Car]

                    (TO MAINTAIN  -(rentalExcessPeriod;
                PICK a,b FROM rcAssignedCar~;('a'[RentalC
                THEN ONE OF ONE NONEMPTY ALTERNATIVE OF
                            THEN INSERT INTO carTy
                                SELECTFROM 'a'[C

                            (TO MAINTAIN  -(
                        PICK a,b FROM carType
                        THEN ONE OF ONE NONEM
                                        THE


                                PIC
                                THE


                            (MAINTAIN
                            NEW x:Amo
                            ALL of
```

438

```
                                      (MAINTAI
                                   (MAINTAIN
                              (MAINTAINING -(r
                       (MAINTAINING -(rentalExcessP
NEW x:CarType;
   ALL of INSERT INTO carType
                 SELECTFROM 'a'[Car]

                (TO MAINTAIN  -(rent
            ONE OF ONE NONEMPTY
                       THEN


                       PICK
                     THEN


                   (MAINTAINING
                 NEW x:Amount
                  ALL of INS
                        SE

                   (TO
                  INS
                    SE

                   (TO
              (MAINTAINI
               (MAINTAINING
             (MAINTAINING -(rent
          (MAINTAINING -(rentalExces
            (MAINTAINING -(rentalExcessP
         (MAINTAINING -(rentalExcessPeriod;r
  (MAINTAINING -(rentalExcessPeriod;rentalExcessP
NEW x:Car;
   ALL of INSERT INTO rcAssignedCar[RentalCase*C
              SELECTFROM 'a'[RentalCase]*'b'[CompTa

               (TO MAINTAIN  -(rentalExcessPeriod;rent
            ONE OF ONE NONEMPTY ALTERNATIVE OF PIC
                       THEN INSERT INTO carType
```

```
                              SELECTFROM 'a'[Car]

                    (TO MAINTAIN  -(ren
            PICK a,b FROM carType~;(
            THEN ONE OF ONE NONEMPTY
                              THEN


                              PICK
                              THEN


                    (MAINTAINING
                    NEW x:Amount
                      ALL of INSE
                              SE

                              (TO
                    INSE
                      SE

                              (TO
                    (MAINTAINI
                    (MAINTAINING
                  (MAINTAINING -(renta
        (MAINTAINING -(rentalExcessPeri
NEW x:CarType;
  ALL of INSERT INTO carType[Ca
              SELECTFROM 'x'[Car]*'

                    (TO MAINTAIN  -(rental
            ONE OF ONE NONEMPTY AL
                              THEN INSE
                                  SE

                              (TO
                    PICK a,b
                    THEN INSE
                              SE

                              (TO
                    (MAINTAINING -(
                    NEW x:Amount;
                      ALL of INSERT
                              SELEC

                              (TO MA
                    INSERT
```

```
                                                        SELECT

                                    (TO MAI
                              (MAINTAINING -
                             (MAINTAINING -(:
                         (MAINTAINING -(rentalE:
                       (MAINTAINING -(rentalExcessPe:
                      (MAINTAINING -(rentalExcessPeri
                   (MAINTAINING -(rentalExcessPeric
                 (MAINTAINING -(rentalExcessPeriod;rent:
               (MAINTAINING -(rentalExcessPeriod;rentalExces:
              (MAINTAINING -(rentalExcessPeriod;rentalExcessP
           (MAINTAINING -(rentalExcessPeriod;rentalExcessPeriod~
        (MAINTAINING -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[Ren
     PICK a,b FROM (ctcNrOfDays;rentalExcessPeriod~ /\ ctcDailyAmount;e
     THEN BLOCK
           (CANNOT CHANGE V[CompTariffedCharge*RentalCase] FROM Trigger
  (MAINTAINING -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[RentalCase]) \
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (rcDroppedOffDate;rcDroppedOffD:
      THEN ALL of ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
                          THEN INSERT INTO contractedEndDate[Renta]
                              SELECTFROM 'a'[RentalCase]*'b'[Date

                              (TO MAINTAIN  -(rcDroppedOffDate;rc]
                          PICK a,b FROM contractedEndDate~;('a'[Ren
                          THEN INSERT INTO firstDate[DateDifferenc
                              SELECTFROM 'b'[DateDifference]*'a'

                              (TO MAINTAIN  -(rcDroppedOffDate;rc]
                       (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate
                       NEW x:Date;
                        ALL of INSERT INTO contractedEndDate[RentalCa
                              SELECTFROM 'a'[RentalCase]*'b'[DateDi:

                              (TO MAINTAIN  -(rcDroppedOffDate;rcDro]
                          INSERT INTO firstDate[DateDifference*D:
                           SELECTFROM 'b'[DateDifference]*'a'[Re:

                              (TO MAINTAIN  -(rcDroppedOffDate;rcDro]
                       (MAINTAINING -(rcDroppedOffDate;rcDroppedOffD:
                     (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate
                 (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ c
                ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
                          THEN INSERT INTO rcDroppedOffDate[RentalC
                              SELECTFROM 'a'[RentalCase]*'b'[Date

                              (TO MAINTAIN  -(rcDroppedOffDate;rc]
                          PICK a,b FROM rcDroppedOffDate~;('a'[Rent
                          THEN INSERT INTO lastDate[DateDifference=
                              SELECTFROM 'b'[DateDifference]*'a'

                             441
```

```
                                        (TO MAINTAIN   -(rcDroppedOffDate;rc
                     (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate
                     NEW x:Date;
                       ALL of INSERT INTO rcDroppedOffDate[RentalCase
                                 SELECTFROM 'a'[RentalCase]*'b'[DateDi

                                 (TO MAINTAIN   -(rcDroppedOffDate;rcDroj
                                 INSERT INTO lastDate[DateDifference*Dat
                                   SELECTFROM 'b'[DateDifference]*'a'[Re

                                 (TO MAINTAIN   -(rcDroppedOffDate;rcDroj
                     (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDa
                     (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate
                 (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ c
            (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contracte
        PICK a,b FROM (firstDate;contractedEndDate~ /\ lastDate;rcDroppedO
        THEN BLOCK
                 (CANNOT CHANGE V[DateDifference*RentalCase] FROM Trigger exce
(MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEndDate;co
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (contractedEndDate;contractedEn
        THEN ALL of ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
                                 THEN INSERT INTO contractedStartDate[Ren
                                      SELECTFROM 'a'[RentalCase]*'b'[Date

                                      (TO MAINTAIN   -(contractedEndDate;c
                                 PICK a,b FROM contractedStartDate~;('a'[
                                 THEN INSERT INTO earliestDate[DateDiffere
                                      SELECTFROM 'b'[DateDifferencePlusOne

                                      (TO MAINTAIN   -(contractedEndDate;c
                     (MAINTAINING -(contractedEndDate;contractedEndD
                     NEW x:Date;
                       ALL of INSERT INTO contractedStartDate[RentalC
                                      SELECTFROM 'a'[RentalCase]*'b'[DateDi

                                 (TO MAINTAIN   -(contractedEndDate;cont
                                 INSERT INTO earliestDate[DateDifference
                                   SELECTFROM 'b'[DateDifferencePlusOne]

                                 (TO MAINTAIN   -(contractedEndDate;cont
                     (MAINTAINING -(contractedEndDate;contractedEnd
                     (MAINTAINING -(contractedEndDate;contractedEndD
             (MAINTAINING -(contractedEndDate;contractedEndDate~ /\
             ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
                                 THEN INSERT INTO contractedEndDate[Renta
                                      SELECTFROM 'a'[RentalCase]*'b'[Date

                                 (TO MAINTAIN   -(contractedEndDate;c
                                 PICK a,b FROM contractedEndDate~;('a'[Re
                                 THEN INSERT INTO latestDate[DateDifferenc
```

442

```
                                           SELECTFROM 'b'[DateDifferencePlusO

                             (TO MAINTAIN  -(contractedEndDate;c
                 (MAINTAINING -(contractedEndDate;contractedEndDa
                 NEW x:Date;
                    ALL of INSERT INTO contractedEndDate[RentalCa
                             SELECTFROM 'a'[RentalCase]*'b'[DateDi

                             (TO MAINTAIN  -(contractedEndDate;conti
                             INSERT INTO latestDate[DateDifferenceP
                             SELECTFROM 'b'[DateDifferencePlusOne]

                             (TO MAINTAIN  -(contractedEndDate;conti
                   (MAINTAINING -(contractedEndDate;contractedEn
                 (MAINTAINING -(contractedEndDate;contractedEndDa
               (MAINTAINING -(contractedEndDate;contractedEndDate~ /\
         (MAINTAINING -(contractedEndDate;contractedEndDate~ /\ contra
       PICK a,b FROM (earliestDate;contractedStartDate~ /\ latestDate;con
       THEN BLOCK
               (CANNOT CHANGE V[DateDifferencePlusOne*RentalCase] FROM Trigg
   (MAINTAINING -(contractedEndDate;contractedEndDate~ /\ contractedStartDate
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (contractedCarType;contractedCa
       THEN ALL of ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
                             THEN INSERT INTO projectedRentalPeriod[R
                                   SELECTFROM 'a'[RentalCase]*'b'[Inte

                             (TO MAINTAIN  -(contractedCarType;cc
                             PICK a,b FROM projectedRentalPeriod~;('a
                             THEN INSERT INTO ctcNrOfDays[CompTariffe
                                   SELECTFROM 'b'[CompTariffedCharge]

                             (TO MAINTAIN  -(contractedCarType;cc
                   (MAINTAINING -(contractedCarType;contractedCarT
                   NEW x:Integer;
                      ALL of INSERT INTO projectedRentalPeriod[Rent
                             SELECTFROM 'a'[RentalCase]*'b'[CompTar

                             (TO MAINTAIN  -(contractedCarType;conti
                             INSERT INTO ctcNrOfDays[CompTariffedCha
                             SELECTFROM 'b'[CompTariffedCharge]*'a

                             (TO MAINTAIN  -(contractedCarType;conti
                   (MAINTAINING -(contractedCarType;contractedCa
                 (MAINTAINING -(contractedCarType;contractedCarT
           (MAINTAINING -(contractedCarType;contractedCarType~ /\
   ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
                   THEN INSERT INTO contractedCarType[Renta
                             SELECTFROM 'a'[RentalCase]*'b'[Car

                             (TO MAINTAIN  -(contractedCarType;cc
```

443

```
PICK a,b FROM contractedCarType~;('a'[Re
THEN ONE OF ONE NONEMPTY ALTERNATIVE OF
                THEN INSERT INTO rent
                    SELECTFROM 'a'[

                (TO MAINTAIN  -(
            PICK a,b FROM rentalTa
            THEN INSERT INTO ctcD
                SELECTFROM 'b'[

                (TO MAINTAIN  -(
        (MAINTAINING -(contractedCar
        NEW x:Amount;
          ALL of INSERT INTO rentalT
                    SELECTFROM 'a'[Car

                (TO MAINTAIN  -(con
                INSERT INTO ctcDail
                SELECTFROM 'b'[Com

                (TO MAINTAIN  -(con
            (MAINTAINING -(contractedC
        (MAINTAINING -(contractedCar
    (MAINTAINING -(contractedCarType;co
(MAINTAINING -(contractedCarType;contractedCarT
NEW x:CarType;
   ALL of INSERT INTO contractedCarType[RentalCas
            SELECTFROM 'a'[RentalCase]*'b'[CompTa

            (TO MAINTAIN  -(contractedCarType;conti
            ONE OF ONE NONEMPTY ALTERNATIVE OF PIC
                    THEN INSERT INTO rentalT
                        SELECTFROM 'a'[Car

                    (TO MAINTAIN  -(con
                PICK a,b FROM rentalTari
                THEN INSERT INTO ctcDail
                    SELECTFROM 'b'[Com

                    (TO MAINTAIN  -(con
            (MAINTAINING -(contractedCarTyp
            NEW x:Amount;
              ALL of INSERT INTO rentalTari
                        SELECTFROM 'x'[CarType

                    (TO MAINTAIN  -(contra
                    INSERT INTO ctcDailyAmo
                    SELECTFROM 'b'[CompTa

                    (TO MAINTAIN  -(contra
```

444

```
                                        (MAINTAINING -(contractedCarTy
                                    (MAINTAINING -(contractedCarType
                                (MAINTAINING -(contractedCarType;contr
                            (MAINTAINING -(contractedCarType;contractedCa
                            (MAINTAINING -(contractedCarType;contractedCarT
                    (MAINTAINING -(contractedCarType;contractedCarType~ /\
                (MAINTAINING -(contractedCarType;contractedCarType~ /\ project
        PICK a,b FROM (ctcNrOfDays;projectedRentalPeriod~ /\ ctcDailyAmoun
        THEN BLOCK
                (CANNOT CHANGE V[CompTariffedCharge*RentalCase] FROM Trigger
    (MAINTAINING -(contractedCarType;contractedCarType~ /\ projectedRentalPer
    ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (rcUserRequestedQ;'Yes'[
                THEN INSERT INTO rcRenter[RentalCase*Person]
                    SELECTFROM 'a'[RentalCase]*'b'[Person]

                    (TO MAINTAIN  -(rcUserRequestedQ;'Yes'[YesNoAnswer];rcU
                PICK a,b FROM rcRenter~;(rcUserRequestedQ;'Yes'[YesNoAnswer]
                THEN INSERT INTO rcRenter[RentalCase*Person]
                    SELECTFROM 'b'[RentalCase]*'a'[Person]

                    (TO MAINTAIN  -(rcUserRequestedQ;'Yes'[YesNoAnswer];rcU
        (MAINTAINING -(rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserRequestedQ
        NEW x:Person;
          INSERT INTO rcRenter[RentalCase*Person]
            SELECTFROM (rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserRequestedQ

                    (TO MAINTAIN  -(rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserRequest
            (MAINTAINING -(rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserRequestedQ
    (MAINTAINING -(rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserRequestedQ~ /\ I
    ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (sessionNewBranchRC;(I[R
                THEN INSERT INTO sessionNewBranchRC[SESSION*RentalCase]
                    SELECTFROM 'a'[SESSION]*'b'[RentalCase]

                    (TO MAINTAIN  -(sessionNewBranchRC;(I[RentalCase] /\ r
                PICK a,b FROM sessionNewBranchRC~;(sessionNewBranchRC;(I[Re
                THEN INSERT INTO rcBranchRequestedQ[RentalCase*YesNoAnswer]
                    SELECTFROM 'a'[RentalCase]*'b'[YesNoAnswer]

                    (TO MAINTAIN  -(sessionNewBranchRC;(I[RentalCase] /\ r
        (MAINTAINING -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;
        NEW x:RentalCase;
          ALL of INSERT INTO sessionNewBranchRC[SESSION*RentalCase]
                    SELECTFROM (sessionNewBranchRC;(I[RentalCase] /\ rcAssig

                    (TO MAINTAIN  -(sessionNewBranchRC;(I[RentalCase] /\ rcAs
                INSERT INTO rcBranchRequestedQ[RentalCase*YesNoAnswer]
                    SELECTFROM 'x'[RentalCase]*(sessionNewBranchRC;(I[Rental

                    (TO MAINTAIN  -(sessionNewBranchRC;(I[RentalCase] /\ rcAs
            (MAINTAINING -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar
```

445

```
          (MAINTAINING -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;
(MAINTAINING -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;rcAssig
ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (rcDriver;rcDriver~ /\ r
              THEN INSERT INTO rcRenter[RentalCase*Person]
                   SELECTFROM 'a'[RentalCase]*'b'[Person]

                   (TO MAINTAIN  -(rcDriver;rcDriver~ /\ rcBranchRequeste
              PICK a,b FROM rcRenter~;(rcDriver;rcDriver~ /\ rcBranchReque
              THEN INSERT INTO rcRenter[RentalCase*Person]
                   SELECTFROM 'b'[RentalCase]*'a'[Person]

                   (TO MAINTAIN  -(rcDriver;rcDriver~ /\ rcBranchRequeste
         (MAINTAINING -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[YesN
         NEW x:Person;
           INSERT INTO rcRenter[RentalCase*Person]
            SELECTFROM (rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[YesN

             (TO MAINTAIN  -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[Y
         (MAINTAINING -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[YesN
(MAINTAINING -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[YesNoAnswer
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('_SESSION'[SESSION];sessionDro
         THEN BLOCK
              (CANNOT CHANGE V[SESSION*RentalCase] FROM Car drop-off handli
         PICK a,b FROM V[RentalCase*SESSION];('_SESSION'[SESSION];sessionDro
         THEN ALL of INSERT INTO Isn{detyp=RentalCase}
                   SELECTFROM 'a'[RentalCase]*'b'[RentalCase]

                   (TO MAINTAIN  -('_SESSION'[SESSION];sessionDroppedoffC
                   ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
                              THEN INSERT INTO rentalIsPaidQ[RentalCas
                                   SELECTFROM 'a'[RentalCase]*'b'[Yes

                              (TO MAINTAIN  -('_SESSION'[SESSION]
                   PICK a,b FROM rentalIsPaidQ~;('a'[RentalC
                   THEN ONE OF ONE NONEMPTY ALTERNATIVE OF
                              THEN BLOCK
                                   (CANNOT CHANGE '
                              PICK a,b FROM 'Yes'[Y
                              THEN INSERT INTO rent
                                   SELECTFROM 'b'[

                              (TO MAINTAIN  -(
                   (MAINTAINING -('_SESSION'[SES
                   NEW x:YesNoAnswer;
                     ALL of BLOCK
                              (CANNOT CHANGE 'Yes
                              INSERT INTO rentalI
                               SELECTFROM 'b'[Ren

                              (TO MAINTAIN  -('_S
```

446

```
                                        (MAINTAINING -('_SESSION'[
                                  (MAINTAINING -('_SESSION'[SES
                            (MAINTAINING -('_SESSION'[SESSION];
                    (MAINTAINING -('_SESSION'[SESSION];sessionDropp
                    NEW x:YesNoAnswer;
                      ALL of INSERT INTO rentalIsPaidQ[RentalCase*Y
                                SELECTFROM 'a'[RentalCase]*'b'[Rental

                            (TO MAINTAIN  -('_SESSION'[SESSION];se
                            ONE OF ONE NONEMPTY ALTERNATIVE OF PIC
                                        THEN BLOCK
                                              (CANNOT CHANGE 'Yes
                                          PICK a,b FROM 'Yes'[YesN
                                          THEN INSERT INTO rentalI
                                                SELECTFROM 'b'[Ren

                                            (TO MAINTAIN  -('_S
                                  (MAINTAINING -('_SESSION'[SESSI
                                  NEW x:YesNoAnswer;
                                    ALL of BLOCK
                                              (CANNOT CHANGE 'Yes'[Y
                                              INSERT INTO rentalIsPa
                                                SELECTFROM 'b'[Rental

                                            (TO MAINTAIN  -('_SESSI
                                  (MAINTAINING -('_SESSION'[SES
                                  (MAINTAINING -('_SESSION'[SESSI
                            (MAINTAINING -('_SESSION'[SESSION];ses
                        (MAINTAINING -('_SESSION'[SESSION];sessionDro
                      (MAINTAINING -('_SESSION'[SESSION];sessionDropp
                (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCa
              (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar;rcAss
        (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssignedCar~;(I
(MAINTAINING -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;con
(MAINTAINING -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;con
(MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\ rcAssig
(MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeenPromised /
(MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\ I[Renta
(MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\ I[Renta
(MAINTAINING -(rcDroppedOffBranch;rcDroppedOffBranch~ /\ rcDroppedOffDate;rcDropp
(MAINTAINING -(rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsPaidQ~ /\ I[RentalCase])
(MAINTAINING -(rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsPaidQ~ /\ rcCarHasBeenDro
(MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEndDate;con
(MAINTAINING -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~ /\ renta
(MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedStartDate;contrac
(MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod~ /\ I[R
(MAINTAINING -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[RentalCase]) \/ (renta
(MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEndDate;contracte
(MAINTAINING -(contractedEndDate;contractedEndDate~ /\ contractedStartDate;contra
(MAINTAINING -(contractedCarType;contractedCarType~ /\ projectedRentalPeriod;pro
```

447

```
             (MAINTAINING -(rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserRequestedQ~ /\ I[Rental(
             (MAINTAINING -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;rcAssignedCar~
             (MAINTAINING -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;rcAssignedCar~
             (MAINTAINING -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBrai
             (MAINTAINING -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchR
             (MAINTAINING -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchR
             (MAINTAINING -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchR
             (MAINTAINING -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchR
             (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssignedCar~;(I[Rental(


----- Derivation ----->


        ALL of INSERT INTO rentalHasBeenPromised[RentalCase*RentalCase]
              SELECTFROM (rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;con

              (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;
              (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;
              INSERT INTO rentalHasBeenStarted[RentalCase*RentalCase]
               SELECTFROM rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\ rcAssig

              (TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\ rcA
              INSERT INTO rcCarHasBeenDroppedOff[RentalCase*RentalCase]
               SELECTFROM rcDroppedOffBranch;rcDroppedOffBranch~ /\ rcDroppedOffDate;rcDropp

              (TO MAINTAIN  -(rcDroppedOffBranch;rcDroppedOffBranch~ /\ rcDroppedOffDate;rcD
              INSERT INTO paymentHasBeenRequested[RentalCase*RentalCase]
               SELECTFROM rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsPaidQ~ /\ I[RentalCase] /

              (TO MAINTAIN  -(rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsPaidQ~ /\ I[RentalCas
              INSERT INTO rentalHasBeenEnded[RentalCase*RentalCase]
               SELECTFROM rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsPaidQ~ /\ rcCarHasBeenDro

              (TO MAINTAIN  -(rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsPaidQ~ /\ rcCarHasBee
              INSERT INTO rcBranchRequestedQ[RentalCase*YesNoAnswer]
               SELECTFROM sessionNewBranchRC~;sessionNewBranchRC;(I[RentalCase] /\ rcAssigne

              (TO MAINTAIN  -(sessionNewBranchRC~;sessionNewBranchRC;(I[RentalCase] /\ rcAss
              INSERT INTO contractedPickupBranch[RentalCase*Branch]
               SELECTFROM (I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchRe

              (TO MAINTAIN  -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBran
              INSERT INTO Isn{detyp=Branch}
               SELECTFROM contractedPickupBranch~;(I[RentalCase] /\ rcBranchRequestedQ;'Yes'

              (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ rcBranchRequestedQ;'
              INSERT INTO contractedStartDate[RentalCase*Date]
               SELECTFROM (I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchRe


                                        448
```

```
(TO MAINTAIN  -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBran
INSERT INTO Isn{detyp=Date}
 SELECTFROM contractedStartDate~;(I[RentalCase] /\ rcBranchRequestedQ;'Yes'[Ye


(TO MAINTAIN  -(contractedStartDate~;(I[RentalCase] /\ rcBranchRequestedQ;'Yes
ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (contractedPickupBranch~;(I[R
              THEN INSERT INTO carAvailableAt[Car*Branch]
                   SELECTFROM 'b'[Car]*'a'[Branch]


                (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ r
              PICK a,b FROM carAvailableAt;(contractedPickupBranch~;(I[RentalC
              THEN INSERT INTO carType[Car*CarType]
                   SELECTFROM 'a'[Car]*'b'[CarType]


                (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ r
        (MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeenP
        NEW x:Car;
          ALL of INSERT INTO carAvailableAt[Car*Branch]
                   SELECTFROM 'x'[Car]*(contractedCarType~;(I[RentalCase] /\ ren


                (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ rent
                INSERT INTO carType[Car*CarType]
                 SELECTFROM 'x'[Car]*(contractedPickupBranch~;(I[RentalCase] /


                (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ rent
          (MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBee
        (MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeenP
(MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeenPromised
ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (rcKeysHandedOverQ;'Yes'[YesN
              THEN INSERT INTO rcDriver[RentalCase*Person]
                   SELECTFROM 'a'[RentalCase]*'b'[Person]


                (TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeys
              PICK a,b FROM rcDriver~;(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rc
              THEN INSERT INTO rcDriver[RentalCase*Person]
                   SELECTFROM 'b'[RentalCase]*'a'[Person]


                (TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeys
        (MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~
        NEW x:Person;
          INSERT INTO rcDriver[RentalCase*Person]
           SELECTFROM (rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~


        (TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOver
        (MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~
(MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\ I[Re
ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (rcKeysHandedOverQ;'Yes'[YesN
              THEN INSERT INTO rcRenter[RentalCase*Person]
                   SELECTFROM 'a'[RentalCase]*'b'[Person]
```

449

```
                           (TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeys
          PICK a,b FROM rcRenter~;(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rc
          THEN INSERT INTO rcRenter[RentalCase*Person]
                  SELECTFROM 'b'[RentalCase]*'a'[Person]


                           (TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeys
      (MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~
          NEW x:Person;
            INSERT INTO rcRenter[RentalCase*Person]
             SELECTFROM (rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~


            (TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOver
          (MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~
      (MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\ I[Re
    ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (rcMaxRentalDuration;rcMaxRen
             THEN INSERT INTO contractedStartDate[RentalCase*Date]
                     SELECTFROM 'a'[RentalCase]*'b'[Date]


                  (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~ /\
          PICK a,b FROM contractedStartDate~;(rcMaxRentalDuration;rcMaxRen
          THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[Date]
                          THEN INSERT INTO dateIntervalCompTrigger[Date
                             SELECTFROM 'a'[Date]*'b'[Date]


                              (TO MAINTAIN  -(rcMaxRentalDuration;rcMa
                       PICK a,b FROM dateIntervalCompTrigger~;('a'[D
                       THEN INSERT INTO contractedEndDate[RentalCase
                           SELECTFROM 'b'[RentalCase]*'a'[Date]


                              (TO MAINTAIN  -(rcMaxRentalDuration;rcMa
                  (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDurati
                     NEW x:Date;
                       ALL of INSERT INTO dateIntervalCompTrigger[Date*Da
                              SELECTFROM 'a'[Date]*'b'[RentalCase]*'x'[D


                              (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRe
                       INSERT INTO contractedEndDate[RentalCase*Da
                        SELECTFROM 'b'[RentalCase]*'a'[Date]*'x'[D


                              (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRe
                  (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDura
                  (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDurati
              (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\
      (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEn
          NEW x:Date;
            ALL of INSERT INTO contractedStartDate[RentalCase*Date]
                    SELECTFROM (rcMaxRentalDuration;rcMaxRentalDuration~ /\ contr


              (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ co
              ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'[Date]*(r
```

450

```
                                        THEN INSERT INTO dateIntervalCompTrigger[Date*Da
                                          SELECTFROM 'a'[Date]*'b'[Date]

                                        (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRe
                                    PICK a,b FROM dateIntervalCompTrigger~;('x'[Date
                                    THEN INSERT INTO contractedEndDate[RentalCase*Da
                                      SELECTFROM 'b'[RentalCase]*'a'[Date]

                                        (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRe
                            (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~
                              NEW x:Date;
                                ALL of INSERT INTO dateIntervalCompTrigger[Date*Date]
                                        SELECTFROM 'x'[Date]*(rcMaxRentalDuration;rcM

                                        (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRenta
                                    INSERT INTO contractedEndDate[RentalCase*Date]
                                      SELECTFROM (rcMaxRentalDuration;rcMaxRentalDu

                                        (TO MAINTAIN  -(rcMaxRentalDuration;rcMaxRenta
                                (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuratio
                              (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~
                          (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ con
                      (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contracted
                    (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEn
                (MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEndDate;c
        ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (rentalLocationPenaltyCharge;rentalL
            THEN ALL of ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[Renta
                                    THEN INSERT INTO rentalBasicCharge[RentalCase
                                      SELECTFROM 'a'[RentalCase]*'b'[Amount]

                                        (TO MAINTAIN  -(rentalLocationPenaltyCha
                                  PICK a,b FROM rentalBasicCharge~;('a'[RentalC
                                  THEN INSERT INTO arg1[CompRentalCharge*Amount
                                      SELECTFROM 'b'[CompRentalCharge]*'a'[Am

                                        (TO MAINTAIN  -(rentalLocationPenaltyCha
                            (MAINTAINING -(rentalLocationPenaltyCharge;rentalLoc
                              NEW x:Amount;
                                ALL of INSERT INTO rentalBasicCharge[RentalCase*Am
                                        SELECTFROM 'a'[RentalCase]*'b'[CompRentalC

                                        (TO MAINTAIN  -(rentalLocationPenaltyCharge
                                    INSERT INTO arg1[CompRentalCharge*Amount]
                                      SELECTFROM 'b'[CompRentalCharge]*'a'[Renta

                                        (TO MAINTAIN  -(rentalLocationPenaltyCharge
                                (MAINTAINING -(rentalLocationPenaltyCharge;rentalL
                              (MAINTAINING -(rentalLocationPenaltyCharge;rentalLoc
                        (MAINTAINING -(rentalLocationPenaltyCharge;rentalLocationPe
                        ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[Renta
```

451

```
                                    THEN INSERT INTO rentalPenaltyCharge[RentalCa
                                      SELECTFROM 'a'[RentalCase]*'b'[Amount]


                              (TO MAINTAIN  -(rentalLocationPenaltyCha
                         PICK a,b FROM rentalPenaltyCharge~;('a'[Renta
                         THEN INSERT INTO arg2[CompRentalCharge*Amount
                            SELECTFROM 'b'[CompRentalCharge]*'a'[Am


                              (TO MAINTAIN  -(rentalLocationPenaltyCha
                    (MAINTAINING -(rentalLocationPenaltyCharge;rentalLoc
                   NEW x:Amount;
                     ALL of INSERT INTO rentalPenaltyCharge[RentalCase*
                            SELECTFROM 'a'[RentalCase]*'b'[CompRentalC


                              (TO MAINTAIN  -(rentalLocationPenaltyCharge
                            INSERT INTO arg2[CompRentalCharge*Amount]
                             SELECTFROM 'b'[CompRentalCharge]*'a'[Renta


                              (TO MAINTAIN  -(rentalLocationPenaltyCharge
                       (MAINTAINING -(rentalLocationPenaltyCharge;rentalL
                      (MAINTAINING -(rentalLocationPenaltyCharge;rentalLoc
                  (MAINTAINING -(rentalLocationPenaltyCharge;rentalLocationPe
               ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[Renta
                            THEN INSERT INTO rentalLocationPenaltyCharge[
                                SELECTFROM 'a'[RentalCase]*'b'[Amount]


                              (TO MAINTAIN  -(rentalLocationPenaltyCha
                         PICK a,b FROM rentalLocationPenaltyCharge~;('
                         THEN INSERT INTO arg3[CompRentalCharge*Amount
                            SELECTFROM 'b'[CompRentalCharge]*'a'[Am


                              (TO MAINTAIN  -(rentalLocationPenaltyCha
                    (MAINTAINING -(rentalLocationPenaltyCharge;rentalLoc
                   NEW x:Amount;
                     ALL of INSERT INTO rentalLocationPenaltyCharge[Ren
                            SELECTFROM 'a'[RentalCase]*'b'[CompRentalC


                              (TO MAINTAIN  -(rentalLocationPenaltyCharge
                            INSERT INTO arg3[CompRentalCharge*Amount]
                             SELECTFROM 'b'[CompRentalCharge]*'a'[Renta


                              (TO MAINTAIN  -(rentalLocationPenaltyCharge
                       (MAINTAINING -(rentalLocationPenaltyCharge;rentalL
                      (MAINTAINING -(rentalLocationPenaltyCharge;rentalLoc
                 (MAINTAINING -(rentalLocationPenaltyCharge;rentalLocationPe
           (MAINTAINING -(rentalLocationPenaltyCharge;rentalLocationPenaltyCh
        PICK a,b FROM (arg1;rentalBasicCharge~ /\ arg2;rentalPenaltyCharge~ /\
       THEN BLOCK
            (CANNOT CHANGE V[CompRentalCharge*RentalCase] FROM Trigger rental
 (MAINTAINING -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~ /\ ren
```

452

```
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (rcDroppedOffDate;rcDroppedOffDate~
    THEN ALL of ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[Renta
                        THEN INSERT INTO contractedStartDate[RentalCa
                            SELECTFROM 'a'[RentalCase]*'b'[Date]

                            (TO MAINTAIN  -(rcDroppedOffDate;rcDropp
                    PICK a,b FROM contractedStartDate~;('a'[Renta
                    THEN INSERT INTO earliestDate[DateDifferenceP
                        SELECTFROM 'b'[DateDifferencePlusOne]*'

                            (TO MAINTAIN  -(rcDroppedOffDate;rcDropp
                (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\
                NEW x:Date;
                    ALL of INSERT INTO contractedStartDate[RentalCase*
                            SELECTFROM 'a'[RentalCase]*'b'[DateDiffere

                            (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedO
                            INSERT INTO earliestDate[DateDifferencePlus
                            SELECTFROM 'b'[DateDifferencePlusOne]*'a'[

                            (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedO
                    (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~
                    (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\
                (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contra
            ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[Renta
                        THEN INSERT INTO rcDroppedOffDate[RentalCase*
                            SELECTFROM 'a'[RentalCase]*'b'[Date]

                            (TO MAINTAIN  -(rcDroppedOffDate;rcDropp
                    PICK a,b FROM rcDroppedOffDate~;('a'[RentalCa
                    THEN INSERT INTO latestDate[DateDifferencePlu
                        SELECTFROM 'b'[DateDifferencePlusOne]*'

                            (TO MAINTAIN  -(rcDroppedOffDate;rcDropp
                (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\
                NEW x:Date;
                    ALL of INSERT INTO rcDroppedOffDate[RentalCase*Dat
                            SELECTFROM 'a'[RentalCase]*'b'[DateDiffere

                            (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedO
                            INSERT INTO latestDate[DateDifferencePlusOn
                            SELECTFROM 'b'[DateDifferencePlusOne]*'a'[

                            (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedO
                    (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~
                    (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\
                (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contra
        (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedSta
    PICK a,b FROM (earliestDate;contractedStartDate~ /\ latestDate;rcDroppe
    THEN BLOCK
```

453

(CANNOT CHANGE V[DateDifferencePlusOne*RentalCase] FROM Trigger re
(MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedStartDate;contr
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (rcAssignedCar;rcAssignedCar~ /\ ren
        THEN ALL of ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[Renta
                        THEN INSERT INTO rentalPeriod[RentalCase*Inte
                          SELECTFROM 'a'[RentalCase]*'b'[Integer]

                    (TO MAINTAIN  -(rcAssignedCar;rcAssigned
                    PICK a,b FROM rentalPeriod~;('a'[RentalCase]*
                    THEN INSERT INTO ctcNrOfDays[CompTariffedChar
                        SELECTFROM 'b'[CompTariffedCharge]*'a'[

                    (TO MAINTAIN  -(rcAssignedCar;rcAssigned
                (MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ renta
                NEW x:Integer;
                  ALL of INSERT INTO rentalPeriod[RentalCase*Integer
                        SELECTFROM 'a'[RentalCase]*'b'[CompTariffe

                    (TO MAINTAIN  -(rcAssignedCar;rcAssignedCar
                    INSERT INTO ctcNrOfDays[CompTariffedCharge*
                      SELECTFROM 'b'[CompTariffedCharge]*'a'[Ren

                    (TO MAINTAIN  -(rcAssignedCar;rcAssignedCar
                (MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ ren
                (MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ renta
            (MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod
ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[Renta
                    THEN INSERT INTO rcAssignedCar[RentalCase*Car
                        SELECTFROM 'a'[RentalCase]*'b'[Car]

                    (TO MAINTAIN  -(rcAssignedCar;rcAssigned
                    PICK a,b FROM rcAssignedCar~;('a'[RentalCase]
                    THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK
                            THEN INSERT INTO carType[C
                                SELECTFROM 'a'[Car]*

                        (TO MAINTAIN  -(rcAss
                        PICK a,b FROM carType~;('a
                        THEN ONE OF ONE NONEMPTY A
                                    THEN IN
                                        S

                            (T
                        PICK a,
                        THEN IN
                            S

                            (T
                    (MAINTAINING -
                    NEW x:Amount;

454

```
                                                        ALL of INSER
                                                              SELE

                                                          (TO M
                                                        INSER
                                                        SELE

                                                          (TO M
                                              (MAINTAINING
                                              (MAINTAINING -
                                    (MAINTAINING -(rcAssi
                        (MAINTAINING -(rcAssignedCar;rcAs
                NEW x:CarType;
                    ALL of INSERT INTO carType[Car*
                            SELECTFROM 'a'[Car]*'b'

                                  (TO MAINTAIN  -(rcAssign
                                ONE OF ONE NONEMPTY ALTE
                                        THEN INSER
                                              SELE

                                          (TO M
                                  PICK a,b F
                                THEN INSER
                                      SELE

                                          (TO M
                          (MAINTAINING -(rc
                NEW x:Amount;
                    ALL of INSERT I
                              SELECTF

                                    (TO MAIN
                                  INSERT I
                                  SELECTF

                                    (TO MAIN
                            (MAINTAINING -(
                          (MAINTAINING -(rc
                    (MAINTAINING -(rcAssigne
                (MAINTAINING -(rcAssignedCar;rc
              (MAINTAINING -(rcAssignedCar;rcAs
          (MAINTAINING -(rcAssignedCar;rcAssignedC
(MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ renta
NEW x:Car;
    ALL of INSERT INTO rcAssignedCar[RentalCase*Car]
            SELECTFROM 'a'[RentalCase]*'b'[CompTariffe

              (TO MAINTAIN  -(rcAssignedCar;rcAssignedCar
              ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b
```

```
                                      THEN INSERT INTO carType[Car*
                                          SELECTFROM 'a'[Car]*'b'

                              (TO MAINTAIN  -(rcAssign
                      PICK a,b FROM carType~;('x'[C
                      THEN ONE OF ONE NONEMPTY ALTE
                                      THEN INSER
                                          SELE

                                              (TO M
                                      PICK a,b F
                                      THEN INSER
                                          SELE

                                              (TO M
                          (MAINTAINING -(rc
                          NEW x:Amount;
                            ALL of INSERT I
                                      SELECTF

                                          (TO MAIN
                                      INSERT I
                                      SELECTF

                                          (TO MAIN
                          (MAINTAINING -(
                          (MAINTAINING -(rc
                      (MAINTAINING -(rcAssigne
              (MAINTAINING -(rcAssignedCar;rcAssig
              NEW x:CarType;
                ALL of INSERT INTO carType[Car*Car
                          SELECTFROM 'x'[Car]*'a'[Re

                      (TO MAINTAIN  -(rcAssignedC
                      ONE OF ONE NONEMPTY ALTERNA
                                      THEN INSERT I
                                          SELECTF

                                          (TO MAIN
                                      PICK a,b FROM
                                      THEN INSERT I
                                          SELECTF

                                          (TO MAIN
                          (MAINTAINING -(rcAss
                          NEW x:Amount;
                            ALL of INSERT INTO
                                      SELECTFROM

                                          (TO MAINTAI
```

```
                                                                    INSERT INTO
                                                                    SELECTFROM

                                                            (TO MAINTAI
                                                      (MAINTAINING -(rcA
                                                    (MAINTAINING -(rcAss
                                                 (MAINTAINING -(rcAssignedCa
                                              (MAINTAINING -(rcAssignedCar;rcAss
                                            (MAINTAINING -(rcAssignedCar;rcAssig
                                         (MAINTAINING -(rcAssignedCar;rcAssignedCar~
                                      (MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ ren
                                   (MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ renta
                                (MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod
                             (MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rental
                    PICK a,b FROM (ctcNrOfDays;rentalPeriod~ /\ ctcDailyAmount;rentalTariff
                    THEN BLOCK
                          (CANNOT CHANGE V[CompTariffedCharge*RentalCase] FROM Trigger regul
          (MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod~ /\ I
     ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (rentalExcessPeriod;rentalExcessPeri
              THEN ALL of ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[Renta
                                   THEN INSERT INTO rentalExcessPeriod[RentalCas
                                       SELECTFROM 'a'[RentalCase]*'b'[Integer]


                                    (TO MAINTAIN  -(rentalExcessPeriod;renta
                              PICK a,b FROM rentalExcessPeriod~;('a'[Rental
                              THEN INSERT INTO ctcNrOfDays[CompTariffedChar
                                   SELECTFROM 'b'[CompTariffedCharge]*'a'[


                                    (TO MAINTAIN  -(rentalExcessPeriod;renta
                        (MAINTAINING -(rentalExcessPeriod;rentalExcessPeriod
                        NEW x:Integer;
                           ALL of INSERT INTO rentalExcessPeriod[RentalCase*I
                                   SELECTFROM 'a'[RentalCase]*'b'[CompTariffe


                                    (TO MAINTAIN  -(rentalExcessPeriod;rentalEx
                              INSERT INTO ctcNrOfDays[CompTariffedCharge*
                               SELECTFROM 'b'[CompTariffedCharge]*'a'[Ren


                                    (TO MAINTAIN  -(rentalExcessPeriod;rentalEx
                        (MAINTAINING -(rentalExcessPeriod;rentalExcessPeri
                       (MAINTAINING -(rentalExcessPeriod;rentalExcessPeriod
                (MAINTAINING -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[
             ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[Renta
                         THEN INSERT INTO rcAssignedCar[RentalCase*Car
                               SELECTFROM 'a'[RentalCase]*'b'[Car]


                                    (TO MAINTAIN  -(rentalExcessPeriod;renta
                              PICK a,b FROM rcAssignedCar~;('a'[RentalCase]
                              THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK
                                           THEN INSERT INTO carType[C
```

457

```
                                        SELECTFROM 'a'[Car]*

                        (TO MAINTAIN  -(renta
                PICK a,b FROM carType~;('a
                THEN ONE OF ONE NONEMPTY A
                                    THEN IN
                                        S

                                        (T
                                PICK a,
                                THEN IN
                                    S

                                    (T
                        (MAINTAINING -
                    NEW x:Amount;
                        ALL of INSER
                                SELE

                                (TO M
                                INSER
                                SELE

                                (TO M
                        (MAINTAINING
                        (MAINTAINING -
                (MAINTAINING -(rental
        (MAINTAINING -(rentalExcessPeriod
        NEW x:CarType;
            ALL of INSERT INTO carType[Car*
                    SELECTFROM 'a'[Car]*'b'

                    (TO MAINTAIN  -(rentalEx
                ONE OF ONE NONEMPTY ALTE
                                THEN INSER
                                    SELE

                                    (TO M
                            PICK a,b F
                            THEN INSER
                                SELE

                                (TO M
                        (MAINTAINING -(re
                        NEW x:Amount;
                            ALL of INSERT I
                                    SELECTF

                                    (TO MAIN
                                    INSERT I
```

458

```
                                             SELECTF

                                        (TO MAIN
                                    (MAINTAINING -(
                                   (MAINTAINING -(re
                                 (MAINTAINING -(rentalExc
                               (MAINTAINING -(rentalExcessPeri
                              (MAINTAINING -(rentalExcessPeriod
                          (MAINTAINING -(rentalExcessPeriod;rental
                      (MAINTAINING -(rentalExcessPeriod;rentalExcessPeriod
NEW x:Car;
   ALL of INSERT INTO rcAssignedCar[RentalCase*Car]
               SELECTFROM 'a'[RentalCase]*'b'[CompTariffe

                          (TO MAINTAIN  -(rentalExcessPeriod;rentalEx
                    ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b
                              THEN INSERT INTO carType[Car*
                                  SELECTFROM 'a'[Car]*'b'

                                 (TO MAINTAIN  -(rentalEx
                         PICK a,b FROM carType~;('x'[C
                         THEN ONE OF ONE NONEMPTY ALTE
                                        THEN INSER
                                             SELE

                                            (TO M
                              PICK a,b F
                              THEN INSER
                                   SELE

                                            (TO M
                              (MAINTAINING -(re
                              NEW x:Amount;
                               ALL of INSERT I
                                        SELECTF

                                        (TO MAIN
                                     INSERT I
                                     SELECTF

                                        (TO MAIN
                                    (MAINTAINING -(
                                   (MAINTAINING -(re
                                 (MAINTAINING -(rentalExc
                          (MAINTAINING -(rentalExcessPeriod;re
                         NEW x:CarType;
                           ALL of INSERT INTO carType[Car*Car
                                  SELECTFROM 'x'[Car]*'a'[Re

                              (TO MAINTAIN  -(rentalExces
```

459

ONE OF ONE NONEMPTY ALTERNA
THEN INSERT I
SELECTF

(TO MAIN
PICK a,b FROM
THEN INSERT I
SELECTF

(TO MAIN
(MAINTAINING -(renta
NEW x:Amount;
ALL of INSERT INTO
SELECTFROM

(TO MAINTAI
INSERT INTO
SELECTFROM

(TO MAINTAI
(MAINTAINING -(ren
(MAINTAINING -(renta
(MAINTAINING -(rentalExcess
(MAINTAINING -(rentalExcessPeriod;
(MAINTAINING -(rentalExcessPeriod;re
(MAINTAINING -(rentalExcessPeriod;rentalExc
(MAINTAINING -(rentalExcessPeriod;rentalExcessPeri
(MAINTAINING -(rentalExcessPeriod;rentalExcessPeriod
(MAINTAINING -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[
(MAINTAINING -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[RentalC
PICK a,b FROM (ctcNrOfDays;rentalExcessPeriod~ /\ ctcDailyAmount;excess
THEN BLOCK
(CANNOT CHANGE V[CompTariffedCharge*RentalCase] FROM Trigger exces
(MAINTAINING -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[RentalCase]) \/ (re
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (rcDroppedOffDate;rcDroppedOffDate~
THEN ALL of ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[Renta
THEN INSERT INTO contractedEndDate[RentalCase
SELECTFROM 'a'[RentalCase]*'b'[Date]

(TO MAINTAIN  -(rcDroppedOffDate;rcDropp
PICK a,b FROM contractedEndDate~;('a'[RentalC
THEN INSERT INTO firstDate[DateDifference*Dat
SELECTFROM 'b'[DateDifference]*'a'[Date

(TO MAINTAIN  -(rcDroppedOffDate;rcDropp
(MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\
NEW x:Date;
ALL of INSERT INTO contractedEndDate[RentalCase*Da
SELECTFROM 'a'[RentalCase]*'b'[DateDiffere

460

```
                              (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedO
                              INSERT INTO firstDate[DateDifference*Date]
                               SELECTFROM 'b'[DateDifference]*'a'[RentalC


                              (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedO
                    (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~
                  (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\
          (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contra
         ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[Renta
                    THEN INSERT INTO rcDroppedOffDate[RentalCase*
                        SELECTFROM 'a'[RentalCase]*'b'[Date]


                              (TO MAINTAIN  -(rcDroppedOffDate;rcDropp
                         PICK a,b FROM rcDroppedOffDate~;('a'[RentalCa
                         THEN INSERT INTO lastDate[DateDifference*Date
                              SELECTFROM 'b'[DateDifference]*'a'[Date


                              (TO MAINTAIN  -(rcDroppedOffDate;rcDropp
                    (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\
                    NEW x:Date;
                      ALL of INSERT INTO rcDroppedOffDate[RentalCase*Dat
                              SELECTFROM 'a'[RentalCase]*'b'[DateDiffere


                              (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedO
                              INSERT INTO lastDate[DateDifference*Date]
                               SELECTFROM 'b'[DateDifference]*'a'[RentalC


                              (TO MAINTAIN  -(rcDroppedOffDate;rcDroppedO
                    (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~
                  (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\
              (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contra
          (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEnd
      PICK a,b FROM (firstDate;contractedEndDate~ /\ lastDate;rcDroppedOffDat
          THEN BLOCK
              (CANNOT CHANGE V[DateDifference*RentalCase] FROM Trigger excess pe
    (MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEndDate;contrac
    ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (contractedEndDate;contractedEndDate
          THEN ALL of ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[Renta
                         THEN INSERT INTO contractedStartDate[RentalCa
                             SELECTFROM 'a'[RentalCase]*'b'[Date]


                              (TO MAINTAIN  -(contractedEndDate;contra
                         PICK a,b FROM contractedStartDate~;('a'[Renta
                         THEN INSERT INTO earliestDate[DateDifferenceP
                              SELECTFROM 'b'[DateDifferencePlusOne]*'


                              (TO MAINTAIN  -(contractedEndDate;contra
                    (MAINTAINING -(contractedEndDate;contractedEndDate~
                    NEW x:Date;
                      ALL of INSERT INTO contractedStartDate[RentalCase*
```

461

```
                              SELECTFROM 'a'[RentalCase]*'b'[DateDiffere

                          (TO MAINTAIN  -(contractedEndDate;contracte
                          INSERT INTO earliestDate[DateDifferencePlus
                           SELECTFROM 'b'[DateDifferencePlusOne]*'a'[

                          (TO MAINTAIN  -(contractedEndDate;contracte
                     (MAINTAINING -(contractedEndDate;contractedEndDate
                     (MAINTAINING -(contractedEndDate;contractedEndDate~
                (MAINTAINING -(contractedEndDate;contractedEndDate~ /\ cont
          ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[Renta
                          THEN INSERT INTO contractedEndDate[RentalCase
                            SELECTFROM 'a'[RentalCase]*'b'[Date]

                          (TO MAINTAIN  -(contractedEndDate;contra
                      PICK a,b FROM contractedEndDate~;('a'[RentalC
                      THEN INSERT INTO latestDate[DateDifferencePlu
                          SELECTFROM 'b'[DateDifferencePlusOne]*'

                          (TO MAINTAIN  -(contractedEndDate;contra
                     (MAINTAINING -(contractedEndDate;contractedEndDate~
                       NEW x:Date;
                       ALL of INSERT INTO contractedEndDate[RentalCase*Da
                            SELECTFROM 'a'[RentalCase]*'b'[DateDiffere

                          (TO MAINTAIN  -(contractedEndDate;contracte
                          INSERT INTO latestDate[DateDifferencePlusOn
                           SELECTFROM 'b'[DateDifferencePlusOne]*'a'[

                          (TO MAINTAIN  -(contractedEndDate;contracte
                     (MAINTAINING -(contractedEndDate;contractedEndDate
                     (MAINTAINING -(contractedEndDate;contractedEndDate~
                  (MAINTAINING -(contractedEndDate;contractedEndDate~ /\ cont
            (MAINTAINING -(contractedEndDate;contractedEndDate~ /\ contractedS
        PICK a,b FROM (earliestDate;contractedStartDate~ /\ latestDate;contract
            THEN BLOCK
              (CANNOT CHANGE V[DateDifferencePlusOne*RentalCase] FROM Trigger pr
     (MAINTAINING -(contractedEndDate;contractedEndDate~ /\ contractedStartDate;con
   ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (contractedCarType;contractedCarType
          THEN ALL of ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[Renta
                          THEN INSERT INTO projectedRentalPeriod[Rental
                            SELECTFROM 'a'[RentalCase]*'b'[Integer]

                          (TO MAINTAIN  -(contractedCarType;contra
                      PICK a,b FROM projectedRentalPeriod~;('a'[Ren
                      THEN INSERT INTO ctcNrOfDays[CompTariffedChar
                          SELECTFROM 'b'[CompTariffedCharge]*'a'[

                          (TO MAINTAIN  -(contractedCarType;contra
                     (MAINTAINING -(contractedCarType;contractedCarType~
```

462

```
                          NEW x:Integer;
                     ALL of INSERT INTO projectedRentalPeriod[RentalCas
                             SELECTFROM 'a'[RentalCase]*'b'[CompTariffe

                          (TO MAINTAIN  -(contractedCarType;contracte
                          INSERT INTO ctcNrOfDays[CompTariffedCharge*
                           SELECTFROM 'b'[CompTariffedCharge]*'a'[Ren

                          (TO MAINTAIN  -(contractedCarType;contracte
                    (MAINTAINING -(contractedCarType;contractedCarType
                   (MAINTAINING -(contractedCarType;contractedCarType~
            (MAINTAINING -(contractedCarType;contractedCarType~ /\ proj
       ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[Renta
                 THEN INSERT INTO contractedCarType[RentalCase
                          SELECTFROM 'a'[RentalCase]*'b'[CarType]

                              (TO MAINTAIN  -(contractedCarType;contra
                       PICK a,b FROM contractedCarType~;('a'[RentalC
                   THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK
                                   THEN INSERT INTO rentalTar
                                        SELECTFROM 'a'[CarTy

                                     (TO MAINTAIN  -(contr
                              PICK a,b FROM rentalTariff
                              THEN INSERT INTO ctcDailyA
                                        SELECTFROM 'b'[CompT

                                     (TO MAINTAIN  -(contr
                         (MAINTAINING -(contractedCarType;
                        NEW x:Amount;
                           ALL of INSERT INTO rentalTariff
                                        SELECTFROM 'a'[CarType]

                                     (TO MAINTAIN  -(contract
                              INSERT INTO ctcDailyAmou
                                        SELECTFROM 'b'[CompTari

                                     (TO MAINTAIN  -(contract
                            (MAINTAINING -(contractedCarTyp
                           (MAINTAINING -(contractedCarType;
                      (MAINTAINING -(contractedCarType;contrac
              (MAINTAINING -(contractedCarType;contractedCarType~
              NEW x:CarType;
                 ALL of INSERT INTO contractedCarType[RentalCase*Ca
                             SELECTFROM 'a'[RentalCase]*'b'[CompTariffe

                          (TO MAINTAIN  -(contractedCarType;contracte
                         ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b
                                   THEN INSERT INTO rentalTariff
                                        SELECTFROM 'a'[CarType]


                463
```

```
                                        (TO MAINTAIN  -(contract
                          PICK a,b FROM rentalTariffPer
                          THEN INSERT INTO ctcDailyAmou
                                SELECTFROM 'b'[CompTari

                                        (TO MAINTAIN  -(contract
                     (MAINTAINING -(contractedCarType;con
                    NEW x:Amount;
                       ALL of INSERT INTO rentalTariffPer
                                SELECTFROM 'x'[CarType]*'a

                                        (TO MAINTAIN  -(contractedC
                                INSERT INTO ctcDailyAmount[
                                SELECTFROM 'b'[CompTariffe

                                        (TO MAINTAIN  -(contractedC
                          (MAINTAINING -(contractedCarType;c
                          (MAINTAINING -(contractedCarType;con
                     (MAINTAINING -(contractedCarType;contracted
                  (MAINTAINING -(contractedCarType;contractedCarType
                   (MAINTAINING -(contractedCarType;contractedCarType~
              (MAINTAINING -(contractedCarType;contractedCarType~ /\ proj
          (MAINTAINING -(contractedCarType;contractedCarType~ /\ projectedRe
       PICK a,b FROM (ctcNrOfDays;projectedRentalPeriod~ /\ ctcDailyAmount;ren
       THEN BLOCK
             (CANNOT CHANGE V[CompTariffedCharge*RentalCase] FROM Trigger proje
(MAINTAINING -(contractedCarType;contractedCarType~ /\ projectedRentalPeriod;p
ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (rcUserRequestedQ;'Yes'[YesNo
             THEN INSERT INTO rcRenter[RentalCase*Person]
                    SELECTFROM 'a'[RentalCase]*'b'[Person]

                     (TO MAINTAIN  -(rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserR
             PICK a,b FROM rcRenter~;(rcUserRequestedQ;'Yes'[YesNoAnswer];rcU
             THEN INSERT INTO rcRenter[RentalCase*Person]
                    SELECTFROM 'b'[RentalCase]*'a'[Person]

                     (TO MAINTAIN  -(rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserR
        (MAINTAINING -(rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserRequestedQ~ /\
        NEW x:Person;
          INSERT INTO rcRenter[RentalCase*Person]
           SELECTFROM (rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserRequestedQ~ /\

          (TO MAINTAIN  -(rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserRequestedQ~
        (MAINTAINING -(rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserRequestedQ~ /\
(MAINTAINING -(rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserRequestedQ~ /\ I[Rent
ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (sessionNewBranchRC;(I[Rental
             THEN INSERT INTO sessionNewBranchRC[SESSION*RentalCase]
                    SELECTFROM 'a'[SESSION]*'b'[RentalCase]
```

464

```
                    (TO MAINTAIN  -(sessionNewBranchRC;(I[RentalCase] /\ rcAssi
          PICK a,b FROM sessionNewBranchRC~;(sessionNewBranchRC;(I[RentalC
          THEN INSERT INTO rcBranchRequestedQ[RentalCase*YesNoAnswer]
                SELECTFROM 'a'[RentalCase]*'b'[YesNoAnswer]


                    (TO MAINTAIN  -(sessionNewBranchRC;(I[RentalCase] /\ rcAssi
      (MAINTAINING -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;rcAss
      NEW x:RentalCase;
        ALL of INSERT INTO sessionNewBranchRC[SESSION*RentalCase]
                SELECTFROM (sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCa


                    (TO MAINTAIN  -(sessionNewBranchRC;(I[RentalCase] /\ rcAssigne
              INSERT INTO rcBranchRequestedQ[RentalCase*YesNoAnswer]
                SELECTFROM 'x'[RentalCase]*(sessionNewBranchRC;(I[RentalCase]


                    (TO MAINTAIN  -(sessionNewBranchRC;(I[RentalCase] /\ rcAssigne
          (MAINTAINING -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;rcA
        (MAINTAINING -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;rcAss
     (MAINTAINING -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;rcAssignedCa
  ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (rcDriver;rcDriver~ /\ rcBran
              THEN INSERT INTO rcRenter[RentalCase*Person]
                    SELECTFROM 'a'[RentalCase]*'b'[Person]


                    (TO MAINTAIN  -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Y
              PICK a,b FROM rcRenter~;(rcDriver;rcDriver~ /\ rcBranchRequested
              THEN INSERT INTO rcRenter[RentalCase*Person]
                    SELECTFROM 'b'[RentalCase]*'a'[Person]


                    (TO MAINTAIN  -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Y
        (MAINTAINING -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[YesNoAnsw
        NEW x:Person;
          INSERT INTO rcRenter[RentalCase*Person]
            SELECTFROM (rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[YesNoAnsw


            (TO MAINTAIN  -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[YesNoA
         (MAINTAINING -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[YesNoAnsw
     (MAINTAINING -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcB
   ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('_SESSION'[SESSION];sessionDroppedo
          THEN BLOCK
              (CANNOT CHANGE V[SESSION*RentalCase] FROM Car drop-off handling)
          PICK a,b FROM V[RentalCase*SESSION];('_SESSION'[SESSION];sessionDropped
          THEN ALL of INSERT INTO Isn{detyp=RentalCase}
                    SELECTFROM 'a'[RentalCase]*'b'[RentalCase]


                    (TO MAINTAIN  -('_SESSION'[SESSION];sessionDroppedoffCar;rc
                    ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[Renta
                              THEN INSERT INTO rentalIsPaidQ[RentalCase*Yes
                                  SELECTFROM 'a'[RentalCase]*'b'[YesNoAns


                          (TO MAINTAIN  -('_SESSION'[SESSION];sess


                    465
```

```
                              PICK a,b FROM rentalIsPaidQ~;('a'[RentalCase]
                THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK
                              THEN BLOCK
                                      (CANNOT CHANGE 'Yes'[
                              PICK a,b FROM 'Yes'[YesNoA
                              THEN INSERT INTO rentalIsP
                                  SELECTFROM 'b'[Renta

                                  (TO MAINTAIN  -('_SES
                     (MAINTAINING -('_SESSION'[SESSION
                     NEW x:YesNoAnswer;
                        ALL of BLOCK
                                      (CANNOT CHANGE 'Yes'[Yes
                                  INSERT INTO rentalIsPaid
                                   SELECTFROM 'b'[RentalCa

                                      (TO MAINTAIN  -('_SESSIO
                            (MAINTAINING -('_SESSION'[SESSI
                         (MAINTAINING -('_SESSION'[SESSION
                  (MAINTAINING -('_SESSION'[SESSION];sessi
          (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoff
               NEW x:YesNoAnswer;
           ALL of INSERT INTO rentalIsPaidQ[RentalCase*YesNoA
                  SELECTFROM 'a'[RentalCase]*'b'[RentalCase]

                  (TO MAINTAIN  -('_SESSION'[SESSION];session
                  ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b
                                      THEN BLOCK
                                          (CANNOT CHANGE 'Yes'[Yes
                              PICK a,b FROM 'Yes'[YesNoAnsw
                              THEN INSERT INTO rentalIsPaid
                                  SELECTFROM 'b'[RentalCa

                                  (TO MAINTAIN  -('_SESSIO
                     (MAINTAINING -('_SESSION'[SESSION];s
                     NEW x:YesNoAnswer;
                        ALL of BLOCK
                                      (CANNOT CHANGE 'Yes'[YesNoA
                                  INSERT INTO rentalIsPaidQ[R
                                   SELECTFROM 'b'[RentalCase]

                                  (TO MAINTAIN  -('_SESSION'[
                     (MAINTAINING -('_SESSION'[SESSION]
                     (MAINTAINING -('_SESSION'[SESSION];s
                 (MAINTAINING -('_SESSION'[SESSION];sessionD
              (MAINTAINING -('_SESSION'[SESSION];sessionDroppedo
               (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoff
          (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar;rcA
        (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssigned
  (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssignedCar~;(I[Rent
```

```
(MAINTAINING -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;contract
(MAINTAINING -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;contract
(MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\ rcAssignedC
(MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeenPromised /\ -(r
(MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\ I[RentalCas
(MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\ I[RentalCas
(MAINTAINING -(rcDroppedOffBranch;rcDroppedOffBranch~ /\ rcDroppedOffDate;rcDroppedOf
(MAINTAINING -(rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsPaidQ~ /\ I[RentalCase]) \/ p
(MAINTAINING -(rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsPaidQ~ /\ rcCarHasBeenDropped
(MAINTAINING -(rcMaxRentalDuration;rcMaxRentalDuration~ /\ contractedEndDate;contract
(MAINTAINING -(rentalLocationPenaltyCharge;rentalLocationPenaltyCharge~ /\ rentalPena
(MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedStartDate;contractedSt
(MAINTAINING -(rcAssignedCar;rcAssignedCar~ /\ rentalPeriod;rentalPeriod~ /\ I[Rental
(MAINTAINING -(rentalExcessPeriod;rentalExcessPeriod~ /\ I[RentalCase]) \/ (rentalExc
(MAINTAINING -(rcDroppedOffDate;rcDroppedOffDate~ /\ contractedEndDate;contractedEndD
(MAINTAINING -(contractedEndDate;contractedEndDate~ /\ contractedStartDate;contracted
(MAINTAINING -(contractedCarType;contractedCarType~ /\ projectedRentalPeriod;projecte
(MAINTAINING -(rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserRequestedQ~ /\ I[RentalCase]
(MAINTAINING -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;rcAssignedCar~);rcK
(MAINTAINING -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;rcAssignedCar~);rcK
(MAINTAINING -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchRe
(MAINTAINING -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchReques
(MAINTAINING -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchReques
(MAINTAINING -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchReques
(MAINTAINING -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchReques
(MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssignedCar~;(I[RentalCase]

<------End Derivation --


        ON DELETE Delta FROM Isn{detyp=RentalCase} EXECUTE    -- (ECA rule 140)
        ALL of DELETE FROM sessionNewUserRC[SESSION*RentalCase]
                SELECTFROM sessionNewUserRC;(-I[RentalCase] /\ sessionNewUserRC~;sessionN

              (TO MAINTAIN  -(sessionNewUserRC~;sessionNewUserRC) \/ I[RentalCase] FROM
              DELETE FROM sessionNewBranchRC[SESSION*RentalCase]
               SELECTFROM sessionNewBranchRC;(-I[RentalCase] /\ sessionNewBranchRC~;ses

              (TO MAINTAIN  -(sessionNewBranchRC~;sessionNewBranchRC) \/ I[RentalCase] 
              DELETE FROM contractedStartDate[RentalCase*Date]
               SELECTFROM Delta;V[RentalCase*Date]

              DELETE FROM contractedEndDate[RentalCase*Date]
               SELECTFROM Delta;V[RentalCase*Date]

              DELETE FROM contractedCarType[RentalCase*CarType]
               SELECTFROM Delta;V[RentalCase*CarType]

              DELETE FROM contractedPickupBranch[RentalCase*Branch]
```

467

```
                    SELECTFROM Delta;V[RentalCase*Branch]

DELETE FROM contractedDropoffBranch[RentalCase*Branch]
 SELECTFROM Delta;V[RentalCase*Branch]

DELETE FROM rcRenter[RentalCase*Person]
 SELECTFROM Delta;V[RentalCase*Person]

DELETE FROM rcDriver[RentalCase*Person]
 SELECTFROM Delta;V[RentalCase*Person]

DELETE FROM rcAssignedCar[RentalCase*Car]
 SELECTFROM Delta;V[RentalCase*Car]

DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
 SELECTFROM Delta;V[RentalCase*RentalCase] \/ V[RentalCase*RentalCase];De

DELETE FROM rcUserRequestedQ[RentalCase*YesNoAnswer]
 SELECTFROM Delta;V[RentalCase*YesNoAnswer]

DELETE FROM rcBranchRequestedQ[RentalCase*YesNoAnswer]
 SELECTFROM Delta;V[RentalCase*YesNoAnswer]

DELETE FROM rentalHasBeenPickedUp[RentalCase*RentalCase]
 SELECTFROM Delta;V[RentalCase*RentalCase] \/ V[RentalCase*RentalCase];De

DELETE FROM rentalHasBeenStarted[RentalCase*RentalCase]
 SELECTFROM Delta;V[RentalCase*RentalCase] \/ V[RentalCase*RentalCase];De

DELETE FROM rcKeysHandedOverQ[RentalCase*YesNoAnswer]
 SELECTFROM Delta;V[RentalCase*YesNoAnswer]

DELETE FROM rcCarHasBeenDroppedOff[RentalCase*RentalCase]
 SELECTFROM Delta;V[RentalCase*RentalCase] \/ V[RentalCase*RentalCase];De

DELETE FROM rcDroppedOffCar[RentalCase*Car]
 SELECTFROM Delta;V[RentalCase*Car]

DELETE FROM rcDroppedOffDate[RentalCase*Date]
 SELECTFROM Delta;V[RentalCase*Date]

DELETE FROM rcDroppedOffBranch[RentalCase*Branch]
 SELECTFROM Delta;V[RentalCase*Branch]

DELETE FROM rentalPeriod[RentalCase*Integer]
 SELECTFROM Delta;V[RentalCase*Integer]

DELETE FROM rentalBasicCharge[RentalCase*Amount]
 SELECTFROM Delta;V[RentalCase*Amount]
```

468

```
DELETE FROM rentalExcessPeriod[RentalCase*Integer]
 SELECTFROM Delta;V[RentalCase*Integer]

DELETE FROM rentalPenaltyCharge[RentalCase*Amount]
 SELECTFROM Delta;V[RentalCase*Amount]

DELETE FROM rentalLocationPenaltyCharge[RentalCase*Amount]
 SELECTFROM Delta;V[RentalCase*Amount]

DELETE FROM paymentHasBeenRequested[RentalCase*RentalCase]
 SELECTFROM Delta;V[RentalCase*RentalCase] \/ V[RentalCase*RentalCase];De

DELETE FROM rentalCharge[RentalCase*Amount]
 SELECTFROM Delta;V[RentalCase*Amount]

DELETE FROM rentalIsPaidQ[RentalCase*YesNoAnswer]
 SELECTFROM Delta;V[RentalCase*YesNoAnswer]

DELETE FROM rentalHasBeenEnded[RentalCase*RentalCase]
 SELECTFROM Delta;V[RentalCase*RentalCase] \/ V[RentalCase*RentalCase];De

DELETE FROM rcMaxRentalDuration[RentalCase*Integer]
 SELECTFROM Delta;V[RentalCase*Integer]

DELETE FROM projectedRentalPeriod[RentalCase*Integer]
 SELECTFROM Delta;V[RentalCase*Integer]

DELETE FROM projectedBasicCharge[RentalCase*Amount]
 SELECTFROM Delta;V[RentalCase*Amount]

ONE OF DELETE FROM sessionDroppedoffCar[SESSION*Car]
         SELECTFROM '_SESSION'[SESSION];(-(V[SESSION*RentalCase];(I[RentalC

      (TO MAINTAIN  -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssigned
      DELETE FROM rcAssignedCar[RentalCase*Car]
       SELECTFROM (I[RentalCase] /\ rcCarHasBeenDroppedOff /\ -rentalHasB

      (TO MAINTAIN  -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssigned
      DELETE FROM Isn{detyp=RentalCase}
       SELECTFROM rcAssignedCar;sessionDroppedoffCar~;'_SESSION'[SESSION]

      (TO MAINTAIN  -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssigned
      DELETE FROM rcCarHasBeenDroppedOff[RentalCase*RentalCase]
       SELECTFROM rcAssignedCar;sessionDroppedoffCar~;'_SESSION'[SESSION]

      (TO MAINTAIN  -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssigned
      INSERT INTO rentalHasBeenEnded[RentalCase*RentalCase]
       SELECTFROM rcAssignedCar;sessionDroppedoffCar~;'_SESSION'[SESSION]

      (TO MAINTAIN  -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssigned
```

469

```
                    (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssignedCar~;(I
          (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssignedCar~;(I[Renta
          (MAINTAINING -(sessionNewUserRC~;sessionNewUserRC) \/ I[RentalCase] FROM UNI ses
          (MAINTAINING -(sessionNewBranchRC~;sessionNewBranchRC) \/ I[RentalCase] FROM UNI
```

------ Derivation ----->

```
        ALL of DELETE FROM sessionNewUserRC[SESSION*RentalCase]
               SELECTFROM sessionNewUserRC;(-I[RentalCase] /\ sessionNewUserRC~;sessionNewUs

             (TO MAINTAIN  -(sessionNewUserRC~;sessionNewUserRC) \/ I[RentalCase] FROM UNI
             DELETE FROM sessionNewBranchRC[SESSION*RentalCase]
              SELECTFROM sessionNewBranchRC;(-I[RentalCase] /\ sessionNewBranchRC~;sessionN

             (TO MAINTAIN  -(sessionNewBranchRC~;sessionNewBranchRC) \/ I[RentalCase] FROM
             DELETE FROM contractedStartDate[RentalCase*Date]
              SELECTFROM Delta;V[RentalCase*Date]

             DELETE FROM contractedEndDate[RentalCase*Date]
              SELECTFROM Delta;V[RentalCase*Date]

             DELETE FROM contractedCarType[RentalCase*CarType]
              SELECTFROM Delta;V[RentalCase*CarType]

             DELETE FROM contractedPickupBranch[RentalCase*Branch]
              SELECTFROM Delta;V[RentalCase*Branch]

             DELETE FROM contractedDropoffBranch[RentalCase*Branch]
              SELECTFROM Delta;V[RentalCase*Branch]

             DELETE FROM rcRenter[RentalCase*Person]
              SELECTFROM Delta;V[RentalCase*Person]

             DELETE FROM rcDriver[RentalCase*Person]
              SELECTFROM Delta;V[RentalCase*Person]

             DELETE FROM rcAssignedCar[RentalCase*Car]
              SELECTFROM Delta;V[RentalCase*Car]

             DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
              SELECTFROM Delta;V[RentalCase*RentalCase] \/ V[RentalCase*RentalCase];Delta

             DELETE FROM rcUserRequestedQ[RentalCase*YesNoAnswer]
              SELECTFROM Delta;V[RentalCase*YesNoAnswer]

             DELETE FROM rcBranchRequestedQ[RentalCase*YesNoAnswer]
              SELECTFROM Delta;V[RentalCase*YesNoAnswer]
```

```
DELETE FROM rentalHasBeenPickedUp[RentalCase*RentalCase]
 SELECTFROM Delta;V[RentalCase*RentalCase] \/ V[RentalCase*RentalCase];Delta

DELETE FROM rentalHasBeenStarted[RentalCase*RentalCase]
 SELECTFROM Delta;V[RentalCase*RentalCase] \/ V[RentalCase*RentalCase];Delta

DELETE FROM rcKeysHandedOverQ[RentalCase*YesNoAnswer]
 SELECTFROM Delta;V[RentalCase*YesNoAnswer]

DELETE FROM rcCarHasBeenDroppedOff[RentalCase*RentalCase]
 SELECTFROM Delta;V[RentalCase*RentalCase] \/ V[RentalCase*RentalCase];Delta

DELETE FROM rcDroppedOffCar[RentalCase*Car]
 SELECTFROM Delta;V[RentalCase*Car]

DELETE FROM rcDroppedOffDate[RentalCase*Date]
 SELECTFROM Delta;V[RentalCase*Date]

DELETE FROM rcDroppedOffBranch[RentalCase*Branch]
 SELECTFROM Delta;V[RentalCase*Branch]

DELETE FROM rentalPeriod[RentalCase*Integer]
 SELECTFROM Delta;V[RentalCase*Integer]

DELETE FROM rentalBasicCharge[RentalCase*Amount]
 SELECTFROM Delta;V[RentalCase*Amount]

DELETE FROM rentalExcessPeriod[RentalCase*Integer]
 SELECTFROM Delta;V[RentalCase*Integer]

DELETE FROM rentalPenaltyCharge[RentalCase*Amount]
 SELECTFROM Delta;V[RentalCase*Amount]

DELETE FROM rentalLocationPenaltyCharge[RentalCase*Amount]
 SELECTFROM Delta;V[RentalCase*Amount]

DELETE FROM paymentHasBeenRequested[RentalCase*RentalCase]
 SELECTFROM Delta;V[RentalCase*RentalCase] \/ V[RentalCase*RentalCase];Delta

DELETE FROM rentalCharge[RentalCase*Amount]
 SELECTFROM Delta;V[RentalCase*Amount]

DELETE FROM rentalIsPaidQ[RentalCase*YesNoAnswer]
 SELECTFROM Delta;V[RentalCase*YesNoAnswer]

DELETE FROM rentalHasBeenEnded[RentalCase*RentalCase]
 SELECTFROM Delta;V[RentalCase*RentalCase] \/ V[RentalCase*RentalCase];Delta

DELETE FROM rcMaxRentalDuration[RentalCase*Integer]
 SELECTFROM Delta;V[RentalCase*Integer]
```

471

```
                    DELETE FROM projectedRentalPeriod[RentalCase*Integer]
                     SELECTFROM Delta;V[RentalCase*Integer]

                    DELETE FROM projectedBasicCharge[RentalCase*Amount]
                     SELECTFROM Delta;V[RentalCase*Amount]

                    ONE OF DELETE FROM sessionDroppedoffCar[SESSION*Car]
                            SELECTFROM '_SESSION'[SESSION];(-(V[SESSION*RentalCase];(I[RentalCase]

                        (TO MAINTAIN  -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssignedCar~
                        DELETE FROM rcAssignedCar[RentalCase*Car]
                         SELECTFROM (I[RentalCase] /\ rcCarHasBeenDroppedOff /\ -rentalHasBeenE

                        (TO MAINTAIN  -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssignedCar~
                        DELETE FROM Isn{detyp=RentalCase}
                         SELECTFROM rcAssignedCar;sessionDroppedoffCar~;'_SESSION'[SESSION];(-(

                        (TO MAINTAIN  -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssignedCar~
                        DELETE FROM rcCarHasBeenDroppedOff[RentalCase*RentalCase]
                         SELECTFROM rcAssignedCar;sessionDroppedoffCar~;'_SESSION'[SESSION];(-(

                        (TO MAINTAIN  -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssignedCar~
                        INSERT INTO rentalHasBeenEnded[RentalCase*RentalCase]
                         SELECTFROM rcAssignedCar;sessionDroppedoffCar~;'_SESSION'[SESSION];(-(

                        (TO MAINTAIN  -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssignedCar~
                (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssignedCar~;(I[Rent
            (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssignedCar~;(I[RentalCase]
            (MAINTAINING -(sessionNewUserRC~;sessionNewUserRC) \/ I[RentalCase] FROM UNI sessionN
            (MAINTAINING -(sessionNewBranchRC~;sessionNewBranchRC) \/ I[RentalCase] FROM UNI sess

        <------End Derivation --


                    ON DELETE Delta FROM Isn{detyp=Date} EXECUTE    -- (ECA rule 142)
                    ONE OF DELETE FROM contractedStartDate[RentalCase*Date]
                            SELECTFROM rentalHasBeenPromised;contractedStartDate;(-I[Date] /\ contra

                        (TO MAINTAIN  -(contractedStartDate~;rentalHasBeenPromised;contractedStar
                        DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
                         SELECTFROM contractedStartDate;(-I[Date] /\ contractedStartDate~;rentalHa

                        (TO MAINTAIN  -(contractedStartDate~;rentalHasBeenPromised;contractedStar
                        DELETE FROM contractedStartDate[RentalCase*Date]
                         SELECTFROM rentalHasBeenPromised~;contractedStartDate;(-I[Date] /\ contra

                        (TO MAINTAIN  -(contractedStartDate~;rentalHasBeenPromised;contractedStar
                        DELETE FROM contractedEndDate[RentalCase*Date]
```

```
SELECTFROM rentalHasBeenPromised;contractedEndDate;(-I[Date] /\ contracte

(TO MAINTAIN  -(contractedEndDate~;rentalHasBeenPromised;contractedEndDate
DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
 SELECTFROM contractedEndDate;(-I[Date] /\ contractedEndDate~;rentalHasBee

(TO MAINTAIN  -(contractedEndDate~;rentalHasBeenPromised;contractedEndDate
DELETE FROM contractedEndDate[RentalCase*Date]
 SELECTFROM rentalHasBeenPromised~;contractedEndDate;(-I[Date] /\ contract

(TO MAINTAIN  -(contractedEndDate~;rentalHasBeenPromised;contractedEndDate
DELETE FROM rcDroppedOffDate[RentalCase*Date]
 SELECTFROM rcCarHasBeenDroppedOff;rcDroppedOffDate;(-I[Date] /\ rcDropped

(TO MAINTAIN  -(rcDroppedOffDate~;rcCarHasBeenDroppedOff;rcDroppedOffDate
DELETE FROM rcCarHasBeenDroppedOff[RentalCase*RentalCase]
 SELECTFROM rcDroppedOffDate;(-I[Date] /\ rcDroppedOffDate~;rcCarHasBeenDr

(TO MAINTAIN  -(rcDroppedOffDate~;rcCarHasBeenDroppedOff;rcDroppedOffDate
DELETE FROM rcDroppedOffDate[RentalCase*Date]
 SELECTFROM rcCarHasBeenDroppedOff~;rcDroppedOffDate;(-I[Date] /\ rcDropp

(TO MAINTAIN  -(rcDroppedOffDate~;rcCarHasBeenDroppedOff;rcDroppedOffDate
DELETE FROM sessionToday[SESSION*Date]
 SELECTFROM sessionToday;(-I[Date] /\ sessionToday~;sessionToday)

(TO MAINTAIN  -(sessionToday~;I[SESSION];sessionToday) \/ I[Date] FROM In
DELETE FROM contractedStartDate[RentalCase*Date]
 SELECTFROM (I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBran

(TO MAINTAIN  -(contractedStartDate~;(I[RentalCase] /\ rcBranchRequestedQ
DELETE FROM Isn{detyp=RentalCase}
 SELECTFROM contractedStartDate;(-I[Date] /\ contractedStartDate~;(I[Rent

(TO MAINTAIN  -(contractedStartDate~;(I[RentalCase] /\ rcBranchRequestedQ
DELETE FROM rcBranchRequestedQ[RentalCase*YesNoAnswer]
 SELECTFROM contractedStartDate;(-I[Date] /\ contractedStartDate~;(I[Rent

(TO MAINTAIN  -(contractedStartDate~;(I[RentalCase] /\ rcBranchRequestedQ
DELETE FROM rcBranchRequestedQ[RentalCase*YesNoAnswer]
 SELECTFROM sessionNewBranchRC~;'_SESSION'[SESSION];sessionToday;(-I[Date]

(TO MAINTAIN  -(contractedStartDate~;(I[RentalCase] /\ rcBranchRequestedQ
DELETE FROM sessionNewBranchRC[SESSION*RentalCase]
 SELECTFROM '_SESSION'[SESSION];sessionToday;(-I[Date] /\ sessionToday~;'_

(TO MAINTAIN  -(contractedStartDate~;(I[RentalCase] /\ rcBranchRequestedQ
DELETE FROM sessionToday[SESSION*Date]
 SELECTFROM '_SESSION'[SESSION];sessionNewBranchRC;(I[RentalCase] /\ rcBra
```

```
(TO MAINTAIN  -(contractedStartDate~;(I[RentalCase] /\ rcBranchRequestedQ
DELETE FROM rcDroppedOffDate[RentalCase*Date]
 SELECTFROM rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));s

(TO MAINTAIN  -(rcDroppedOffDate~;rcAssignedCar;(I[Car] /\ -(carAvailable
DELETE FROM rcAssignedCar[RentalCase*Car]
 SELECTFROM rcDroppedOffDate;(-I[Date] /\ rcDroppedOffDate~;rcAssignedCar

(TO MAINTAIN  -(rcDroppedOffDate~;rcAssignedCar;(I[Car] /\ -(carAvailable
DELETE FROM Isn{detyp=Car}
 SELECTFROM rcAssignedCar~;rcDroppedOffDate;(-I[Date] /\ rcDroppedOffDate

(TO MAINTAIN  -(rcDroppedOffDate~;rcAssignedCar;(I[Car] /\ -(carAvailable
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM rcAssignedCar~;rcDroppedOffDate
       THEN INSERT INTO carAvailableAt[Car*Branch]
             SELECTFROM 'a'[Car]*'b'[Branch]

             (TO MAINTAIN  -(rcDroppedOffDate~;rcAssignedCar;(I[Car] /\ -(
       PICK a,b FROM carAvailableAt~;rcAssignedCar~;rcDroppedOffDate;(-I[
       THEN INSERT INTO carAvailableAt[Car*Branch]
             SELECTFROM 'b'[Car]*'a'[Branch]

             (TO MAINTAIN  -(rcDroppedOffDate~;rcAssignedCar;(I[Car] /\ -(
(MAINTAINING -(rcDroppedOffDate~;rcAssignedCar;(I[Car] /\ -(carAvailableAt
NEW x:Branch;
  INSERT INTO carAvailableAt[Car*Branch]
   SELECTFROM (rcAssignedCar~;rcDroppedOffDate;(-I[Date] /\ rcDroppedOffDa

  (TO MAINTAIN  -(rcDroppedOffDate~;rcAssignedCar;(I[Car] /\ -(carAvailabl
(MAINTAINING -(rcDroppedOffDate~;rcAssignedCar;(I[Car] /\ -(carAvailableAt
DELETE FROM sessionDroppedoffCar[SESSION*Car]
 SELECTFROM sessionToday;(-I[Date] /\ sessionToday~;sessionDroppedoffCar;

(TO MAINTAIN  -(rcDroppedOffDate~;rcAssignedCar;(I[Car] /\ -(carAvailable
DELETE FROM sessionToday[SESSION*Date]
 SELECTFROM sessionDroppedoffCar;(I[Car] /\ -(carAvailableAt;carAvailable

(TO MAINTAIN  -(rcDroppedOffDate~;rcAssignedCar;(I[Car] /\ -(carAvailable
DELETE FROM contractedStartDate[RentalCase*Date]
 SELECTFROM contractedStartDate;(-I[Date] /\ contractedStartDate~;contrac

(TO MAINTAIN  -(contractedStartDate~;contractedStartDate) \/ I[Date] FROM
DELETE FROM contractedEndDate[RentalCase*Date]
 SELECTFROM contractedEndDate;(-I[Date] /\ contractedEndDate~;contractedE

(TO MAINTAIN  -(contractedEndDate~;contractedEndDate) \/ I[Date] FROM UNI
DELETE FROM rcDroppedOffDate[RentalCase*Date]
 SELECTFROM rcDroppedOffDate;(-I[Date] /\ rcDroppedOffDate~;rcDroppedOffDa

(TO MAINTAIN  -(rcDroppedOffDate~;rcDroppedOffDate) \/ I[Date] FROM UNI rc
```

474

```
DELETE FROM earliestDate[DateDifferencePlusOne*Date]
 SELECTFROM earliestDate;(-I[Date] /\ earliestDate~;earliestDate)

(TO MAINTAIN  -(earliestDate~;earliestDate) \/ I[Date] FROM UNI earliestDa
DELETE FROM latestDate[DateDifferencePlusOne*Date]
 SELECTFROM latestDate;(-I[Date] /\ latestDate~;latestDate)

(TO MAINTAIN  -(latestDate~;latestDate) \/ I[Date] FROM UNI latestDate::Da
DELETE FROM firstDate[DateDifference*Date]
 SELECTFROM firstDate;(-I[Date] /\ firstDate~;firstDate)

(TO MAINTAIN  -(firstDate~;firstDate) \/ I[Date] FROM UNI firstDate::Date
DELETE FROM lastDate[DateDifference*Date]
 SELECTFROM lastDate;(-I[Date] /\ lastDate~;lastDate)

(TO MAINTAIN  -(lastDate~;lastDate) \/ I[Date] FROM UNI lastDate::DateDif
DELETE FROM dateIntervalIsWithinMaxRentalDuration[Date*Date]
 SELECTFROM Delta;V[Date*Date]

DELETE FROM dateIntervalIsWithinMaxRentalDuration[Date*Date]
 SELECTFROM V[Date*Date];Delta

DELETE FROM contractedStartDate[RentalCase*Date]
 SELECTFROM V[RentalCase*Date];Delta

DELETE FROM contractedEndDate[RentalCase*Date]
 SELECTFROM V[RentalCase*Date];Delta

DELETE FROM rcDroppedOffDate[RentalCase*Date]
 SELECTFROM V[RentalCase*Date];Delta

DELETE FROM dateIntervalCompTrigger[Date*Date]
 SELECTFROM Delta;V[Date*Date]

DELETE FROM dateIntervalCompTrigger[Date*Date]
 SELECTFROM V[Date*Date];Delta

DELETE FROM earliestDate[DateDifferencePlusOne*Date]
 SELECTFROM V[DateDifferencePlusOne*Date];Delta

DELETE FROM latestDate[DateDifferencePlusOne*Date]
 SELECTFROM V[DateDifferencePlusOne*Date];Delta

DELETE FROM firstDate[DateDifference*Date]
 SELECTFROM V[DateDifference*Date];Delta

DELETE FROM lastDate[DateDifference*Date]
 SELECTFROM V[DateDifference*Date];Delta

DELETE FROM sessionToday[SESSION*Date]
```

475

```
                    SELECTFROM V[SESSION*Date];Delta

          (MAINTAINING -rentalHasBeenPromised \/ contractedStartDate;contractedStartDate~
          (MAINTAINING -rentalHasBeenPromised \/ contractedStartDate;contractedStartDate~
          (MAINTAINING -rentalHasBeenPromised \/ contractedEndDate;contractedEndDate~ FROM
          (MAINTAINING -rentalHasBeenPromised \/ contractedEndDate;contractedEndDate~ FROM
          (MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffDate;rcDroppedOffDate~ FROM
          (MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffDate;rcDroppedOffDate~ FROM
          (MAINTAINING -I[SESSION] \/ sessionToday;sessionToday~ FROM Initialize today's d
          (MAINTAINING -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchR
          (MAINTAINING -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));sessi
          (MAINTAINING -(contractedStartDate~;contractedStartDate) \/ I[Date] FROM UNI con
          (MAINTAINING -(contractedEndDate~;contractedEndDate) \/ I[Date] FROM UNI contract
          (MAINTAINING -(rcDroppedOffDate~;rcDroppedOffDate) \/ I[Date] FROM UNI rcDropped0
          (MAINTAINING -(earliestDate~;earliestDate) \/ I[Date] FROM UNI earliestDate::Dat
          (MAINTAINING -I[DateDifferencePlusOne] \/ earliestDate;earliestDate~ FROM TOT ea
          (MAINTAINING -(latestDate~;latestDate) \/ I[Date] FROM UNI latestDate::DateDiffe
          (MAINTAINING -I[DateDifferencePlusOne] \/ latestDate;latestDate~ FROM TOT latestl
          (MAINTAINING -(firstDate~;firstDate) \/ I[Date] FROM UNI firstDate::DateDifferen
          (MAINTAINING -I[DateDifference] \/ firstDate;firstDate~ FROM TOT firstDate::Datel
          (MAINTAINING -(lastDate~;lastDate) \/ I[Date] FROM UNI lastDate::DateDifference*l
          (MAINTAINING -I[DateDifference] \/ lastDate;lastDate~ FROM TOT lastDate::DateDifi
          (MAINTAINING -(sessionToday~;sessionToday) \/ I[Date] FROM UNI sessionToday::SES

  ------ Derivation ----->


      ONE OF DELETE FROM contractedStartDate[RentalCase*Date]
              SELECTFROM rentalHasBeenPromised;contractedStartDate;(-I[Date] /\ contractedS

          (TO MAINTAIN  -(contractedStartDate~;rentalHasBeenPromised;contractedStartDate
          DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
           SELECTFROM contractedStartDate;(-I[Date] /\ contractedStartDate~;rentalHasBee

          (TO MAINTAIN  -(contractedStartDate~;rentalHasBeenPromised;contractedStartDate
          DELETE FROM contractedStartDate[RentalCase*Date]
           SELECTFROM rentalHasBeenPromised~;contractedStartDate;(-I[Date] /\ contracted

          (TO MAINTAIN  -(contractedStartDate~;rentalHasBeenPromised;contractedStartDate
          DELETE FROM contractedEndDate[RentalCase*Date]
           SELECTFROM rentalHasBeenPromised;contractedEndDate;(-I[Date] /\ contractedEnd

          (TO MAINTAIN  -(contractedEndDate~;rentalHasBeenPromised;contractedEndDate) \/
          DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
           SELECTFROM contractedEndDate;(-I[Date] /\ contractedEndDate~;rentalHasBeenPro

          (TO MAINTAIN  -(contractedEndDate~;rentalHasBeenPromised;contractedEndDate) \/
          DELETE FROM contractedEndDate[RentalCase*Date]
           SELECTFROM rentalHasBeenPromised~;contractedEndDate;(-I[Date] /\ contractedEn
```

476

```
(TO MAINTAIN  -(contractedEndDate~;rentalHasBeenPromised;contractedEndDate) \/
DELETE FROM rcDroppedOffDate[RentalCase*Date]
 SELECTFROM rcCarHasBeenDroppedOff;rcDroppedOffDate;(-I[Date] /\ rcDroppedOffD


(TO MAINTAIN  -(rcDroppedOffDate~;rcCarHasBeenDroppedOff;rcDroppedOffDate) \/
DELETE FROM rcCarHasBeenDroppedOff[RentalCase*RentalCase]
 SELECTFROM rcDroppedOffDate;(-I[Date] /\ rcDroppedOffDate~;rcCarHasBeenDroppe


(TO MAINTAIN  -(rcDroppedOffDate~;rcCarHasBeenDroppedOff;rcDroppedOffDate) \/
DELETE FROM rcDroppedOffDate[RentalCase*Date]
 SELECTFROM rcCarHasBeenDroppedOff~;rcDroppedOffDate;(-I[Date] /\ rcDroppedOff


(TO MAINTAIN  -(rcDroppedOffDate~;rcCarHasBeenDroppedOff;rcDroppedOffDate) \/
DELETE FROM sessionToday[SESSION*Date]
 SELECTFROM sessionToday;(-I[Date] /\ sessionToday~;sessionToday)


(TO MAINTAIN  -(sessionToday~;I[SESSION];sessionToday) \/ I[Date] FROM Initial
DELETE FROM contractedStartDate[RentalCase*Date]
 SELECTFROM (I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchRe


(TO MAINTAIN  -(contractedStartDate~;(I[RentalCase] /\ rcBranchRequestedQ;'Yes
DELETE FROM Isn{detyp=RentalCase}
 SELECTFROM contractedStartDate;(-I[Date] /\ contractedStartDate~;(I[RentalCas


(TO MAINTAIN  -(contractedStartDate~;(I[RentalCase] /\ rcBranchRequestedQ;'Yes
DELETE FROM rcBranchRequestedQ[RentalCase*YesNoAnswer]
 SELECTFROM contractedStartDate;(-I[Date] /\ contractedStartDate~;(I[RentalCas


(TO MAINTAIN  -(contractedStartDate~;(I[RentalCase] /\ rcBranchRequestedQ;'Yes
DELETE FROM rcBranchRequestedQ[RentalCase*YesNoAnswer]
 SELECTFROM sessionNewBranchRC~;'_SESSION'[SESSION];sessionToday;(-I[Date] /\


(TO MAINTAIN  -(contractedStartDate~;(I[RentalCase] /\ rcBranchRequestedQ;'Yes
DELETE FROM sessionNewBranchRC[SESSION*RentalCase]
 SELECTFROM '_SESSION'[SESSION];sessionToday;(-I[Date] /\ sessionToday~;'_SESS


(TO MAINTAIN  -(contractedStartDate~;(I[RentalCase] /\ rcBranchRequestedQ;'Yes
DELETE FROM sessionToday[SESSION*Date]
 SELECTFROM '_SESSION'[SESSION];sessionNewBranchRC;(I[RentalCase] /\ rcBranchR


(TO MAINTAIN  -(contractedStartDate~;(I[RentalCase] /\ rcBranchRequestedQ;'Yes
DELETE FROM rcDroppedOffDate[RentalCase*Date]
 SELECTFROM rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));sessio


(TO MAINTAIN  -(rcDroppedOffDate~;rcAssignedCar;(I[Car] /\ -(carAvailableAt;ca
DELETE FROM rcAssignedCar[RentalCase*Car]
 SELECTFROM rcDroppedOffDate;(-I[Date] /\ rcDroppedOffDate~;rcAssignedCar;(I[C


(TO MAINTAIN  -(rcDroppedOffDate~;rcAssignedCar;(I[Car] /\ -(carAvailableAt;ca
```

477

```
DELETE FROM Isn{detyp=Car}
 SELECTFROM rcAssignedCar~;rcDroppedOffDate;(-I[Date] /\ rcDroppedOffDate~;rcA

(TO MAINTAIN  -(rcDroppedOffDate~;rcAssignedCar;(I[Car] /\ -(carAvailableAt;ca
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM rcAssignedCar~;rcDroppedOffDate;(-I[
        THEN INSERT INTO carAvailableAt[Car*Branch]
              SELECTFROM 'a'[Car]*'b'[Branch]

              (TO MAINTAIN  -(rcDroppedOffDate~;rcAssignedCar;(I[Car] /\ -(carAv
        PICK a,b FROM carAvailableAt~;rcAssignedCar~;rcDroppedOffDate;(-I[Date]
        THEN INSERT INTO carAvailableAt[Car*Branch]
              SELECTFROM 'b'[Car]*'a'[Branch]

              (TO MAINTAIN  -(rcDroppedOffDate~;rcAssignedCar;(I[Car] /\ -(carAv
(MAINTAINING -(rcDroppedOffDate~;rcAssignedCar;(I[Car] /\ -(carAvailableAt;car
NEW x:Branch;
  INSERT INTO carAvailableAt[Car*Branch]
   SELECTFROM (rcAssignedCar~;rcDroppedOffDate;(-I[Date] /\ rcDroppedOffDate~;

  (TO MAINTAIN  -(rcDroppedOffDate~;rcAssignedCar;(I[Car] /\ -(carAvailableAt;
(MAINTAINING -(rcDroppedOffDate~;rcAssignedCar;(I[Car] /\ -(carAvailableAt;car
DELETE FROM sessionDroppedoffCar[SESSION*Car]
 SELECTFROM sessionToday;(-I[Date] /\ sessionToday~;sessionDroppedoffCar;(I[Ca

(TO MAINTAIN  -(rcDroppedOffDate~;rcAssignedCar;(I[Car] /\ -(carAvailableAt;ca
DELETE FROM sessionToday[SESSION*Date]
 SELECTFROM sessionDroppedoffCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~))

(TO MAINTAIN  -(rcDroppedOffDate~;rcAssignedCar;(I[Car] /\ -(carAvailableAt;ca
DELETE FROM contractedStartDate[RentalCase*Date]
 SELECTFROM contractedStartDate;(-I[Date] /\ contractedStartDate~;contractedSt

(TO MAINTAIN  -(contractedStartDate~;contractedStartDate) \/ I[Date] FROM UNI
DELETE FROM contractedEndDate[RentalCase*Date]
 SELECTFROM contractedEndDate;(-I[Date] /\ contractedEndDate~;contractedEndDat

(TO MAINTAIN  -(contractedEndDate~;contractedEndDate) \/ I[Date] FROM UNI cont
DELETE FROM rcDroppedOffDate[RentalCase*Date]
 SELECTFROM rcDroppedOffDate;(-I[Date] /\ rcDroppedOffDate~;rcDroppedOffDate)

(TO MAINTAIN  -(rcDroppedOffDate~;rcDroppedOffDate) \/ I[Date] FROM UNI rcDrop
DELETE FROM earliestDate[DateDifferencePlusOne*Date]
 SELECTFROM earliestDate;(-I[Date] /\ earliestDate~;earliestDate)

(TO MAINTAIN  -(earliestDate~;earliestDate) \/ I[Date] FROM UNI earliestDate::
DELETE FROM latestDate[DateDifferencePlusOne*Date]
 SELECTFROM latestDate;(-I[Date] /\ latestDate~;latestDate)

(TO MAINTAIN  -(latestDate~;latestDate) \/ I[Date] FROM UNI latestDate::DateDi
DELETE FROM firstDate[DateDifference*Date]
```

478

```
            SELECTFROM firstDate;(-I[Date] /\ firstDate~;firstDate)

        (TO MAINTAIN  -(firstDate~;firstDate) \/ I[Date] FROM UNI firstDate::DateDiffe
        DELETE FROM lastDate[DateDifference*Date]
         SELECTFROM lastDate;(-I[Date] /\ lastDate~;lastDate)

        (TO MAINTAIN  -(lastDate~;lastDate) \/ I[Date] FROM UNI lastDate::DateDifferen
        DELETE FROM dateIntervalIsWithinMaxRentalDuration[Date*Date]
         SELECTFROM Delta;V[Date*Date]

        DELETE FROM dateIntervalIsWithinMaxRentalDuration[Date*Date]
         SELECTFROM V[Date*Date];Delta

        DELETE FROM contractedStartDate[RentalCase*Date]
         SELECTFROM V[RentalCase*Date];Delta

        DELETE FROM contractedEndDate[RentalCase*Date]
         SELECTFROM V[RentalCase*Date];Delta

        DELETE FROM rcDroppedOffDate[RentalCase*Date]
         SELECTFROM V[RentalCase*Date];Delta

        DELETE FROM dateIntervalCompTrigger[Date*Date]
         SELECTFROM Delta;V[Date*Date]

        DELETE FROM dateIntervalCompTrigger[Date*Date]
         SELECTFROM V[Date*Date];Delta

        DELETE FROM earliestDate[DateDifferencePlusOne*Date]
         SELECTFROM V[DateDifferencePlusOne*Date];Delta

        DELETE FROM latestDate[DateDifferencePlusOne*Date]
         SELECTFROM V[DateDifferencePlusOne*Date];Delta

        DELETE FROM firstDate[DateDifference*Date]
         SELECTFROM V[DateDifference*Date];Delta

        DELETE FROM lastDate[DateDifference*Date]
         SELECTFROM V[DateDifference*Date];Delta

        DELETE FROM sessionToday[SESSION*Date]
         SELECTFROM V[SESSION*Date];Delta

(MAINTAINING -rentalHasBeenPromised \/ contractedStartDate;contractedStartDate~ FROM
(MAINTAINING -rentalHasBeenPromised \/ contractedStartDate;contractedStartDate~ FROM
(MAINTAINING -rentalHasBeenPromised \/ contractedEndDate;contractedEndDate~ FROM Prom
(MAINTAINING -rentalHasBeenPromised \/ contractedEndDate;contractedEndDate~ FROM Prom
(MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffDate;rcDroppedOffDate~ FROM Dropp
(MAINTAINING -rcCarHasBeenDroppedOff \/ rcDroppedOffDate;rcDroppedOffDate~ FROM Dropp
(MAINTAINING -I[SESSION] \/ sessionToday;sessionToday~ FROM Initialize today's date)
```

479

```
        (MAINTAINING -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchReques
        (MAINTAINING -(rcAssignedCar;(I[Car] /\ -(carAvailableAt;carAvailableAt~));sessionDro
        (MAINTAINING -(contractedStartDate~;contractedStartDate) \/ I[Date] FROM UNI contract
        (MAINTAINING -(contractedEndDate~;contractedEndDate) \/ I[Date] FROM UNI contractedEn
        (MAINTAINING -(rcDroppedOffDate~;rcDroppedOffDate) \/ I[Date] FROM UNI rcDroppedOffDa
        (MAINTAINING -(earliestDate~;earliestDate) \/ I[Date] FROM UNI earliestDate::DateDiff
        (MAINTAINING -I[DateDifferencePlusOne] \/ earliestDate;earliestDate~ FROM TOT earlies
        (MAINTAINING -(latestDate~;latestDate) \/ I[Date] FROM UNI latestDate::DateDifference
        (MAINTAINING -I[DateDifferencePlusOne] \/ latestDate;latestDate~ FROM TOT latestDate:
        (MAINTAINING -(firstDate~;firstDate) \/ I[Date] FROM UNI firstDate::DateDifference*Da
        (MAINTAINING -I[DateDifference] \/ firstDate;firstDate~ FROM TOT firstDate::DateDiffe
        (MAINTAINING -(lastDate~;lastDate) \/ I[Date] FROM UNI lastDate::DateDifference*Date)
        (MAINTAINING -I[DateDifference] \/ lastDate;lastDate~ FROM TOT lastDate::DateDifferen
        (MAINTAINING -(sessionToday~;sessionToday) \/ I[Date] FROM UNI sessionToday::SESSION*

    <------End Derivation --


            ON DELETE Delta FROM Isn{detyp=Location} EXECUTE     -- (ECA rule 144)
            ONE OF DELETE FROM branchLocation[Branch*Location]
                    SELECTFROM branchLocation;(-I[Location] /\ branchLocation~;branchLocatio

                    (TO MAINTAIN  -(branchLocation~;branchLocation) \/ I[Location] FROM UNI b
                   DELETE FROM branchLocation[Branch*Location]
                    SELECTFROM V[Branch*Location];Delta

            (MAINTAINING -(branchLocation~;branchLocation) \/ I[Location] FROM UNI branchLoc
            (MAINTAINING -I[Branch] \/ branchLocation;branchLocation~ FROM TOT branchLocatio

    ------ Derivation ----->


        ONE OF DELETE FROM branchLocation[Branch*Location]
              SELECTFROM branchLocation;(-I[Location] /\ branchLocation~;branchLocation)

              (TO MAINTAIN  -(branchLocation~;branchLocation) \/ I[Location] FROM UNI branch
             DELETE FROM branchLocation[Branch*Location]
              SELECTFROM V[Branch*Location];Delta

        (MAINTAINING -(branchLocation~;branchLocation) \/ I[Location] FROM UNI branchLocation
        (MAINTAINING -I[Branch] \/ branchLocation;branchLocation~ FROM TOT branchLocation::Br

    <------End Derivation --


            ON INSERT Delta IN Isn{detyp=CarType} EXECUTE     -- (ECA rule 145)
            ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (I[CarType] /\ -(brand;brand~))
                        THEN INSERT INTO brand[CarType*Brand]
```

```
                    SELECTFROM 'a'[CarType]*'b'[Brand]

                    (TO MAINTAIN  -I[CarType] \/ brand;I[Brand];brand~ FROM UNI bi
            PICK a,b FROM brand~;(I[CarType] /\ -(brand;brand~))
            THEN INSERT INTO brand[CarType*Brand]
                    SELECTFROM 'b'[CarType]*'a'[Brand]

                    (TO MAINTAIN  -I[CarType] \/ brand;I[Brand];brand~ FROM UNI bi
(MAINTAINING -I[CarType] \/ brand;I[Brand];brand~ FROM UNI brand::CarType
NEW x:Brand;
  INSERT INTO brand[CarType*Brand]
   SELECTFROM (I[CarType] /\ -(brand;brand~))*'x'[Brand]

  (TO MAINTAIN  -I[CarType] \/ brand;I[Brand];brand~ FROM UNI brand::CarTy
(MAINTAINING -I[CarType] \/ brand;I[Brand];brand~ FROM UNI brand::CarType
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (I[CarType] /\ -(model;model~))
            THEN INSERT INTO model[CarType*Model]
                    SELECTFROM 'a'[CarType]*'b'[Model]

                    (TO MAINTAIN  -I[CarType] \/ model;I[Model];model~ FROM UNI mo
            PICK a,b FROM model~;(I[CarType] /\ -(model;model~))
            THEN INSERT INTO model[CarType*Model]
                    SELECTFROM 'b'[CarType]*'a'[Model]

                    (TO MAINTAIN  -I[CarType] \/ model;I[Model];model~ FROM UNI mo
(MAINTAINING -I[CarType] \/ model;I[Model];model~ FROM UNI model::CarType
NEW x:Model;
  INSERT INTO model[CarType*Model]
   SELECTFROM (I[CarType] /\ -(model;model~))*'x'[Model]

  (TO MAINTAIN  -I[CarType] \/ model;I[Model];model~ FROM UNI model::CarTy
(MAINTAINING -I[CarType] \/ model;I[Model];model~ FROM UNI model::CarType
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (I[CarType] /\ -(rentalTariffPe
            THEN INSERT INTO rentalTariffPerDay[CarType*Amount]
                    SELECTFROM 'a'[CarType]*'b'[Amount]

                    (TO MAINTAIN  -I[CarType] \/ rentalTariffPerDay;I[Amount];ren
            PICK a,b FROM rentalTariffPerDay~;(I[CarType] /\ -(rentalTariffPer
            THEN INSERT INTO rentalTariffPerDay[CarType*Amount]
                    SELECTFROM 'b'[CarType]*'a'[Amount]

                    (TO MAINTAIN  -I[CarType] \/ rentalTariffPerDay;I[Amount];ren
(MAINTAINING -I[CarType] \/ rentalTariffPerDay;I[Amount];rentalTariffPerDa
NEW x:Amount;
  INSERT INTO rentalTariffPerDay[CarType*Amount]
   SELECTFROM (I[CarType] /\ -(rentalTariffPerDay;rentalTariffPerDay~))*'

  (TO MAINTAIN  -I[CarType] \/ rentalTariffPerDay;I[Amount];rentalTariffPe
(MAINTAINING -I[CarType] \/ rentalTariffPerDay;I[Amount];rentalTariffPerDa
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (I[CarType] /\ -(excessTariffPe
```

```
                        THEN INSERT INTO excessTariffPerDay[CarType*Amount]
                            SELECTFROM 'a'[CarType]*'b'[Amount]

                            (TO MAINTAIN  -I[CarType] \/ excessTariffPerDay;I[Amount];exc
                    PICK a,b FROM excessTariffPerDay~;(I[CarType] /\ -(excessTariffPer
                    THEN INSERT INTO excessTariffPerDay[CarType*Amount]
                            SELECTFROM 'b'[CarType]*'a'[Amount]

                            (TO MAINTAIN  -I[CarType] \/ excessTariffPerDay;I[Amount];exc
               (MAINTAINING -I[CarType] \/ excessTariffPerDay;I[Amount];excessTariffPerD
         (MAINTAINING -(brand~;brand) \/ I[Brand] FROM UNI brand::CarType*Brand)
         (MAINTAINING -I[CarType] \/ brand;brand~ FROM TOT brand::CarType*Brand)
         (MAINTAINING -(model~;model) \/ I[Model] FROM UNI model::CarType*Model)
         (MAINTAINING -I[CarType] \/ model;model~ FROM TOT model::CarType*Model)
         (MAINTAINING -(rentalTariffPerDay~;rentalTariffPerDay) \/ I[Amount] FROM UNI ren
         (MAINTAINING -I[CarType] \/ rentalTariffPerDay;rentalTariffPerDay~ FROM TOT rent
         (MAINTAINING -(excessTariffPerDay~;excessTariffPerDay) \/ I[Amount] FROM UNI exc
         (MAINTAINING -I[CarType] \/ excessTariffPerDay;excessTariffPerDay~ FROM TOT exce

------ Derivation ----->


       ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (I[CarType] /\ -(brand;brand~));bran
                    THEN INSERT INTO brand[CarType*Brand]
                        SELECTFROM 'a'[CarType]*'b'[Brand]

                        (TO MAINTAIN  -I[CarType] \/ brand;I[Brand];brand~ FROM UNI brand:
                    PICK a,b FROM brand~;(I[CarType] /\ -(brand;brand~))
                    THEN INSERT INTO brand[CarType*Brand]
                        SELECTFROM 'b'[CarType]*'a'[Brand]

                        (TO MAINTAIN  -I[CarType] \/ brand;I[Brand];brand~ FROM UNI brand:
              (MAINTAINING -I[CarType] \/ brand;I[Brand];brand~ FROM UNI brand::CarType*Bran
              NEW x:Brand;
                INSERT INTO brand[CarType*Brand]
                 SELECTFROM (I[CarType] /\ -(brand;brand~))*'x'[Brand]

                (TO MAINTAIN  -I[CarType] \/ brand;I[Brand];brand~ FROM UNI brand::CarType*B
              (MAINTAINING -I[CarType] \/ brand;I[Brand];brand~ FROM UNI brand::CarType*Bran
              ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (I[CarType] /\ -(model;model~));mode
                    THEN INSERT INTO model[CarType*Model]
                        SELECTFROM 'a'[CarType]*'b'[Model]

                        (TO MAINTAIN  -I[CarType] \/ model;I[Model];model~ FROM UNI model:
                    PICK a,b FROM model~;(I[CarType] /\ -(model;model~))
                    THEN INSERT INTO model[CarType*Model]
                        SELECTFROM 'b'[CarType]*'a'[Model]

                        (TO MAINTAIN  -I[CarType] \/ model;I[Model];model~ FROM UNI model:


                                   482
```

```
                (MAINTAINING -I[CarType] \/ model;I[Model];model~ FROM UNI model::CarType*Mode
        NEW x:Model;
          INSERT INTO model[CarType*Model]
           SELECTFROM (I[CarType] /\ -(model;model~))*'x'[Model]

          (TO MAINTAIN  -I[CarType] \/ model;I[Model];model~ FROM UNI model::CarType*M
        (MAINTAINING -I[CarType] \/ model;I[Model];model~ FROM UNI model::CarType*Mode
        ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (I[CarType] /\ -(rentalTariffPerDay;
                THEN INSERT INTO rentalTariffPerDay[CarType*Amount]
                      SELECTFROM 'a'[CarType]*'b'[Amount]

                   (TO MAINTAIN  -I[CarType] \/ rentalTariffPerDay;I[Amount];rentalTa
             PICK a,b FROM rentalTariffPerDay~;(I[CarType] /\ -(rentalTariffPerDay;r
             THEN INSERT INTO rentalTariffPerDay[CarType*Amount]
                      SELECTFROM 'b'[CarType]*'a'[Amount]

                   (TO MAINTAIN  -I[CarType] \/ rentalTariffPerDay;I[Amount];rentalTa
        (MAINTAINING -I[CarType] \/ rentalTariffPerDay;I[Amount];rentalTariffPerDay~ F
        NEW x:Amount;
          INSERT INTO rentalTariffPerDay[CarType*Amount]
           SELECTFROM (I[CarType] /\ -(rentalTariffPerDay;rentalTariffPerDay~))*'x'[Am

          (TO MAINTAIN  -I[CarType] \/ rentalTariffPerDay;I[Amount];rentalTariffPerDay
        (MAINTAINING -I[CarType] \/ rentalTariffPerDay;I[Amount];rentalTariffPerDay~ F
        ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (I[CarType] /\ -(excessTariffPerDay;
                THEN INSERT INTO excessTariffPerDay[CarType*Amount]
                      SELECTFROM 'a'[CarType]*'b'[Amount]

                   (TO MAINTAIN  -I[CarType] \/ excessTariffPerDay;I[Amount];excessTa
             PICK a,b FROM excessTariffPerDay~;(I[CarType] /\ -(excessTariffPerDay;e
             THEN INSERT INTO excessTariffPerDay[CarType*Amount]
                      SELECTFROM 'b'[CarType]*'a'[Amount]

                   (TO MAINTAIN  -I[CarType] \/ excessTariffPerDay;I[Amount];excessTa
        (MAINTAINING -I[CarType] \/ excessTariffPerDay;I[Amount];excessTariffPerDay~ F
    (MAINTAINING -(brand~;brand) \/ I[Brand] FROM UNI brand::CarType*Brand)
    (MAINTAINING -I[CarType] \/ brand;brand~ FROM TOT brand::CarType*Brand)
    (MAINTAINING -(model~;model) \/ I[Model] FROM UNI model::CarType*Model)
    (MAINTAINING -I[CarType] \/ model;model~ FROM TOT model::CarType*Model)
    (MAINTAINING -(rentalTariffPerDay~;rentalTariffPerDay) \/ I[Amount] FROM UNI rentalTa
    (MAINTAINING -I[CarType] \/ rentalTariffPerDay;rentalTariffPerDay~ FROM TOT rentalTar
    (MAINTAINING -(excessTariffPerDay~;excessTariffPerDay) \/ I[Amount] FROM UNI excessTa
    (MAINTAINING -I[CarType] \/ excessTariffPerDay;excessTariffPerDay~ FROM TOT excessTar
```

<------End Derivation --

```
        ON DELETE Delta FROM Isn{detyp=CarType} EXECUTE     -- (ECA rule 146)
        ONE OF DELETE FROM contractedCarType[RentalCase*CarType]
```

SELECTFROM rcAssignedCar;carType;(-I[CarType] /\ carType~;rcAssignedCar~

(TO MAINTAIN  -(contractedCarType~;rcAssignedCar;carType) \/ I[CarType] FI
DELETE FROM rcAssignedCar[RentalCase*Car]
 SELECTFROM contractedCarType;(-I[CarType] /\ contractedCarType~;rcAssigne

(TO MAINTAIN  -(contractedCarType~;rcAssignedCar;carType) \/ I[CarType] FI
DELETE FROM carType[Car*CarType]
 SELECTFROM rcAssignedCar~;contractedCarType;(-I[CarType] /\ contractedCai

(TO MAINTAIN  -(contractedCarType~;rcAssignedCar;carType) \/ I[CarType] FI
DELETE FROM contractedCarType[RentalCase*CarType]
 SELECTFROM rentalHasBeenPromised;contractedCarType;(-I[CarType] /\ contra

(TO MAINTAIN  -(contractedCarType~;rentalHasBeenPromised;contractedCarType
DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
 SELECTFROM contractedCarType;(-I[CarType] /\ contractedCarType~;rentalHas

(TO MAINTAIN  -(contractedCarType~;rentalHasBeenPromised;contractedCarType
DELETE FROM contractedCarType[RentalCase*CarType]
 SELECTFROM rentalHasBeenPromised~;contractedCarType;(-I[CarType] /\ conti

(TO MAINTAIN  -(contractedCarType~;rentalHasBeenPromised;contractedCarType
DELETE FROM carType[Car*CarType]
 SELECTFROM carType;(-I[CarType] /\ carType~;carType)

(TO MAINTAIN  -(carType~;carType) \/ I[CarType] FROM UNI carType::Car*Car'
DELETE FROM contractedCarType[RentalCase*CarType]
 SELECTFROM contractedCarType;(-I[CarType] /\ contractedCarType~;contracte

(TO MAINTAIN  -(contractedCarType~;contractedCarType) \/ I[CarType] FROM l
DELETE FROM carType[Car*CarType]
 SELECTFROM V[Car*CarType];Delta

DELETE FROM brand[CarType*Brand]
 SELECTFROM Delta;V[CarType*Brand]

DELETE FROM model[CarType*Model]
 SELECTFROM Delta;V[CarType*Model]

DELETE FROM rentalTariffPerDay[CarType*Amount]
 SELECTFROM Delta;V[CarType*Amount]

DELETE FROM excessTariffPerDay[CarType*Amount]
 SELECTFROM Delta;V[CarType*Amount]

DELETE FROM contractedCarType[RentalCase*CarType]
 SELECTFROM V[RentalCase*CarType];Delta

(MAINTAINING -rcAssignedCar \/ contractedCarType;carType~ FROM Rented car type i

484

```
          (MAINTAINING -rcAssignedCar \/ contractedCarType;carType~ FROM Rented car type i:
          (MAINTAINING -rentalHasBeenPromised \/ contractedCarType;contractedCarType~ FROM
          (MAINTAINING -rentalHasBeenPromised \/ contractedCarType;contractedCarType~ FROM
          (MAINTAINING -(carType~;carType) \/ I[CarType] FROM UNI carType::Car*CarType)
          (MAINTAINING -I[Car] \/ carType;carType~ FROM TOT carType::Car*CarType)
          (MAINTAINING -(contractedCarType~;contractedCarType) \/ I[CarType] FROM UNI cont:

------ Derivation ----->


      ONE OF DELETE FROM contractedCarType[RentalCase*CarType]
              SELECTFROM rcAssignedCar;carType;(-I[CarType] /\ carType~;rcAssignedCar~;cont

          (TO MAINTAIN  -(contractedCarType~;rcAssignedCar;carType) \/ I[CarType] FROM R
          DELETE FROM rcAssignedCar[RentalCase*Car]
           SELECTFROM contractedCarType;(-I[CarType] /\ contractedCarType~;rcAssignedCar

          (TO MAINTAIN  -(contractedCarType~;rcAssignedCar;carType) \/ I[CarType] FROM R
          DELETE FROM carType[Car*CarType]
           SELECTFROM rcAssignedCar~;contractedCarType;(-I[CarType] /\ contractedCarType

          (TO MAINTAIN  -(contractedCarType~;rcAssignedCar;carType) \/ I[CarType] FROM R
          DELETE FROM contractedCarType[RentalCase*CarType]
           SELECTFROM rentalHasBeenPromised;contractedCarType;(-I[CarType] /\ contracted

          (TO MAINTAIN  -(contractedCarType~;rentalHasBeenPromised;contractedCarType) \/
          DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
           SELECTFROM contractedCarType;(-I[CarType] /\ contractedCarType~;rentalHasBeen

          (TO MAINTAIN  -(contractedCarType~;rentalHasBeenPromised;contractedCarType) \/
          DELETE FROM contractedCarType[RentalCase*CarType]
           SELECTFROM rentalHasBeenPromised~;contractedCarType;(-I[CarType] /\ contracte

          (TO MAINTAIN  -(contractedCarType~;rentalHasBeenPromised;contractedCarType) \/
          DELETE FROM carType[Car*CarType]
           SELECTFROM carType;(-I[CarType] /\ carType~;carType)

          (TO MAINTAIN  -(carType~;carType) \/ I[CarType] FROM UNI carType::Car*CarType)
          DELETE FROM contractedCarType[RentalCase*CarType]
           SELECTFROM contractedCarType;(-I[CarType] /\ contractedCarType~;contractedCar

          (TO MAINTAIN  -(contractedCarType~;contractedCarType) \/ I[CarType] FROM UNI c
          DELETE FROM carType[Car*CarType]
           SELECTFROM V[Car*CarType];Delta

          DELETE FROM brand[CarType*Brand]
           SELECTFROM Delta;V[CarType*Brand]

          DELETE FROM model[CarType*Model]
```

```
                SELECTFROM Delta;V[CarType*Model]

           DELETE FROM rentalTariffPerDay[CarType*Amount]
            SELECTFROM Delta;V[CarType*Amount]

           DELETE FROM excessTariffPerDay[CarType*Amount]
            SELECTFROM Delta;V[CarType*Amount]

           DELETE FROM contractedCarType[RentalCase*CarType]
            SELECTFROM V[RentalCase*CarType];Delta

   (MAINTAINING -rcAssignedCar \/ contractedCarType;carType~ FROM Rented car type integr
   (MAINTAINING -rcAssignedCar \/ contractedCarType;carType~ FROM Rented car type integr
   (MAINTAINING -rentalHasBeenPromised \/ contractedCarType;contractedCarType~ FROM Prom
   (MAINTAINING -rentalHasBeenPromised \/ contractedCarType;contractedCarType~ FROM Prom
   (MAINTAINING -(carType~;carType) \/ I[CarType] FROM UNI carType::Car*CarType)
   (MAINTAINING -I[Car] \/ carType;carType~ FROM TOT carType::Car*CarType)
   (MAINTAINING -(contractedCarType~;contractedCarType) \/ I[CarType] FROM UNI contracte
```

<------End Derivation --

```
        ON DELETE Delta FROM Isn{detyp=Brand} EXECUTE     -- (ECA rule 148)
        ONE OF DELETE FROM brand[CarType*Brand]
               SELECTFROM brand;(-I[Brand] /\ brand~;brand)

             (TO MAINTAIN  -(brand~;brand) \/ I[Brand] FROM UNI brand::CarType*Brand)
             DELETE FROM brand[CarType*Brand]
              SELECTFROM V[CarType*Brand];Delta

        (MAINTAINING -(brand~;brand) \/ I[Brand] FROM UNI brand::CarType*Brand)
        (MAINTAINING -I[CarType] \/ brand;brand~ FROM TOT brand::CarType*Brand)
```

------ Derivation ----->

```
     ONE OF DELETE FROM brand[CarType*Brand]
            SELECTFROM brand;(-I[Brand] /\ brand~;brand)

          (TO MAINTAIN  -(brand~;brand) \/ I[Brand] FROM UNI brand::CarType*Brand)
          DELETE FROM brand[CarType*Brand]
           SELECTFROM V[CarType*Brand];Delta

     (MAINTAINING -(brand~;brand) \/ I[Brand] FROM UNI brand::CarType*Brand)
     (MAINTAINING -I[CarType] \/ brand;brand~ FROM TOT brand::CarType*Brand)
```

<------End Derivation --

```
          ON DELETE Delta FROM Isn{detyp=Model} EXECUTE    -- (ECA rule 150)
          ONE OF DELETE FROM model[CarType*Model]
                  SELECTFROM model;(-I[Model] /\ model~;model)

                (TO MAINTAIN  -(model~;model) \/ I[Model] FROM UNI model::CarType*Model)
                DELETE FROM model[CarType*Model]
                 SELECTFROM V[CarType*Model];Delta

          (MAINTAINING -(model~;model) \/ I[Model] FROM UNI model::CarType*Model)
          (MAINTAINING -I[CarType] \/ model;model~ FROM TOT model::CarType*Model)


------ Derivation ----->


      ONE OF DELETE FROM model[CarType*Model]
              SELECTFROM model;(-I[Model] /\ model~;model)

            (TO MAINTAIN  -(model~;model) \/ I[Model] FROM UNI model::CarType*Model)
            DELETE FROM model[CarType*Model]
             SELECTFROM V[CarType*Model];Delta

      (MAINTAINING -(model~;model) \/ I[Model] FROM UNI model::CarType*Model)
      (MAINTAINING -I[CarType] \/ model;model~ FROM TOT model::CarType*Model)


<------End Derivation --


          ON DELETE Delta FROM Isn{detyp=Amount} EXECUTE    -- (ECA rule 152)
          ONE OF DELETE FROM rentalBasicCharge[RentalCase*Amount]
                  SELECTFROM (rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;rentalTar

                (TO MAINTAIN  -(rentalBasicCharge~;(rentalPeriod;ctcNrOfDays~ /\ rcAssign
                DELETE FROM rentalPeriod[RentalCase*Integer]
                 SELECTFROM rentalBasicCharge;(-I[Amount] /\ rentalBasicCharge~;(rentalPe

                (TO MAINTAIN  -(rentalBasicCharge~;(rentalPeriod;ctcNrOfDays~ /\ rcAssign
                DELETE FROM ctcNrOfDays[CompTariffedCharge*Integer]
                 SELECTFROM computedTariffedCharge;(-I[Amount] /\ computedTariffedCharge~

                (TO MAINTAIN  -(rentalBasicCharge~;(rentalPeriod;ctcNrOfDays~ /\ rcAssigne
                DELETE FROM rcAssignedCar[RentalCase*Car]
                 SELECTFROM rentalBasicCharge;(-I[Amount] /\ rentalBasicCharge~;(rentalPe

                (TO MAINTAIN  -(rentalBasicCharge~;(rentalPeriod;ctcNrOfDays~ /\ rcAssign
                DELETE FROM carType[Car*CarType]
                 SELECTFROM rcAssignedCar~;rentalBasicCharge;(-I[Amount] /\ rentalBasicCh

                (TO MAINTAIN  -(rentalBasicCharge~;(rentalPeriod;ctcNrOfDays~ /\ rcAssigne
```

487

```
DELETE FROM rentalTariffPerDay[CarType*Amount]
 SELECTFROM carType~;rcAssignedCar~;rentalBasicCharge;(-I[Amount] /\ renta

(TO MAINTAIN  -(rentalBasicCharge~;(rentalPeriod;ctcNrOfDays~ /\ rcAssign
DELETE FROM ctcDailyAmount[CompTariffedCharge*Amount]
 SELECTFROM computedTariffedCharge;(-I[Amount] /\ computedTariffedCharge~

(TO MAINTAIN  -(rentalBasicCharge~;(rentalPeriod;ctcNrOfDays~ /\ rcAssign
DELETE FROM computedTariffedCharge[CompTariffedCharge*Amount]
 SELECTFROM (ctcNrOfDays;rentalPeriod~ /\ ctcDailyAmount;rentalTariffPerD

(TO MAINTAIN  -(rentalBasicCharge~;(rentalPeriod;ctcNrOfDays~ /\ rcAssign
DELETE FROM rentalPenaltyCharge[RentalCase*Amount]
 SELECTFROM (rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;exc

(TO MAINTAIN  -(rentalPenaltyCharge~;(rentalExcessPeriod;ctcNrOfDays~ /\ 
DELETE FROM rentalExcessPeriod[RentalCase*Integer]
 SELECTFROM rentalPenaltyCharge;(-I[Amount] /\ rentalPenaltyCharge~;(rent

(TO MAINTAIN  -(rentalPenaltyCharge~;(rentalExcessPeriod;ctcNrOfDays~ /\ 
DELETE FROM ctcNrOfDays[CompTariffedCharge*Integer]
 SELECTFROM computedTariffedCharge;(-I[Amount] /\ computedTariffedCharge~

(TO MAINTAIN  -(rentalPenaltyCharge~;(rentalExcessPeriod;ctcNrOfDays~ /\ 
DELETE FROM rcAssignedCar[RentalCase*Car]
 SELECTFROM rentalPenaltyCharge;(-I[Amount] /\ rentalPenaltyCharge~;(rent

(TO MAINTAIN  -(rentalPenaltyCharge~;(rentalExcessPeriod;ctcNrOfDays~ /\ 
DELETE FROM carType[Car*CarType]
 SELECTFROM rcAssignedCar~;rentalPenaltyCharge;(-I[Amount] /\ rentalPenal

(TO MAINTAIN  -(rentalPenaltyCharge~;(rentalExcessPeriod;ctcNrOfDays~ /\ 
DELETE FROM excessTariffPerDay[CarType*Amount]
 SELECTFROM carType~;rcAssignedCar~;rentalPenaltyCharge;(-I[Amount] /\ re

(TO MAINTAIN  -(rentalPenaltyCharge~;(rentalExcessPeriod;ctcNrOfDays~ /\ 
DELETE FROM ctcDailyAmount[CompTariffedCharge*Amount]
 SELECTFROM computedTariffedCharge;(-I[Amount] /\ computedTariffedCharge~

(TO MAINTAIN  -(rentalPenaltyCharge~;(rentalExcessPeriod;ctcNrOfDays~ /\ 
DELETE FROM computedTariffedCharge[CompTariffedCharge*Amount]
 SELECTFROM (ctcNrOfDays;rentalExcessPeriod~ /\ ctcDailyAmount;excessTari

(TO MAINTAIN  -(rentalPenaltyCharge~;(rentalExcessPeriod;ctcNrOfDays~ /\ 
DELETE FROM rentalLocationPenaltyCharge[RentalCase*Amount]
 SELECTFROM (rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch;di

(TO MAINTAIN  -(rentalLocationPenaltyCharge~;(rcDroppedOffBranch;distbran
DELETE FROM rcDroppedOffBranch[RentalCase*Branch]
 SELECTFROM rentalLocationPenaltyCharge;(-I[Amount] /\ rentalLocationPena
```

```
(TO MAINTAIN  -(rentalLocationPenaltyCharge~;(rcDroppedOffBranch;distbran
DELETE FROM distbranch[DistanceBetweenLocations*Branch]
 SELECTFROM computedLocationPenaltyCharge;(-I[Amount] /\ computedLocationl

(TO MAINTAIN  -(rentalLocationPenaltyCharge~;(rcDroppedOffBranch;distbran
DELETE FROM contractedDropoffBranch[RentalCase*Branch]
 SELECTFROM rentalLocationPenaltyCharge;(-I[Amount] /\ rentalLocationPenal

(TO MAINTAIN  -(rentalLocationPenaltyCharge~;(rcDroppedOffBranch;distbran
DELETE FROM distbranch[DistanceBetweenLocations*Branch]
 SELECTFROM computedLocationPenaltyCharge;(-I[Amount] /\ computedLocationl

(TO MAINTAIN  -(rentalLocationPenaltyCharge~;(rcDroppedOffBranch;distbran
DELETE FROM computedLocationPenaltyCharge[DistanceBetweenLocations*Amount]
 SELECTFROM (distbranch;rcDroppedOffBranch~ /\ distbranch;contractedDropo

(TO MAINTAIN  -(rentalLocationPenaltyCharge~;(rcDroppedOffBranch;distbran
DELETE FROM rentalCharge[RentalCase*Amount]
 SELECTFROM (rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ rent

(TO MAINTAIN  -(rentalCharge~;(rentalBasicCharge;arg1~ /\ rentalPenaltyCh
DELETE FROM rentalBasicCharge[RentalCase*Amount]
 SELECTFROM rentalCharge;(-I[Amount] /\ rentalCharge~;(rentalBasicCharge;

(TO MAINTAIN  -(rentalCharge~;(rentalBasicCharge;arg1~ /\ rentalPenaltyCh
DELETE FROM arg1[CompRentalCharge*Amount]
 SELECTFROM computedRentalCharge;(-I[Amount] /\ computedRentalCharge~;(arg

(TO MAINTAIN  -(rentalCharge~;(rentalBasicCharge;arg1~ /\ rentalPenaltyCh
DELETE FROM rentalPenaltyCharge[RentalCase*Amount]
 SELECTFROM rentalCharge;(-I[Amount] /\ rentalCharge~;(rentalBasicCharge;

(TO MAINTAIN  -(rentalCharge~;(rentalBasicCharge;arg1~ /\ rentalPenaltyCh
DELETE FROM arg2[CompRentalCharge*Amount]
 SELECTFROM computedRentalCharge;(-I[Amount] /\ computedRentalCharge~;(arg

(TO MAINTAIN  -(rentalCharge~;(rentalBasicCharge;arg1~ /\ rentalPenaltyCh
DELETE FROM rentalLocationPenaltyCharge[RentalCase*Amount]
 SELECTFROM rentalCharge;(-I[Amount] /\ rentalCharge~;(rentalBasicCharge;

(TO MAINTAIN  -(rentalCharge~;(rentalBasicCharge;arg1~ /\ rentalPenaltyCh
DELETE FROM arg3[CompRentalCharge*Amount]
 SELECTFROM computedRentalCharge;(-I[Amount] /\ computedRentalCharge~;(arg

(TO MAINTAIN  -(rentalCharge~;(rentalBasicCharge;arg1~ /\ rentalPenaltyCh
DELETE FROM computedRentalCharge[CompRentalCharge*Amount]
 SELECTFROM (arg1;rentalBasicCharge~ /\ arg2;rentalPenaltyCharge~ /\ arg3

(TO MAINTAIN  -(rentalCharge~;(rentalBasicCharge;arg1~ /\ rentalPenaltyCh
```

```
DELETE FROM computedRentalCharge[CompRentalCharge*Amount]
 SELECTFROM computedRentalCharge;(-I[Amount] /\ computedRentalCharge~;comp

(TO MAINTAIN  -(computedRentalCharge~;I[CompRentalCharge];computedRentalCl
DELETE FROM computedTariffedCharge[CompTariffedCharge*Amount]
 SELECTFROM computedTariffedCharge;(-I[Amount] /\ computedTariffedCharge~

(TO MAINTAIN  -(computedTariffedCharge~;I[CompTariffedCharge];computedTar:
DELETE FROM projectedBasicCharge[RentalCase*Amount]
 SELECTFROM (projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;rent;

(TO MAINTAIN  -(projectedBasicCharge~;(projectedRentalPeriod;ctcNrOfDays~
DELETE FROM projectedRentalPeriod[RentalCase*Integer]
 SELECTFROM projectedBasicCharge;(-I[Amount] /\ projectedBasicCharge~;(pro

(TO MAINTAIN  -(projectedBasicCharge~;(projectedRentalPeriod;ctcNrOfDays~
DELETE FROM ctcNrOfDays[CompTariffedCharge*Integer]
 SELECTFROM computedTariffedCharge;(-I[Amount] /\ computedTariffedCharge~

(TO MAINTAIN  -(projectedBasicCharge~;(projectedRentalPeriod;ctcNrOfDays~
DELETE FROM contractedCarType[RentalCase*CarType]
 SELECTFROM projectedBasicCharge;(-I[Amount] /\ projectedBasicCharge~;(pro

(TO MAINTAIN  -(projectedBasicCharge~;(projectedRentalPeriod;ctcNrOfDays~
DELETE FROM rentalTariffPerDay[CarType*Amount]
 SELECTFROM contractedCarType~;projectedBasicCharge;(-I[Amount] /\ projec1

(TO MAINTAIN  -(projectedBasicCharge~;(projectedRentalPeriod;ctcNrOfDays~
DELETE FROM ctcDailyAmount[CompTariffedCharge*Amount]
 SELECTFROM computedTariffedCharge;(-I[Amount] /\ computedTariffedCharge~

(TO MAINTAIN  -(projectedBasicCharge~;(projectedRentalPeriod;ctcNrOfDays~
DELETE FROM computedTariffedCharge[CompTariffedCharge*Amount]
 SELECTFROM (ctcNrOfDays;projectedRentalPeriod~ /\ ctcDailyAmount;rentalT;

(TO MAINTAIN  -(projectedBasicCharge~;(projectedRentalPeriod;ctcNrOfDays~
DELETE FROM rentalTariffPerDay[CarType*Amount]
 SELECTFROM rentalTariffPerDay;(-I[Amount] /\ rentalTariffPerDay~;rentalT;

(TO MAINTAIN  -(rentalTariffPerDay~;rentalTariffPerDay) \/ I[Amount] FROM
DELETE FROM excessTariffPerDay[CarType*Amount]
 SELECTFROM excessTariffPerDay;(-I[Amount] /\ excessTariffPerDay~;excessT;

(TO MAINTAIN  -(excessTariffPerDay~;excessTariffPerDay) \/ I[Amount] FROM
DELETE FROM rentalBasicCharge[RentalCase*Amount]
 SELECTFROM rentalBasicCharge;(-I[Amount] /\ rentalBasicCharge~;rentalBas:

(TO MAINTAIN  -(rentalBasicCharge~;rentalBasicCharge) \/ I[Amount] FROM Ul
DELETE FROM rentalPenaltyCharge[RentalCase*Amount]
 SELECTFROM rentalPenaltyCharge;(-I[Amount] /\ rentalPenaltyCharge~;rental
```

490

```
(TO MAINTAIN  -(rentalPenaltyCharge~;rentalPenaltyCharge) \/ I[Amount] FR
DELETE FROM computedLocationPenaltyCharge[DistanceBetweenLocations*Amount
 SELECTFROM computedLocationPenaltyCharge;(-I[Amount] /\ computedLocationl

(TO MAINTAIN  -(computedLocationPenaltyCharge~;computedLocationPenaltyCha
DELETE FROM rentalLocationPenaltyCharge[RentalCase*Amount]
 SELECTFROM rentalLocationPenaltyCharge;(-I[Amount] /\ rentalLocationPenal

(TO MAINTAIN  -(rentalLocationPenaltyCharge~;rentalLocationPenaltyCharge)
DELETE FROM rentalCharge[RentalCase*Amount]
 SELECTFROM rentalCharge;(-I[Amount] /\ rentalCharge~;rentalCharge)

(TO MAINTAIN  -(rentalCharge~;rentalCharge) \/ I[Amount] FROM UNI rentalCl
DELETE FROM arg1[CompRentalCharge*Amount]
 SELECTFROM arg1;(-I[Amount] /\ arg1~;arg1)

(TO MAINTAIN  -(arg1~;arg1) \/ I[Amount] FROM UNI arg1::CompRentalCharge*
DELETE FROM arg2[CompRentalCharge*Amount]
 SELECTFROM arg2;(-I[Amount] /\ arg2~;arg2)

(TO MAINTAIN  -(arg2~;arg2) \/ I[Amount] FROM UNI arg2::CompRentalCharge*
DELETE FROM arg3[CompRentalCharge*Amount]
 SELECTFROM arg3;(-I[Amount] /\ arg3~;arg3)

(TO MAINTAIN  -(arg3~;arg3) \/ I[Amount] FROM UNI arg3::CompRentalCharge*
DELETE FROM ctcDailyAmount[CompTariffedCharge*Amount]
 SELECTFROM ctcDailyAmount;(-I[Amount] /\ ctcDailyAmount~;ctcDailyAmount)

(TO MAINTAIN  -(ctcDailyAmount~;ctcDailyAmount) \/ I[Amount] FROM UNI ctcl
DELETE FROM projectedBasicCharge[RentalCase*Amount]
 SELECTFROM projectedBasicCharge;(-I[Amount] /\ projectedBasicCharge~;pro,

(TO MAINTAIN  -(projectedBasicCharge~;projectedBasicCharge) \/ I[Amount] l
DELETE FROM rentalTariffPerDay[CarType*Amount]
 SELECTFROM V[CarType*Amount];Delta

DELETE FROM excessTariffPerDay[CarType*Amount]
 SELECTFROM V[CarType*Amount];Delta

DELETE FROM rentalBasicCharge[RentalCase*Amount]
 SELECTFROM V[RentalCase*Amount];Delta

DELETE FROM rentalPenaltyCharge[RentalCase*Amount]
 SELECTFROM V[RentalCase*Amount];Delta

DELETE FROM computedLocationPenaltyCharge[DistanceBetweenLocations*Amount]
 SELECTFROM V[DistanceBetweenLocations*Amount];Delta

DELETE FROM rentalLocationPenaltyCharge[RentalCase*Amount]
```

491

```
                    SELECTFROM V[RentalCase*Amount];Delta

              DELETE FROM rentalCharge[RentalCase*Amount]
               SELECTFROM V[RentalCase*Amount];Delta

              DELETE FROM arg1[CompRentalCharge*Amount]
               SELECTFROM V[CompRentalCharge*Amount];Delta

              DELETE FROM arg2[CompRentalCharge*Amount]
               SELECTFROM V[CompRentalCharge*Amount];Delta

              DELETE FROM arg3[CompRentalCharge*Amount]
               SELECTFROM V[CompRentalCharge*Amount];Delta

              DELETE FROM computedRentalCharge[CompRentalCharge*Amount]
               SELECTFROM V[CompRentalCharge*Amount];Delta

              DELETE FROM ctcDailyAmount[CompTariffedCharge*Amount]
               SELECTFROM V[CompTariffedCharge*Amount];Delta

              DELETE FROM computedTariffedCharge[CompTariffedCharge*Amount]
               SELECTFROM V[CompTariffedCharge*Amount];Delta

              DELETE FROM projectedBasicCharge[RentalCase*Amount]
               SELECTFROM V[RentalCase*Amount];Delta

(MAINTAINING -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;rentalTariffPe
(MAINTAINING -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;excessTa
(MAINTAINING -((rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch;distbra
(MAINTAINING -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ rentalLoc
(MAINTAINING -I[CompRentalCharge] \/ computedRentalCharge;computedRentalCharge~ I
(MAINTAINING -I[CompTariffedCharge] \/ computedTariffedCharge;computedTariffedCha
(MAINTAINING -((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;rentalTar
(MAINTAINING -(rentalTariffPerDay~;rentalTariffPerDay) \/ I[Amount] FROM UNI ren
(MAINTAINING -I[CarType] \/ rentalTariffPerDay;rentalTariffPerDay~ FROM TOT renta
(MAINTAINING -(excessTariffPerDay~;excessTariffPerDay) \/ I[Amount] FROM UNI exc
(MAINTAINING -I[CarType] \/ excessTariffPerDay;excessTariffPerDay~ FROM TOT exce
(MAINTAINING -(rentalBasicCharge~;rentalBasicCharge) \/ I[Amount] FROM UNI renta
(MAINTAINING -(rentalPenaltyCharge~;rentalPenaltyCharge) \/ I[Amount] FROM UNI r
(MAINTAINING -(computedLocationPenaltyCharge~;computedLocationPenaltyCharge) \/ 
(MAINTAINING -I[DistanceBetweenLocations] \/ computedLocationPenaltyCharge;compu
(MAINTAINING -(rentalLocationPenaltyCharge~;rentalLocationPenaltyCharge) \/ I[Am
(MAINTAINING -(rentalCharge~;rentalCharge) \/ I[Amount] FROM UNI rentalCharge::Re
(MAINTAINING -(arg1~;arg1) \/ I[Amount] FROM UNI arg1::CompRentalCharge*Amount) 
(MAINTAINING -I[CompRentalCharge] \/ arg1;arg1~ FROM TOT arg1::CompRentalCharge*.
(MAINTAINING -(arg2~;arg2) \/ I[Amount] FROM UNI arg2::CompRentalCharge*Amount) 
(MAINTAINING -I[CompRentalCharge] \/ arg2;arg2~ FROM TOT arg2::CompRentalCharge*.
(MAINTAINING -(arg3~;arg3) \/ I[Amount] FROM UNI arg3::CompRentalCharge*Amount) 
(MAINTAINING -I[CompRentalCharge] \/ arg3;arg3~ FROM TOT arg3::CompRentalCharge*.
(MAINTAINING -(computedRentalCharge~;computedRentalCharge) \/ I[Amount] FROM UNI 
```

492

(MAINTAINING -(ctcDailyAmount~;ctcDailyAmount) \/ I[Amount] FROM UNI ctcDailyAmo
                        (MAINTAINING -I[CompTariffedCharge] \/ ctcDailyAmount;ctcDailyAmount~ FROM TOT c
                        (MAINTAINING -(computedTariffedCharge~;computedTariffedCharge) \/ I[Amount] FROM
                        (MAINTAINING -(projectedBasicCharge~;projectedBasicCharge) \/ I[Amount] FROM UNI

------ Derivation ----->


            ONE OF DELETE FROM rentalBasicCharge[RentalCase*Amount]
                    SELECTFROM (rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;rentalTariffPe

                    (TO MAINTAIN  -(rentalBasicCharge~;(rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar
                    DELETE FROM rentalPeriod[RentalCase*Integer]
                     SELECTFROM rentalBasicCharge;(-I[Amount] /\ rentalBasicCharge~;(rentalPeriod;

                    (TO MAINTAIN  -(rentalBasicCharge~;(rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar
                    DELETE FROM ctcNrOfDays[CompTariffedCharge*Integer]
                     SELECTFROM computedTariffedCharge;(-I[Amount] /\ computedTariffedCharge~;(ctc

                    (TO MAINTAIN  -(rentalBasicCharge~;(rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar
                    DELETE FROM rcAssignedCar[RentalCase*Car]
                     SELECTFROM rentalBasicCharge;(-I[Amount] /\ rentalBasicCharge~;(rentalPeriod;

                    (TO MAINTAIN  -(rentalBasicCharge~;(rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar
                    DELETE FROM carType[Car*CarType]
                     SELECTFROM rcAssignedCar~;rentalBasicCharge;(-I[Amount] /\ rentalBasicCharge~

                    (TO MAINTAIN  -(rentalBasicCharge~;(rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar
                    DELETE FROM rentalTariffPerDay[CarType*Amount]
                     SELECTFROM carType~;rcAssignedCar~;rentalBasicCharge;(-I[Amount] /\ rentalBas

                    (TO MAINTAIN  -(rentalBasicCharge~;(rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar
                    DELETE FROM ctcDailyAmount[CompTariffedCharge*Amount]
                     SELECTFROM computedTariffedCharge;(-I[Amount] /\ computedTariffedCharge~;(ctc

                    (TO MAINTAIN  -(rentalBasicCharge~;(rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar
                    DELETE FROM computedTariffedCharge[CompTariffedCharge*Amount]
                     SELECTFROM (ctcNrOfDays;rentalPeriod~ /\ ctcDailyAmount;rentalTariffPerDay~;c

                    (TO MAINTAIN  -(rentalBasicCharge~;(rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar
                    DELETE FROM rentalPenaltyCharge[RentalCase*Amount]
                     SELECTFROM (rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;excessTa

                    (TO MAINTAIN  -(rentalPenaltyCharge~;(rentalExcessPeriod;ctcNrOfDays~ /\ rcAss
                    DELETE FROM rentalExcessPeriod[RentalCase*Integer]
                     SELECTFROM rentalPenaltyCharge;(-I[Amount] /\ rentalPenaltyCharge~;(rentalExc

                    (TO MAINTAIN  -(rentalPenaltyCharge~;(rentalExcessPeriod;ctcNrOfDays~ /\ rcAss
                    DELETE FROM ctcNrOfDays[CompTariffedCharge*Integer]

                                        493

```
      SELECTFROM computedTariffedCharge;(-I[Amount] /\ computedTariffedCharge~;(ctc

(TO MAINTAIN  -(rentalPenaltyCharge~;(rentalExcessPeriod;ctcNrOfDays~ /\ rcAss
DELETE FROM rcAssignedCar[RentalCase*Car]
 SELECTFROM rentalPenaltyCharge;(-I[Amount] /\ rentalPenaltyCharge~;(rentalExc

(TO MAINTAIN  -(rentalPenaltyCharge~;(rentalExcessPeriod;ctcNrOfDays~ /\ rcAss
DELETE FROM carType[Car*CarType]
 SELECTFROM rcAssignedCar~;rentalPenaltyCharge;(-I[Amount] /\ rentalPenaltyCha

(TO MAINTAIN  -(rentalPenaltyCharge~;(rentalExcessPeriod;ctcNrOfDays~ /\ rcAss
DELETE FROM excessTariffPerDay[CarType*Amount]
 SELECTFROM carType~;rcAssignedCar~;rentalPenaltyCharge;(-I[Amount] /\ rentalP

(TO MAINTAIN  -(rentalPenaltyCharge~;(rentalExcessPeriod;ctcNrOfDays~ /\ rcAss
DELETE FROM ctcDailyAmount[CompTariffedCharge*Amount]
 SELECTFROM computedTariffedCharge;(-I[Amount] /\ computedTariffedCharge~;(ctc

(TO MAINTAIN  -(rentalPenaltyCharge~;(rentalExcessPeriod;ctcNrOfDays~ /\ rcAss
DELETE FROM computedTariffedCharge[CompTariffedCharge*Amount]
 SELECTFROM (ctcNrOfDays;rentalExcessPeriod~ /\ ctcDailyAmount;excessTariffPer

(TO MAINTAIN  -(rentalPenaltyCharge~;(rentalExcessPeriod;ctcNrOfDays~ /\ rcAss
DELETE FROM rentalLocationPenaltyCharge[RentalCase*Amount]
 SELECTFROM (rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch;distbra

(TO MAINTAIN  -(rentalLocationPenaltyCharge~;(rcDroppedOffBranch;distbranch~ /
DELETE FROM rcDroppedOffBranch[RentalCase*Branch]
 SELECTFROM rentalLocationPenaltyCharge;(-I[Amount] /\ rentalLocationPenaltyCh

(TO MAINTAIN  -(rentalLocationPenaltyCharge~;(rcDroppedOffBranch;distbranch~ /
DELETE FROM distbranch[DistanceBetweenLocations*Branch]
 SELECTFROM computedLocationPenaltyCharge;(-I[Amount] /\ computedLocationPenal

(TO MAINTAIN  -(rentalLocationPenaltyCharge~;(rcDroppedOffBranch;distbranch~ /
DELETE FROM contractedDropoffBranch[RentalCase*Branch]
 SELECTFROM rentalLocationPenaltyCharge;(-I[Amount] /\ rentalLocationPenaltyCh

(TO MAINTAIN  -(rentalLocationPenaltyCharge~;(rcDroppedOffBranch;distbranch~ /
DELETE FROM distbranch[DistanceBetweenLocations*Branch]
 SELECTFROM computedLocationPenaltyCharge;(-I[Amount] /\ computedLocationPenal

(TO MAINTAIN  -(rentalLocationPenaltyCharge~;(rcDroppedOffBranch;distbranch~ /
DELETE FROM computedLocationPenaltyCharge[DistanceBetweenLocations*Amount]
 SELECTFROM (distbranch;rcDroppedOffBranch~ /\ distbranch;contractedDropoffBra

(TO MAINTAIN  -(rentalLocationPenaltyCharge~;(rcDroppedOffBranch;distbranch~ /
DELETE FROM rentalCharge[RentalCase*Amount]
 SELECTFROM (rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ rentalLoc
```

494

```
(TO MAINTAIN  -(rentalCharge~;(rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;
DELETE FROM rentalBasicCharge[RentalCase*Amount]
 SELECTFROM rentalCharge;(-I[Amount] /\ rentalCharge~;(rentalBasicCharge;arg1~

(TO MAINTAIN  -(rentalCharge~;(rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;
DELETE FROM arg1[CompRentalCharge*Amount]
 SELECTFROM computedRentalCharge;(-I[Amount] /\ computedRentalCharge~;(arg1;re

(TO MAINTAIN  -(rentalCharge~;(rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;
DELETE FROM rentalPenaltyCharge[RentalCase*Amount]
 SELECTFROM rentalCharge;(-I[Amount] /\ rentalCharge~;(rentalBasicCharge;arg1~

(TO MAINTAIN  -(rentalCharge~;(rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;
DELETE FROM arg2[CompRentalCharge*Amount]
 SELECTFROM computedRentalCharge;(-I[Amount] /\ computedRentalCharge~;(arg1;re

(TO MAINTAIN  -(rentalCharge~;(rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;
DELETE FROM rentalLocationPenaltyCharge[RentalCase*Amount]
 SELECTFROM rentalCharge;(-I[Amount] /\ rentalCharge~;(rentalBasicCharge;arg1~

(TO MAINTAIN  -(rentalCharge~;(rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;
DELETE FROM arg3[CompRentalCharge*Amount]
 SELECTFROM computedRentalCharge;(-I[Amount] /\ computedRentalCharge~;(arg1;re

(TO MAINTAIN  -(rentalCharge~;(rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;
DELETE FROM computedRentalCharge[CompRentalCharge*Amount]
 SELECTFROM (arg1;rentalBasicCharge~ /\ arg2;rentalPenaltyCharge~ /\ arg3;rent

(TO MAINTAIN  -(rentalCharge~;(rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;
DELETE FROM computedRentalCharge[CompRentalCharge*Amount]
 SELECTFROM computedRentalCharge;(-I[Amount] /\ computedRentalCharge~;computed

(TO MAINTAIN  -(computedRentalCharge~;I[CompRentalCharge];computedRentalCharge
DELETE FROM computedTariffedCharge[CompTariffedCharge*Amount]
 SELECTFROM computedTariffedCharge;(-I[Amount] /\ computedTariffedCharge~;comp

(TO MAINTAIN  -(computedTariffedCharge~;I[CompTariffedCharge];computedTariffed
DELETE FROM projectedBasicCharge[RentalCase*Amount]
 SELECTFROM (projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;rentalTar

(TO MAINTAIN  -(projectedBasicCharge~;(projectedRentalPeriod;ctcNrOfDays~ /\ c
DELETE FROM projectedRentalPeriod[RentalCase*Integer]
 SELECTFROM projectedBasicCharge;(-I[Amount] /\ projectedBasicCharge~;(project

(TO MAINTAIN  -(projectedBasicCharge~;(projectedRentalPeriod;ctcNrOfDays~ /\ c
DELETE FROM ctcNrOfDays[CompTariffedCharge*Integer]
 SELECTFROM computedTariffedCharge;(-I[Amount] /\ computedTariffedCharge~;(ctc

(TO MAINTAIN  -(projectedBasicCharge~;(projectedRentalPeriod;ctcNrOfDays~ /\ c
DELETE FROM contractedCarType[RentalCase*CarType]
```

```
    SELECTFROM projectedBasicCharge;(-I[Amount] /\ projectedBasicCharge~;(project

(TO MAINTAIN  -(projectedBasicCharge~;(projectedRentalPeriod;ctcNrOfDays~ /\ c
DELETE FROM rentalTariffPerDay[CarType*Amount]
 SELECTFROM contractedCarType~;projectedBasicCharge;(-I[Amount] /\ projectedBa

(TO MAINTAIN  -(projectedBasicCharge~;(projectedRentalPeriod;ctcNrOfDays~ /\ c
DELETE FROM ctcDailyAmount[CompTariffedCharge*Amount]
 SELECTFROM computedTariffedCharge;(-I[Amount] /\ computedTariffedCharge~;(ctc

(TO MAINTAIN  -(projectedBasicCharge~;(projectedRentalPeriod;ctcNrOfDays~ /\ c
DELETE FROM computedTariffedCharge[CompTariffedCharge*Amount]
 SELECTFROM (ctcNrOfDays;projectedRentalPeriod~ /\ ctcDailyAmount;rentalTariff

(TO MAINTAIN  -(projectedBasicCharge~;(projectedRentalPeriod;ctcNrOfDays~ /\ c
DELETE FROM rentalTariffPerDay[CarType*Amount]
 SELECTFROM rentalTariffPerDay;(-I[Amount] /\ rentalTariffPerDay~;rentalTariff

(TO MAINTAIN  -(rentalTariffPerDay~;rentalTariffPerDay) \/ I[Amount] FROM UNI
DELETE FROM excessTariffPerDay[CarType*Amount]
 SELECTFROM excessTariffPerDay;(-I[Amount] /\ excessTariffPerDay~;excessTariff

(TO MAINTAIN  -(excessTariffPerDay~;excessTariffPerDay) \/ I[Amount] FROM UNI
DELETE FROM rentalBasicCharge[RentalCase*Amount]
 SELECTFROM rentalBasicCharge;(-I[Amount] /\ rentalBasicCharge~;rentalBasicCha

(TO MAINTAIN  -(rentalBasicCharge~;rentalBasicCharge) \/ I[Amount] FROM UNI re
DELETE FROM rentalPenaltyCharge[RentalCase*Amount]
 SELECTFROM rentalPenaltyCharge;(-I[Amount] /\ rentalPenaltyCharge~;rentalPena

(TO MAINTAIN  -(rentalPenaltyCharge~;rentalPenaltyCharge) \/ I[Amount] FROM UN
DELETE FROM computedLocationPenaltyCharge[DistanceBetweenLocations*Amount]
 SELECTFROM computedLocationPenaltyCharge;(-I[Amount] /\ computedLocationPenal

(TO MAINTAIN  -(computedLocationPenaltyCharge~;computedLocationPenaltyCharge)
DELETE FROM rentalLocationPenaltyCharge[RentalCase*Amount]
 SELECTFROM rentalLocationPenaltyCharge;(-I[Amount] /\ rentalLocationPenaltyCh

(TO MAINTAIN  -(rentalLocationPenaltyCharge~;rentalLocationPenaltyCharge) \/ I
DELETE FROM rentalCharge[RentalCase*Amount]
 SELECTFROM rentalCharge;(-I[Amount] /\ rentalCharge~;rentalCharge)

(TO MAINTAIN  -(rentalCharge~;rentalCharge) \/ I[Amount] FROM UNI rentalCharge
DELETE FROM arg1[CompRentalCharge*Amount]
 SELECTFROM arg1;(-I[Amount] /\ arg1~;arg1)

(TO MAINTAIN  -(arg1~;arg1) \/ I[Amount] FROM UNI arg1::CompRentalCharge*Amoun
DELETE FROM arg2[CompRentalCharge*Amount]
 SELECTFROM arg2;(-I[Amount] /\ arg2~;arg2)
```

```
(TO MAINTAIN  -(arg2~;arg2) \/ I[Amount] FROM UNI arg2::CompRentalCharge*Amoun
DELETE FROM arg3[CompRentalCharge*Amount]
 SELECTFROM arg3;(-I[Amount] /\ arg3~;arg3)

(TO MAINTAIN  -(arg3~;arg3) \/ I[Amount] FROM UNI arg3::CompRentalCharge*Amoun
DELETE FROM ctcDailyAmount[CompTariffedCharge*Amount]
 SELECTFROM ctcDailyAmount;(-I[Amount] /\ ctcDailyAmount~;ctcDailyAmount)

(TO MAINTAIN  -(ctcDailyAmount~;ctcDailyAmount) \/ I[Amount] FROM UNI ctcDaily
DELETE FROM projectedBasicCharge[RentalCase*Amount]
 SELECTFROM projectedBasicCharge;(-I[Amount] /\ projectedBasicCharge~;projecte

(TO MAINTAIN  -(projectedBasicCharge~;projectedBasicCharge) \/ I[Amount] FROM
DELETE FROM rentalTariffPerDay[CarType*Amount]
 SELECTFROM V[CarType*Amount];Delta

DELETE FROM excessTariffPerDay[CarType*Amount]
 SELECTFROM V[CarType*Amount];Delta

DELETE FROM rentalBasicCharge[RentalCase*Amount]
 SELECTFROM V[RentalCase*Amount];Delta

DELETE FROM rentalPenaltyCharge[RentalCase*Amount]
 SELECTFROM V[RentalCase*Amount];Delta

DELETE FROM computedLocationPenaltyCharge[DistanceBetweenLocations*Amount]
 SELECTFROM V[DistanceBetweenLocations*Amount];Delta

DELETE FROM rentalLocationPenaltyCharge[RentalCase*Amount]
 SELECTFROM V[RentalCase*Amount];Delta

DELETE FROM rentalCharge[RentalCase*Amount]
 SELECTFROM V[RentalCase*Amount];Delta

DELETE FROM arg1[CompRentalCharge*Amount]
 SELECTFROM V[CompRentalCharge*Amount];Delta

DELETE FROM arg2[CompRentalCharge*Amount]
 SELECTFROM V[CompRentalCharge*Amount];Delta

DELETE FROM arg3[CompRentalCharge*Amount]
 SELECTFROM V[CompRentalCharge*Amount];Delta

DELETE FROM computedRentalCharge[CompRentalCharge*Amount]
 SELECTFROM V[CompRentalCharge*Amount];Delta

DELETE FROM ctcDailyAmount[CompTariffedCharge*Amount]
 SELECTFROM V[CompTariffedCharge*Amount];Delta

DELETE FROM computedTariffedCharge[CompTariffedCharge*Amount]
```

497

```
                    SELECTFROM V[CompTariffedCharge*Amount];Delta

              DELETE FROM projectedBasicCharge[RentalCase*Amount]
               SELECTFROM V[RentalCase*Amount];Delta

    (MAINTAINING -((rentalPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;rentalTariffPerDay
    (MAINTAINING -((rentalExcessPeriod;ctcNrOfDays~ /\ rcAssignedCar;carType;excessTariff
    (MAINTAINING -((rcDroppedOffBranch;distbranch~ /\ contractedDropoffBranch;distbranch~
    (MAINTAINING -((rentalBasicCharge;arg1~ /\ rentalPenaltyCharge;arg2~ /\ rentalLocatio
    (MAINTAINING -I[CompRentalCharge] \/ computedRentalCharge;computedRentalCharge~ FROM
    (MAINTAINING -I[CompTariffedCharge] \/ computedTariffedCharge;computedTariffedCharge~
    (MAINTAINING -((projectedRentalPeriod;ctcNrOfDays~ /\ contractedCarType;rentalTariffP
    (MAINTAINING -(rentalTariffPerDay~;rentalTariffPerDay) \/ I[Amount] FROM UNI rentalTa
    (MAINTAINING -I[CarType] \/ rentalTariffPerDay;rentalTariffPerDay~ FROM TOT rentalTar
    (MAINTAINING -(excessTariffPerDay~;excessTariffPerDay) \/ I[Amount] FROM UNI excessTa
    (MAINTAINING -I[CarType] \/ excessTariffPerDay;excessTariffPerDay~ FROM TOT excessTar
    (MAINTAINING -(rentalBasicCharge~;rentalBasicCharge) \/ I[Amount] FROM UNI rentalBasi
    (MAINTAINING -(rentalPenaltyCharge~;rentalPenaltyCharge) \/ I[Amount] FROM UNI rental
    (MAINTAINING -(computedLocationPenaltyCharge~;computedLocationPenaltyCharge) \/ I[Amo
    (MAINTAINING -I[DistanceBetweenLocations] \/ computedLocationPenaltyCharge;computedLo
    (MAINTAINING -(rentalLocationPenaltyCharge~;rentalLocationPenaltyCharge) \/ I[Amount]
    (MAINTAINING -(rentalCharge~;rentalCharge) \/ I[Amount] FROM UNI rentalCharge::Rental
    (MAINTAINING -(arg1~;arg1) \/ I[Amount] FROM UNI arg1::CompRentalCharge*Amount)
    (MAINTAINING -I[CompRentalCharge] \/ arg1;arg1~ FROM TOT arg1::CompRentalCharge*Amoun
    (MAINTAINING -(arg2~;arg2) \/ I[Amount] FROM UNI arg2::CompRentalCharge*Amount)
    (MAINTAINING -I[CompRentalCharge] \/ arg2;arg2~ FROM TOT arg2::CompRentalCharge*Amoun
    (MAINTAINING -(arg3~;arg3) \/ I[Amount] FROM UNI arg3::CompRentalCharge*Amount)
    (MAINTAINING -I[CompRentalCharge] \/ arg3;arg3~ FROM TOT arg3::CompRentalCharge*Amoun
    (MAINTAINING -(computedRentalCharge~;computedRentalCharge) \/ I[Amount] FROM UNI comp
    (MAINTAINING -(ctcDailyAmount~;ctcDailyAmount) \/ I[Amount] FROM UNI ctcDailyAmount::
    (MAINTAINING -I[CompTariffedCharge] \/ ctcDailyAmount;ctcDailyAmount~ FROM TOT ctcDai
    (MAINTAINING -(computedTariffedCharge~;computedTariffedCharge) \/ I[Amount] FROM UNI
    (MAINTAINING -(projectedBasicCharge~;projectedBasicCharge) \/ I[Amount] FROM UNI proj
```

<------End Derivation --

```
            ON DELETE Delta FROM Isn{detyp=Integer} EXECUTE    -- (ECA rule 154)
            ONE OF DELETE FROM rcMaxRentalDuration[RentalCase*Integer]
                    SELECTFROM contractedPickupBranch;branchOf;maxRentalDuration;(-I[Integer]

                    (TO MAINTAIN  -(rcMaxRentalDuration~;contractedPickupBranch;branchOf;maxR
                   DELETE FROM contractedPickupBranch[RentalCase*Branch]
                    SELECTFROM rcMaxRentalDuration;(-I[Integer] /\ rcMaxRentalDuration~;conti

                    (TO MAINTAIN  -(rcMaxRentalDuration~;contractedPickupBranch;branchOf;maxR
                   DELETE FROM branchOf[Branch*CarRentalCompany]
                    SELECTFROM contractedPickupBranch~;rcMaxRentalDuration;(-I[Integer] /\ r
```

```
(TO MAINTAIN  -(rcMaxRentalDuration~;contractedPickupBranch;branchOf;maxR
DELETE FROM maxRentalDuration[CarRentalCompany*Integer]
 SELECTFROM branchOf~;contractedPickupBranch~;rcMaxRentalDuration;(-I[Int

(TO MAINTAIN  -(rcMaxRentalDuration~;contractedPickupBranch;branchOf;maxR
DELETE FROM rentalPeriod[RentalCase*Integer]
 SELECTFROM (contractedStartDate;earliestDate~ /\ rcDroppedOffDate;latest

(TO MAINTAIN  -(rentalPeriod~;(contractedStartDate;earliestDate~ /\ rcDro
DELETE FROM contractedStartDate[RentalCase*Date]
 SELECTFROM rentalPeriod;(-I[Integer] /\ rentalPeriod~;(contractedStartDa

(TO MAINTAIN  -(rentalPeriod~;(contractedStartDate;earliestDate~ /\ rcDro
DELETE FROM earliestDate[DateDifferencePlusOne*Date]
 SELECTFROM computedRentalPeriod;(-I[Integer] /\ computedRentalPeriod~;(e

(TO MAINTAIN  -(rentalPeriod~;(contractedStartDate;earliestDate~ /\ rcDro
DELETE FROM rcDroppedOffDate[RentalCase*Date]
 SELECTFROM rentalPeriod;(-I[Integer] /\ rentalPeriod~;(contractedStartDa

(TO MAINTAIN  -(rentalPeriod~;(contractedStartDate;earliestDate~ /\ rcDro
DELETE FROM latestDate[DateDifferencePlusOne*Date]
 SELECTFROM computedRentalPeriod;(-I[Integer] /\ computedRentalPeriod~;(e

(TO MAINTAIN  -(rentalPeriod~;(contractedStartDate;earliestDate~ /\ rcDro
DELETE FROM computedRentalPeriod[DateDifferencePlusOne*Integer]
 SELECTFROM (earliestDate;contractedStartDate~ /\ latestDate;rcDroppedOff

(TO MAINTAIN  -(rentalPeriod~;(contractedStartDate;earliestDate~ /\ rcDro
DELETE FROM rentalExcessPeriod[RentalCase*Integer]
 SELECTFROM (rcDroppedOffDate;lastDate~ /\ contractedEndDate;firstDate~);

(TO MAINTAIN  -(rentalExcessPeriod~;(rcDroppedOffDate;lastDate~ /\ contra
DELETE FROM rcDroppedOffDate[RentalCase*Date]
 SELECTFROM rentalExcessPeriod;(-I[Integer] /\ rentalExcessPeriod~;(rcDro

(TO MAINTAIN  -(rentalExcessPeriod~;(rcDroppedOffDate;lastDate~ /\ contra
DELETE FROM lastDate[DateDifference*Date]
 SELECTFROM computedNrOfExcessDays;(-I[Integer] /\ computedNrOfExcessDays

(TO MAINTAIN  -(rentalExcessPeriod~;(rcDroppedOffDate;lastDate~ /\ contra
DELETE FROM contractedEndDate[RentalCase*Date]
 SELECTFROM rentalExcessPeriod;(-I[Integer] /\ rentalExcessPeriod~;(rcDro

(TO MAINTAIN  -(rentalExcessPeriod~;(rcDroppedOffDate;lastDate~ /\ contra
DELETE FROM firstDate[DateDifference*Date]
 SELECTFROM computedNrOfExcessDays;(-I[Integer] /\ computedNrOfExcessDays

(TO MAINTAIN  -(rentalExcessPeriod~;(rcDroppedOffDate;lastDate~ /\ contra
DELETE FROM computedNrOfExcessDays[DateDifference*Integer]
```

499

SELECTFROM (lastDate;rcDroppedOffDate~ /\ firstDate;contractedEndDate~);

(TO MAINTAIN  -(rentalExcessPeriod~;(rcDroppedOffDate;lastDate~ /\ contra
DELETE FROM computedRentalPeriod[DateDifferencePlusOne*Integer]
 SELECTFROM computedRentalPeriod;(-I[Integer] /\ computedRentalPeriod~;co

(TO MAINTAIN  -(computedRentalPeriod~;I[DateDifferencePlusOne];computedRe
DELETE FROM computedNrOfExcessDays[DateDifference*Integer]
 SELECTFROM computedNrOfExcessDays;(-I[Integer] /\ computedNrOfExcessDays

(TO MAINTAIN  -(computedNrOfExcessDays~;I[DateDifference];computedNrOfExc
DELETE FROM projectedRentalPeriod[RentalCase*Integer]
 SELECTFROM (contractedStartDate;earliestDate~ /\ contractedEndDate;lates

(TO MAINTAIN  -(projectedRentalPeriod~;(contractedStartDate;earliestDate~
DELETE FROM contractedStartDate[RentalCase*Date]
 SELECTFROM projectedRentalPeriod;(-I[Integer] /\ projectedRentalPeriod~;

(TO MAINTAIN  -(projectedRentalPeriod~;(contractedStartDate;earliestDate~
DELETE FROM earliestDate[DateDifferencePlusOne*Date]
 SELECTFROM computedRentalPeriod;(-I[Integer] /\ computedRentalPeriod~;(ea

(TO MAINTAIN  -(projectedRentalPeriod~;(contractedStartDate;earliestDate~
DELETE FROM contractedEndDate[RentalCase*Date]
 SELECTFROM projectedRentalPeriod;(-I[Integer] /\ projectedRentalPeriod~;

(TO MAINTAIN  -(projectedRentalPeriod~;(contractedStartDate;earliestDate~
DELETE FROM latestDate[DateDifferencePlusOne*Date]
 SELECTFROM computedRentalPeriod;(-I[Integer] /\ computedRentalPeriod~;(ea

(TO MAINTAIN  -(projectedRentalPeriod~;(contractedStartDate;earliestDate~
DELETE FROM computedRentalPeriod[DateDifferencePlusOne*Integer]
 SELECTFROM (earliestDate;contractedStartDate~ /\ latestDate;contractedEn

(TO MAINTAIN  -(projectedRentalPeriod~;(contractedStartDate;earliestDate~
DELETE FROM rentalPeriod[RentalCase*Integer]
 SELECTFROM rentalPeriod;(-I[Integer] /\ rentalPeriod~;rentalPeriod)

(TO MAINTAIN  -(rentalPeriod~;rentalPeriod) \/ I[Integer] FROM UNI rental
DELETE FROM rentalExcessPeriod[RentalCase*Integer]
 SELECTFROM rentalExcessPeriod;(-I[Integer] /\ rentalExcessPeriod~;rental

(TO MAINTAIN  -(rentalExcessPeriod~;rentalExcessPeriod) \/ I[Integer] FRO
DELETE FROM rcMaxRentalDuration[RentalCase*Integer]
 SELECTFROM rcMaxRentalDuration;(-I[Integer] /\ rcMaxRentalDuration~;rcMa

(TO MAINTAIN  -(rcMaxRentalDuration~;rcMaxRentalDuration) \/ I[Integer] F
DELETE FROM ctcNrOfDays[CompTariffedCharge*Integer]
 SELECTFROM ctcNrOfDays;(-I[Integer] /\ ctcNrOfDays~;ctcNrOfDays)

500

```
                         (TO MAINTAIN  -(ctcNrOfDays~;ctcNrOfDays) \/ I[Integer] FROM UNI ctcNrOfD
                 DELETE FROM projectedRentalPeriod[RentalCase*Integer]
                  SELECTFROM projectedRentalPeriod;(-I[Integer] /\ projectedRentalPeriod~;

                         (TO MAINTAIN  -(projectedRentalPeriod~;projectedRentalPeriod) \/ I[Integer
                 DELETE FROM maxRentalDuration[CarRentalCompany*Integer]
                  SELECTFROM V[CarRentalCompany*Integer];Delta

                 DELETE FROM rentalPeriod[RentalCase*Integer]
                  SELECTFROM V[RentalCase*Integer];Delta

                 DELETE FROM rentalExcessPeriod[RentalCase*Integer]
                  SELECTFROM V[RentalCase*Integer];Delta

                 DELETE FROM rcMaxRentalDuration[RentalCase*Integer]
                  SELECTFROM V[RentalCase*Integer];Delta

                 DELETE FROM computedRentalPeriod[DateDifferencePlusOne*Integer]
                  SELECTFROM V[DateDifferencePlusOne*Integer];Delta

                 DELETE FROM ctcNrOfDays[CompTariffedCharge*Integer]
                  SELECTFROM V[CompTariffedCharge*Integer];Delta

                 DELETE FROM computedNrOfExcessDays[DateDifference*Integer]
                  SELECTFROM V[DateDifference*Integer];Delta

                 DELETE FROM projectedRentalPeriod[RentalCase*Integer]
                  SELECTFROM V[RentalCase*Integer];Delta

          (MAINTAINING -(contractedPickupBranch;branchOf;maxRentalDuration) \/ rcMaxRental
          (MAINTAINING -((contractedStartDate;earliestDate~ /\ rcDroppedOffDate;latestDate
          (MAINTAINING -((rcDroppedOffDate;lastDate~ /\ contractedEndDate;firstDate~);comp
          (MAINTAINING -I[DateDifferencePlusOne] \/ computedRentalPeriod;computedRentalPer
          (MAINTAINING -I[DateDifference] \/ computedNrOfExcessDays;computedNrOfExcessDays
          (MAINTAINING -((contractedStartDate;earliestDate~ /\ contractedEndDate;latestDat
          (MAINTAINING -(rentalPeriod~;rentalPeriod) \/ I[Integer] FROM UNI rentalPeriod::
          (MAINTAINING -(rentalExcessPeriod~;rentalExcessPeriod) \/ I[Integer] FROM UNI re
          (MAINTAINING -(rcMaxRentalDuration~;rcMaxRentalDuration) \/ I[Integer] FROM UNI
          (MAINTAINING -(computedRentalPeriod~;computedRentalPeriod) \/ I[Integer] FROM UN
          (MAINTAINING -(ctcNrOfDays~;ctcNrOfDays) \/ I[Integer] FROM UNI ctcNrOfDays::Com
          (MAINTAINING -I[CompTariffedCharge] \/ ctcNrOfDays;ctcNrOfDays~ FROM TOT ctcNrOf
          (MAINTAINING -(computedNrOfExcessDays~;computedNrOfExcessDays) \/ I[Integer] FRO
          (MAINTAINING -(projectedRentalPeriod~;projectedRentalPeriod) \/ I[Integer] FROM U

------ Derivation ----->


      ONE OF DELETE FROM rcMaxRentalDuration[RentalCase*Integer]
            SELECTFROM contractedPickupBranch;branchOf;maxRentalDuration;(-I[Integer] /\
```

```
(TO MAINTAIN  -(rcMaxRentalDuration~;contractedPickupBranch;branchOf;maxRental
DELETE FROM contractedPickupBranch[RentalCase*Branch]
 SELECTFROM rcMaxRentalDuration;(-I[Integer] /\ rcMaxRentalDuration~;contracte

(TO MAINTAIN  -(rcMaxRentalDuration~;contractedPickupBranch;branchOf;maxRental
DELETE FROM branchOf[Branch*CarRentalCompany]
 SELECTFROM contractedPickupBranch~;rcMaxRentalDuration;(-I[Integer] /\ rcMaxR

(TO MAINTAIN  -(rcMaxRentalDuration~;contractedPickupBranch;branchOf;maxRental
DELETE FROM maxRentalDuration[CarRentalCompany*Integer]
 SELECTFROM branchOf~;contractedPickupBranch~;rcMaxRentalDuration;(-I[Integer]

(TO MAINTAIN  -(rcMaxRentalDuration~;contractedPickupBranch;branchOf;maxRental
DELETE FROM rentalPeriod[RentalCase*Integer]
 SELECTFROM (contractedStartDate;earliestDate~ /\ rcDroppedOffDate;latestDate~

(TO MAINTAIN  -(rentalPeriod~;(contractedStartDate;earliestDate~ /\ rcDroppedO
DELETE FROM contractedStartDate[RentalCase*Date]
 SELECTFROM rentalPeriod;(-I[Integer] /\ rentalPeriod~;(contractedStartDate;ea

(TO MAINTAIN  -(rentalPeriod~;(contractedStartDate;earliestDate~ /\ rcDroppedO
DELETE FROM earliestDate[DateDifferencePlusOne*Date]
 SELECTFROM computedRentalPeriod;(-I[Integer] /\ computedRentalPeriod~;(earlie

(TO MAINTAIN  -(rentalPeriod~;(contractedStartDate;earliestDate~ /\ rcDroppedO
DELETE FROM rcDroppedOffDate[RentalCase*Date]
 SELECTFROM rentalPeriod;(-I[Integer] /\ rentalPeriod~;(contractedStartDate;ea

(TO MAINTAIN  -(rentalPeriod~;(contractedStartDate;earliestDate~ /\ rcDroppedO
DELETE FROM latestDate[DateDifferencePlusOne*Date]
 SELECTFROM computedRentalPeriod;(-I[Integer] /\ computedRentalPeriod~;(earlie

(TO MAINTAIN  -(rentalPeriod~;(contractedStartDate;earliestDate~ /\ rcDroppedO
DELETE FROM computedRentalPeriod[DateDifferencePlusOne*Integer]
 SELECTFROM (earliestDate;contractedStartDate~ /\ latestDate;rcDroppedOffDate~

(TO MAINTAIN  -(rentalPeriod~;(contractedStartDate;earliestDate~ /\ rcDroppedO
DELETE FROM rentalExcessPeriod[RentalCase*Integer]
 SELECTFROM (rcDroppedOffDate;lastDate~ /\ contractedEndDate;firstDate~);compu

(TO MAINTAIN  -(rentalExcessPeriod~;(rcDroppedOffDate;lastDate~ /\ contractedE
DELETE FROM rcDroppedOffDate[RentalCase*Date]
 SELECTFROM rentalExcessPeriod;(-I[Integer] /\ rentalExcessPeriod~;(rcDroppedO

(TO MAINTAIN  -(rentalExcessPeriod~;(rcDroppedOffDate;lastDate~ /\ contractedE
DELETE FROM lastDate[DateDifference*Date]
 SELECTFROM computedNrOfExcessDays;(-I[Integer] /\ computedNrOfExcessDays~;(la

(TO MAINTAIN  -(rentalExcessPeriod~;(rcDroppedOffDate;lastDate~ /\ contractedE
```

502

```
DELETE FROM contractedEndDate[RentalCase*Date]
 SELECTFROM rentalExcessPeriod;(-I[Integer] /\ rentalExcessPeriod~;(rcDroppedO

(TO MAINTAIN  -(rentalExcessPeriod~;(rcDroppedOffDate;lastDate~ /\ contractedE
DELETE FROM firstDate[DateDifference*Date]
 SELECTFROM computedNrOfExcessDays;(-I[Integer] /\ computedNrOfExcessDays~;(la

(TO MAINTAIN  -(rentalExcessPeriod~;(rcDroppedOffDate;lastDate~ /\ contractedE
DELETE FROM computedNrOfExcessDays[DateDifference*Integer]
 SELECTFROM (lastDate;rcDroppedOffDate~ /\ firstDate;contractedEndDate~);renta

(TO MAINTAIN  -(rentalExcessPeriod~;(rcDroppedOffDate;lastDate~ /\ contractedE
DELETE FROM computedRentalPeriod[DateDifferencePlusOne*Integer]
 SELECTFROM computedRentalPeriod;(-I[Integer] /\ computedRentalPeriod~;compute

(TO MAINTAIN  -(computedRentalPeriod~;I[DateDifferencePlusOne];computedRentalP
DELETE FROM computedNrOfExcessDays[DateDifference*Integer]
 SELECTFROM computedNrOfExcessDays;(-I[Integer] /\ computedNrOfExcessDays~;com

(TO MAINTAIN  -(computedNrOfExcessDays~;I[DateDifference];computedNrOfExcessDa
DELETE FROM projectedRentalPeriod[RentalCase*Integer]
 SELECTFROM (contractedStartDate;earliestDate~ /\ contractedEndDate;latestDate

(TO MAINTAIN  -(projectedRentalPeriod~;(contractedStartDate;earliestDate~ /\ c
DELETE FROM contractedStartDate[RentalCase*Date]
 SELECTFROM projectedRentalPeriod;(-I[Integer] /\ projectedRentalPeriod~;(cont

(TO MAINTAIN  -(projectedRentalPeriod~;(contractedStartDate;earliestDate~ /\ c
DELETE FROM earliestDate[DateDifferencePlusOne*Date]
 SELECTFROM computedRentalPeriod;(-I[Integer] /\ computedRentalPeriod~;(earlie

(TO MAINTAIN  -(projectedRentalPeriod~;(contractedStartDate;earliestDate~ /\ c
DELETE FROM contractedEndDate[RentalCase*Date]
 SELECTFROM projectedRentalPeriod;(-I[Integer] /\ projectedRentalPeriod~;(cont

(TO MAINTAIN  -(projectedRentalPeriod~;(contractedStartDate;earliestDate~ /\ c
DELETE FROM latestDate[DateDifferencePlusOne*Date]
 SELECTFROM computedRentalPeriod;(-I[Integer] /\ computedRentalPeriod~;(earlie

(TO MAINTAIN  -(projectedRentalPeriod~;(contractedStartDate;earliestDate~ /\ c
DELETE FROM computedRentalPeriod[DateDifferencePlusOne*Integer]
 SELECTFROM (earliestDate;contractedStartDate~ /\ latestDate;contractedEndDate

(TO MAINTAIN  -(projectedRentalPeriod~;(contractedStartDate;earliestDate~ /\ c
DELETE FROM rentalPeriod[RentalCase*Integer]
 SELECTFROM rentalPeriod;(-I[Integer] /\ rentalPeriod~;rentalPeriod)

(TO MAINTAIN  -(rentalPeriod~;rentalPeriod) \/ I[Integer] FROM UNI rentalPerio
DELETE FROM rentalExcessPeriod[RentalCase*Integer]
 SELECTFROM rentalExcessPeriod;(-I[Integer] /\ rentalExcessPeriod~;rentalExces
```

503

```
                        (TO MAINTAIN  -(rentalExcessPeriod~;rentalExcessPeriod) \/ I[Integer] FROM UNI
                        DELETE FROM rcMaxRentalDuration[RentalCase*Integer]
                         SELECTFROM rcMaxRentalDuration;(-I[Integer] /\ rcMaxRentalDuration~;rcMaxRent

                        (TO MAINTAIN  -(rcMaxRentalDuration~;rcMaxRentalDuration) \/ I[Integer] FROM U
                        DELETE FROM ctcNrOfDays[CompTariffedCharge*Integer]
                         SELECTFROM ctcNrOfDays;(-I[Integer] /\ ctcNrOfDays~;ctcNrOfDays)

                        (TO MAINTAIN  -(ctcNrOfDays~;ctcNrOfDays) \/ I[Integer] FROM UNI ctcNrOfDays::
                        DELETE FROM projectedRentalPeriod[RentalCase*Integer]
                         SELECTFROM projectedRentalPeriod;(-I[Integer] /\ projectedRentalPeriod~;proje

                        (TO MAINTAIN  -(projectedRentalPeriod~;projectedRentalPeriod) \/ I[Integer] FR
                        DELETE FROM maxRentalDuration[CarRentalCompany*Integer]
                         SELECTFROM V[CarRentalCompany*Integer];Delta

                        DELETE FROM rentalPeriod[RentalCase*Integer]
                         SELECTFROM V[RentalCase*Integer];Delta

                        DELETE FROM rentalExcessPeriod[RentalCase*Integer]
                         SELECTFROM V[RentalCase*Integer];Delta

                        DELETE FROM rcMaxRentalDuration[RentalCase*Integer]
                         SELECTFROM V[RentalCase*Integer];Delta

                        DELETE FROM computedRentalPeriod[DateDifferencePlusOne*Integer]
                         SELECTFROM V[DateDifferencePlusOne*Integer];Delta

                        DELETE FROM ctcNrOfDays[CompTariffedCharge*Integer]
                         SELECTFROM V[CompTariffedCharge*Integer];Delta

                        DELETE FROM computedNrOfExcessDays[DateDifference*Integer]
                         SELECTFROM V[DateDifference*Integer];Delta

                        DELETE FROM projectedRentalPeriod[RentalCase*Integer]
                         SELECTFROM V[RentalCase*Integer];Delta

        (MAINTAINING -(contractedPickupBranch;branchOf;maxRentalDuration) \/ rcMaxRentalDurat
        (MAINTAINING -((contractedStartDate;earliestDate~ /\ rcDroppedOffDate;latestDate~);co
        (MAINTAINING -((rcDroppedOffDate;lastDate~ /\ contractedEndDate;firstDate~);computedN
        (MAINTAINING -I[DateDifferencePlusOne] \/ computedRentalPeriod;computedRentalPeriod~
        (MAINTAINING -I[DateDifference] \/ computedNrOfExcessDays;computedNrOfExcessDays~ FRO
        (MAINTAINING -((contractedStartDate;earliestDate~ /\ contractedEndDate;latestDate~);c
        (MAINTAINING -(rentalPeriod~;rentalPeriod) \/ I[Integer] FROM UNI rentalPeriod::Renta
        (MAINTAINING -(rentalExcessPeriod~;rentalExcessPeriod) \/ I[Integer] FROM UNI rentalE
        (MAINTAINING -(rcMaxRentalDuration~;rcMaxRentalDuration) \/ I[Integer] FROM UNI rcMax
        (MAINTAINING -(computedRentalPeriod~;computedRentalPeriod) \/ I[Integer] FROM UNI com
        (MAINTAINING -(ctcNrOfDays~;ctcNrOfDays) \/ I[Integer] FROM UNI ctcNrOfDays::CompTari
        (MAINTAINING -I[CompTariffedCharge] \/ ctcNrOfDays;ctcNrOfDays~ FROM TOT ctcNrOfDays:
```

(MAINTAINING -(computedNrOfExcessDays~;computedNrOfExcessDays) \/ I[Integer] FROM UNI
        (MAINTAINING -(projectedRentalPeriod~;projectedRentalPeriod) \/ I[Integer] FROM UNI p


    <------End Derivation --


            ON DELETE Delta FROM Isn{detyp=Person} EXECUTE     -- (ECA rule 156)
            ONE OF DELETE FROM rcDriver[RentalCase*Person]
                    SELECTFROM -(rcDriver;(I[Person] /\ validDrivingLicense;validDrivingLicen

                    (TO MAINTAIN  -rcDriver \/ rcDriver;(I[Person] /\ validDrivingLicense;val
                DELETE FROM rcDriver[RentalCase*Person]
                    SELECTFROM rcDriver;((-I[Person] /\ rcDriver~;rcDriver) \/ (-(validDrivin

                    (TO MAINTAIN  -(rcDriver~;rcDriver) \/ (I[Person] /\ validDrivingLicense;
                DELETE FROM rcDriver[RentalCase*Person]
                    SELECTFROM rentalHasBeenPromised;rcDriver;(-I[Person] /\ rcDriver~;renta

                    (TO MAINTAIN  -(rcDriver~;rentalHasBeenPromised;rcDriver) \/ I[Person] FR
                DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
                    SELECTFROM rcDriver;(-I[Person] /\ rcDriver~;rentalHasBeenPromised;rcDri

                    (TO MAINTAIN  -(rcDriver~;rentalHasBeenPromised;rcDriver) \/ I[Person] FR
                DELETE FROM rcDriver[RentalCase*Person]
                    SELECTFROM rentalHasBeenPromised~;rcDriver;(-I[Person] /\ rcDriver~;rent

                    (TO MAINTAIN  -(rcDriver~;rentalHasBeenPromised;rcDriver) \/ I[Person] FR
                DELETE FROM rcRenter[RentalCase*Person]
                    SELECTFROM rentalHasBeenPromised;rcRenter;(-I[Person] /\ rcRenter~;renta

                    (TO MAINTAIN  -(rcRenter~;rentalHasBeenPromised;rcRenter) \/ I[Person] FR
                DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
                    SELECTFROM rcRenter;(-I[Person] /\ rcRenter~;rentalHasBeenPromised;rcRen

                    (TO MAINTAIN  -(rcRenter~;rentalHasBeenPromised;rcRenter) \/ I[Person] FR
                DELETE FROM rcRenter[RentalCase*Person]
                    SELECTFROM rentalHasBeenPromised~;rcRenter;(-I[Person] /\ rcRenter~;rent

                    (TO MAINTAIN  -(rcRenter~;rentalHasBeenPromised;rcRenter) \/ I[Person] FR
                DELETE FROM rcDriver[RentalCase*Person]
                    SELECTFROM rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~;rcDri

                    (TO MAINTAIN  -(rcDriver~;rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHand
                DELETE FROM rcKeysHandedOverQ[RentalCase*YesNoAnswer]
                    SELECTFROM rcDriver;(-I[Person] /\ rcDriver~;rcKeysHandedOverQ;'Yes'[Yes

                    (TO MAINTAIN  -(rcDriver~;rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHand
                DELETE FROM rcKeysHandedOverQ[RentalCase*YesNoAnswer]
                    SELECTFROM rcDriver;(-I[Person] /\ rcDriver~;rcKeysHandedOverQ;'Yes'[Yes


                                    505

```
(TO MAINTAIN  -(rcDriver~;rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHand
DELETE FROM rcDriver[RentalCase*Person]
 SELECTFROM rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~;rcDri

(TO MAINTAIN  -(rcDriver~;rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHand
DELETE FROM rcDriver[RentalCase*Person]
 SELECTFROM rcDriver;(-I[Person] /\ rcDriver~;rcKeysHandedOverQ;'Yes'[Yes

(TO MAINTAIN  -(rcDriver~;rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHand
DELETE FROM rcDriver[RentalCase*Person]
 SELECTFROM rcDriver;(-I[Person] /\ rcDriver~;rcKeysHandedOverQ;'Yes'[Yes

(TO MAINTAIN  -(rcDriver~;rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHand
DELETE FROM rcRenter[RentalCase*Person]
 SELECTFROM rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~;rcRen

(TO MAINTAIN  -(rcRenter~;rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHand
DELETE FROM rcKeysHandedOverQ[RentalCase*YesNoAnswer]
 SELECTFROM rcRenter;(-I[Person] /\ rcRenter~;rcKeysHandedOverQ;'Yes'[Yes

(TO MAINTAIN  -(rcRenter~;rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHand
DELETE FROM rcKeysHandedOverQ[RentalCase*YesNoAnswer]
 SELECTFROM rcRenter;(-I[Person] /\ rcRenter~;rcKeysHandedOverQ;'Yes'[Yes

(TO MAINTAIN  -(rcRenter~;rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHand
DELETE FROM rcRenter[RentalCase*Person]
 SELECTFROM rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~;rcRen

(TO MAINTAIN  -(rcRenter~;rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHand
DELETE FROM rcRenter[RentalCase*Person]
 SELECTFROM rcRenter;(-I[Person] /\ rcRenter~;rcKeysHandedOverQ;'Yes'[Yes

(TO MAINTAIN  -(rcRenter~;rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHand
DELETE FROM rcRenter[RentalCase*Person]
 SELECTFROM rcRenter;(-I[Person] /\ rcRenter~;rcKeysHandedOverQ;'Yes'[Yes

(TO MAINTAIN  -(rcRenter~;rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHand
DELETE FROM rcRenter[RentalCase*Person]
 SELECTFROM rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserRequestedQ~;rcRente

(TO MAINTAIN  -(rcRenter~;rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserReque
DELETE FROM rcUserRequestedQ[RentalCase*YesNoAnswer]
 SELECTFROM rcRenter;(-I[Person] /\ rcRenter~;rcUserRequestedQ;'Yes'[YesN

(TO MAINTAIN  -(rcRenter~;rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserReque
DELETE FROM rcUserRequestedQ[RentalCase*YesNoAnswer]
 SELECTFROM rcRenter;(-I[Person] /\ rcRenter~;rcUserRequestedQ;'Yes'[YesN

(TO MAINTAIN  -(rcRenter~;rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserReque
```

```
DELETE FROM rcRenter[RentalCase*Person]
 SELECTFROM rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserRequestedQ~;rcRente

(TO MAINTAIN  -(rcRenter~;rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserReque
DELETE FROM rcRenter[RentalCase*Person]
 SELECTFROM rcRenter;(-I[Person] /\ rcRenter~;rcUserRequestedQ;'Yes'[YesN

(TO MAINTAIN  -(rcRenter~;rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserReque
DELETE FROM rcRenter[RentalCase*Person]
 SELECTFROM rcRenter;(-I[Person] /\ rcRenter~;rcUserRequestedQ;'Yes'[YesN

(TO MAINTAIN  -(rcRenter~;rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserReque
DELETE FROM rcRenter[RentalCase*Person]
 SELECTFROM rcDriver;rcDriver~;rcRenter;(-I[Person] /\ rcRenter~;rcDriver

(TO MAINTAIN  -(rcRenter~;rcDriver;rcDriver~;rcRenter /\ rcRenter~;rcBran
DELETE FROM rcDriver[RentalCase*Person]
 SELECTFROM rcRenter;(-I[Person] /\ rcRenter~;rcDriver;rcDriver~;rcRenter

(TO MAINTAIN  -(rcRenter~;rcDriver;rcDriver~;rcRenter /\ rcRenter~;rcBran
DELETE FROM rcDriver[RentalCase*Person]
 SELECTFROM rcRenter;(-I[Person] /\ rcRenter~;rcDriver;rcDriver~;rcRenter

(TO MAINTAIN  -(rcRenter~;rcDriver;rcDriver~;rcRenter /\ rcRenter~;rcBran
DELETE FROM rcRenter[RentalCase*Person]
 SELECTFROM rcDriver;rcDriver~;rcRenter;(-I[Person] /\ rcRenter~;rcDriver

(TO MAINTAIN  -(rcRenter~;rcDriver;rcDriver~;rcRenter /\ rcRenter~;rcBran
DELETE FROM rcRenter[RentalCase*Person]
 SELECTFROM rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchRequestedQ~;rcR

(TO MAINTAIN  -(rcRenter~;rcDriver;rcDriver~;rcRenter /\ rcRenter~;rcBran
DELETE FROM rcBranchRequestedQ[RentalCase*YesNoAnswer]
 SELECTFROM rcRenter;(-I[Person] /\ rcRenter~;rcDriver;rcDriver~;rcRenter

(TO MAINTAIN  -(rcRenter~;rcDriver;rcDriver~;rcRenter /\ rcRenter~;rcBran
DELETE FROM rcBranchRequestedQ[RentalCase*YesNoAnswer]
 SELECTFROM rcRenter;(-I[Person] /\ rcRenter~;rcDriver;rcDriver~;rcRenter

(TO MAINTAIN  -(rcRenter~;rcDriver;rcDriver~;rcRenter /\ rcRenter~;rcBran
DELETE FROM rcRenter[RentalCase*Person]
 SELECTFROM rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchRequestedQ~;rcR

(TO MAINTAIN  -(rcRenter~;rcDriver;rcDriver~;rcRenter /\ rcRenter~;rcBran
DELETE FROM rcRenter[RentalCase*Person]
 SELECTFROM rcRenter;(-I[Person] /\ rcRenter~;rcDriver;rcDriver~;rcRenter

(TO MAINTAIN  -(rcRenter~;rcDriver;rcDriver~;rcRenter /\ rcRenter~;rcBran
DELETE FROM rcRenter[RentalCase*Person]
 SELECTFROM rcRenter;(-I[Person] /\ rcRenter~;rcDriver;rcDriver~;rcRenter
```

507

```
                    (TO MAINTAIN  -(rcRenter~;rcDriver;rcDriver~;rcRenter /\ rcRenter~;rcBran
                    DELETE FROM rcRenter[RentalCase*Person]
                     SELECTFROM rcRenter;(-I[Person] /\ rcRenter~;rcRenter)

                    (TO MAINTAIN  -(rcRenter~;rcRenter) \/ I[Person] FROM UNI rcRenter::Renta
                    DELETE FROM rcDriver[RentalCase*Person]
                     SELECTFROM rcDriver;(-I[Person] /\ rcDriver~;rcDriver)

                    (TO MAINTAIN  -(rcDriver~;rcDriver) \/ I[Person] FROM UNI rcDriver::Renta
                    DELETE FROM sessionUser[SESSION*Person]
                     SELECTFROM sessionUser;(-I[Person] /\ sessionUser~;sessionUser)

                    (TO MAINTAIN  -(sessionUser~;sessionUser) \/ I[Person] FROM UNI sessionUs
                    DELETE FROM sessionPickupPerson[SESSION*Person]
                     SELECTFROM sessionPickupPerson;(-I[Person] /\ sessionPickupPerson~;sessi

                    (TO MAINTAIN  -(sessionPickupPerson~;sessionPickupPerson) \/ I[Person] FR
                    DELETE FROM sessionDroppedoffPerson[SESSION*Person]
                     SELECTFROM sessionDroppedoffPerson;(-I[Person] /\ sessionDroppedoffPerso

                    (TO MAINTAIN  -(sessionDroppedoffPerson~;sessionDroppedoffPerson) \/ I[Pe
                    DELETE FROM rcRenter[RentalCase*Person]
                     SELECTFROM V[RentalCase*Person];Delta

                    DELETE FROM rcDriver[RentalCase*Person]
                     SELECTFROM V[RentalCase*Person];Delta

                    DELETE FROM validDrivingLicense[Person*DrivingLicense]
                     SELECTFROM Delta;V[Person*DrivingLicense]

                    DELETE FROM sessionUser[SESSION*Person]
                     SELECTFROM V[SESSION*Person];Delta

                    DELETE FROM sessionPickupPerson[SESSION*Person]
                     SELECTFROM V[SESSION*Person];Delta

                    DELETE FROM sessionDroppedoffPerson[SESSION*Person]
                     SELECTFROM V[SESSION*Person];Delta

        (MAINTAINING -rcDriver \/ rcDriver;(I[Person] /\ validDrivingLicense;validDriving
        (MAINTAINING -rcDriver \/ rcDriver;(I[Person] /\ validDrivingLicense;validDriving
        (MAINTAINING -rentalHasBeenPromised \/ rcDriver;rcDriver~ FROM Promised rental r
        (MAINTAINING -rentalHasBeenPromised \/ rcDriver;rcDriver~ FROM Promised rental r
        (MAINTAINING -rentalHasBeenPromised \/ rcRenter;rcRenter~ FROM Promised rental r
        (MAINTAINING -rentalHasBeenPromised \/ rcRenter;rcRenter~ FROM Promised rental r
        (MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\ I[Rent
        (MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\ I[Rent
        (MAINTAINING -(rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserRequestedQ~ /\ I[Rental
        (MAINTAINING -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBra
```

508

```
            (MAINTAINING -(rcRenter~;rcRenter) \/ I[Person] FROM UNI rcRenter::RentalCase*Pe
            (MAINTAINING -(rcDriver~;rcDriver) \/ I[Person] FROM UNI rcDriver::RentalCase*Pe
            (MAINTAINING -(sessionUser~;sessionUser) \/ I[Person] FROM UNI sessionUser::SESS
            (MAINTAINING -(sessionPickupPerson~;sessionPickupPerson) \/ I[Person] FROM UNI s
            (MAINTAINING -(sessionDroppedoffPerson~;sessionDroppedoffPerson) \/ I[Person] FR
```

------ Derivation ----->

```
        ONE OF DELETE FROM rcDriver[RentalCase*Person]
               SELECTFROM -(rcDriver;(I[Person] /\ validDrivingLicense;validDrivingLicense~)

               (TO MAINTAIN  -rcDriver \/ rcDriver;(I[Person] /\ validDrivingLicense;validDri
               DELETE FROM rcDriver[RentalCase*Person]
                SELECTFROM rcDriver;((-I[Person] /\ rcDriver~;rcDriver) \/ (-(validDrivingLic

               (TO MAINTAIN  -(rcDriver~;rcDriver) \/ (I[Person] /\ validDrivingLicense;valid
               DELETE FROM rcDriver[RentalCase*Person]
                SELECTFROM rentalHasBeenPromised;rcDriver;(-I[Person] /\ rcDriver~;rentalHasB

               (TO MAINTAIN  -(rcDriver~;rentalHasBeenPromised;rcDriver) \/ I[Person] FROM Pr
               DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
                SELECTFROM rcDriver;(-I[Person] /\ rcDriver~;rentalHasBeenPromised;rcDriver);

               (TO MAINTAIN  -(rcDriver~;rentalHasBeenPromised;rcDriver) \/ I[Person] FROM Pr
               DELETE FROM rcDriver[RentalCase*Person]
                SELECTFROM rentalHasBeenPromised~;rcDriver;(-I[Person] /\ rcDriver~;rentalHas

               (TO MAINTAIN  -(rcDriver~;rentalHasBeenPromised;rcDriver) \/ I[Person] FROM Pr
               DELETE FROM rcRenter[RentalCase*Person]
                SELECTFROM rentalHasBeenPromised;rcRenter;(-I[Person] /\ rcRenter~;rentalHasB

               (TO MAINTAIN  -(rcRenter~;rentalHasBeenPromised;rcRenter) \/ I[Person] FROM Pr
               DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
                SELECTFROM rcRenter;(-I[Person] /\ rcRenter~;rentalHasBeenPromised;rcRenter);

               (TO MAINTAIN  -(rcRenter~;rentalHasBeenPromised;rcRenter) \/ I[Person] FROM Pr
               DELETE FROM rcRenter[RentalCase*Person]
                SELECTFROM rentalHasBeenPromised~;rcRenter;(-I[Person] /\ rcRenter~;rentalHas

               (TO MAINTAIN  -(rcRenter~;rentalHasBeenPromised;rcRenter) \/ I[Person] FROM Pr
               DELETE FROM rcDriver[RentalCase*Person]
                SELECTFROM rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~;rcDriver;(

               (TO MAINTAIN  -(rcDriver~;rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOve
               DELETE FROM rcKeysHandedOverQ[RentalCase*YesNoAnswer]
                SELECTFROM rcDriver;(-I[Person] /\ rcDriver~;rcKeysHandedOverQ;'Yes'[YesNoAns

               (TO MAINTAIN  -(rcDriver~;rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOve
```

509

```
DELETE FROM rcKeysHandedOverQ[RentalCase*YesNoAnswer]
 SELECTFROM rcDriver;(-I[Person] /\ rcDriver~;rcKeysHandedOverQ;'Yes'[YesNoAns

(TO MAINTAIN  -(rcDriver~;rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOve
DELETE FROM rcDriver[RentalCase*Person]
 SELECTFROM rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~;rcDriver;(

(TO MAINTAIN  -(rcDriver~;rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOve
DELETE FROM rcDriver[RentalCase*Person]
 SELECTFROM rcDriver;(-I[Person] /\ rcDriver~;rcKeysHandedOverQ;'Yes'[YesNoAns

(TO MAINTAIN  -(rcDriver~;rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOve
DELETE FROM rcDriver[RentalCase*Person]
 SELECTFROM rcDriver;(-I[Person] /\ rcDriver~;rcKeysHandedOverQ;'Yes'[YesNoAns

(TO MAINTAIN  -(rcDriver~;rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOve
DELETE FROM rcRenter[RentalCase*Person]
 SELECTFROM rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~;rcRenter;(

(TO MAINTAIN  -(rcRenter~;rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOve
DELETE FROM rcKeysHandedOverQ[RentalCase*YesNoAnswer]
 SELECTFROM rcRenter;(-I[Person] /\ rcRenter~;rcKeysHandedOverQ;'Yes'[YesNoAns

(TO MAINTAIN  -(rcRenter~;rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOve
DELETE FROM rcKeysHandedOverQ[RentalCase*YesNoAnswer]
 SELECTFROM rcRenter;(-I[Person] /\ rcRenter~;rcKeysHandedOverQ;'Yes'[YesNoAns

(TO MAINTAIN  -(rcRenter~;rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOve
DELETE FROM rcRenter[RentalCase*Person]
 SELECTFROM rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~;rcRenter;(

(TO MAINTAIN  -(rcRenter~;rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOve
DELETE FROM rcRenter[RentalCase*Person]
 SELECTFROM rcRenter;(-I[Person] /\ rcRenter~;rcKeysHandedOverQ;'Yes'[YesNoAns

(TO MAINTAIN  -(rcRenter~;rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOve
DELETE FROM rcRenter[RentalCase*Person]
 SELECTFROM rcRenter;(-I[Person] /\ rcRenter~;rcKeysHandedOverQ;'Yes'[YesNoAns

(TO MAINTAIN  -(rcRenter~;rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOve
DELETE FROM rcRenter[RentalCase*Person]
 SELECTFROM rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserRequestedQ~;rcRenter;(-I

(TO MAINTAIN  -(rcRenter~;rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserRequestedQ
DELETE FROM rcUserRequestedQ[RentalCase*YesNoAnswer]
 SELECTFROM rcRenter;(-I[Person] /\ rcRenter~;rcUserRequestedQ;'Yes'[YesNoAnsw

(TO MAINTAIN  -(rcRenter~;rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserRequestedQ
DELETE FROM rcUserRequestedQ[RentalCase*YesNoAnswer]
 SELECTFROM rcRenter;(-I[Person] /\ rcRenter~;rcUserRequestedQ;'Yes'[YesNoAnsw
```

510

```
(TO MAINTAIN  -(rcRenter~;rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserRequestedQ
DELETE FROM rcRenter[RentalCase*Person]
 SELECTFROM rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserRequestedQ~;rcRenter;(-I


(TO MAINTAIN  -(rcRenter~;rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserRequestedQ
DELETE FROM rcRenter[RentalCase*Person]
 SELECTFROM rcRenter;(-I[Person] /\ rcRenter~;rcUserRequestedQ;'Yes'[YesNoAnsw


(TO MAINTAIN  -(rcRenter~;rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserRequestedQ
DELETE FROM rcRenter[RentalCase*Person]
 SELECTFROM rcRenter;(-I[Person] /\ rcRenter~;rcUserRequestedQ;'Yes'[YesNoAnsw


(TO MAINTAIN  -(rcRenter~;rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserRequestedQ
DELETE FROM rcRenter[RentalCase*Person]
 SELECTFROM rcDriver;rcDriver~;rcRenter;(-I[Person] /\ rcRenter~;rcDriver;rcDr


(TO MAINTAIN  -(rcRenter~;rcDriver;rcDriver~;rcRenter /\ rcRenter~;rcBranchReq
DELETE FROM rcDriver[RentalCase*Person]
 SELECTFROM rcRenter;(-I[Person] /\ rcRenter~;rcDriver;rcDriver~;rcRenter /\ r


(TO MAINTAIN  -(rcRenter~;rcDriver;rcDriver~;rcRenter /\ rcRenter~;rcBranchReq
DELETE FROM rcDriver[RentalCase*Person]
 SELECTFROM rcRenter;(-I[Person] /\ rcRenter~;rcDriver;rcDriver~;rcRenter /\ r


(TO MAINTAIN  -(rcRenter~;rcDriver;rcDriver~;rcRenter /\ rcRenter~;rcBranchReq
DELETE FROM rcRenter[RentalCase*Person]
 SELECTFROM rcDriver;rcDriver~;rcRenter;(-I[Person] /\ rcRenter~;rcDriver;rcDr


(TO MAINTAIN  -(rcRenter~;rcDriver;rcDriver~;rcRenter /\ rcRenter~;rcBranchReq
DELETE FROM rcRenter[RentalCase*Person]
 SELECTFROM rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchRequestedQ~;rcRenter


(TO MAINTAIN  -(rcRenter~;rcDriver;rcDriver~;rcRenter /\ rcRenter~;rcBranchReq
DELETE FROM rcBranchRequestedQ[RentalCase*YesNoAnswer]
 SELECTFROM rcRenter;(-I[Person] /\ rcRenter~;rcDriver;rcDriver~;rcRenter /\ r


(TO MAINTAIN  -(rcRenter~;rcDriver;rcDriver~;rcRenter /\ rcRenter~;rcBranchReq
DELETE FROM rcBranchRequestedQ[RentalCase*YesNoAnswer]
 SELECTFROM rcRenter;(-I[Person] /\ rcRenter~;rcDriver;rcDriver~;rcRenter /\ r


(TO MAINTAIN  -(rcRenter~;rcDriver;rcDriver~;rcRenter /\ rcRenter~;rcBranchReq
DELETE FROM rcRenter[RentalCase*Person]
 SELECTFROM rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchRequestedQ~;rcRenter


(TO MAINTAIN  -(rcRenter~;rcDriver;rcDriver~;rcRenter /\ rcRenter~;rcBranchReq
DELETE FROM rcRenter[RentalCase*Person]
 SELECTFROM rcRenter;(-I[Person] /\ rcRenter~;rcDriver;rcDriver~;rcRenter /\ r


(TO MAINTAIN  -(rcRenter~;rcDriver;rcDriver~;rcRenter /\ rcRenter~;rcBranchReq
```

```
            DELETE FROM rcRenter[RentalCase*Person]
             SELECTFROM rcRenter;(-I[Person] /\ rcRenter~;rcDriver;rcDriver~;rcRenter /\ r

            (TO MAINTAIN  -(rcRenter~;rcDriver;rcDriver~;rcRenter /\ rcRenter~;rcBranchReq
            DELETE FROM rcRenter[RentalCase*Person]
             SELECTFROM rcRenter;(-I[Person] /\ rcRenter~;rcRenter)

            (TO MAINTAIN  -(rcRenter~;rcRenter) \/ I[Person] FROM UNI rcRenter::RentalCase
            DELETE FROM rcDriver[RentalCase*Person]
             SELECTFROM rcDriver;(-I[Person] /\ rcDriver~;rcDriver)

            (TO MAINTAIN  -(rcDriver~;rcDriver) \/ I[Person] FROM UNI rcDriver::RentalCase
            DELETE FROM sessionUser[SESSION*Person]
             SELECTFROM sessionUser;(-I[Person] /\ sessionUser~;sessionUser)

            (TO MAINTAIN  -(sessionUser~;sessionUser) \/ I[Person] FROM UNI sessionUser::S
            DELETE FROM sessionPickupPerson[SESSION*Person]
             SELECTFROM sessionPickupPerson;(-I[Person] /\ sessionPickupPerson~;sessionPic

            (TO MAINTAIN  -(sessionPickupPerson~;sessionPickupPerson) \/ I[Person] FROM UN
            DELETE FROM sessionDroppedoffPerson[SESSION*Person]
             SELECTFROM sessionDroppedoffPerson;(-I[Person] /\ sessionDroppedoffPerson~;se

            (TO MAINTAIN  -(sessionDroppedoffPerson~;sessionDroppedoffPerson) \/ I[Person]
            DELETE FROM rcRenter[RentalCase*Person]
             SELECTFROM V[RentalCase*Person];Delta

            DELETE FROM rcDriver[RentalCase*Person]
             SELECTFROM V[RentalCase*Person];Delta

            DELETE FROM validDrivingLicense[Person*DrivingLicense]
             SELECTFROM Delta;V[Person*DrivingLicense]

            DELETE FROM sessionUser[SESSION*Person]
             SELECTFROM V[SESSION*Person];Delta

            DELETE FROM sessionPickupPerson[SESSION*Person]
             SELECTFROM V[SESSION*Person];Delta

            DELETE FROM sessionDroppedoffPerson[SESSION*Person]
             SELECTFROM V[SESSION*Person];Delta

    (MAINTAINING -rcDriver \/ rcDriver;(I[Person] /\ validDrivingLicense;validDrivingLice
    (MAINTAINING -rcDriver \/ rcDriver;(I[Person] /\ validDrivingLicense;validDrivingLice
    (MAINTAINING -rentalHasBeenPromised \/ rcDriver;rcDriver~ FROM Promised rental reques
    (MAINTAINING -rentalHasBeenPromised \/ rcDriver;rcDriver~ FROM Promised rental reques
    (MAINTAINING -rentalHasBeenPromised \/ rcRenter;rcRenter~ FROM Promised rental reques
    (MAINTAINING -rentalHasBeenPromised \/ rcRenter;rcRenter~ FROM Promised rental reques
    (MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\ I[RentalCas
    (MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\ I[RentalCas
```

512

```
(MAINTAINING -(rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserRequestedQ~ /\ I[RentalCase]
(MAINTAINING -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchRe
(MAINTAINING -(rcRenter~;rcRenter) \/ I[Person] FROM UNI rcRenter::RentalCase*Person)
(MAINTAINING -(rcDriver~;rcDriver) \/ I[Person] FROM UNI rcDriver::RentalCase*Person)
(MAINTAINING -(sessionUser~;sessionUser) \/ I[Person] FROM UNI sessionUser::SESSION*P
(MAINTAINING -(sessionPickupPerson~;sessionPickupPerson) \/ I[Person] FROM UNI sessio
(MAINTAINING -(sessionDroppedoffPerson~;sessionDroppedoffPerson) \/ I[Person] FROM UN
```

<------End Derivation --

```
        ON DELETE Delta FROM Isn{detyp=DrivingLicense} EXECUTE     -- (ECA rule 158)
        DELETE FROM validDrivingLicense[Person*DrivingLicense]
         SELECTFROM V[Person*DrivingLicense];Delta
```

------ Derivation ----->

```
      DELETE FROM validDrivingLicense[Person*DrivingLicense]
       SELECTFROM V[Person*DrivingLicense];Delta
```

<------End Derivation --

```
        ON INSERT Delta IN Isn{detyp=YesNoAnswer} EXECUTE     -- (ECA rule 159)
        ALL of INSERT INTO rentalHasBeenPromised[RentalCase*RentalCase]
               SELECTFROM (rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarTyp

               (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCar'
               (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCar'
               INSERT INTO rentalHasBeenStarted[RentalCase*RentalCase]
                SELECTFROM rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\ rc

               (TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /'
               INSERT INTO Isn{detyp=Person}
                SELECTFROM (rcDriver~;rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedO

               (TO MAINTAIN  -(rcDriver~;rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHand
               (TO MAINTAIN  -(rcRenter~;rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHand
               (TO MAINTAIN  -(rcRenter~;rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserReque
               (TO MAINTAIN  -(rcRenter~;rcDriver;rcDriver~;rcRenter /\ rcRenter~;rcBran
               INSERT INTO paymentHasBeenRequested[RentalCase*RentalCase]
                SELECTFROM rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsPaidQ~ /\ I[RentalCa

               (TO MAINTAIN  -(rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsPaidQ~ /\ I[Rent
               INSERT INTO rentalHasBeenEnded[RentalCase*RentalCase]
```

                                    513

SELECTFROM rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsPaidQ~ /\ rcCarHasBe

(TO MAINTAIN  -(rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsPaidQ~ /\ rcCarHa
INSERT INTO rcBranchRequestedQ[RentalCase*YesNoAnswer]
 SELECTFROM sessionNewBranchRC~;sessionNewBranchRC;(I[RentalCase] /\ rcAs

(TO MAINTAIN  -(sessionNewBranchRC~;sessionNewBranchRC;(I[RentalCase] /\
INSERT INTO contractedPickupBranch[RentalCase*Branch]
 SELECTFROM (I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBran

(TO MAINTAIN  -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rc
INSERT INTO Isn{detyp=Branch}
 SELECTFROM contractedPickupBranch~;(I[RentalCase] /\ rcBranchRequestedQ;

(TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ rcBranchRequeste
INSERT INTO contractedStartDate[RentalCase*Date]
 SELECTFROM (I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBran

(TO MAINTAIN  -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rc
INSERT INTO Isn{detyp=Date}
 SELECTFROM contractedStartDate~;(I[RentalCase] /\ rcBranchRequestedQ;'Ye

(TO MAINTAIN  -(contractedStartDate~;(I[RentalCase] /\ rcBranchRequestedQ
ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (contractedPickupBranch~
               THEN INSERT INTO carAvailableAt[Car*Branch]
                    SELECTFROM 'b'[Car]*'a'[Branch]

                    (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase]
               PICK a,b FROM carAvailableAt;(contractedPickupBranch~;(I[Re
               THEN INSERT INTO carType[Car*CarType]
                    SELECTFROM 'a'[Car]*'b'[CarType]

                    (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase]
          (MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHas
          NEW x:Car;
            ALL of INSERT INTO carAvailableAt[Car*Branch]
                   SELECTFROM 'x'[Car]*(contractedCarType~;(I[RentalCase] /

                   (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\
                   INSERT INTO carType[Car*CarType]
                    SELECTFROM 'x'[Car]*(contractedPickupBranch~;(I[RentalCas

                   (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\
          (MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHa
         (MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHas
(MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeenPro
ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (rcKeysHandedOverQ;'Yes'
               THEN INSERT INTO rcDriver[RentalCase*Person]
                    SELECTFROM 'a'[RentalCase]*'b'[Person]

514

```
                            (TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];r
                PICK a,b FROM rcDriver~;(rcKeysHandedOverQ;'Yes'[YesNoAnswer
                THEN INSERT INTO rcDriver[RentalCase*Person]
                    SELECTFROM 'b'[RentalCase]*'a'[Person]


                            (TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];r
        (MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOve
        NEW x:Person;
          INSERT INTO rcDriver[RentalCase*Person]
           SELECTFROM (rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOve


                    (TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHande
            (MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOve
(MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\
ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (rcKeysHandedOverQ;'Yes'
                THEN INSERT INTO rcRenter[RentalCase*Person]
                    SELECTFROM 'a'[RentalCase]*'b'[Person]


                            (TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];r
                PICK a,b FROM rcRenter~;(rcKeysHandedOverQ;'Yes'[YesNoAnswer
                THEN INSERT INTO rcRenter[RentalCase*Person]
                    SELECTFROM 'b'[RentalCase]*'a'[Person]


                            (TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];r
        (MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOve
        NEW x:Person;
          INSERT INTO rcRenter[RentalCase*Person]
           SELECTFROM (rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOve


                    (TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHande
            (MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOve
(MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\
ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (rcUserRequestedQ;'Yes'[
                THEN INSERT INTO rcRenter[RentalCase*Person]
                    SELECTFROM 'a'[RentalCase]*'b'[Person]


                            (TO MAINTAIN  -(rcUserRequestedQ;'Yes'[YesNoAnswer];rc
                PICK a,b FROM rcRenter~;(rcUserRequestedQ;'Yes'[YesNoAnswer
                THEN INSERT INTO rcRenter[RentalCase*Person]
                    SELECTFROM 'b'[RentalCase]*'a'[Person]


                            (TO MAINTAIN  -(rcUserRequestedQ;'Yes'[YesNoAnswer];rc
        (MAINTAINING -(rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserRequestedQ
        NEW x:Person;
          INSERT INTO rcRenter[RentalCase*Person]
           SELECTFROM (rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserRequestedQ


                    (TO MAINTAIN  -(rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserReques
            (MAINTAINING -(rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserRequestedQ
(MAINTAINING -(rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserRequestedQ~ /\ I
```

```
ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (sessionNewBranchRC;(I[R
              THEN INSERT INTO sessionNewBranchRC[SESSION*RentalCase]
                    SELECTFROM 'a'[SESSION]*'b'[RentalCase]

                    (TO MAINTAIN  -(sessionNewBranchRC;(I[RentalCase] /\ r
              PICK a,b FROM sessionNewBranchRC~;(sessionNewBranchRC;(I[Re
              THEN INSERT INTO rcBranchRequestedQ[RentalCase*YesNoAnswer]
                    SELECTFROM 'a'[RentalCase]*'b'[YesNoAnswer]

                    (TO MAINTAIN  -(sessionNewBranchRC;(I[RentalCase] /\ r
          (MAINTAINING -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;
          NEW x:RentalCase;
            ALL of INSERT INTO sessionNewBranchRC[SESSION*RentalCase]
                    SELECTFROM (sessionNewBranchRC;(I[RentalCase] /\ rcAssig

                    (TO MAINTAIN  -(sessionNewBranchRC;(I[RentalCase] /\ rcAs
                    INSERT INTO rcBranchRequestedQ[RentalCase*YesNoAnswer]
                     SELECTFROM 'x'[RentalCase]*(sessionNewBranchRC;(I[RentalC

                    (TO MAINTAIN  -(sessionNewBranchRC;(I[RentalCase] /\ rcAs
              (MAINTAINING -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCa
            (MAINTAINING -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;
       (MAINTAINING -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;rcAssig
       ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (rcDriver;rcDriver~ /\ r
              THEN INSERT INTO rcRenter[RentalCase*Person]
                    SELECTFROM 'a'[RentalCase]*'b'[Person]

                    (TO MAINTAIN  -(rcDriver;rcDriver~ /\ rcBranchRequeste
              PICK a,b FROM rcRenter~;(rcDriver;rcDriver~ /\ rcBranchReque
              THEN INSERT INTO rcRenter[RentalCase*Person]
                    SELECTFROM 'b'[RentalCase]*'a'[Person]

                    (TO MAINTAIN  -(rcDriver;rcDriver~ /\ rcBranchRequeste
              (MAINTAINING -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[YesN
          NEW x:Person;
            INSERT INTO rcRenter[RentalCase*Person]
             SELECTFROM (rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[YesN

                    (TO MAINTAIN  -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[Y
              (MAINTAINING -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[YesN
         (MAINTAINING -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[YesNoAnswer]
(MAINTAINING -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;con
(MAINTAINING -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;con
(MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\ rcAssi
(MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeenPromised /
(MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\ I[Rent
(MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\ I[Rent
(MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\ I[Rent
(MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\ I[Rent
(MAINTAINING -(rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsPaidQ~ /\ I[RentalCase])
```

```
(MAINTAINING -(rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsPaidQ~ /\ rcCarHasBeenDro
(MAINTAINING -(rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserRequestedQ~ /\ I[Rental
(MAINTAINING -(rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserRequestedQ~ /\ I[Rental
(MAINTAINING -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;rcAssignedCar~
(MAINTAINING -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;rcAssignedCar~
(MAINTAINING -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBran
(MAINTAINING -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBran
(MAINTAINING -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchRe
(MAINTAINING -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchRe
(MAINTAINING -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchRe
(MAINTAINING -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchRe
```

------ Derivation ----->


        ALL of INSERT INTO rentalHasBeenPromised[RentalCase*RentalCase]
             SELECTFROM (rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;con

               (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;
               (TO MAINTAIN  -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;
             INSERT INTO rentalHasBeenStarted[RentalCase*RentalCase]
              SELECTFROM rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\ rcAssig

               (TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\ rcA
             INSERT INTO Isn{detyp=Person}
              SELECTFROM (rcDriver~;rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~

               (TO MAINTAIN  -(rcDriver~;rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOve
               (TO MAINTAIN  -(rcRenter~;rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOve
               (TO MAINTAIN  -(rcRenter~;rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserRequestedQ
               (TO MAINTAIN  -(rcRenter~;rcDriver;rcDriver~;rcRenter /\ rcRenter~;rcBranchReq
             INSERT INTO paymentHasBeenRequested[RentalCase*RentalCase]
              SELECTFROM rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsPaidQ~ /\ I[RentalCase] /

               (TO MAINTAIN  -(rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsPaidQ~ /\ I[RentalCas
             INSERT INTO rentalHasBeenEnded[RentalCase*RentalCase]
              SELECTFROM rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsPaidQ~ /\ rcCarHasBeenDro

               (TO MAINTAIN  -(rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsPaidQ~ /\ rcCarHasBee
             INSERT INTO rcBranchRequestedQ[RentalCase*YesNoAnswer]
              SELECTFROM sessionNewBranchRC~;sessionNewBranchRC;(I[RentalCase] /\ rcAssigne

               (TO MAINTAIN  -(sessionNewBranchRC~;sessionNewBranchRC;(I[RentalCase] /\ rcAss
             INSERT INTO contractedPickupBranch[RentalCase*Branch]
              SELECTFROM (I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchRe

               (TO MAINTAIN  -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBran
             INSERT INTO Isn{detyp=Branch}
              SELECTFROM contractedPickupBranch~;(I[RentalCase] /\ rcBranchRequestedQ;'Yes'

                                         517
```

```
(TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ rcBranchRequestedQ;'
INSERT INTO contractedStartDate[RentalCase*Date]
 SELECTFROM (I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchRe

(TO MAINTAIN  -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBran
INSERT INTO Isn{detyp=Date}
 SELECTFROM contractedStartDate~;(I[RentalCase] /\ rcBranchRequestedQ;'Yes'[Ye

(TO MAINTAIN  -(contractedStartDate~;(I[RentalCase] /\ rcBranchRequestedQ;'Yes
ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (contractedPickupBranch~;(I[R
               THEN INSERT INTO carAvailableAt[Car*Branch]
                     SELECTFROM 'b'[Car]*'a'[Branch]

                     (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ r
               PICK a,b FROM carAvailableAt;(contractedPickupBranch~;(I[RentalC
               THEN INSERT INTO carType[Car*CarType]
                     SELECTFROM 'a'[Car]*'b'[CarType]

                     (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ r
         (MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeenP
         NEW x:Car;
           ALL of INSERT INTO carAvailableAt[Car*Branch]
                   SELECTFROM 'x'[Car]*(contractedCarType~;(I[RentalCase] /\ ren

                   (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ rent
                   INSERT INTO carType[Car*CarType]
                    SELECTFROM 'x'[Car]*(contractedPickupBranch~;(I[RentalCase] /

                   (TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ rent
         (MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBee
        (MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeenP
(MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeenPromised
ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (rcKeysHandedOverQ;'Yes'[YesN
               THEN INSERT INTO rcDriver[RentalCase*Person]
                     SELECTFROM 'a'[RentalCase]*'b'[Person]

                     (TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeys
               PICK a,b FROM rcDriver~;(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rc
               THEN INSERT INTO rcDriver[RentalCase*Person]
                     SELECTFROM 'b'[RentalCase]*'a'[Person]

                     (TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeys
         (MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~
         NEW x:Person;
           INSERT INTO rcDriver[RentalCase*Person]
            SELECTFROM (rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~

           (TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOver
         (MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~
```

```
(MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\ I[Re
ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (rcKeysHandedOverQ;'Yes'[YesN
            THEN INSERT INTO rcRenter[RentalCase*Person]
                  SELECTFROM 'a'[RentalCase]*'b'[Person]


                  (TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeys
            PICK a,b FROM rcRenter~;(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rc
            THEN INSERT INTO rcRenter[RentalCase*Person]
                  SELECTFROM 'b'[RentalCase]*'a'[Person]


                  (TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeys
      (MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~
      NEW x:Person;
        INSERT INTO rcRenter[RentalCase*Person]
         SELECTFROM (rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~


        (TO MAINTAIN  -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOver
      (MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~
(MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\ I[Re
ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (rcUserRequestedQ;'Yes'[YesNo
            THEN INSERT INTO rcRenter[RentalCase*Person]
                  SELECTFROM 'a'[RentalCase]*'b'[Person]


                  (TO MAINTAIN  -(rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserR
            PICK a,b FROM rcRenter~;(rcUserRequestedQ;'Yes'[YesNoAnswer];rcU
            THEN INSERT INTO rcRenter[RentalCase*Person]
                  SELECTFROM 'b'[RentalCase]*'a'[Person]


                  (TO MAINTAIN  -(rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserR
      (MAINTAINING -(rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserRequestedQ~ /\
      NEW x:Person;
        INSERT INTO rcRenter[RentalCase*Person]
         SELECTFROM (rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserRequestedQ~ /\


        (TO MAINTAIN  -(rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserRequestedQ~
      (MAINTAINING -(rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserRequestedQ~ /\
(MAINTAINING -(rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserRequestedQ~ /\ I[Rent
ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (sessionNewBranchRC;(I[Rental
            THEN INSERT INTO sessionNewBranchRC[SESSION*RentalCase]
                  SELECTFROM 'a'[SESSION]*'b'[RentalCase]


                  (TO MAINTAIN  -(sessionNewBranchRC;(I[RentalCase] /\ rcAssi
            PICK a,b FROM sessionNewBranchRC~;(sessionNewBranchRC;(I[RentalC
            THEN INSERT INTO rcBranchRequestedQ[RentalCase*YesNoAnswer]
                  SELECTFROM 'a'[RentalCase]*'b'[YesNoAnswer]


                  (TO MAINTAIN  -(sessionNewBranchRC;(I[RentalCase] /\ rcAssi
      (MAINTAINING -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;rcAss
      NEW x:RentalCase;
        ALL of INSERT INTO sessionNewBranchRC[SESSION*RentalCase]
```

```
                        SELECTFROM (sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCa

                  (TO MAINTAIN  -(sessionNewBranchRC;(I[RentalCase] /\ rcAssigne
                  INSERT INTO rcBranchRequestedQ[RentalCase*YesNoAnswer]
                   SELECTFROM 'x'[RentalCase]*(sessionNewBranchRC;(I[RentalCase]

                  (TO MAINTAIN  -(sessionNewBranchRC;(I[RentalCase] /\ rcAssigne
            (MAINTAINING -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;rcA
          (MAINTAINING -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;rcAss
        (MAINTAINING -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;rcAssignedCa
      ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (rcDriver;rcDriver~ /\ rcBran
                  THEN INSERT INTO rcRenter[RentalCase*Person]
                        SELECTFROM 'a'[RentalCase]*'b'[Person]

                  (TO MAINTAIN  -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Y
                  PICK a,b FROM rcRenter~;(rcDriver;rcDriver~ /\ rcBranchRequested
                  THEN INSERT INTO rcRenter[RentalCase*Person]
                        SELECTFROM 'b'[RentalCase]*'a'[Person]

                  (TO MAINTAIN  -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Y
            (MAINTAINING -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[YesNoAnsw
                  NEW x:Person;
                    INSERT INTO rcRenter[RentalCase*Person]
                     SELECTFROM (rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[YesNoAnsw

                  (TO MAINTAIN  -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[YesNoA
            (MAINTAINING -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[YesNoAnsw
          (MAINTAINING -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcB
    (MAINTAINING -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;contract
    (MAINTAINING -(rcRenter;rcRenter~ /\ rcDriver;rcDriver~ /\ contractedCarType;contract
    (MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\ rcAssignedC
    (MAINTAINING -(contractedPickupBranch~;(I[RentalCase] /\ rentalHasBeenPromised /\ -(r
    (MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\ I[RentalCas
    (MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\ I[RentalCas
    (MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\ I[RentalCas
    (MAINTAINING -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~ /\ I[RentalCas
    (MAINTAINING -(rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsPaidQ~ /\ I[RentalCase]) \/ p
    (MAINTAINING -(rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsPaidQ~ /\ rcCarHasBeenDropped
    (MAINTAINING -(rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserRequestedQ~ /\ I[RentalCase]
    (MAINTAINING -(rcUserRequestedQ;'Yes'[YesNoAnswer];rcUserRequestedQ~ /\ I[RentalCase]
    (MAINTAINING -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;rcAssignedCar~);rcK
    (MAINTAINING -(sessionNewBranchRC;(I[RentalCase] /\ rcAssignedCar;rcAssignedCar~);rcK
    (MAINTAINING -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchRe
    (MAINTAINING -(rcDriver;rcDriver~ /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchRe
    (MAINTAINING -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchReques
    (MAINTAINING -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchReques
    (MAINTAINING -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchReques
    (MAINTAINING -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchReques
```

<------End Derivation --

520

```
ON DELETE Delta FROM Isn{detyp=YesNoAnswer} EXECUTE    -- (ECA rule 160)
ALL of DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
        SELECTFROM -(rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchRequestedQ~)

        (TO MAINTAIN  -rentalHasBeenPromised \/ rcBranchRequestedQ;'Yes'[YesNoAnsw
        DELETE FROM rentalHasBeenStarted[RentalCase*RentalCase]
        SELECTFROM -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~) /\

        (TO MAINTAIN  -rentalHasBeenStarted \/ rcKeysHandedOverQ;'Yes'[YesNoAnswe
        DELETE FROM rentalHasBeenEnded[RentalCase*RentalCase]
        SELECTFROM -(rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsPaidQ~) /\ rentalHa

        (TO MAINTAIN  -rentalHasBeenEnded \/ rentalIsPaidQ;'Yes'[YesNoAnswer];rent
        DELETE FROM sessionNewUserRC[SESSION*RentalCase]
        SELECTFROM '_SESSION'[SESSION];(-(sessionNewUserRC;rcUserRequestedQ;'Yes

        (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewUserRC) \/ sessionNewUserRC
        ONE OF DELETE FROM sessionNewUserRC[SESSION*RentalCase]
                SELECTFROM '_SESSION'[SESSION];sessionNewUserRC;(-(V[RentalCase*Yc

                (TO MAINTAIN  -(sessionNewUserRC~;'_SESSION'[SESSION];sessionNewUs
                DELETE FROM sessionNewUserRC[SESSION*RentalCase]
                SELECTFROM '_SESSION'[SESSION];sessionNewUserRC;(-(rcUserRequested

                (TO MAINTAIN  -(sessionNewUserRC~;'_SESSION'[SESSION];sessionNewUs
        (MAINTAINING -(sessionNewUserRC~;'_SESSION'[SESSION];sessionNewUserRC) \/
        DELETE FROM sessionNewBranchRC[SESSION*RentalCase]
        SELECTFROM '_SESSION'[SESSION];(-(sessionNewBranchRC;rcBranchRequestedQ;

        (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewBranchRC) \/ sessionNewBranc
        ONE OF DELETE FROM sessionNewBranchRC[SESSION*RentalCase]
                SELECTFROM '_SESSION'[SESSION];sessionNewBranchRC;(-(V[RentalCase=

                (TO MAINTAIN  -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewl
                DELETE FROM sessionNewBranchRC[SESSION*RentalCase]
                SELECTFROM '_SESSION'[SESSION];sessionNewBranchRC;(-(rcBranchReque

                (TO MAINTAIN  -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewl
        (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewBranchRC
        ONE OF DELETE FROM sessionNewBranchRC[SESSION*RentalCase]
                SELECTFROM '_SESSION'[SESSION];(-(sessionNewBranchRC;rcKeysHandedU

                (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBe
                DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
                SELECTFROM sessionNewBranchRC~;'_SESSION'[SESSION];(-(sessionNewBr

                (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBe
                DELETE FROM rcAssignedCar[RentalCase*Car]
                SELECTFROM sessionNewBranchRC~;'_SESSION'[SESSION];(-(sessionNewBr
```

521

```
              (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBe
          DELETE FROM rcAssignedCar[RentalCase*Car]
           SELECTFROM (-(V[RentalCase*YesNoAnswer];'Yes'[YesNoAnswer];rcKeys

              (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBe
(MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenPromi
ONE OF DELETE FROM sessionNewBranchRC[SESSION*RentalCase]
           SELECTFROM '_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenP

              (TO MAINTAIN  -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNew
          DELETE FROM sessionNewBranchRC[SESSION*RentalCase]
           SELECTFROM '_SESSION'[SESSION];sessionNewBranchRC;(-(rcKeysHanded

              (TO MAINTAIN  -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNew
          DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
           SELECTFROM sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewBran

              (TO MAINTAIN  -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNew
          DELETE FROM rcAssignedCar[RentalCase*Car]
           SELECTFROM sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewBran

              (TO MAINTAIN  -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNew
          DELETE FROM rcAssignedCar[RentalCase*Car]
           SELECTFROM (-(V[RentalCase*YesNoAnswer];'Yes'[YesNoAnswer];rcKeys

              (TO MAINTAIN  -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNew
(MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewBranchRC
ONE OF DELETE FROM sessionDroppedoffCar[SESSION*Car]
           SELECTFROM '_SESSION'[SESSION];(-(V[SESSION*RentalCase];(I[Rental

              (TO MAINTAIN  -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssigne
          DELETE FROM rcAssignedCar[RentalCase*Car]
           SELECTFROM (I[RentalCase] /\ rcCarHasBeenDroppedOff /\ -rentalHas

              (TO MAINTAIN  -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssigne
          DELETE FROM Isn{detyp=RentalCase}
           SELECTFROM rcAssignedCar;sessionDroppedoffCar~;'_SESSION'[SESSION

              (TO MAINTAIN  -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssigne
          DELETE FROM rcCarHasBeenDroppedOff[RentalCase*RentalCase]
           SELECTFROM rcAssignedCar;sessionDroppedoffCar~;'_SESSION'[SESSION

              (TO MAINTAIN  -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssigne
          INSERT INTO rentalHasBeenEnded[RentalCase*RentalCase]
           SELECTFROM rcAssignedCar;sessionDroppedoffCar~;'_SESSION'[SESSION

              (TO MAINTAIN  -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssigne
(MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssignedCar~;(I
          DELETE FROM rcUserRequestedQ[RentalCase*YesNoAnswer]
```

```
                         SELECTFROM V[RentalCase*YesNoAnswer];Delta

                    DELETE FROM rcBranchRequestedQ[RentalCase*YesNoAnswer]
                     SELECTFROM V[RentalCase*YesNoAnswer];Delta

                    DELETE FROM rcKeysHandedOverQ[RentalCase*YesNoAnswer]
                     SELECTFROM V[RentalCase*YesNoAnswer];Delta

                    DELETE FROM rentalIsPaidQ[RentalCase*YesNoAnswer]
                     SELECTFROM V[RentalCase*YesNoAnswer];Delta

         (MAINTAINING -rentalHasBeenPromised \/ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcB:
         (MAINTAINING -rentalHasBeenStarted \/ rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeys
         (MAINTAINING -rentalHasBeenEnded \/ rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsPai
         (MAINTAINING -('_SESSION'[SESSION];sessionNewUserRC) \/ sessionNewUserRC;rcUserRe
         (MAINTAINING -('_SESSION'[SESSION];sessionNewUserRC) \/ sessionNewUserRC;rcUserRe
         (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC) \/ sessionNewBranchRC;rcB:
         (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC) \/ sessionNewBranchRC;rcB:
         (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenPromised /\ :
         (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenPromised /\ :
         (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssignedCar~;(I[RentalC
```

------ Derivation ----->

```
    ALL of DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
            SELECTFROM -(rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchRequestedQ~) /\ -(

        (TO MAINTAIN  -rentalHasBeenPromised \/ rcBranchRequestedQ;'Yes'[YesNoAnswer];
        DELETE FROM rentalHasBeenStarted[RentalCase*RentalCase]
         SELECTFROM -(rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHandedOverQ~) /\ rent

        (TO MAINTAIN  -rentalHasBeenStarted \/ rcKeysHandedOverQ;'Yes'[YesNoAnswer];rc
        DELETE FROM rentalHasBeenEnded[RentalCase*RentalCase]
         SELECTFROM -(rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsPaidQ~) /\ rentalHasBee

        (TO MAINTAIN  -rentalHasBeenEnded \/ rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIs
        DELETE FROM sessionNewUserRC[SESSION*RentalCase]
         SELECTFROM '_SESSION'[SESSION];(-(sessionNewUserRC;rcUserRequestedQ;'Yes'[Yes

        (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewUserRC) \/ sessionNewUserRC;rcUs
        ONE OF DELETE FROM sessionNewUserRC[SESSION*RentalCase]
                SELECTFROM '_SESSION'[SESSION];sessionNewUserRC;(-(V[RentalCase*YesNoA

            (TO MAINTAIN  -(sessionNewUserRC~;'_SESSION'[SESSION];sessionNewUserRC)
            DELETE FROM sessionNewUserRC[SESSION*RentalCase]
             SELECTFROM '_SESSION'[SESSION];sessionNewUserRC;(-(rcUserRequestedQ;'Y

            (TO MAINTAIN  -(sessionNewUserRC~;'_SESSION'[SESSION];sessionNewUserRC)
```

```
(MAINTAINING -(sessionNewUserRC~;'_SESSION'[SESSION];sessionNewUserRC) \/ rcUs
DELETE FROM sessionNewBranchRC[SESSION*RentalCase]
 SELECTFROM '_SESSION'[SESSION];(-(sessionNewBranchRC;rcBranchRequestedQ;'Yes'

(TO MAINTAIN  -('_SESSION'[SESSION];sessionNewBranchRC) \/ sessionNewBranchRC;
ONE OF DELETE FROM sessionNewBranchRC[SESSION*RentalCase]
         SELECTFROM '_SESSION'[SESSION];sessionNewBranchRC;(-(V[RentalCase*YesN

        (TO MAINTAIN  -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewBranc
         DELETE FROM sessionNewBranchRC[SESSION*RentalCase]
          SELECTFROM '_SESSION'[SESSION];sessionNewBranchRC;(-(rcBranchRequested

        (TO MAINTAIN  -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewBranc
(MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewBranchRC) \/
ONE OF DELETE FROM sessionNewBranchRC[SESSION*RentalCase]
         SELECTFROM '_SESSION'[SESSION];(-(sessionNewBranchRC;rcKeysHandedOverQ

        (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenPr
         DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
          SELECTFROM sessionNewBranchRC~;'_SESSION'[SESSION];(-(sessionNewBranch

        (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenPr
         DELETE FROM rcAssignedCar[RentalCase*Car]
          SELECTFROM sessionNewBranchRC~;'_SESSION'[SESSION];(-(sessionNewBranch

        (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenPr
         DELETE FROM rcAssignedCar[RentalCase*Car]
          SELECTFROM (-(V[RentalCase*YesNoAnswer];'Yes'[YesNoAnswer];rcKeysHande

        (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenPr
(MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenPromised /
ONE OF DELETE FROM sessionNewBranchRC[SESSION*RentalCase]
         SELECTFROM '_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenPromis

        (TO MAINTAIN  -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewBranc
         DELETE FROM sessionNewBranchRC[SESSION*RentalCase]
          SELECTFROM '_SESSION'[SESSION];sessionNewBranchRC;(-(rcKeysHandedOverQ

        (TO MAINTAIN  -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewBranc
         DELETE FROM rentalHasBeenPromised[RentalCase*RentalCase]
          SELECTFROM sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewBranchRC;

        (TO MAINTAIN  -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewBranc
         DELETE FROM rcAssignedCar[RentalCase*Car]
          SELECTFROM sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewBranchRC;

        (TO MAINTAIN  -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewBranc
         DELETE FROM rcAssignedCar[RentalCase*Car]
          SELECTFROM (-(V[RentalCase*YesNoAnswer];'Yes'[YesNoAnswer];rcKeysHande
```

524

```
                    (TO MAINTAIN  -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewBranc
        (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewBranchRC;(ren
     ONE OF DELETE FROM sessionDroppedoffCar[SESSION*Car]
                 SELECTFROM '_SESSION'[SESSION];(-(V[SESSION*RentalCase];(I[RentalCase]


                    (TO MAINTAIN  -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssignedCar~
                 DELETE FROM rcAssignedCar[RentalCase*Car]
                  SELECTFROM (I[RentalCase] /\ rcCarHasBeenDroppedOff /\ -rentalHasBeenE


                    (TO MAINTAIN  -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssignedCar~
                 DELETE FROM Isn{detyp=RentalCase}
                  SELECTFROM rcAssignedCar;sessionDroppedoffCar~;'_SESSION'[SESSION];(-(


                    (TO MAINTAIN  -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssignedCar~
                 DELETE FROM rcCarHasBeenDroppedOff[RentalCase*RentalCase]
                  SELECTFROM rcAssignedCar;sessionDroppedoffCar~;'_SESSION'[SESSION];(-(


                    (TO MAINTAIN  -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssignedCar~
                 INSERT INTO rentalHasBeenEnded[RentalCase*RentalCase]
                  SELECTFROM rcAssignedCar;sessionDroppedoffCar~;'_SESSION'[SESSION];(-(


                    (TO MAINTAIN  -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssignedCar~
        (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssignedCar~;(I[Rent
        DELETE FROM rcUserRequestedQ[RentalCase*YesNoAnswer]
         SELECTFROM V[RentalCase*YesNoAnswer];Delta


        DELETE FROM rcBranchRequestedQ[RentalCase*YesNoAnswer]
         SELECTFROM V[RentalCase*YesNoAnswer];Delta


        DELETE FROM rcKeysHandedOverQ[RentalCase*YesNoAnswer]
         SELECTFROM V[RentalCase*YesNoAnswer];Delta


        DELETE FROM rentalIsPaidQ[RentalCase*YesNoAnswer]
         SELECTFROM V[RentalCase*YesNoAnswer];Delta


    (MAINTAINING -rentalHasBeenPromised \/ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranch
    (MAINTAINING -rentalHasBeenStarted \/ rcKeysHandedOverQ;'Yes'[YesNoAnswer];rcKeysHand
    (MAINTAINING -rentalHasBeenEnded \/ rentalIsPaidQ;'Yes'[YesNoAnswer];rentalIsPaidQ~ F
    (MAINTAINING -('_SESSION'[SESSION];sessionNewUserRC) \/ sessionNewUserRC;rcUserReques
    (MAINTAINING -('_SESSION'[SESSION];sessionNewUserRC) \/ sessionNewUserRC;rcUserReques
    (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC) \/ sessionNewBranchRC;rcBranch
    (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC) \/ sessionNewBranchRC;rcBranch
    (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenPromised /\ rcAss
    (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenPromised /\ rcAss
    (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssignedCar~;(I[RentalCase]

        <------End Derivation --
```

```
ON INSERT Delta IN Isn{detyp=DateDifferencePlusOne} EXECUTE    -- (ECA rule 161)
ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (I[DateDifferencePlusOne] /\ -(
            THEN INSERT INTO computedRentalPeriod[DateDifferencePlusOne*Integer
                SELECTFROM 'a'[DateDifferencePlusOne]*'b'[Integer]

                (TO MAINTAIN  -I[DateDifferencePlusOne] \/ computedRentalPeri
            PICK a,b FROM computedRentalPeriod~;(I[DateDifferencePlusOne] /\ -
            THEN INSERT INTO computedRentalPeriod[DateDifferencePlusOne*Integer
                SELECTFROM 'b'[DateDifferencePlusOne]*'a'[Integer]

                (TO MAINTAIN  -I[DateDifferencePlusOne] \/ computedRentalPeri
    (MAINTAINING -I[DateDifferencePlusOne] \/ computedRentalPeriod;computedRen
    NEW x:Integer;
      INSERT INTO computedRentalPeriod[DateDifferencePlusOne*Integer]
      SELECTFROM (I[DateDifferencePlusOne] /\ -(computedRentalPeriod;compute

        (TO MAINTAIN  -I[DateDifferencePlusOne] \/ computedRentalPeriod;compute
    (MAINTAINING -I[DateDifferencePlusOne] \/ computedRentalPeriod;computedRen
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (I[DateDifferencePlusOne] /\ -(
            THEN INSERT INTO earliestDate[DateDifferencePlusOne*Date]
                SELECTFROM 'a'[DateDifferencePlusOne]*'b'[Date]

                (TO MAINTAIN  -I[DateDifferencePlusOne] \/ earliestDate;I[Date
            PICK a,b FROM earliestDate~;(I[DateDifferencePlusOne] /\ -(earlies
            THEN INSERT INTO earliestDate[DateDifferencePlusOne*Date]
                SELECTFROM 'b'[DateDifferencePlusOne]*'a'[Date]

                (TO MAINTAIN  -I[DateDifferencePlusOne] \/ earliestDate;I[Date
    (MAINTAINING -I[DateDifferencePlusOne] \/ earliestDate;I[Date];earliestDat
    NEW x:Date;
      INSERT INTO earliestDate[DateDifferencePlusOne*Date]
      SELECTFROM (I[DateDifferencePlusOne] /\ -(earliestDate;earliestDate~));

        (TO MAINTAIN  -I[DateDifferencePlusOne] \/ earliestDate;I[Date];earliest
    (MAINTAINING -I[DateDifferencePlusOne] \/ earliestDate;I[Date];earliestDat
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (I[DateDifferencePlusOne] /\ -(
            THEN INSERT INTO latestDate[DateDifferencePlusOne*Date]
                SELECTFROM 'a'[DateDifferencePlusOne]*'b'[Date]

                (TO MAINTAIN  -I[DateDifferencePlusOne] \/ latestDate;I[Date]
            PICK a,b FROM latestDate~;(I[DateDifferencePlusOne] /\ -(latestDate
            THEN INSERT INTO latestDate[DateDifferencePlusOne*Date]
                SELECTFROM 'b'[DateDifferencePlusOne]*'a'[Date]

                (TO MAINTAIN  -I[DateDifferencePlusOne] \/ latestDate;I[Date]
        (MAINTAINING -I[DateDifferencePlusOne] \/ latestDate;I[Date];latestDate~ 
(MAINTAINING -I[DateDifferencePlusOne] \/ computedRentalPeriod;computedRentalPer
(MAINTAINING -(earliestDate~;earliestDate) \/ I[Date] FROM UNI earliestDate::Dat
(MAINTAINING -I[DateDifferencePlusOne] \/ earliestDate;earliestDate~ FROM TOT ea
(MAINTAINING -(latestDate~;latestDate) \/ I[Date] FROM UNI latestDate::DateDiffe
```

526

```
                    (MAINTAINING -I[DateDifferencePlusOne] \/ latestDate;latestDate~ FROM TOT latestl


------ Derivation ----->


            ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (I[DateDifferencePlusOne] /\ -(compu
                    THEN INSERT INTO computedRentalPeriod[DateDifferencePlusOne*Integer]
                        SELECTFROM 'a'[DateDifferencePlusOne]*'b'[Integer]

                        (TO MAINTAIN  -I[DateDifferencePlusOne] \/ computedRentalPeriod;co
                    PICK a,b FROM computedRentalPeriod~;(I[DateDifferencePlusOne] /\ -(comp
                    THEN INSERT INTO computedRentalPeriod[DateDifferencePlusOne*Integer]
                        SELECTFROM 'b'[DateDifferencePlusOne]*'a'[Integer]

                        (TO MAINTAIN  -I[DateDifferencePlusOne] \/ computedRentalPeriod;co
            (MAINTAINING -I[DateDifferencePlusOne] \/ computedRentalPeriod;computedRentalP
            NEW x:Integer;
              INSERT INTO computedRentalPeriod[DateDifferencePlusOne*Integer]
               SELECTFROM (I[DateDifferencePlusOne] /\ -(computedRentalPeriod;computedRent

              (TO MAINTAIN  -I[DateDifferencePlusOne] \/ computedRentalPeriod;computedRent
            (MAINTAINING -I[DateDifferencePlusOne] \/ computedRentalPeriod;computedRentalP
            ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (I[DateDifferencePlusOne] /\ -(earli
                    THEN INSERT INTO earliestDate[DateDifferencePlusOne*Date]
                        SELECTFROM 'a'[DateDifferencePlusOne]*'b'[Date]

                        (TO MAINTAIN  -I[DateDifferencePlusOne] \/ earliestDate;I[Date];ea
                    PICK a,b FROM earliestDate~;(I[DateDifferencePlusOne] /\ -(earliestDate
                    THEN INSERT INTO earliestDate[DateDifferencePlusOne*Date]
                        SELECTFROM 'b'[DateDifferencePlusOne]*'a'[Date]

                        (TO MAINTAIN  -I[DateDifferencePlusOne] \/ earliestDate;I[Date];ea
            (MAINTAINING -I[DateDifferencePlusOne] \/ earliestDate;I[Date];earliestDate~ F
            NEW x:Date;
              INSERT INTO earliestDate[DateDifferencePlusOne*Date]
               SELECTFROM (I[DateDifferencePlusOne] /\ -(earliestDate;earliestDate~))*'x'[

              (TO MAINTAIN  -I[DateDifferencePlusOne] \/ earliestDate;I[Date];earliestDate
            (MAINTAINING -I[DateDifferencePlusOne] \/ earliestDate;I[Date];earliestDate~ F
            ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (I[DateDifferencePlusOne] /\ -(lates
                    THEN INSERT INTO latestDate[DateDifferencePlusOne*Date]
                        SELECTFROM 'a'[DateDifferencePlusOne]*'b'[Date]

                        (TO MAINTAIN  -I[DateDifferencePlusOne] \/ latestDate;I[Date];late
                    PICK a,b FROM latestDate~;(I[DateDifferencePlusOne] /\ -(latestDate;lat
                    THEN INSERT INTO latestDate[DateDifferencePlusOne*Date]
                        SELECTFROM 'b'[DateDifferencePlusOne]*'a'[Date]

                        (TO MAINTAIN  -I[DateDifferencePlusOne] \/ latestDate;I[Date];late
```

527

```
            (MAINTAINING -I[DateDifferencePlusOne] \/ latestDate;I[Date];latestDate~ FROM
     (MAINTAINING -I[DateDifferencePlusOne] \/ computedRentalPeriod;computedRentalPeriod~
     (MAINTAINING -(earliestDate~;earliestDate) \/ I[Date] FROM UNI earliestDate::DateDiff
     (MAINTAINING -I[DateDifferencePlusOne] \/ earliestDate;earliestDate~ FROM TOT earlies
     (MAINTAINING -(latestDate~;latestDate) \/ I[Date] FROM UNI latestDate::DateDifference
     (MAINTAINING -I[DateDifferencePlusOne] \/ latestDate;latestDate~ FROM TOT latestDate:
```

<------End Derivation --

```
          ON DELETE Delta FROM Isn{detyp=DateDifferencePlusOne} EXECUTE    -- (ECA rule 16
          ALL of ONE OF DELETE FROM earliestDate[DateDifferencePlusOne*Date]
                       SELECTFROM (-I[DateDifferencePlusOne] /\ earliestDate;earliestDate

                     (TO MAINTAIN  -(earliestDate;earliestDate~ /\ latestDate;latestDate
                     DELETE FROM latestDate[DateDifferencePlusOne*Date]
                       SELECTFROM (-I[DateDifferencePlusOne] /\ earliestDate;earliestDate

                     (TO MAINTAIN  -(earliestDate;earliestDate~ /\ latestDate;latestDate
               (MAINTAINING -(earliestDate;earliestDate~ /\ latestDate;latestDate~) \/ I
               DELETE FROM earliestDate[DateDifferencePlusOne*Date]
                SELECTFROM Delta;V[DateDifferencePlusOne*Date]

               DELETE FROM latestDate[DateDifferencePlusOne*Date]
                SELECTFROM Delta;V[DateDifferencePlusOne*Date]

               DELETE FROM computedRentalPeriod[DateDifferencePlusOne*Integer]
                SELECTFROM Delta;V[DateDifferencePlusOne*Integer]

        (MAINTAINING -(earliestDate;earliestDate~ /\ latestDate;latestDate~) \/ I[DateDi
```

------ Derivation ----->

```
      ALL of ONE OF DELETE FROM earliestDate[DateDifferencePlusOne*Date]
                    SELECTFROM (-I[DateDifferencePlusOne] /\ earliestDate;earliestDate~ /\

                     (TO MAINTAIN  -(earliestDate;earliestDate~ /\ latestDate;latestDate~) \
                    DELETE FROM latestDate[DateDifferencePlusOne*Date]
                      SELECTFROM (-I[DateDifferencePlusOne] /\ earliestDate;earliestDate~ /\

                     (TO MAINTAIN  -(earliestDate;earliestDate~ /\ latestDate;latestDate~) \
            (MAINTAINING -(earliestDate;earliestDate~ /\ latestDate;latestDate~) \/ I[Date
            DELETE FROM earliestDate[DateDifferencePlusOne*Date]
             SELECTFROM Delta;V[DateDifferencePlusOne*Date]

            DELETE FROM latestDate[DateDifferencePlusOne*Date]
             SELECTFROM Delta;V[DateDifferencePlusOne*Date]
```

```
                DELETE FROM computedRentalPeriod[DateDifferencePlusOne*Integer]
                 SELECTFROM Delta;V[DateDifferencePlusOne*Integer]

      (MAINTAINING -(earliestDate;earliestDate~ /\ latestDate;latestDate~) \/ I[DateDiffere

    <------End Derivation --


            ON INSERT Delta IN Isn{detyp=CompTariffedCharge} EXECUTE    -- (ECA rule 163)
            ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (I[CompTariffedCharge] /\ -(com
                   THEN INSERT INTO computedTariffedCharge[CompTariffedCharge*Amount]
                        SELECTFROM 'a'[CompTariffedCharge]*'b'[Amount]

                        (TO MAINTAIN  -I[CompTariffedCharge] \/ computedTariffedCharge
                   PICK a,b FROM computedTariffedCharge~;(I[CompTariffedCharge] /\ -(
                   THEN INSERT INTO computedTariffedCharge[CompTariffedCharge*Amount]
                        SELECTFROM 'b'[CompTariffedCharge]*'a'[Amount]

                        (TO MAINTAIN  -I[CompTariffedCharge] \/ computedTariffedCharge
             (MAINTAINING -I[CompTariffedCharge] \/ computedTariffedCharge;computedTar
             NEW x:Amount;
               INSERT INTO computedTariffedCharge[CompTariffedCharge*Amount]
                SELECTFROM (I[CompTariffedCharge] /\ -(computedTariffedCharge;computedT

               (TO MAINTAIN  -I[CompTariffedCharge] \/ computedTariffedCharge;computedT
             (MAINTAINING -I[CompTariffedCharge] \/ computedTariffedCharge;computedTar
             ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (I[CompTariffedCharge] /\ -(ctc
                   THEN INSERT INTO ctcNrOfDays[CompTariffedCharge*Integer]
                        SELECTFROM 'a'[CompTariffedCharge]*'b'[Integer]

                        (TO MAINTAIN  -I[CompTariffedCharge] \/ ctcNrOfDays;I[Integer]
                   PICK a,b FROM ctcNrOfDays~;(I[CompTariffedCharge] /\ -(ctcNrOfDays
                   THEN INSERT INTO ctcNrOfDays[CompTariffedCharge*Integer]
                        SELECTFROM 'b'[CompTariffedCharge]*'a'[Integer]

                        (TO MAINTAIN  -I[CompTariffedCharge] \/ ctcNrOfDays;I[Integer]
             (MAINTAINING -I[CompTariffedCharge] \/ ctcNrOfDays;I[Integer];ctcNrOfDays
             NEW x:Integer;
               INSERT INTO ctcNrOfDays[CompTariffedCharge*Integer]
                SELECTFROM (I[CompTariffedCharge] /\ -(ctcNrOfDays;ctcNrOfDays~))*'x'[

               (TO MAINTAIN  -I[CompTariffedCharge] \/ ctcNrOfDays;I[Integer];ctcNrOfD
             (MAINTAINING -I[CompTariffedCharge] \/ ctcNrOfDays;I[Integer];ctcNrOfDays
             ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (I[CompTariffedCharge] /\ -(ctc
                   THEN INSERT INTO ctcDailyAmount[CompTariffedCharge*Amount]
                        SELECTFROM 'a'[CompTariffedCharge]*'b'[Amount]

                        (TO MAINTAIN  -I[CompTariffedCharge] \/ ctcDailyAmount;I[Amoun
                   PICK a,b FROM ctcDailyAmount~;(I[CompTariffedCharge] /\ -(ctcDaily
```

529

```
                        THEN INSERT INTO ctcDailyAmount[CompTariffedCharge*Amount]
                          SELECTFROM 'b'[CompTariffedCharge]*'a'[Amount]

                            (TO MAINTAIN  -I[CompTariffedCharge] \/ ctcDailyAmount;I[Amou
              (MAINTAINING -I[CompTariffedCharge] \/ ctcDailyAmount;I[Amount];ctcDailyA
       (MAINTAINING -I[CompTariffedCharge] \/ computedTariffedCharge;computedTariffedCh
       (MAINTAINING -(ctcNrOfDays~;ctcNrOfDays) \/ I[Integer] FROM UNI ctcNrOfDays::Com
       (MAINTAINING -I[CompTariffedCharge] \/ ctcNrOfDays;ctcNrOfDays~ FROM TOT ctcNrOf
       (MAINTAINING -(ctcDailyAmount~;ctcDailyAmount) \/ I[Amount] FROM UNI ctcDailyAmo
       (MAINTAINING -I[CompTariffedCharge] \/ ctcDailyAmount;ctcDailyAmount~ FROM TOT c


------ Derivation ----->


    ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (I[CompTariffedCharge] /\ -(computed
                THEN INSERT INTO computedTariffedCharge[CompTariffedCharge*Amount]
                    SELECTFROM 'a'[CompTariffedCharge]*'b'[Amount]

                            (TO MAINTAIN  -I[CompTariffedCharge] \/ computedTariffedCharge;com
               PICK a,b FROM computedTariffedCharge~;(I[CompTariffedCharge] /\ -(compu
               THEN INSERT INTO computedTariffedCharge[CompTariffedCharge*Amount]
                    SELECTFROM 'b'[CompTariffedCharge]*'a'[Amount]

                            (TO MAINTAIN  -I[CompTariffedCharge] \/ computedTariffedCharge;com
        (MAINTAINING -I[CompTariffedCharge] \/ computedTariffedCharge;computedTariffed
        NEW x:Amount;
          INSERT INTO computedTariffedCharge[CompTariffedCharge*Amount]
           SELECTFROM (I[CompTariffedCharge] /\ -(computedTariffedCharge;computedTarif

          (TO MAINTAIN  -I[CompTariffedCharge] \/ computedTariffedCharge;computedTarif
        (MAINTAINING -I[CompTariffedCharge] \/ computedTariffedCharge;computedTariffed
        ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (I[CompTariffedCharge] /\ -(ctcNrOfD
                THEN INSERT INTO ctcNrOfDays[CompTariffedCharge*Integer]
                    SELECTFROM 'a'[CompTariffedCharge]*'b'[Integer]

                            (TO MAINTAIN  -I[CompTariffedCharge] \/ ctcNrOfDays;I[Integer];ctc
               PICK a,b FROM ctcNrOfDays~;(I[CompTariffedCharge] /\ -(ctcNrOfDays;ctcN
               THEN INSERT INTO ctcNrOfDays[CompTariffedCharge*Integer]
                    SELECTFROM 'b'[CompTariffedCharge]*'a'[Integer]

                            (TO MAINTAIN  -I[CompTariffedCharge] \/ ctcNrOfDays;I[Integer];ctc
        (MAINTAINING -I[CompTariffedCharge] \/ ctcNrOfDays;I[Integer];ctcNrOfDays~ FRO
        NEW x:Integer;
          INSERT INTO ctcNrOfDays[CompTariffedCharge*Integer]
           SELECTFROM (I[CompTariffedCharge] /\ -(ctcNrOfDays;ctcNrOfDays~))*'x'[Integ

          (TO MAINTAIN  -I[CompTariffedCharge] \/ ctcNrOfDays;I[Integer];ctcNrOfDays~
        (MAINTAINING -I[CompTariffedCharge] \/ ctcNrOfDays;I[Integer];ctcNrOfDays~ FRO
        ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (I[CompTariffedCharge] /\ -(ctcDaily
```

```
                     THEN INSERT INTO ctcDailyAmount[CompTariffedCharge*Amount]
                         SELECTFROM 'a'[CompTariffedCharge]*'b'[Amount]

                     (TO MAINTAIN  -I[CompTariffedCharge] \/ ctcDailyAmount;I[Amount];c
                  PICK a,b FROM ctcDailyAmount~;(I[CompTariffedCharge] /\ -(ctcDailyAmoun
                  THEN INSERT INTO ctcDailyAmount[CompTariffedCharge*Amount]
                      SELECTFROM 'b'[CompTariffedCharge]*'a'[Amount]

                     (TO MAINTAIN  -I[CompTariffedCharge] \/ ctcDailyAmount;I[Amount];c
            (MAINTAINING -I[CompTariffedCharge] \/ ctcDailyAmount;I[Amount];ctcDailyAmount
     (MAINTAINING -I[CompTariffedCharge] \/ computedTariffedCharge;computedTariffedCharge~
     (MAINTAINING -(ctcNrOfDays~;ctcNrOfDays) \/ I[Integer] FROM UNI ctcNrOfDays::CompTari
     (MAINTAINING -I[CompTariffedCharge] \/ ctcNrOfDays;ctcNrOfDays~ FROM TOT ctcNrOfDays:
     (MAINTAINING -(ctcDailyAmount~;ctcDailyAmount) \/ I[Amount] FROM UNI ctcDailyAmount::
     (MAINTAINING -I[CompTariffedCharge] \/ ctcDailyAmount;ctcDailyAmount~ FROM TOT ctcDai
```

<------End Derivation --

```
         ON DELETE Delta FROM Isn{detyp=CompTariffedCharge} EXECUTE    -- (ECA rule 164)
         ALL of ONE OF DELETE FROM ctcDailyAmount[CompTariffedCharge*Amount]
                        SELECTFROM (-I[CompTariffedCharge] /\ ctcDailyAmount;ctcDailyAmou

                       (TO MAINTAIN  -(ctcDailyAmount;ctcDailyAmount~ /\ ctcNrOfDays;ctcN
                       DELETE FROM ctcNrOfDays[CompTariffedCharge*Integer]
                        SELECTFROM (-I[CompTariffedCharge] /\ ctcDailyAmount;ctcDailyAmou

                       (TO MAINTAIN  -(ctcDailyAmount;ctcDailyAmount~ /\ ctcNrOfDays;ctcN
              (MAINTAINING -(ctcDailyAmount;ctcDailyAmount~ /\ ctcNrOfDays;ctcNrOfDays~
              DELETE FROM ctcNrOfDays[CompTariffedCharge*Integer]
               SELECTFROM Delta;V[CompTariffedCharge*Integer]

              DELETE FROM ctcDailyAmount[CompTariffedCharge*Amount]
               SELECTFROM Delta;V[CompTariffedCharge*Amount]

              DELETE FROM computedTariffedCharge[CompTariffedCharge*Amount]
               SELECTFROM Delta;V[CompTariffedCharge*Amount]

          (MAINTAINING -(ctcDailyAmount;ctcDailyAmount~ /\ ctcNrOfDays;ctcNrOfDays~) \/ I[
```

------ Derivation ----->

```
        ALL of ONE OF DELETE FROM ctcDailyAmount[CompTariffedCharge*Amount]
                        SELECTFROM (-I[CompTariffedCharge] /\ ctcDailyAmount;ctcDailyAmount~ /

                       (TO MAINTAIN  -(ctcDailyAmount;ctcDailyAmount~ /\ ctcNrOfDays;ctcNrOfDa
                       DELETE FROM ctcNrOfDays[CompTariffedCharge*Integer]
                        SELECTFROM (-I[CompTariffedCharge] /\ ctcDailyAmount;ctcDailyAmount~ /
```

```
                    (TO MAINTAIN  -(ctcDailyAmount;ctcDailyAmount~ /\ ctcNrOfDays;ctcNrOfDa
            (MAINTAINING -(ctcDailyAmount;ctcDailyAmount~ /\ ctcNrOfDays;ctcNrOfDays~) \/
        DELETE FROM ctcNrOfDays[CompTariffedCharge*Integer]
         SELECTFROM Delta;V[CompTariffedCharge*Integer]

        DELETE FROM ctcDailyAmount[CompTariffedCharge*Amount]
         SELECTFROM Delta;V[CompTariffedCharge*Amount]

        DELETE FROM computedTariffedCharge[CompTariffedCharge*Amount]
         SELECTFROM Delta;V[CompTariffedCharge*Amount]

    (MAINTAINING -(ctcDailyAmount;ctcDailyAmount~ /\ ctcNrOfDays;ctcNrOfDays~) \/ I[CompT
```

<------End Derivation --

```
            ON INSERT Delta IN Isn{detyp=DateDifference} EXECUTE    -- (ECA rule 165)
            ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (I[DateDifference] /\ -(compute
                        THEN INSERT INTO computedNrOfExcessDays[DateDifference*Integer]
                            SELECTFROM 'a'[DateDifference]*'b'[Integer]

                            (TO MAINTAIN  -I[DateDifference] \/ computedNrOfExcessDays;co
                        PICK a,b FROM computedNrOfExcessDays~;(I[DateDifference] /\ -(comp
                        THEN INSERT INTO computedNrOfExcessDays[DateDifference*Integer]
                            SELECTFROM 'b'[DateDifference]*'a'[Integer]

                            (TO MAINTAIN  -I[DateDifference] \/ computedNrOfExcessDays;co
            (MAINTAINING -I[DateDifference] \/ computedNrOfExcessDays;computedNrOfExc
            NEW x:Integer;
              INSERT INTO computedNrOfExcessDays[DateDifference*Integer]
               SELECTFROM (I[DateDifference] /\ -(computedNrOfExcessDays;computedNrOf

               (TO MAINTAIN  -I[DateDifference] \/ computedNrOfExcessDays;computedNrOf
            (MAINTAINING -I[DateDifference] \/ computedNrOfExcessDays;computedNrOfExce
            ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (I[DateDifference] /\ -(firstDa
                        THEN INSERT INTO firstDate[DateDifference*Date]
                            SELECTFROM 'a'[DateDifference]*'b'[Date]

                            (TO MAINTAIN  -I[DateDifference] \/ firstDate;I[Date];firstDa
                        PICK a,b FROM firstDate~;(I[DateDifference] /\ -(firstDate;firstDa
                        THEN INSERT INTO firstDate[DateDifference*Date]
                            SELECTFROM 'b'[DateDifference]*'a'[Date]

                            (TO MAINTAIN  -I[DateDifference] \/ firstDate;I[Date];firstDa
            (MAINTAINING -I[DateDifference] \/ firstDate;I[Date];firstDate~ FROM UNI
            NEW x:Date;
              INSERT INTO firstDate[DateDifference*Date]
               SELECTFROM (I[DateDifference] /\ -(firstDate;firstDate~))*'x'[Date]
```

```
                                (TO MAINTAIN  -I[DateDifference] \/ firstDate;I[Date];firstDate~ FROM UI
                    (MAINTAINING -I[DateDifference] \/ firstDate;I[Date];firstDate~ FROM UNI
                  ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (I[DateDifference] /\ -(lastDat
                          THEN INSERT INTO lastDate[DateDifference*Date]
                              SELECTFROM 'a'[DateDifference]*'b'[Date]

                              (TO MAINTAIN  -I[DateDifference] \/ lastDate;I[Date];lastDate
                        PICK a,b FROM lastDate~;(I[DateDifference] /\ -(lastDate;lastDate~
                        THEN INSERT INTO lastDate[DateDifference*Date]
                              SELECTFROM 'b'[DateDifference]*'a'[Date]

                              (TO MAINTAIN  -I[DateDifference] \/ lastDate;I[Date];lastDate
                    (MAINTAINING -I[DateDifference] \/ lastDate;I[Date];lastDate~ FROM UNI la
            (MAINTAINING -I[DateDifference] \/ computedNrOfExcessDays;computedNrOfExcessDays
            (MAINTAINING -(firstDate~;firstDate) \/ I[Date] FROM UNI firstDate::DateDifferenc
            (MAINTAINING -I[DateDifference] \/ firstDate;firstDate~ FROM TOT firstDate::Date
            (MAINTAINING -(lastDate~;lastDate) \/ I[Date] FROM UNI lastDate::DateDifference*
            (MAINTAINING -I[DateDifference] \/ lastDate;lastDate~ FROM TOT lastDate::DateDif
```

------ Derivation ----->

```
            ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (I[DateDifference] /\ -(computedNrOf
                          THEN INSERT INTO computedNrOfExcessDays[DateDifference*Integer]
                              SELECTFROM 'a'[DateDifference]*'b'[Integer]

                              (TO MAINTAIN  -I[DateDifference] \/ computedNrOfExcessDays;compute
                        PICK a,b FROM computedNrOfExcessDays~;(I[DateDifference] /\ -(computedN
                        THEN INSERT INTO computedNrOfExcessDays[DateDifference*Integer]
                              SELECTFROM 'b'[DateDifference]*'a'[Integer]

                              (TO MAINTAIN  -I[DateDifference] \/ computedNrOfExcessDays;compute
                    (MAINTAINING -I[DateDifference] \/ computedNrOfExcessDays;computedNrOfExcessDa
                  NEW x:Integer;
                    INSERT INTO computedNrOfExcessDays[DateDifference*Integer]
                     SELECTFROM (I[DateDifference] /\ -(computedNrOfExcessDays;computedNrOfExces

                    (TO MAINTAIN  -I[DateDifference] \/ computedNrOfExcessDays;computedNrOfExces
                  (MAINTAINING -I[DateDifference] \/ computedNrOfExcessDays;computedNrOfExcessDa
                ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (I[DateDifference] /\ -(firstDate;fi
                          THEN INSERT INTO firstDate[DateDifference*Date]
                              SELECTFROM 'a'[DateDifference]*'b'[Date]

                              (TO MAINTAIN  -I[DateDifference] \/ firstDate;I[Date];firstDate~ F
                        PICK a,b FROM firstDate~;(I[DateDifference] /\ -(firstDate;firstDate~))
                        THEN INSERT INTO firstDate[DateDifference*Date]
                              SELECTFROM 'b'[DateDifference]*'a'[Date]
```

533

```
                          (TO MAINTAIN  -I[DateDifference] \/ firstDate;I[Date];firstDate~ F
          (MAINTAINING -I[DateDifference] \/ firstDate;I[Date];firstDate~ FROM UNI first
          NEW x:Date;
            INSERT INTO firstDate[DateDifference*Date]
             SELECTFROM (I[DateDifference] /\ -(firstDate;firstDate~))*'x'[Date]

           (TO MAINTAIN  -I[DateDifference] \/ firstDate;I[Date];firstDate~ FROM UNI fi
          (MAINTAINING -I[DateDifference] \/ firstDate;I[Date];firstDate~ FROM UNI first
          ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (I[DateDifference] /\ -(lastDate;las
                  THEN INSERT INTO lastDate[DateDifference*Date]
                        SELECTFROM 'a'[DateDifference]*'b'[Date]

                      (TO MAINTAIN  -I[DateDifference] \/ lastDate;I[Date];lastDate~ FRO
                 PICK a,b FROM lastDate~;(I[DateDifference] /\ -(lastDate;lastDate~))
                 THEN INSERT INTO lastDate[DateDifference*Date]
                       SELECTFROM 'b'[DateDifference]*'a'[Date]

                      (TO MAINTAIN  -I[DateDifference] \/ lastDate;I[Date];lastDate~ FRO
             (MAINTAINING -I[DateDifference] \/ lastDate;I[Date];lastDate~ FROM UNI lastDat
      (MAINTAINING -I[DateDifference] \/ computedNrOfExcessDays;computedNrOfExcessDays~ FRO
      (MAINTAINING -(firstDate~;firstDate) \/ I[Date] FROM UNI firstDate::DateDifference*Da
      (MAINTAINING -I[DateDifference] \/ firstDate;firstDate~ FROM TOT firstDate::DateDiffe
      (MAINTAINING -(lastDate~;lastDate) \/ I[Date] FROM UNI lastDate::DateDifference*Date)
      (MAINTAINING -I[DateDifference] \/ lastDate;lastDate~ FROM TOT lastDate::DateDifferen
```

<------End Derivation --

```
          ON DELETE Delta FROM Isn{detyp=DateDifference} EXECUTE    -- (ECA rule 166)
          ALL of ONE OF DELETE FROM lastDate[DateDifference*Date]
                        SELECTFROM (-I[DateDifference] /\ lastDate;lastDate~ /\ firstDate

                      (TO MAINTAIN  -(lastDate;lastDate~ /\ firstDate;firstDate~) \/ I[Da
                      DELETE FROM firstDate[DateDifference*Date]
                       SELECTFROM (-I[DateDifference] /\ lastDate;lastDate~ /\ firstDate

                      (TO MAINTAIN  -(lastDate;lastDate~ /\ firstDate;firstDate~) \/ I[Da
               (MAINTAINING -(lastDate;lastDate~ /\ firstDate;firstDate~) \/ I[DateDiffe
              DELETE FROM firstDate[DateDifference*Date]
               SELECTFROM Delta;V[DateDifference*Date]

              DELETE FROM lastDate[DateDifference*Date]
               SELECTFROM Delta;V[DateDifference*Date]

              DELETE FROM computedNrOfExcessDays[DateDifference*Integer]
               SELECTFROM Delta;V[DateDifference*Integer]

          (MAINTAINING -(lastDate;lastDate~ /\ firstDate;firstDate~) \/ I[DateDifference] 
```

------ Derivation ----->

```
ALL of ONE OF DELETE FROM lastDate[DateDifference*Date]
                SELECTFROM (-I[DateDifference] /\ lastDate;lastDate~ /\ firstDate;firs

             (TO MAINTAIN  -(lastDate;lastDate~ /\ firstDate;firstDate~) \/ I[DateDi
             DELETE FROM firstDate[DateDifference*Date]
              SELECTFROM (-I[DateDifference] /\ lastDate;lastDate~ /\ firstDate;firs

             (TO MAINTAIN  -(lastDate;lastDate~ /\ firstDate;firstDate~) \/ I[DateDi
       (MAINTAINING -(lastDate;lastDate~ /\ firstDate;firstDate~) \/ I[DateDifference
       DELETE FROM firstDate[DateDifference*Date]
        SELECTFROM Delta;V[DateDifference*Date]

       DELETE FROM lastDate[DateDifference*Date]
        SELECTFROM Delta;V[DateDifference*Date]

       DELETE FROM computedNrOfExcessDays[DateDifference*Integer]
        SELECTFROM Delta;V[DateDifference*Integer]

  (MAINTAINING -(lastDate;lastDate~ /\ firstDate;firstDate~) \/ I[DateDifference] FROM

<------End Derivation --


       ON INSERT Delta IN Isn{detyp=DistanceBetweenLocations} EXECUTE    -- (ECA rule 1
       ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (I[DistanceBetweenLocations] /\
                THEN INSERT INTO computedLocationPenaltyCharge[DistanceBetweenLoca
                   SELECTFROM 'a'[DistanceBetweenLocations]*'b'[Amount]

                   (TO MAINTAIN  -I[DistanceBetweenLocations] \/ computedLocatio
              PICK a,b FROM computedLocationPenaltyCharge~;(I[DistanceBetweenLoc
              THEN INSERT INTO computedLocationPenaltyCharge[DistanceBetweenLoca
                   SELECTFROM 'b'[DistanceBetweenLocations]*'a'[Amount]

                   (TO MAINTAIN  -I[DistanceBetweenLocations] \/ computedLocatio
         (MAINTAINING -I[DistanceBetweenLocations] \/ computedLocationPenaltyCharg
         NEW x:Amount;
           INSERT INTO computedLocationPenaltyCharge[DistanceBetweenLocations*Amou
            SELECTFROM (I[DistanceBetweenLocations] /\ -(computedLocationPenaltyCha

           (TO MAINTAIN  -I[DistanceBetweenLocations] \/ computedLocationPenaltyCha
         (MAINTAINING -I[DistanceBetweenLocations] \/ computedLocationPenaltyCharg
         ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (I[DistanceBetweenLocations] /\
                THEN INSERT INTO distbranch[DistanceBetweenLocations*Branch]
                   SELECTFROM 'a'[DistanceBetweenLocations]*'b'[Branch]

                   (TO MAINTAIN  -I[DistanceBetweenLocations] \/ distbranch;dist
              PICK a,b FROM distbranch~;(I[DistanceBetweenLocations] /\ -(distbra
              THEN INSERT INTO distbranch[DistanceBetweenLocations*Branch]
```

535

```
                              SELECTFROM 'b'[DistanceBetweenLocations]*'a'[Branch]

                      (TO MAINTAIN  -I[DistanceBetweenLocations] \/ distbranch;dist
            (MAINTAINING -I[DistanceBetweenLocations] \/ distbranch;distbranch~ FROM
            NEW x:Branch;
              INSERT INTO distbranch[DistanceBetweenLocations*Branch]
                SELECTFROM (I[DistanceBetweenLocations] /\ -(distbranch;distbranch~))*

                  (TO MAINTAIN  -I[DistanceBetweenLocations] \/ distbranch;distbranch~ FR
            (MAINTAINING -I[DistanceBetweenLocations] \/ distbranch;distbranch~ FROM
            ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (I[DistanceBetweenLocations] /\
                    THEN INSERT INTO distance[DistanceBetweenLocations*Distance]
                        SELECTFROM 'a'[DistanceBetweenLocations]*'b'[Distance]

                          (TO MAINTAIN  -I[DistanceBetweenLocations] \/ distance;I[Dist
                  PICK a,b FROM distance~;(I[DistanceBetweenLocations] /\ -(distance
                    THEN INSERT INTO distance[DistanceBetweenLocations*Distance]
                        SELECTFROM 'b'[DistanceBetweenLocations]*'a'[Distance]

                          (TO MAINTAIN  -I[DistanceBetweenLocations] \/ distance;I[Dist
            (MAINTAINING -I[DistanceBetweenLocations] \/ distance;I[Distance];distance
            NEW x:Distance;
              INSERT INTO distance[DistanceBetweenLocations*Distance]
                SELECTFROM (I[DistanceBetweenLocations] /\ -(distance;distance~))*'x'[

                  (TO MAINTAIN  -I[DistanceBetweenLocations] \/ distance;I[Distance];dist
                (MAINTAINING -I[DistanceBetweenLocations] \/ distance;I[Distance];distance
        (MAINTAINING -(computedLocationPenaltyCharge~;computedLocationPenaltyCharge) \/
        (MAINTAINING -I[DistanceBetweenLocations] \/ computedLocationPenaltyCharge;compu
        (MAINTAINING -I[DistanceBetweenLocations] \/ distbranch;distbranch~ FROM TOT dis
        (MAINTAINING -(distance~;distance) \/ I[Distance] FROM UNI distance::DistanceBet
        (MAINTAINING -I[DistanceBetweenLocations] \/ distance;distance~ FROM TOT distance

------ Derivation ----->


      ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (I[DistanceBetweenLocations] /\ -(co
                  THEN INSERT INTO computedLocationPenaltyCharge[DistanceBetweenLocations
                      SELECTFROM 'a'[DistanceBetweenLocations]*'b'[Amount]

                          (TO MAINTAIN  -I[DistanceBetweenLocations] \/ computedLocationPena
                  PICK a,b FROM computedLocationPenaltyCharge~;(I[DistanceBetweenLocation
                  THEN INSERT INTO computedLocationPenaltyCharge[DistanceBetweenLocations
                      SELECTFROM 'b'[DistanceBetweenLocations]*'a'[Amount]

                          (TO MAINTAIN  -I[DistanceBetweenLocations] \/ computedLocationPena
            (MAINTAINING -I[DistanceBetweenLocations] \/ computedLocationPenaltyCharge;I[A
            NEW x:Amount;
              INSERT INTO computedLocationPenaltyCharge[DistanceBetweenLocations*Amount]
```

```
                SELECTFROM (I[DistanceBetweenLocations] /\ -(computedLocationPenaltyCharge;

            (TO MAINTAIN  -I[DistanceBetweenLocations] \/ computedLocationPenaltyCharge;
          (MAINTAINING -I[DistanceBetweenLocations] \/ computedLocationPenaltyCharge;I[A
          ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (I[DistanceBetweenLocations] /\ -(di
                 THEN INSERT INTO distbranch[DistanceBetweenLocations*Branch]
                     SELECTFROM 'a'[DistanceBetweenLocations]*'b'[Branch]

                    (TO MAINTAIN  -I[DistanceBetweenLocations] \/ distbranch;distbranc
               PICK a,b FROM distbranch~;(I[DistanceBetweenLocations] /\ -(distbranch;
               THEN INSERT INTO distbranch[DistanceBetweenLocations*Branch]
                     SELECTFROM 'b'[DistanceBetweenLocations]*'a'[Branch]

                    (TO MAINTAIN  -I[DistanceBetweenLocations] \/ distbranch;distbranc
          (MAINTAINING -I[DistanceBetweenLocations] \/ distbranch;distbranch~ FROM TOT d
          NEW x:Branch;
            INSERT INTO distbranch[DistanceBetweenLocations*Branch]
             SELECTFROM (I[DistanceBetweenLocations] /\ -(distbranch;distbranch~))*'x'[B

            (TO MAINTAIN  -I[DistanceBetweenLocations] \/ distbranch;distbranch~ FROM TO
          (MAINTAINING -I[DistanceBetweenLocations] \/ distbranch;distbranch~ FROM TOT d
          ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (I[DistanceBetweenLocations] /\ -(di
                 THEN INSERT INTO distance[DistanceBetweenLocations*Distance]
                     SELECTFROM 'a'[DistanceBetweenLocations]*'b'[Distance]

                    (TO MAINTAIN  -I[DistanceBetweenLocations] \/ distance;I[Distance]
               PICK a,b FROM distance~;(I[DistanceBetweenLocations] /\ -(distance;dist
               THEN INSERT INTO distance[DistanceBetweenLocations*Distance]
                     SELECTFROM 'b'[DistanceBetweenLocations]*'a'[Distance]

                    (TO MAINTAIN  -I[DistanceBetweenLocations] \/ distance;I[Distance]
          (MAINTAINING -I[DistanceBetweenLocations] \/ distance;I[Distance];distance~ FR
          NEW x:Distance;
            INSERT INTO distance[DistanceBetweenLocations*Distance]
             SELECTFROM (I[DistanceBetweenLocations] /\ -(distance;distance~))*'x'[Dista

           (TO MAINTAIN  -I[DistanceBetweenLocations] \/ distance;I[Distance];distance~
          (MAINTAINING -I[DistanceBetweenLocations] \/ distance;I[Distance];distance~ FR
     (MAINTAINING -(computedLocationPenaltyCharge~;computedLocationPenaltyCharge) \/ I[Amo
     (MAINTAINING -I[DistanceBetweenLocations] \/ computedLocationPenaltyCharge;computedLo
     (MAINTAINING -I[DistanceBetweenLocations] \/ distbranch;distbranch~ FROM TOT distbran
     (MAINTAINING -(distance~;distance) \/ I[Distance] FROM UNI distance::DistanceBetweenL
     (MAINTAINING -I[DistanceBetweenLocations] \/ distance;distance~ FROM TOT distance::Di

<------End Derivation --


             ON DELETE Delta FROM Isn{detyp=DistanceBetweenLocations} EXECUTE    -- (ECA rule
             ALL of DELETE FROM computedLocationPenaltyCharge[DistanceBetweenLocations*Amount
```

```
                    SELECTFROM Delta;V[DistanceBetweenLocations*Amount]

                DELETE FROM distbranch[DistanceBetweenLocations*Branch]
                 SELECTFROM Delta;V[DistanceBetweenLocations*Branch]

                DELETE FROM distance[DistanceBetweenLocations*Distance]
                 SELECTFROM Delta;V[DistanceBetweenLocations*Distance]


------ Derivation ----->


        ALL of DELETE FROM computedLocationPenaltyCharge[DistanceBetweenLocations*Amount]
                SELECTFROM Delta;V[DistanceBetweenLocations*Amount]

             DELETE FROM distbranch[DistanceBetweenLocations*Branch]
              SELECTFROM Delta;V[DistanceBetweenLocations*Branch]

             DELETE FROM distance[DistanceBetweenLocations*Distance]
              SELECTFROM Delta;V[DistanceBetweenLocations*Distance]


<------End Derivation --


            ON INSERT Delta IN Isn{detyp=CompRentalCharge} EXECUTE    -- (ECA rule 169)
            ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (I[CompRentalCharge] /\ -(compu
                    THEN INSERT INTO computedRentalCharge[CompRentalCharge*Amount]
                        SELECTFROM 'a'[CompRentalCharge]*'b'[Amount]

                        (TO MAINTAIN  -I[CompRentalCharge] \/ computedRentalCharge;co
                    PICK a,b FROM computedRentalCharge~;(I[CompRentalCharge] /\ -(compu
                    THEN INSERT INTO computedRentalCharge[CompRentalCharge*Amount]
                        SELECTFROM 'b'[CompRentalCharge]*'a'[Amount]

                        (TO MAINTAIN  -I[CompRentalCharge] \/ computedRentalCharge;co
              (MAINTAINING -I[CompRentalCharge] \/ computedRentalCharge;computedRentalC
              NEW x:Amount;
                INSERT INTO computedRentalCharge[CompRentalCharge*Amount]
                 SELECTFROM (I[CompRentalCharge] /\ -(computedRentalCharge;computedRent

                (TO MAINTAIN  -I[CompRentalCharge] \/ computedRentalCharge;computedRent
              (MAINTAINING -I[CompRentalCharge] \/ computedRentalCharge;computedRentalC
              ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (I[CompRentalCharge] /\ -(arg1;
                    THEN INSERT INTO arg1[CompRentalCharge*Amount]
                        SELECTFROM 'a'[CompRentalCharge]*'b'[Amount]

                        (TO MAINTAIN  -I[CompRentalCharge] \/ arg1;I[Amount];arg1~ FR
                    PICK a,b FROM arg1~;(I[CompRentalCharge] /\ -(arg1;arg1~))
```

```
                        THEN INSERT INTO arg1[CompRentalCharge*Amount]
                          SELECTFROM 'b'[CompRentalCharge]*'a'[Amount]

                        (TO MAINTAIN  -I[CompRentalCharge] \/ arg1;I[Amount];arg1~ FRO
            (MAINTAINING -I[CompRentalCharge] \/ arg1;I[Amount];arg1~ FROM UNI arg1::
            ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (I[CompRentalCharge] /\ -(arg2;a
                        THEN INSERT INTO arg2[CompRentalCharge*Amount]
                          SELECTFROM 'a'[CompRentalCharge]*'b'[Amount]

                        (TO MAINTAIN  -I[CompRentalCharge] \/ arg2;I[Amount];arg2~ FRO
                  PICK a,b FROM arg2~;(I[CompRentalCharge] /\ -(arg2;arg2~))
                        THEN INSERT INTO arg2[CompRentalCharge*Amount]
                          SELECTFROM 'b'[CompRentalCharge]*'a'[Amount]

                        (TO MAINTAIN  -I[CompRentalCharge] \/ arg2;I[Amount];arg2~ FRO
            (MAINTAINING -I[CompRentalCharge] \/ arg2;I[Amount];arg2~ FROM UNI arg2::
            ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (I[CompRentalCharge] /\ -(arg3;a
                        THEN INSERT INTO arg3[CompRentalCharge*Amount]
                          SELECTFROM 'a'[CompRentalCharge]*'b'[Amount]

                        (TO MAINTAIN  -I[CompRentalCharge] \/ arg3;I[Amount];arg3~ FRO
                  PICK a,b FROM arg3~;(I[CompRentalCharge] /\ -(arg3;arg3~))
                        THEN INSERT INTO arg3[CompRentalCharge*Amount]
                          SELECTFROM 'b'[CompRentalCharge]*'a'[Amount]

                        (TO MAINTAIN  -I[CompRentalCharge] \/ arg3;I[Amount];arg3~ FRO
            (MAINTAINING -I[CompRentalCharge] \/ arg3;I[Amount];arg3~ FROM UNI arg3::
    (MAINTAINING -I[CompRentalCharge] \/ computedRentalCharge;computedRentalCharge~
    (MAINTAINING -(arg1~;arg1) \/ I[Amount] FROM UNI arg1::CompRentalCharge*Amount)
    (MAINTAINING -I[CompRentalCharge] \/ arg1;arg1~ FROM TOT arg1::CompRentalCharge*
    (MAINTAINING -(arg2~;arg2) \/ I[Amount] FROM UNI arg2::CompRentalCharge*Amount)
    (MAINTAINING -I[CompRentalCharge] \/ arg2;arg2~ FROM TOT arg2::CompRentalCharge*
    (MAINTAINING -(arg3~;arg3) \/ I[Amount] FROM UNI arg3::CompRentalCharge*Amount)
    (MAINTAINING -I[CompRentalCharge] \/ arg3;arg3~ FROM TOT arg3::CompRentalCharge*
```

------ Derivation ----->

```
    ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (I[CompRentalCharge] /\ -(computedRe
                THEN INSERT INTO computedRentalCharge[CompRentalCharge*Amount]
                  SELECTFROM 'a'[CompRentalCharge]*'b'[Amount]

                (TO MAINTAIN  -I[CompRentalCharge] \/ computedRentalCharge;compute
            PICK a,b FROM computedRentalCharge~;(I[CompRentalCharge] /\ -(computedR
            THEN INSERT INTO computedRentalCharge[CompRentalCharge*Amount]
                  SELECTFROM 'b'[CompRentalCharge]*'a'[Amount]

                (TO MAINTAIN  -I[CompRentalCharge] \/ computedRentalCharge;compute
        (MAINTAINING -I[CompRentalCharge] \/ computedRentalCharge;computedRentalCharge
```

```
                    NEW x:Amount;
                      INSERT INTO computedRentalCharge[CompRentalCharge*Amount]
                       SELECTFROM (I[CompRentalCharge] /\ -(computedRentalCharge;computedRentalCha

                     (TO MAINTAIN  -I[CompRentalCharge] \/ computedRentalCharge;computedRentalCha
                    (MAINTAINING -I[CompRentalCharge] \/ computedRentalCharge;computedRentalCharge
                    ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (I[CompRentalCharge] /\ -(arg1;arg1~
                            THEN INSERT INTO arg1[CompRentalCharge*Amount]
                                 SELECTFROM 'a'[CompRentalCharge]*'b'[Amount]

                             (TO MAINTAIN  -I[CompRentalCharge] \/ arg1;I[Amount];arg1~ FROM UN
                            PICK a,b FROM arg1~;(I[CompRentalCharge] /\ -(arg1;arg1~))
                            THEN INSERT INTO arg1[CompRentalCharge*Amount]
                                 SELECTFROM 'b'[CompRentalCharge]*'a'[Amount]

                             (TO MAINTAIN  -I[CompRentalCharge] \/ arg1;I[Amount];arg1~ FROM UN
                    (MAINTAINING -I[CompRentalCharge] \/ arg1;I[Amount];arg1~ FROM UNI arg1::CompR
                    ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (I[CompRentalCharge] /\ -(arg2;arg2~
                            THEN INSERT INTO arg2[CompRentalCharge*Amount]
                                 SELECTFROM 'a'[CompRentalCharge]*'b'[Amount]

                             (TO MAINTAIN  -I[CompRentalCharge] \/ arg2;I[Amount];arg2~ FROM UN
                            PICK a,b FROM arg2~;(I[CompRentalCharge] /\ -(arg2;arg2~))
                            THEN INSERT INTO arg2[CompRentalCharge*Amount]
                                 SELECTFROM 'b'[CompRentalCharge]*'a'[Amount]

                             (TO MAINTAIN  -I[CompRentalCharge] \/ arg2;I[Amount];arg2~ FROM UN
                    (MAINTAINING -I[CompRentalCharge] \/ arg2;I[Amount];arg2~ FROM UNI arg2::CompR
                    ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (I[CompRentalCharge] /\ -(arg3;arg3~
                            THEN INSERT INTO arg3[CompRentalCharge*Amount]
                                 SELECTFROM 'a'[CompRentalCharge]*'b'[Amount]

                             (TO MAINTAIN  -I[CompRentalCharge] \/ arg3;I[Amount];arg3~ FROM UN
                            PICK a,b FROM arg3~;(I[CompRentalCharge] /\ -(arg3;arg3~))
                            THEN INSERT INTO arg3[CompRentalCharge*Amount]
                                 SELECTFROM 'b'[CompRentalCharge]*'a'[Amount]

                             (TO MAINTAIN  -I[CompRentalCharge] \/ arg3;I[Amount];arg3~ FROM UN
                    (MAINTAINING -I[CompRentalCharge] \/ arg3;I[Amount];arg3~ FROM UNI arg3::CompR
                (MAINTAINING -I[CompRentalCharge] \/ computedRentalCharge;computedRentalCharge~ FROM
            (MAINTAINING -(arg1~;arg1) \/ I[Amount] FROM UNI arg1::CompRentalCharge*Amount)
            (MAINTAINING -I[CompRentalCharge] \/ arg1;arg1~ FROM TOT arg1::CompRentalCharge*Amoun
            (MAINTAINING -(arg2~;arg2) \/ I[Amount] FROM UNI arg2::CompRentalCharge*Amount)
            (MAINTAINING -I[CompRentalCharge] \/ arg2;arg2~ FROM TOT arg2::CompRentalCharge*Amoun
            (MAINTAINING -(arg3~;arg3) \/ I[Amount] FROM UNI arg3::CompRentalCharge*Amount)
            (MAINTAINING -I[CompRentalCharge] \/ arg3;arg3~ FROM TOT arg3::CompRentalCharge*Amoun

     <------End Derivation --
```

```
              ON DELETE Delta FROM Isn{detyp=CompRentalCharge} EXECUTE    -- (ECA rule 170)
              ALL of ONE OF DELETE FROM arg3[CompRentalCharge*Amount]
                          SELECTFROM (-I[CompRentalCharge] /\ arg3;arg3~ /\ arg2;arg2~ /\ a

                      (TO MAINTAIN  -(arg3;arg3~ /\ arg2;arg2~ /\ arg1;arg1~) \/ I[CompR
                      DELETE FROM arg2[CompRentalCharge*Amount]
                       SELECTFROM (-I[CompRentalCharge] /\ arg3;arg3~ /\ arg2;arg2~ /\ a

                      (TO MAINTAIN  -(arg3;arg3~ /\ arg2;arg2~ /\ arg1;arg1~) \/ I[CompR
                      DELETE FROM arg1[CompRentalCharge*Amount]
                       SELECTFROM (-I[CompRentalCharge] /\ arg3;arg3~ /\ arg2;arg2~ /\ a

                      (TO MAINTAIN  -(arg3;arg3~ /\ arg2;arg2~ /\ arg1;arg1~) \/ I[CompR
              (MAINTAINING -(arg3;arg3~ /\ arg2;arg2~ /\ arg1;arg1~) \/ I[CompRentalChar
              DELETE FROM arg1[CompRentalCharge*Amount]
               SELECTFROM Delta;V[CompRentalCharge*Amount]

              DELETE FROM arg2[CompRentalCharge*Amount]
               SELECTFROM Delta;V[CompRentalCharge*Amount]

              DELETE FROM arg3[CompRentalCharge*Amount]
               SELECTFROM Delta;V[CompRentalCharge*Amount]

              DELETE FROM computedRentalCharge[CompRentalCharge*Amount]
               SELECTFROM Delta;V[CompRentalCharge*Amount]

         (MAINTAINING -(arg3;arg3~ /\ arg2;arg2~ /\ arg1;arg1~) \/ I[CompRentalCharge] FR
```

------ Derivation ----->

```
      ALL of ONE OF DELETE FROM arg3[CompRentalCharge*Amount]
                  SELECTFROM (-I[CompRentalCharge] /\ arg3;arg3~ /\ arg2;arg2~ /\ arg1;a

              (TO MAINTAIN  -(arg3;arg3~ /\ arg2;arg2~ /\ arg1;arg1~) \/ I[CompRental
              DELETE FROM arg2[CompRentalCharge*Amount]
               SELECTFROM (-I[CompRentalCharge] /\ arg3;arg3~ /\ arg2;arg2~ /\ arg1;a

              (TO MAINTAIN  -(arg3;arg3~ /\ arg2;arg2~ /\ arg1;arg1~) \/ I[CompRental
              DELETE FROM arg1[CompRentalCharge*Amount]
               SELECTFROM (-I[CompRentalCharge] /\ arg3;arg3~ /\ arg2;arg2~ /\ arg1;a

              (TO MAINTAIN  -(arg3;arg3~ /\ arg2;arg2~ /\ arg1;arg1~) \/ I[CompRental
      (MAINTAINING -(arg3;arg3~ /\ arg2;arg2~ /\ arg1;arg1~) \/ I[CompRentalCharge]
      DELETE FROM arg1[CompRentalCharge*Amount]
       SELECTFROM Delta;V[CompRentalCharge*Amount]

      DELETE FROM arg2[CompRentalCharge*Amount]
       SELECTFROM Delta;V[CompRentalCharge*Amount]
```

```
                    DELETE FROM arg3[CompRentalCharge*Amount]
                     SELECTFROM Delta;V[CompRentalCharge*Amount]

                    DELETE FROM computedRentalCharge[CompRentalCharge*Amount]
                     SELECTFROM Delta;V[CompRentalCharge*Amount]

       (MAINTAINING -(arg3;arg3~ /\ arg2;arg2~ /\ arg1;arg1~) \/ I[CompRentalCharge] FROM Un

<------End Derivation --


            ON DELETE Delta FROM Isn{detyp=Distance} EXECUTE     -- (ECA rule 172)
            ONE OF DELETE FROM distance[DistanceBetweenLocations*Distance]
                      SELECTFROM distance;(-I[Distance] /\ distance~;distance)

                      (TO MAINTAIN  -(distance~;distance) \/ I[Distance] FROM UNI distance::Dist
                     DELETE FROM distance[DistanceBetweenLocations*Distance]
                      SELECTFROM V[DistanceBetweenLocations*Distance];Delta

            (MAINTAINING -(distance~;distance) \/ I[Distance] FROM UNI distance::DistanceBetw
            (MAINTAINING -I[DistanceBetweenLocations] \/ distance;distance~ FROM TOT distance

------ Derivation ----->


        ONE OF DELETE FROM distance[DistanceBetweenLocations*Distance]
                  SELECTFROM distance;(-I[Distance] /\ distance~;distance)

                  (TO MAINTAIN  -(distance~;distance) \/ I[Distance] FROM UNI distance::Distance
                 DELETE FROM distance[DistanceBetweenLocations*Distance]
                  SELECTFROM V[DistanceBetweenLocations*Distance];Delta

        (MAINTAINING -(distance~;distance) \/ I[Distance] FROM UNI distance::DistanceBetweenL
        (MAINTAINING -I[DistanceBetweenLocations] \/ distance;distance~ FROM TOT distance::Di

<------End Derivation --


            ON INSERT Delta IN Isn{detyp=SESSION} EXECUTE     -- (ECA rule 173)
            ALL of ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (I[SESSION] /\ -(session
                              THEN INSERT INTO sessionToday[SESSION*Date]
                                   SELECTFROM 'a'[SESSION]*'b'[Date]

                                   (TO MAINTAIN  -I[SESSION] \/ sessionToday;sessionToday~
                              PICK a,b FROM sessionToday~;(I[SESSION] /\ -(sessionToday;se
                              THEN INSERT INTO sessionToday[SESSION*Date]
                                   SELECTFROM 'b'[SESSION]*'a'[Date]
```

```
                        (TO MAINTAIN  -I[SESSION] \/ sessionToday;sessionToday
          (MAINTAINING -I[SESSION] \/ sessionToday;sessionToday~ FROM Initia
          NEW x:Date;
            INSERT INTO sessionToday[SESSION*Date]
             SELECTFROM (I[SESSION] /\ -(sessionToday;sessionToday~))*'x'[Da

                (TO MAINTAIN  -I[SESSION] \/ sessionToday;sessionToday~ FROM Init
          (MAINTAINING -I[SESSION] \/ sessionToday;sessionToday~ FROM Initial
    (MAINTAINING -I[SESSION] \/ sessionToday;sessionToday~ FROM Initialize to
ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('_SESSION'[SESSION];ses
            THEN INSERT INTO sessionNewUserRC[SESSION*RentalCase]
                   SELECTFROM 'a'[SESSION]*'b'[RentalCase]

                  (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewUserRC)
            PICK a,b FROM sessionNewUserRC~;('_SESSION'[SESSION];sessio
            THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
                        THEN INSERT INTO rcUserRequestedQ[RentalC
                          SELECTFROM 'a'[RentalCase]*'b'[Yes

                      (TO MAINTAIN  -('_SESSION'[SESSION]
               PICK a,b FROM rcUserRequestedQ~;('a'[Rent
               THEN ONE OF ONE NONEMPTY ALTERNATIVE OF
                          THEN BLOCK
                               (CANNOT CHANGE '
                          PICK a,b FROM 'Yes'[Y
                          THEN BLOCK
                               (CANNOT CHANGE V
                      (MAINTAINING -('_SESSION'[SES
                      NEW x:YesNoAnswer;
                        ALL of BLOCK
                               (CANNOT CHANGE 'Yes
                               BLOCK
                               (CANNOT CHANGE V[Ye
                        (MAINTAINING -('_SESSION'[
                      (MAINTAINING -('_SESSION'[SES
                 (MAINTAINING -('_SESSION'[SESSION];
          (MAINTAINING -('_SESSION'[SESSION];sessionNewUs
          NEW x:YesNoAnswer;
            ALL of INSERT INTO rcUserRequestedQ[RentalCase
                   SELECTFROM 'a'[RentalCase]*'b'[RentalC

                  (TO MAINTAIN  -('_SESSION'[SESSION];se
                  ONE OF ONE NONEMPTY ALTERNATIVE OF PIC
                          THEN BLOCK
                               (CANNOT CHANGE 'Yes
                          PICK a,b FROM 'Yes'[YesN
                          THEN BLOCK
                               (CANNOT CHANGE V[Ye
                        (MAINTAINING -('_SESSION'[SESSI
```

```
                                            NEW x:YesNoAnswer;
                                              ALL of BLOCK
                                                      (CANNOT CHANGE 'Yes'[Y
                                                      BLOCK
                                                      (CANNOT CHANGE V[YesNo
                                              (MAINTAINING -('_SESSION'[SES
                                              (MAINTAINING -('_SESSION'[SESSI
                                        (MAINTAINING -('_SESSION'[SESSION];ses
                                  (MAINTAINING -('_SESSION'[SESSION];sessionNew
                                (MAINTAINING -('_SESSION'[SESSION];sessionNewUs
                          (MAINTAINING -('_SESSION'[SESSION];sessionNewUserRC) \
                  (MAINTAINING -('_SESSION'[SESSION];sessionNewUserRC) \/ sessionNew
NEW x:RentalCase;
  ALL of INSERT INTO sessionNewUserRC[SESSION*RentalCase]
            SELECTFROM ('_SESSION'[SESSION];sessionNewUserRC /\ -(se

            (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewUserRC) \/ 
            ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'[Rent
                        THEN INSERT INTO rcUserRequestedQ[RentalCas
                              SELECTFROM 'a'[RentalCase]*'b'[YesNoA

                          (TO MAINTAIN  -('_SESSION'[SESSION];se
                      PICK a,b FROM rcUserRequestedQ~;('x'[RentalC
                      THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PIC
                                        THEN BLOCK
                                              (CANNOT CHANGE 'Yes
                                        PICK a,b FROM 'Yes'[YesN
                                        THEN BLOCK
                                              (CANNOT CHANGE V[Ye
                                (MAINTAINING -('_SESSION'[SESSI
                              NEW x:YesNoAnswer;
                                ALL of BLOCK
                                        (CANNOT CHANGE 'Yes'[Ye
                                        BLOCK
                                        (CANNOT CHANGE V[YesNo
                                (MAINTAINING -('_SESSION'[SES
                                (MAINTAINING -('_SESSION'[SESSI
                              (MAINTAINING -('_SESSION'[SESSION];ses
                      (MAINTAINING -('_SESSION'[SESSION];sessionNewUserR
                      NEW x:YesNoAnswer;
                        ALL of INSERT INTO rcUserRequestedQ[RentalCase*Y
                                SELECTFROM 'x'[RentalCase]*('_SESSION'[S

                                (TO MAINTAIN  -('_SESSION'[SESSION];sessi
                                ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM
                                      THEN BLOCK
                                              (CANNOT CHANGE 'Yes'[YesNoAns
                                        PICK a,b FROM 'Yes'[YesNoAnswer];(
                                        THEN BLOCK
                                              (CANNOT CHANGE V[YesNoAnswer*

    544
```

```
                                    (MAINTAINING -('_SESSION'[SESSION];sessio
                              (MAINTAINING -('_SESSION'[SESSION];sessionNewUse
                            (MAINTAINING -('_SESSION'[SESSION];sessionNewUserR
                     (MAINTAINING -('_SESSION'[SESSION];sessionNewUserRC) \/ s
              (MAINTAINING -('_SESSION'[SESSION];sessionNewUserRC) \/ sessionN
          (MAINTAINING -('_SESSION'[SESSION];sessionNewUserRC) \/ sessionNew
    (MAINTAINING -('_SESSION'[SESSION];sessionNewUserRC) \/ sessionNewUserRC;
ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (sessionNewUserRC~;'_SES
              THEN INSERT INTO rcUserRequestedQ[RentalCase*YesNoAnswer]
                    SELECTFROM 'a'[RentalCase]*'b'[YesNoAnswer]


                  (TO MAINTAIN  -(sessionNewUserRC~;'_SESSION'[SESSION];
              PICK a,b FROM rcUserRequestedQ~;(sessionNewUserRC~;'_SESSIO
              THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
                            THEN BLOCK
                                  (CANNOT CHANGE 'Yes'[YesNoAnswer] F
                            PICK a,b FROM 'Yes'[YesNoAnswer];('a'[Ye
                            THEN BLOCK
                                  (CANNOT CHANGE V[YesNoAnswer*Rental
                    (MAINTAINING -(sessionNewUserRC~;'_SESSION'[SES
                    NEW x:YesNoAnswer;
                      ALL of BLOCK
                              (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM
                              BLOCK
                              (CANNOT CHANGE V[YesNoAnswer*RentalCase
                    (MAINTAINING -(sessionNewUserRC~;'_SESSION'[S
                    (MAINTAINING -(sessionNewUserRC~;'_SESSION'[SES
              (MAINTAINING -(sessionNewUserRC~;'_SESSION'[SESSION];s
      (MAINTAINING -(sessionNewUserRC~;'_SESSION'[SESSION];sessionNewUse
          NEW x:YesNoAnswer;
            ALL of INSERT INTO rcUserRequestedQ[RentalCase*YesNoAnswer]
                    SELECTFROM (sessionNewUserRC~;'_SESSION'[SESSION];sessio


                  (TO MAINTAIN  -(sessionNewUserRC~;'_SESSION'[SESSION];ses
                  ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'[YesNoAnswe
                            THEN BLOCK
                              (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM Submit
                            PICK a,b FROM 'Yes'[YesNoAnswer];('x'[YesNoAnswer]
                            THEN BLOCK
                              (CANNOT CHANGE V[YesNoAnswer*RentalCase] FROM
                    (MAINTAINING -(sessionNewUserRC~;'_SESSION'[SESSION];sess
              (MAINTAINING -(sessionNewUserRC~;'_SESSION'[SESSION];sessionNewU
          (MAINTAINING -(sessionNewUserRC~;'_SESSION'[SESSION];sessionNewUse
    (MAINTAINING -(sessionNewUserRC~;'_SESSION'[SESSION];sessionNewUserRC) \/
ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('_SESSION'[SESSION];ses
              THEN INSERT INTO sessionNewBranchRC[SESSION*RentalCase]
                    SELECTFROM 'a'[SESSION]*'b'[RentalCase]


                  (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewBranchRC
              PICK a,b FROM sessionNewBranchRC~;('_SESSION'[SESSION];sess
```

```
                          THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
                                   THEN INSERT INTO rcBranchRequestedQ[Rent
                                     SELECTFROM 'a'[RentalCase]*'b'[Yes

                               (TO MAINTAIN  -('_SESSION'[SESSION]
                           PICK a,b FROM rcBranchRequestedQ~;('a'[R
                            THEN ONE OF ONE NONEMPTY ALTERNATIVE OF
                                      THEN BLOCK
                                          (CANNOT CHANGE '
                                       PICK a,b FROM 'Yes'[Y
                                       THEN BLOCK
                                          (CANNOT CHANGE V
                                 (MAINTAINING -('_SESSION'[SES
                                 NEW x:YesNoAnswer;
                                   ALL of BLOCK
                                          (CANNOT CHANGE 'Yes
                                          BLOCK
                                          (CANNOT CHANGE V[Ye
                                     (MAINTAINING -('_SESSION'[
                                 (MAINTAINING -('_SESSION'[SES
                            (MAINTAINING -('_SESSION'[SESSION];
                       (MAINTAINING -('_SESSION'[SESSION];sessionNewBra
                       NEW x:YesNoAnswer;
                        ALL of INSERT INTO rcBranchRequestedQ[RentalC
                                SELECTFROM 'a'[RentalCase]*'b'[Rental

                               (TO MAINTAIN  -('_SESSION'[SESSION];se
                               ONE OF ONE NONEMPTY ALTERNATIVE OF PIC
                                      THEN BLOCK
                                          (CANNOT CHANGE 'Yes
                                       PICK a,b FROM 'Yes'[YesN
                                       THEN BLOCK
                                          (CANNOT CHANGE V[Ye
                                 (MAINTAINING -('_SESSION'[SESSI
                                 NEW x:YesNoAnswer;
                                   ALL of BLOCK
                                          (CANNOT CHANGE 'Yes'[Y
                                          BLOCK
                                          (CANNOT CHANGE V[YesNo.
                                     (MAINTAINING -('_SESSION'[SES
                                 (MAINTAINING -('_SESSION'[SESSI
                            (MAINTAINING -('_SESSION'[SESSION];ses
                       (MAINTAINING -('_SESSION'[SESSION];sessionNew
                      (MAINTAINING -('_SESSION'[SESSION];sessionNewBr
               (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC)
     (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC) \/ sessionN
     NEW x:RentalCase;
       ALL of INSERT INTO sessionNewBranchRC[SESSION*RentalCase]
                SELECTFROM ('_SESSION'[SESSION];sessionNewBranchRC /\ -(
```

```
                           (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewBranchRC) \
          ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'[Rent
                    THEN INSERT INTO rcBranchRequestedQ[RentalCa
                        SELECTFROM 'a'[RentalCase]*'b'[YesNoA

                              (TO MAINTAIN  -('_SESSION'[SESSION];se
                  PICK a,b FROM rcBranchRequestedQ~;('x'[Renta
                  THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PIC
                                THEN BLOCK
                                     (CANNOT CHANGE 'Yes
                                    PICK a,b FROM 'Yes'[YesN
                                    THEN BLOCK
                                         (CANNOT CHANGE V[Ye
                        (MAINTAINING -('_SESSION'[SESSI
                        NEW x:YesNoAnswer;
                          ALL of BLOCK
                                     (CANNOT CHANGE 'Yes'[Y
                                    BLOCK
                                     (CANNOT CHANGE V[YesNo
                            (MAINTAINING -('_SESSION'[SES
                           (MAINTAINING -('_SESSION'[SESSI
                     (MAINTAINING -('_SESSION'[SESSION];ses
              (MAINTAINING -('_SESSION'[SESSION];sessionNewBranc
                   NEW x:YesNoAnswer;
                   ALL of INSERT INTO rcBranchRequestedQ[RentalCase
                          SELECTFROM 'x'[RentalCase]*('_SESSION'[S

                            (TO MAINTAIN  -('_SESSION'[SESSION];sessi
                  ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM
                           THEN BLOCK
                                  (CANNOT CHANGE 'Yes'[YesNoAnsw
                                 PICK a,b FROM 'Yes'[YesNoAnswer];(
                           THEN BLOCK
                                  (CANNOT CHANGE V[YesNoAnswer*
                       (MAINTAINING -('_SESSION'[SESSION];session
                   (MAINTAINING -('_SESSION'[SESSION];sessionNewBran
                   (MAINTAINING -('_SESSION'[SESSION];sessionNewBranch
              (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC) \/
         (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC) \/ sessio
        (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC) \/ sessionN
    (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC) \/ sessionNewBranch
    ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (sessionNewBranchRC~;'_S
                 THEN INSERT INTO rcBranchRequestedQ[RentalCase*YesNoAnswer]
                      SELECTFROM 'a'[RentalCase]*'b'[YesNoAnswer]

                     (TO MAINTAIN  -(sessionNewBranchRC~;'_SESSION'[SESSION]
           PICK a,b FROM rcBranchRequestedQ~;(sessionNewBranchRC~;'_SE
           THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
                           THEN BLOCK
                                  (CANNOT CHANGE 'Yes'[YesNoAnswer] F
```

547

```
                                PICK a,b FROM 'Yes'[YesNoAnswer];('a'[Ye
                                THEN BLOCK
                                        (CANNOT CHANGE V[YesNoAnswer*Rental
                        (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[S
                                NEW x:YesNoAnswer;
                                  ALL of BLOCK
                                        (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM
                                        BLOCK
                                        (CANNOT CHANGE V[YesNoAnswer*RentalCas
                                (MAINTAINING -(sessionNewBranchRC~;'_SESSION'
                                (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[S
                        (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION]
            (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewB
            NEW x:YesNoAnswer;
              ALL of INSERT INTO rcBranchRequestedQ[RentalCase*YesNoAnswer]
                        SELECTFROM (sessionNewBranchRC~;'_SESSION'[SESSION];sess

                        (TO MAINTAIN  -(sessionNewBranchRC~;'_SESSION'[SESSION];s
                        ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'[YesNoAnswe
                                THEN BLOCK
                                        (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM Comple
                                PICK a,b FROM 'Yes'[YesNoAnswer];('x'[YesNoAnswer]
                                THEN BLOCK
                                        (CANNOT CHANGE V[YesNoAnswer*RentalCase] FROM
                        (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];se
                (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNe
            (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewB
    (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewBranchRC
    ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('_SESSION'[SESSION];ses
                THEN INSERT INTO sessionNewBranchRC[SESSION*RentalCase]
                        SELECTFROM 'a'[SESSION]*'b'[RentalCase]

                        (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewBranchRC
                PICK a,b FROM sessionNewBranchRC~;('_SESSION'[SESSION];sess
                THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
                                THEN INSERT INTO rcKeysHandedOverQ[Rental
                                        SELECTFROM 'a'[RentalCase]*'b'[Yes

                                (TO MAINTAIN  -('_SESSION'[SESSION]
                        PICK a,b FROM rcKeysHandedOverQ~;('a'[Rer
                        THEN ONE OF ONE NONEMPTY ALTERNATIVE OF
                                        THEN BLOCK
                                                (CANNOT CHANGE '
                                        PICK a,b FROM 'Yes'[Y
                                        THEN BLOCK
                                                (CANNOT CHANGE V
                                (MAINTAINING -('_SESSION'[SE
                                NEW x:YesNoAnswer;
                                  ALL of BLOCK
                                        (CANNOT CHANGE 'Yes
```

                                548

```
                                           BLOCK
                                              (CANNOT CHANGE V[Ye
                                   (MAINTAINING -('_SESSION'[
                                (MAINTAINING -('_SESSION'[SES
                         (MAINTAINING -('_SESSION'[SESSION];
               (MAINTAINING -('_SESSION'[SESSION];sessionNewBra
               NEW x:YesNoAnswer;
                 ALL of INSERT INTO rcKeysHandedOverQ[RentalCa
                           SELECTFROM 'a'[RentalCase]*'b'[RentalC

                           (TO MAINTAIN  -('_SESSION'[SESSION];se
                           ONE OF ONE NONEMPTY ALTERNATIVE OF PICK
                                       THEN BLOCK
                                            (CANNOT CHANGE 'Yes
                                       PICK a,b FROM 'Yes'[YesNo
                                       THEN BLOCK
                                            (CANNOT CHANGE V[Ye
                              (MAINTAINING -('_SESSION'[SESSI
                              NEW x:YesNoAnswer;
                                ALL of BLOCK
                                         (CANNOT CHANGE 'Yes'[Y
                                         BLOCK
                                         (CANNOT CHANGE V[YesNo
                                 (MAINTAINING -('_SESSION'[SES
                                 (MAINTAINING -('_SESSION'[SESSI
                           (MAINTAINING -('_SESSION'[SESSION];ses
                     (MAINTAINING -('_SESSION'[SESSION];sessionNew
                    (MAINTAINING -('_SESSION'[SESSION];sessionNewBra
               (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;
        (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBe
        NEW x:RentalCase;
          ALL of INSERT INTO sessionNewBranchRC[SESSION*RentalCase]
                   SELECTFROM ('_SESSION'[SESSION];sessionNewBranchRC;(renta

                   (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewBranchRC;(r
                   ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'[Rent
                               THEN INSERT INTO rcKeysHandedOverQ[RentalCas
                                  SELECTFROM 'a'[RentalCase]*'b'[YesNoAn

                               (TO MAINTAIN  -('_SESSION'[SESSION];se
                      PICK a,b FROM rcKeysHandedOverQ~;('x'[Rental
                      THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK
                                  THEN BLOCK
                                       (CANNOT CHANGE 'Yes
                                  PICK a,b FROM 'Yes'[YesN
                                  THEN BLOCK
                                       (CANNOT CHANGE V[Ye
                         (MAINTAINING -('_SESSION'[SESSI
                         NEW x:YesNoAnswer;
                           ALL of BLOCK
```

```
                                          (CANNOT CHANGE 'Yes'[Y
                                          BLOCK
                                          (CANNOT CHANGE V[YesNo
                        (MAINTAINING -('_SESSION'[SES
                          (MAINTAINING -('_SESSION'[SESSIO
                   (MAINTAINING -('_SESSION'[SESSION];ses
           (MAINTAINING -('_SESSION'[SESSION];sessionNewBranc
           NEW x:YesNoAnswer;
             ALL of INSERT INTO rcKeysHandedOverQ[RentalCase*
                        SELECTFROM 'x'[RentalCase]*('_SESSION'[S

                        (TO MAINTAIN  -('_SESSION'[SESSION];sessi
                        ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM
                              THEN BLOCK
                                          (CANNOT CHANGE 'Yes'[YesNoAns
                              PICK a,b FROM 'Yes'[YesNoAnswer];(
                              THEN BLOCK
                                          (CANNOT CHANGE V[YesNoAnswer*
                        (MAINTAINING -('_SESSION'[SESSION];session
                    (MAINTAINING -('_SESSION'[SESSION];sessionNewBran
                   (MAINTAINING -('_SESSION'[SESSION];sessionNewBranc
            (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(re
        (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHas
      (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBee
  (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenPromis
  ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (sessionNewBranchRC~;'_S
            THEN INSERT INTO rcKeysHandedOverQ[RentalCase*YesNoAnswer]
                   SELECTFROM 'a'[RentalCase]*'b'[YesNoAnswer]

                        (TO MAINTAIN  -(sessionNewBranchRC~;'_SESSION'[SESSION]
                   PICK a,b FROM rcKeysHandedOverQ~;(sessionNewBranchRC~;'_SES
                   THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
                              THEN BLOCK
                                          (CANNOT CHANGE 'Yes'[YesNoAnswer] F
                              PICK a,b FROM 'Yes'[YesNoAnswer];('a'[Ye
                              THEN BLOCK
                                          (CANNOT CHANGE V[YesNoAnswer*RentalC
                        (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[S
                   NEW x:YesNoAnswer;
                     ALL of BLOCK
                                 (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM
                                 BLOCK
                                 (CANNOT CHANGE V[YesNoAnswer*RentalCas
                        (MAINTAINING -(sessionNewBranchRC~;'_SESSION'
                        (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[S
                   (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION]
        (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewB
        NEW x:YesNoAnswer;
          ALL of INSERT INTO rcKeysHandedOverQ[RentalCase*YesNoAnswer]
                   SELECTFROM (sessionNewBranchRC~;'_SESSION'[SESSION];sess
```

550

```
                                       (TO MAINTAIN  -(sessionNewBranchRC~;'_SESSION'[SESSION];se
                        ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'[YesNoAnswer
                                 THEN BLOCK
                                         (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM Hand tl
                                    PICK a,b FROM 'Yes'[YesNoAnswer];('x'[YesNoAnswer]
                                 THEN BLOCK
                                         (CANNOT CHANGE V[YesNoAnswer*RentalCase] FROM
                            (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];se
                  (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNev
              (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewB:
(MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewBranchRC
INSERT INTO contractedPickupBranch[RentalCase*Branch]
 SELECTFROM (I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBrar

(TO MAINTAIN  -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];r
INSERT INTO Isn{detyp=Branch}
 SELECTFROM contractedPickupBranch~;(I[RentalCase] /\ rcBranchRequestedQ;

(TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ rcBranchRequeste
INSERT INTO contractedStartDate[RentalCase*Date]
 SELECTFROM (I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBrar

(TO MAINTAIN  -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];r
INSERT INTO Isn{detyp=Date}
 SELECTFROM contractedStartDate~;(I[RentalCase] /\ rcBranchRequestedQ;'Ye

(TO MAINTAIN  -(contractedStartDate~;(I[RentalCase] /\ rcBranchRequestedQ
ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('_SESSION'[SESSION];ses
                  THEN INSERT INTO sessionDroppedoffCar[SESSION*Car]
                       SELECTFROM 'a'[SESSION]*'b'[Car]

                      (TO MAINTAIN  -('_SESSION'[SESSION];sessionDroppedoffC
                  PICK a,b FROM sessionDroppedoffCar~;('_SESSION'[SESSION];se
                  THEN ALL of INSERT INTO Isn{detyp=Car}
                           SELECTFROM 'a'[Car]*'b'[Car]

                          (TO MAINTAIN  -('_SESSION'[SESSION];sessionDropp
                          ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM
                                     THEN INSERT INTO rcAssignedCar[Ren
                                         SELECTFROM 'b'[RentalCase]*

                                      (TO MAINTAIN  -('_SESSION'[SI
                                  PICK a,b FROM rcAssignedCar;('a'[C
                                  THEN ONE OF ONE NONEMPTY ALTERNAT]
                                                THEN ALL of INS
                                                        SI

                                          (TO
                                          DEI
```

SE

(TO
(MAINTAIN
PICK a,b FROM
THEN INSERT INT
SELECTFRO

(TO MAINT
(MAINTAINING -('_SESSI
NEW x:RentalCase;
ALL of ALL of INSERT
SELEC

(TO M
DELETE
SELEC

(TO M
(MAINTAINING
INSERT INTO
SELECTFROM

(TO MAINTAIN
(MAINTAINING -('_SES
(MAINTAINING -('_SESSI
(MAINTAINING -('_SESSION'[SE
(MAINTAINING -('_SESSION'[SESSION];sessi
NEW x:RentalCase;
ALL of INSERT INTO rcAssignedCar[Rental
SELECTFROM 'x'[RentalCase]*'b'

(TO MAINTAIN -('_SESSION'[SESS
ONE OF ONE NONEMPTY ALTERNATIVE
THEN ALL of INSERT
SELEC

(TO M
DELETE
SELEC

(TO M
(MAINTAINING
PICK a,b FROM (re
THEN INSERT INTO
SELECTFROM

(TO MAINTAIN
(MAINTAINING -('_SESSION
NEW x:RentalCase;

552

```
                                                ALL of ALL of INSERT I
                                                        SELECTF

                                                  (TO MAINT
                                                    DELETE F
                                                     SELECTF

                                                  (TO MAINT
                                       (MAINTAINING -(
                                        INSERT INTO rcA
                                         SELECTFROM 'x'

                                                  (TO MAINTAIN  -
                                       (MAINTAINING -('_SESSI
                                        (MAINTAINING -('_SESSION
                                   (MAINTAINING -('_SESSION'[SESSI
                              (MAINTAINING -('_SESSION'[SESSION];ses
                             (MAINTAINING -('_SESSION'[SESSION];sessi
                   (MAINTAINING -('_SESSION'[SESSION];sessionDropp
              (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCa
(MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar) \/ sessio
NEW x:Car;
   ALL of INSERT INTO sessionDroppedoffCar[SESSION*Car]
             SELECTFROM ('_SESSION'[SESSION];sessionDroppedoffCar /\

             (TO MAINTAIN  -('_SESSION'[SESSION];sessionDroppedoffCar)
             INSERT INTO Isn{detyp=Car}
              SELECTFROM 'x'[Car]*('_SESSION'[SESSION];sessionDroppedo

             (TO MAINTAIN  -('_SESSION'[SESSION];sessionDroppedoffCar)
             ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'[Car
                       THEN INSERT INTO rcAssignedCar[RentalCase*Ca
                             SELECTFROM 'b'[RentalCase]*'a'[Car]

                             (TO MAINTAIN  -('_SESSION'[SESSION];se
                    PICK a,b FROM rcAssignedCar;('x'[Car]*('_SES
                    THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PIC
                                    THEN ALL of INSERT INTO
                                             SELECTFROM

                                       (TO MAINTAIN
                                        DELETE FROM
                                         SELECTFROM

                                       (TO MAINTAIN
                             (MAINTAINING -('_SE
                    PICK a,b FROM (rentalHas
                    THEN INSERT INTO rcAssig
                             SELECTFROM 'a'[Ren
```

553

```
                                    (TO MAINTAIN  -('_SE
                  (MAINTAINING -('_SESSION'[SESSIO
                  NEW x:RentalCase;
                    ALL of ALL of INSERT INTO ren
                              SELECTFROM 'a'

                                    (TO MAINTAIN  -
                              DELETE FROM ren
                              SELECTFROM 'a'

                                    (TO MAINTAIN  -
                        (MAINTAINING -('_SESSIO
                        INSERT INTO rcAssigned
                        SELECTFROM 'x'[RentalC

                                    (TO MAINTAIN  -('_SESS
                        (MAINTAINING -('_SESSION'[SES
                        (MAINTAINING -('_SESSION'[SESSIO
                (MAINTAINING -('_SESSION'[SESSION];ses
        (MAINTAINING -('_SESSION'[SESSION];sessionDroppedo
        NEW x:RentalCase;
          ALL of INSERT INTO rcAssignedCar[RentalCase*Car]
                    SELECTFROM 'x'[RentalCase]*(sessionDropp

                        (TO MAINTAIN  -('_SESSION'[SESSION];sessi
                        ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a
                              THEN ALL of INSERT INTO ren
                                    SELECTFROM 'a'

                                    (TO MAINTAIN  -
                              DELETE FROM ren
                              SELECTFROM 'a'

                                    (TO MAINTAIN  -
                        (MAINTAINING -('_SESSIO
                        PICK a,b FROM (rentalHasBee
                        THEN INSERT INTO rcAssigned
                              SELECTFROM 'a'[Rental

                                    (TO MAINTAIN  -('_SESS
                  (MAINTAINING -('_SESSION'[SESSION]
                  NEW x:RentalCase;
                    ALL of INSERT INTO rentalHasBeen
                              SELECTFROM 'x'[RentalCas

                                    (TO MAINTAIN  -('_SESSION
                              DELETE FROM rentalHasBeenk
                              SELECTFROM 'x'[RentalCas

                                    (TO MAINTAIN  -('_SESSION
```

```
                                                    INSERT INTO rcAssignedCar
                                                       SELECTFROM 'x'[RentalCas

                                                    (TO MAINTAIN  -('_SESSION
                                               (MAINTAINING -('_SESSION'[SESSIO
                                             (MAINTAINING -('_SESSION'[SESSION]
                                       (MAINTAINING -('_SESSION'[SESSION];sessio
                                  (MAINTAINING -('_SESSION'[SESSION];sessionDroppe
                               (MAINTAINING -('_SESSION'[SESSION];sessionDroppedo
                         (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar)
                   (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar) \/ sess
              (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar) \/ session
        (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar) \/ sessionDroppe
INSERT INTO Isn{detyp=Car}
 SELECTFROM (sessionDroppedoffCar~;'_SESSION'[SESSION];sessionDroppedoffCa

(TO MAINTAIN  -(sessionDroppedoffCar~;'_SESSION'[SESSION];sessionDroppedo
ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((sessionDroppedoffCar~;
               THEN INSERT INTO rcAssignedCar[RentalCase*Car]
                   SELECTFROM 'b'[RentalCase]*'a'[Car]

                       (TO MAINTAIN  -(sessionDroppedoffCar~;'_SESSION'[SESSI
                 PICK a,b FROM rcAssignedCar;((sessionDroppedoffCar~;'_SESSI
                 THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
                                 THEN ALL of INSERT INTO rentalHasBeenSta
                                       SELECTFROM 'a'[RentalCase]*

                                   (TO MAINTAIN  -(sessionDropp
                                   DELETE FROM rentalHasBeenEnd
                                    SELECTFROM 'a'[RentalCase]*

                                   (TO MAINTAIN  -(sessionDropp
                         (MAINTAINING -(sessionDroppedoffCar
                 PICK a,b FROM (rentalHasBeenStarted~ /\
                 THEN INSERT INTO rcAssignedCar[RentalCase
                    SELECTFROM 'a'[RentalCase]*'b'[Car]

                                   (TO MAINTAIN  -(sessionDroppedoffCa
                         (MAINTAINING -(sessionDroppedoffCar~;'_SESSION'
                 NEW x:RentalCase;
                   ALL of ALL of INSERT INTO rentalHasBeenStarte
                                 SELECTFROM 'a'[RentalCase]*'b'

                                   (TO MAINTAIN  -(sessionDroppedo
                                   DELETE FROM rentalHasBeenEnded[
                                    SELECTFROM 'a'[RentalCase]*'b'

                                   (TO MAINTAIN  -(sessionDroppedo
                         (MAINTAINING -(sessionDroppedoffCar~;'_
                         INSERT INTO rcAssignedCar[RentalCase*Ca

                555
```

```
                                         SELECTFROM 'x'[RentalCase]*'a'[Rental(

                              (TO MAINTAIN  -(sessionDroppedoffCar~;
                    (MAINTAINING -(sessionDroppedoffCar~;'_SESSION
                      (MAINTAINING -(sessionDroppedoffCar~;'_SESSION'
                (MAINTAINING -(sessionDroppedoffCar~;'_SESSION'[SESSION
    (MAINTAINING -(sessionDroppedoffCar~;'_SESSION'[SESSION];sessionDr
NEW x:RentalCase;
   ALL of INSERT INTO rcAssignedCar[RentalCase*Car]
               SELECTFROM 'x'[RentalCase]*((sessionDroppedoffCar~;'_SES

              (TO MAINTAIN  -(sessionDroppedoffCar~;'_SESSION'[SESSION]
               ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'[Ren
                      THEN ALL of INSERT INTO rentalHasBeenStarte
                                  SELECTFROM 'a'[RentalCase]*'b'

                                    (TO MAINTAIN  -(sessionDroppedo
                                     DELETE FROM rentalHasBeenEnded[
                                      SELECTFROM 'a'[RentalCase]*'b'

                                    (TO MAINTAIN  -(sessionDroppedo
                              (MAINTAINING -(sessionDroppedoffCar~;'
                      PICK a,b FROM (rentalHasBeenStarted~ /\ -re
                      THEN INSERT INTO rcAssignedCar[RentalCase*C
                                  SELECTFROM 'a'[RentalCase]*'b'[Car]

                                    (TO MAINTAIN  -(sessionDroppedoffCar~;
                        (MAINTAINING -(sessionDroppedoffCar~;'_SESSION'[SE
                      NEW x:RentalCase;
                         ALL of INSERT INTO rentalHasBeenStarted[RentalCa
                                  SELECTFROM 'x'[RentalCase]*((sessionDrop

                                    (TO MAINTAIN  -(sessionDroppedoffCar~;'_S
                                     DELETE FROM rentalHasBeenEnded[RentalCase
                                      SELECTFROM 'x'[RentalCase]*((sessionDrop

                                    (TO MAINTAIN  -(sessionDroppedoffCar~;'_S
                                     INSERT INTO rcAssignedCar[RentalCase*Car]
                                      SELECTFROM 'x'[RentalCase]*'x'[RentalCase

                                    (TO MAINTAIN  -(sessionDroppedoffCar~;'_S
                        (MAINTAINING -(sessionDroppedoffCar~;'_SESSION'[
                       (MAINTAINING -(sessionDroppedoffCar~;'_SESSION'[SE
                (MAINTAINING -(sessionDroppedoffCar~;'_SESSION'[SESSION];
         (MAINTAINING -(sessionDroppedoffCar~;'_SESSION'[SESSION];session
       (MAINTAINING -(sessionDroppedoffCar~;'_SESSION'[SESSION];sessionDr
  (MAINTAINING -(sessionDroppedoffCar~;'_SESSION'[SESSION];sessionDroppedof
ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('_SESSION'[SESSION];sessionDro
          THEN BLOCK
               (CANNOT CHANGE V[SESSION*RentalCase] FROM Car drop-off handli
```

```
PICK a,b FROM V[RentalCase*SESSION];('_SESSION'[SESSION];sessionDr
THEN ALL of INSERT INTO Isn{detyp=RentalCase}
            SELECTFROM 'a'[RentalCase]*'b'[RentalCase]

            (TO MAINTAIN  -('_SESSION'[SESSION];sessionDroppedoffC
            ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[
                      THEN INSERT INTO rentalIsPaidQ[RentalCase
                           SELECTFROM 'a'[RentalCase]*'b'[Yes

                           (TO MAINTAIN  -('_SESSION'[SESSION]
                      PICK a,b FROM rentalIsPaidQ~;('a'[RentalC
                      THEN ONE OF ONE NONEMPTY ALTERNATIVE OF P
                                 THEN BLOCK
                                      (CANNOT CHANGE 'Y
                                 PICK a,b FROM 'Yes'[Ye
                                 THEN INSERT INTO renta
                                      SELECTFROM 'b'[R

                                 (TO MAINTAIN  -(
                           (MAINTAINING -('_SESSION'[SES
                           NEW x:YesNoAnswer;
                             ALL of BLOCK
                                      (CANNOT CHANGE 'Yes
                                      INSERT INTO rentalIs
                                       SELECTFROM 'b'[Ren

                                      (TO MAINTAIN  -('_S
                              (MAINTAINING -('_SESSION'[S
                           (MAINTAINING -('_SESSION'[SES
                      (MAINTAINING -('_SESSION'[SESSION];
            (MAINTAINING -('_SESSION'[SESSION];sessionDropp
            NEW x:YesNoAnswer;
              ALL of INSERT INTO rentalIsPaidQ[RentalCase*Y
                     SELECTFROM 'a'[RentalCase]*'b'[RentalC

                     (TO MAINTAIN  -('_SESSION'[SESSION];se
                     ONE OF ONE NONEMPTY ALTERNATIVE OF PIC
                                 THEN BLOCK
                                      (CANNOT CHANGE 'Yes
                                 PICK a,b FROM 'Yes'[YesN
                                 THEN INSERT INTO rentalI
                                      SELECTFROM 'b'[Rent

                                 (TO MAINTAIN  -('_S
                           (MAINTAINING -('_SESSION'[SESSIO
                           NEW x:YesNoAnswer;
                             ALL of BLOCK
                                      (CANNOT CHANGE 'Yes'[Y
                                      INSERT INTO rentalIsPai
                                       SELECTFROM 'b'[RentalC

                                  557
```

```
                                                    (TO MAINTAIN  -('_SESS
                                          (MAINTAINING -('_SESSION'[SES
                                        (MAINTAINING -('_SESSION'[SESSI
                               (MAINTAINING -('_SESSION'[SESSION];ses
                           (MAINTAINING -('_SESSION'[SESSION];sessionDro
                          (MAINTAINING -('_SESSION'[SESSION];sessionDropp
                    (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCa
                 (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar;rcAss
            (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssignedCar~;(I
    (MAINTAINING -I[SESSION] \/ sessionToday;sessionToday~ FROM Initialize today's da
    (MAINTAINING -('_SESSION'[SESSION];sessionNewUserRC) \/ sessionNewUserRC;rcUserRC
    (MAINTAINING -('_SESSION'[SESSION];sessionNewUserRC) \/ sessionNewUserRC;rcUserRC
    (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC) \/ sessionNewBranchRC;rcBr
    (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC) \/ sessionNewBranchRC;rcBr
    (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenPromised /\ :
    (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenPromised /\ :
    (MAINTAINING -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchRe
    (MAINTAINING -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchRe
    (MAINTAINING -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchRe
    (MAINTAINING -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchRe
    (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar) \/ sessionDroppedoffCar
    (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar) \/ sessionDroppedoffCar
    (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssignedCar~;(I[Rental


------ Derivation ----->


        ALL of ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (I[SESSION] /\ -(sessionToday
                      THEN INSERT INTO sessionToday[SESSION*Date]
                          SELECTFROM 'a'[SESSION]*'b'[Date]

                          (TO MAINTAIN  -I[SESSION] \/ sessionToday;sessionToday~ FRO
                    PICK a,b FROM sessionToday~;(I[SESSION] /\ -(sessionToday;sessio
                    THEN INSERT INTO sessionToday[SESSION*Date]
                        SELECTFROM 'b'[SESSION]*'a'[Date]

                          (TO MAINTAIN  -I[SESSION] \/ sessionToday;sessionToday~ FRO
              (MAINTAINING -I[SESSION] \/ sessionToday;sessionToday~ FROM Initialize
              NEW x:Date;
                INSERT INTO sessionToday[SESSION*Date]
                  SELECTFROM (I[SESSION] /\ -(sessionToday;sessionToday~))*'x'[Date]

                  (TO MAINTAIN  -I[SESSION] \/ sessionToday;sessionToday~ FROM Initiali
                 (MAINTAINING -I[SESSION] \/ sessionToday;sessionToday~ FROM Initialize
         (MAINTAINING -I[SESSION] \/ sessionToday;sessionToday~ FROM Initialize today's
         ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('_SESSION'[SESSION];sessionN
                      THEN INSERT INTO sessionNewUserRC[SESSION*RentalCase]
                          SELECTFROM 'a'[SESSION]*'b'[RentalCase]
```

```
                       (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewUserRC) \/ se
           PICK a,b FROM sessionNewUserRC~;('_SESSION'[SESSION];sessionNewU
           THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[Renta
                         THEN INSERT INTO rcUserRequestedQ[RentalCase*
                           SELECTFROM 'a'[RentalCase]*'b'[YesNoAns

                         (TO MAINTAIN  -('_SESSION'[SESSION];sess
                    PICK a,b FROM rcUserRequestedQ~;('a'[RentalCa
                    THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK
                                   THEN BLOCK
                                        (CANNOT CHANGE 'Yes'[
                                   PICK a,b FROM 'Yes'[YesNoA
                                   THEN BLOCK
                                        (CANNOT CHANGE V[YesN
                          (MAINTAINING -('_SESSION'[SESSION
                          NEW x:YesNoAnswer;
                            ALL of BLOCK
                                        (CANNOT CHANGE 'Yes'[Yes
                                        BLOCK
                                        (CANNOT CHANGE V[YesNoAn
                              (MAINTAINING -('_SESSION'[SESSI
                          (MAINTAINING -('_SESSION'[SESSION
                      (MAINTAINING -('_SESSION'[SESSION];sessi
                 (MAINTAINING -('_SESSION'[SESSION];sessionNewUserRC)
                NEW x:YesNoAnswer;
                   ALL of INSERT INTO rcUserRequestedQ[RentalCase*Yes
                            SELECTFROM 'a'[RentalCase]*'b'[RentalCase]

                         (TO MAINTAIN  -('_SESSION'[SESSION];session
                    ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b
                                   THEN BLOCK
                                        (CANNOT CHANGE 'Yes'[Yes
                                   PICK a,b FROM 'Yes'[YesNoAnsw
                                   THEN BLOCK
                                        (CANNOT CHANGE V[YesNoAn
                           (MAINTAINING -('_SESSION'[SESSION];s
                          NEW x:YesNoAnswer;
                            ALL of BLOCK
                                        (CANNOT CHANGE 'Yes'[YesNoA
                                        BLOCK
                                        (CANNOT CHANGE V[YesNoAnswe
                              (MAINTAINING -('_SESSION'[SESSION]
                          (MAINTAINING -('_SESSION'[SESSION];s
                      (MAINTAINING -('_SESSION'[SESSION];sessionN
                 (MAINTAINING -('_SESSION'[SESSION];sessionNewUserR
                (MAINTAINING -('_SESSION'[SESSION];sessionNewUserRC)
            (MAINTAINING -('_SESSION'[SESSION];sessionNewUserRC) \/ ses
     (MAINTAINING -('_SESSION'[SESSION];sessionNewUserRC) \/ sessionNewUserR
     NEW x:RentalCase;
```

```
                      ALL of INSERT INTO sessionNewUserRC[SESSION*RentalCase]
                        SELECTFROM ('_SESSION'[SESSION];sessionNewUserRC /\ -(session

                  (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewUserRC) \/ sessi
                ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'[RentalCa
                        THEN INSERT INTO rcUserRequestedQ[RentalCase*Yes
                          SELECTFROM 'a'[RentalCase]*'b'[YesNoAnswer

                          (TO MAINTAIN  -('_SESSION'[SESSION];session
                        PICK a,b FROM rcUserRequestedQ~;('x'[RentalCase]
                        THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b
                                        THEN BLOCK
                                              (CANNOT CHANGE 'Yes'[Yes
                                        PICK a,b FROM 'Yes'[YesNoAnsw
                                        THEN BLOCK
                                              (CANNOT CHANGE V[YesNoAn
                              (MAINTAINING -('_SESSION'[SESSION];s
                            NEW x:YesNoAnswer;
                              ALL of BLOCK
                                        (CANNOT CHANGE 'Yes'[YesNoA
                                        BLOCK
                                        (CANNOT CHANGE V[YesNoAnswe
                              (MAINTAINING -('_SESSION'[SESSION]
                            (MAINTAINING -('_SESSION'[SESSION];s
                        (MAINTAINING -('_SESSION'[SESSION];sessionN
                  (MAINTAINING -('_SESSION'[SESSION];sessionNewUserRC) \/
                NEW x:YesNoAnswer;
                  ALL of INSERT INTO rcUserRequestedQ[RentalCase*YesNoA
                        SELECTFROM 'x'[RentalCase]*('_SESSION'[SESSIO

                      (TO MAINTAIN  -('_SESSION'[SESSION];sessionNew
                      ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'
                            THEN BLOCK
                                    (CANNOT CHANGE 'Yes'[YesNoAnswer]
                            PICK a,b FROM 'Yes'[YesNoAnswer];('x'[Y
                            THEN BLOCK
                                    (CANNOT CHANGE V[YesNoAnswer*Renta
                        (MAINTAINING -('_SESSION'[SESSION];sessionNewU
                      (MAINTAINING -('_SESSION'[SESSION];sessionNewUserRC)
                    (MAINTAINING -('_SESSION'[SESSION];sessionNewUserRC) \/
              (MAINTAINING -('_SESSION'[SESSION];sessionNewUserRC) \/ sessio
          (MAINTAINING -('_SESSION'[SESSION];sessionNewUserRC) \/ sessionNewUse
        (MAINTAINING -('_SESSION'[SESSION];sessionNewUserRC) \/ sessionNewUserR
  (MAINTAINING -('_SESSION'[SESSION];sessionNewUserRC) \/ sessionNewUserRC;rcUse
ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (sessionNewUserRC~;'_SESSION'
          THEN INSERT INTO rcUserRequestedQ[RentalCase*YesNoAnswer]
              SELECTFROM 'a'[RentalCase]*'b'[YesNoAnswer]

              (TO MAINTAIN  -(sessionNewUserRC~;'_SESSION'[SESSION];sessi
            PICK a,b FROM rcUserRequestedQ~;(sessionNewUserRC~;'_SESSION'[SE
```

```
THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[YesNo
                THEN BLOCK
                        (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM S
                PICK a,b FROM 'Yes'[YesNoAnswer];('a'[YesNoAn
                THEN BLOCK
                        (CANNOT CHANGE V[YesNoAnswer*RentalCase]
            (MAINTAINING -(sessionNewUserRC~;'_SESSION'[SESSION]
            NEW x:YesNoAnswer;
              ALL of BLOCK
                        (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM Subm
                        BLOCK
                        (CANNOT CHANGE V[YesNoAnswer*RentalCase] FR
                 (MAINTAINING -(sessionNewUserRC~;'_SESSION'[SESSIO
                 (MAINTAINING -(sessionNewUserRC~;'_SESSION'[SESSION]
             (MAINTAINING -(sessionNewUserRC~;'_SESSION'[SESSION];sessio
     (MAINTAINING -(sessionNewUserRC~;'_SESSION'[SESSION];sessionNewUserRC)
     NEW x:YesNoAnswer;
       ALL of INSERT INTO rcUserRequestedQ[RentalCase*YesNoAnswer]
              SELECTFROM (sessionNewUserRC~;'_SESSION'[SESSION];sessionNewU

          (TO MAINTAIN  -(sessionNewUserRC~;'_SESSION'[SESSION];sessionN
          ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'[YesNoAnswer]*(s
                THEN BLOCK
                        (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM Submit rent
                PICK a,b FROM 'Yes'[YesNoAnswer];('x'[YesNoAnswer]*(ses
                THEN BLOCK
                        (CANNOT CHANGE V[YesNoAnswer*RentalCase] FROM Subm
            (MAINTAINING -(sessionNewUserRC~;'_SESSION'[SESSION];sessionNe
        (MAINTAINING -(sessionNewUserRC~;'_SESSION'[SESSION];sessionNewUserRC
      (MAINTAINING -(sessionNewUserRC~;'_SESSION'[SESSION];sessionNewUserRC)
  (MAINTAINING -(sessionNewUserRC~;'_SESSION'[SESSION];sessionNewUserRC) \/ rcUs
ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('_SESSION'[SESSION];sessionN
          THEN INSERT INTO sessionNewBranchRC[SESSION*RentalCase]
               SELECTFROM 'a'[SESSION]*'b'[RentalCase]

              (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewBranchRC) \/
          PICK a,b FROM sessionNewBranchRC~;('_SESSION'[SESSION];sessionNe
          THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[Renta
                          THEN INSERT INTO rcBranchRequestedQ[RentalCas
                               SELECTFROM 'a'[RentalCase]*'b'[YesNoAns

                          (TO MAINTAIN  -('_SESSION'[SESSION];sess
                          PICK a,b FROM rcBranchRequestedQ~;('a'[Rental
                          THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK
                                          THEN BLOCK
                                                (CANNOT CHANGE 'Yes'[
                                          PICK a,b FROM 'Yes'[YesNoA
                                          THEN BLOCK
                                                (CANNOT CHANGE V[YesN
                                      (MAINTAINING -('_SESSION'[SESSION
```

561

```
                                    NEW x:YesNoAnswer;
                                 ALL of BLOCK
                                        (CANNOT CHANGE 'Yes'[Yes
                                        BLOCK
                                        (CANNOT CHANGE V[YesNoAn
                                   (MAINTAINING -('_SESSION'[SESSI
                                   (MAINTAINING -('_SESSION'[SESSION
                                (MAINTAINING -('_SESSION'[SESSION];sessi
                          (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchR
                          NEW x:YesNoAnswer;
                             ALL of INSERT INTO rcBranchRequestedQ[RentalCase*Y
                                   SELECTFROM 'a'[RentalCase]*'b'[RentalCase]


                                   (TO MAINTAIN  -('_SESSION'[SESSION];session
                                   ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b
                                            THEN BLOCK
                                                   (CANNOT CHANGE 'Yes'[Yes
                                            PICK a,b FROM 'Yes'[YesNoAnsw
                                            THEN BLOCK
                                                   (CANNOT CHANGE V[YesNoAn
                                      (MAINTAINING -('_SESSION'[SESSION];s
                                   NEW x:YesNoAnswer;
                                      ALL of BLOCK
                                             (CANNOT CHANGE 'Yes'[YesNoA
                                             BLOCK
                                             (CANNOT CHANGE V[YesNoAnswe
                                      (MAINTAINING -('_SESSION'[SESSION]
                                   (MAINTAINING -('_SESSION'[SESSION];s
                                (MAINTAINING -('_SESSION'[SESSION];sessionN
                             (MAINTAINING -('_SESSION'[SESSION];sessionNewBranc
                          (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchR
                    (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC) \/ s
          (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC) \/ sessionNewBra
          NEW x:RentalCase;
             ALL of INSERT INTO sessionNewBranchRC[SESSION*RentalCase]
                    SELECTFROM ('_SESSION'[SESSION];sessionNewBranchRC /\ -(sessi


                 (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewBranchRC) \/ ses
                 ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'[RentalCa
                          THEN INSERT INTO rcBranchRequestedQ[RentalCase*Y
                                   SELECTFROM 'a'[RentalCase]*'b'[YesNoAnswer


                                   (TO MAINTAIN  -('_SESSION'[SESSION];session
                                   PICK a,b FROM rcBranchRequestedQ~;('x'[RentalCas
                                   THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b
                                            THEN BLOCK
                                                   (CANNOT CHANGE 'Yes'[Yes
                                            PICK a,b FROM 'Yes'[YesNoAnsw
                                            THEN BLOCK
                                                   (CANNOT CHANGE V[YesNoAn
```

```
                                            (MAINTAINING -('_SESSION'[SESSION];s
                              NEW x:YesNoAnswer;
                                ALL of BLOCK
                                        (CANNOT CHANGE 'Yes'[YesNoA
                                        BLOCK
                                        (CANNOT CHANGE V[YesNoAnswe
                                 (MAINTAINING -('_SESSION'[SESSION]
                               (MAINTAINING -('_SESSION'[SESSION];s
                         (MAINTAINING -('_SESSION'[SESSION];sessionN
                  (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC)
                  NEW x:YesNoAnswer;
                    ALL of INSERT INTO rcBranchRequestedQ[RentalCase*YesN
                         SELECTFROM 'x'[RentalCase]*('_SESSION'[SESSIO


                         (TO MAINTAIN  -('_SESSION'[SESSION];sessionNew
                         ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'
                                 THEN BLOCK
                                        (CANNOT CHANGE 'Yes'[YesNoAnswer]
                                 PICK a,b FROM 'Yes'[YesNoAnswer];('x'[Y
                                 THEN BLOCK
                                        (CANNOT CHANGE V[YesNoAnswer*Renta
                            (MAINTAINING -('_SESSION'[SESSION];sessionNewB
                         (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC
                       (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC)
                 (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC) \/ sess
            (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC) \/ sessionNewB
        (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC) \/ sessionNewBra
 (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC) \/ sessionNewBranchRC;r
ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (sessionNewBranchRC~;'_SESSIO
            THEN INSERT INTO rcBranchRequestedQ[RentalCase*YesNoAnswer]
                 SELECTFROM 'a'[RentalCase]*'b'[YesNoAnswer]


            (TO MAINTAIN  -(sessionNewBranchRC~;'_SESSION'[SESSION];ses
          PICK a,b FROM rcBranchRequestedQ~;(sessionNewBranchRC~;'_SESSION
          THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[YesNo
                        THEN BLOCK
                                (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM C
                        PICK a,b FROM 'Yes'[YesNoAnswer];('a'[YesNoAn
                        THEN BLOCK
                                (CANNOT CHANGE V[YesNoAnswer*RentalCase]
                  (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSIO
                  NEW x:YesNoAnswer;
                    ALL of BLOCK
                            (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM Comp
                            BLOCK
                            (CANNOT CHANGE V[YesNoAnswer*RentalCase] FR
                     (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESS
                    (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSIO
                (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];sess
         (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewBranch
```

563

```
                        NEW x:YesNoAnswer;
                  ALL of INSERT INTO rcBranchRequestedQ[RentalCase*YesNoAnswer]
                        SELECTFROM (sessionNewBranchRC~;'_SESSION'[SESSION];sessionNe

                  (TO MAINTAIN  -(sessionNewBranchRC~;'_SESSION'[SESSION];sessio
                  ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'[YesNoAnswer]*(s
                        THEN BLOCK
                              (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM Complete br
                        PICK a,b FROM 'Yes'[YesNoAnswer];('x'[YesNoAnswer]*(ses
                        THEN BLOCK
                              (CANNOT CHANGE V[YesNoAnswer*RentalCase] FROM Comp
                  (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];session
              (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewBran
            (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewBranch
    (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewBranchRC) \/
    ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('_SESSION'[SESSION];sessionN
                  THEN INSERT INTO sessionNewBranchRC[SESSION*RentalCase]
                        SELECTFROM 'a'[SESSION]*'b'[RentalCase]

                  (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewBranchRC;(ren
                  PICK a,b FROM sessionNewBranchRC~;('_SESSION'[SESSION];sessionNe
                  THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[Renta
                              THEN INSERT INTO rcKeysHandedOverQ[RentalCase
                                    SELECTFROM 'a'[RentalCase]*'b'[YesNoAns

                              (TO MAINTAIN  -('_SESSION'[SESSION];sess
                              PICK a,b FROM rcKeysHandedOverQ~;('a'[RentalC
                              THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK
                                          THEN BLOCK
                                                (CANNOT CHANGE 'Yes'[
                                          PICK a,b FROM 'Yes'[YesNoA
                                          THEN BLOCK
                                                (CANNOT CHANGE V[YesN
                              (MAINTAINING -('_SESSION'[SESSION
                              NEW x:YesNoAnswer;
                                ALL of BLOCK
                                          (CANNOT CHANGE 'Yes'[Yes
                                          BLOCK
                                          (CANNOT CHANGE V[YesNoAn
                                  (MAINTAINING -('_SESSION'[SESSI
                                (MAINTAINING -('_SESSION'[SESSION
                              (MAINTAINING -('_SESSION'[SESSION];sessi
                  (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchR
                  NEW x:YesNoAnswer;
                    ALL of INSERT INTO rcKeysHandedOverQ[RentalCase*Ye
                            SELECTFROM 'a'[RentalCase]*'b'[RentalCase]

                          (TO MAINTAIN  -('_SESSION'[SESSION];session
                          ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b
                                          THEN BLOCK
```

```
                                          (CANNOT CHANGE 'Yes'[Yes
                              PICK a,b FROM 'Yes'[YesNoAnsw
                              THEN BLOCK
                                      (CANNOT CHANGE V[YesNoAn
                      (MAINTAINING -('_SESSION'[SESSION];s
                      NEW x:YesNoAnswer;
                        ALL of BLOCK
                                  (CANNOT CHANGE 'Yes'[YesNoA
                                  BLOCK
                                  (CANNOT CHANGE V[YesNoAnswe
                      (MAINTAINING -('_SESSION'[SESSION]
                      (MAINTAINING -('_SESSION'[SESSION];s
                (MAINTAINING -('_SESSION'[SESSION];sessionN
            (MAINTAINING -('_SESSION'[SESSION];sessionNewBranc
              (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchR
          (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rent
(MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenPro
NEW x:RentalCase;
  ALL of INSERT INTO sessionNewBranchRC[SESSION*RentalCase]
          SELECTFROM ('_SESSION'[SESSION];sessionNewBranchRC;(rentalHas


        (TO MAINTAIN  -('_SESSION'[SESSION];sessionNewBranchRC;(rental
        ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'[RentalCa
                THEN INSERT INTO rcKeysHandedOverQ[RentalCase*Ye
                    SELECTFROM 'a'[RentalCase]*'b'[YesNoAnswer


                    (TO MAINTAIN  -('_SESSION'[SESSION];session
                PICK a,b FROM rcKeysHandedOverQ~;('x'[RentalCase
                THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b
                              THEN BLOCK
                                      (CANNOT CHANGE 'Yes'[Yes
                              PICK a,b FROM 'Yes'[YesNoAnsw
                              THEN BLOCK
                                      (CANNOT CHANGE V[YesNoAn
                      (MAINTAINING -('_SESSION'[SESSION];s
                      NEW x:YesNoAnswer;
                        ALL of BLOCK
                                  (CANNOT CHANGE 'Yes'[YesNoA
                                  BLOCK
                                  (CANNOT CHANGE V[YesNoAnswe
                      (MAINTAINING -('_SESSION'[SESSION]
                      (MAINTAINING -('_SESSION'[SESSION];s
                  (MAINTAINING -('_SESSION'[SESSION];sessionN
              (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(
                      NEW x:YesNoAnswer;
                ALL of INSERT INTO rcKeysHandedOverQ[RentalCase*YesNo
                      SELECTFROM 'x'[RentalCase]*('_SESSION'[SESSIO


                    (TO MAINTAIN  -('_SESSION'[SESSION];sessionNew
                    ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'
```

565

```
                                        THEN BLOCK
                                            (CANNOT CHANGE 'Yes'[YesNoAnswer]
                                        PICK a,b FROM 'Yes'[YesNoAnswer];('x'[Y
                                        THEN BLOCK
                                            (CANNOT CHANGE V[YesNoAnswer*Renta
                            (MAINTAINING -('_SESSION'[SESSION];sessionNewB
                          (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC
                        (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(
                  (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalH
            (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenP
        (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenPro
 (MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC;(rentalHasBeenPromised /
ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM (sessionNewBranchRC~;'_SESSIO
              THEN INSERT INTO rcKeysHandedOverQ[RentalCase*YesNoAnswer]
                    SELECTFROM 'a'[RentalCase]*'b'[YesNoAnswer]


                    (TO MAINTAIN  -(sessionNewBranchRC~;'_SESSION'[SESSION];ses
               PICK a,b FROM rcKeysHandedOverQ~;(sessionNewBranchRC~;'_SESSION'
               THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[YesNo
                              THEN BLOCK
                                  (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM H
                              PICK a,b FROM 'Yes'[YesNoAnswer];('a'[YesNoAn
                              THEN BLOCK
                                  (CANNOT CHANGE V[YesNoAnswer*RentalCase]
                      (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSIO
                      NEW x:YesNoAnswer;
                        ALL of BLOCK
                              (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM Hand
                              BLOCK
                                  (CANNOT CHANGE V[YesNoAnswer*RentalCase] FR
                      (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESS
                      (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSIO
                  (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];sess
          (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewBranch
          NEW x:YesNoAnswer;
             ALL of INSERT INTO rcKeysHandedOverQ[RentalCase*YesNoAnswer]
                    SELECTFROM (sessionNewBranchRC~;'_SESSION'[SESSION];sessionNe


                    (TO MAINTAIN  -(sessionNewBranchRC~;'_SESSION'[SESSION];sessio
                    ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'[YesNoAnswer]*(s
                            THEN BLOCK
                                (CANNOT CHANGE 'Yes'[YesNoAnswer] FROM Hand the ca
                            PICK a,b FROM 'Yes'[YesNoAnswer];('x'[YesNoAnswer]*(ses
                            THEN BLOCK
                                (CANNOT CHANGE V[YesNoAnswer*RentalCase] FROM Hand
                    (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];session
                  (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewBran
              (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewBranch
 (MAINTAINING -(sessionNewBranchRC~;'_SESSION'[SESSION];sessionNewBranchRC;(ren
 INSERT INTO contractedPickupBranch[RentalCase*Branch]


                              566
```

```
          SELECTFROM (I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchRe

(TO MAINTAIN  -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBran
INSERT INTO Isn{detyp=Branch}
 SELECTFROM contractedPickupBranch~;(I[RentalCase] /\ rcBranchRequestedQ;'Yes'

(TO MAINTAIN  -(contractedPickupBranch~;(I[RentalCase] /\ rcBranchRequestedQ;'
INSERT INTO contractedStartDate[RentalCase*Date]
 SELECTFROM (I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchRe

(TO MAINTAIN  -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBran
INSERT INTO Isn{detyp=Date}
 SELECTFROM contractedStartDate~;(I[RentalCase] /\ rcBranchRequestedQ;'Yes'[Ye

(TO MAINTAIN  -(contractedStartDate~;(I[RentalCase] /\ rcBranchRequestedQ;'Yes
ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('_SESSION'[SESSION];sessionD
              THEN INSERT INTO sessionDroppedoffCar[SESSION*Car]
                     SELECTFROM 'a'[SESSION]*'b'[Car]

                   (TO MAINTAIN  -('_SESSION'[SESSION];sessionDroppedoffCar) \
              PICK a,b FROM sessionDroppedoffCar~;('_SESSION'[SESSION];session
              THEN ALL of INSERT INTO Isn{detyp=Car}
                           SELECTFROM 'a'[Car]*'b'[Car]

                         (TO MAINTAIN  -('_SESSION'[SESSION];sessionDroppedof
                         ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a
                                    THEN INSERT INTO rcAssignedCar[RentalC
                                       SELECTFROM 'b'[RentalCase]*'a'[C

                                      (TO MAINTAIN  -('_SESSION'[SESSIO
                                 PICK a,b FROM rcAssignedCar;('a'[Car]*
                                 THEN ONE OF ONE NONEMPTY ALTERNATIVE O
                                             THEN ALL of INSERT
                                                       SELECT

                                                 (TO MAI
                                                 DELETE
                                                 SELECT

                                                 (TO MAI
                                           (MAINTAINING -
                                      PICK a,b FROM (rent
                                      THEN INSERT INTO rc
                                             SELECTFROM 'a

                                        (TO MAINTAIN
                                  (MAINTAINING -('_SESSION'[
                                  NEW x:RentalCase;
                                    ALL of ALL of INSERT INT
                                                 SELECTFRO


                567
```

```
                                               (MAINTAINING -('_SESSION'[S
                                          (MAINTAINING -('_SESSION'[SES
                                     (MAINTAINING -('_SESSION'[SESSION];s
                                (MAINTAINING -('_SESSION'[SESSION];sessionD
                               (MAINTAINING -('_SESSION'[SESSION];sessionDro
                          (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoff
                    (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar) \/
         (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar) \/ sessionDrop
NEW x:Car;
   ALL of INSERT INTO sessionDroppedoffCar[SESSION*Car]
            SELECTFROM ('_SESSION'[SESSION];sessionDroppedoffCar /\ -(ses

         (TO MAINTAIN  -('_SESSION'[SESSION];sessionDroppedoffCar) \/ s
         INSERT INTO Isn{detyp=Car}
          SELECTFROM 'x'[Car]*('_SESSION'[SESSION];sessionDroppedoffCar

         (TO MAINTAIN  -('_SESSION'[SESSION];sessionDroppedoffCar) \/ s
         ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'[Car]*('_
                   THEN INSERT INTO rcAssignedCar[RentalCase*Car]
                         SELECTFROM 'b'[RentalCase]*'a'[Car]

                        (TO MAINTAIN  -('_SESSION'[SESSION];session
                    PICK a,b FROM rcAssignedCar;('x'[Car]*('_SESSION
                    THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b
                              THEN ALL of INSERT INTO renta
                                         SELECTFROM 'a'[R

                                    (TO MAINTAIN  -('
                                    DELETE FROM renta
                                    SELECTFROM 'a'[R

                                    (TO MAINTAIN  -('
                             (MAINTAINING -('_SESSION
                             PICK a,b FROM (rentalHasBeenS
                             THEN INSERT INTO rcAssignedCa
                                  SELECTFROM 'a'[RentalCa

                                   (TO MAINTAIN  -('_SESSIO
                             (MAINTAINING -('_SESSION'[SESSION];s
                             NEW x:RentalCase;
                               ALL of ALL of INSERT INTO rentalHa
                                             SELECTFROM 'a'[Rent

                                       (TO MAINTAIN  -('_SE
                                       DELETE FROM rentalHa
                                       SELECTFROM 'a'[Rent

                                       (TO MAINTAIN  -('_SE
                                 (MAINTAINING -('_SESSION'[S
                                 INSERT INTO rcAssignedCar[R
```

569

```
                                        SELECTFROM 'x'[RentalCase]

                        (TO MAINTAIN  -('_SESSION'[
                    (MAINTAINING -('_SESSION'[SESSION]
                   (MAINTAINING -('_SESSION'[SESSION];s
                (MAINTAINING -('_SESSION'[SESSION];sessionD
            (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar
                NEW x:RentalCase;
                  ALL of INSERT INTO rcAssignedCar[RentalCase*Car]
                        SELECTFROM 'x'[RentalCase]*(sessionDroppedoff

                        (TO MAINTAIN  -('_SESSION'[SESSION];sessionDro
                   ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FR
                            THEN ALL of INSERT INTO rentalHa
                                SELECTFROM 'a'[Rent

                                    (TO MAINTAIN  -('_SE
                                    DELETE FROM rentalHa
                                    SELECTFROM 'a'[Rent

                                    (TO MAINTAIN  -('_SE
                            (MAINTAINING -('_SESSION'[S
                       PICK a,b FROM (rentalHasBeenStar
                       THEN INSERT INTO rcAssignedCar[R
                            SELECTFROM 'a'[RentalCase]

                            (TO MAINTAIN  -('_SESSION'[
                   (MAINTAINING -('_SESSION'[SESSION];sess
                NEW x:RentalCase;
                  ALL of INSERT INTO rentalHasBeenStart
                            SELECTFROM 'x'[RentalCase]*'x

                            (TO MAINTAIN  -('_SESSION'[SES
                            DELETE FROM rentalHasBeenEnded
                            SELECTFROM 'x'[RentalCase]*'x

                            (TO MAINTAIN  -('_SESSION'[SES
                            INSERT INTO rcAssignedCar[Rent
                            SELECTFROM 'x'[RentalCase]*'x

                            (TO MAINTAIN  -('_SESSION'[SES
                   (MAINTAINING -('_SESSION'[SESSION];se
                   (MAINTAINING -('_SESSION'[SESSION];sess
                (MAINTAINING -('_SESSION'[SESSION];sessionDrop
              (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffC
             (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar
          (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar) \/ se
       (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar) \/ sessionDr
     (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar) \/ sessionDrop
  (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar) \/ sessionDroppedoffC
```

```
INSERT INTO Isn{detyp=Car}
 SELECTFROM (sessionDroppedoffCar~;'_SESSION'[SESSION];sessionDroppedoffCar /\

(TO MAINTAIN  -(sessionDroppedoffCar~;'_SESSION'[SESSION];sessionDroppedoffCar
ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ((sessionDroppedoffCar~;'_SES
              THEN INSERT INTO rcAssignedCar[RentalCase*Car]
                   SELECTFROM 'b'[RentalCase]*'a'[Car]

                  (TO MAINTAIN  -(sessionDroppedoffCar~;'_SESSION'[SESSION];s
              PICK a,b FROM rcAssignedCar;((sessionDroppedoffCar~;'_SESSION'[S
              THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[Renta
                            THEN ALL of INSERT INTO rentalHasBeenStarted[
                                 SELECTFROM 'a'[RentalCase]*'b'[R

                                (TO MAINTAIN  -(sessionDroppedoff
                                DELETE FROM rentalHasBeenEnded[Re
                                 SELECTFROM 'a'[RentalCase]*'b'[R

                                (TO MAINTAIN  -(sessionDroppedoff
                            (MAINTAINING -(sessionDroppedoffCar~;'_S
                      PICK a,b FROM (rentalHasBeenStarted~ /\ -rent
                      THEN INSERT INTO rcAssignedCar[RentalCase*Car
                           SELECTFROM 'a'[RentalCase]*'b'[Car]

                              (TO MAINTAIN  -(sessionDroppedoffCar~;'_
                    (MAINTAINING -(sessionDroppedoffCar~;'_SESSION'[SESS
                    NEW x:RentalCase;
                       ALL of ALL of INSERT INTO rentalHasBeenStarted[Ren
                                     SELECTFROM 'a'[RentalCase]*'b'[Car]

                                     (TO MAINTAIN  -(sessionDroppedoffCar
                                     DELETE FROM rentalHasBeenEnded[Renta
                                     SELECTFROM 'a'[RentalCase]*'b'[Car]

                                     (TO MAINTAIN  -(sessionDroppedoffCar
                            (MAINTAINING -(sessionDroppedoffCar~;'_SESS
                            INSERT INTO rcAssignedCar[RentalCase*Car]
                             SELECTFROM 'x'[RentalCase]*'a'[RentalCase]

                            (TO MAINTAIN  -(sessionDroppedoffCar~;'_SES
                      (MAINTAINING -(sessionDroppedoffCar~;'_SESSION'[SE
                    (MAINTAINING -(sessionDroppedoffCar~;'_SESSION'[SESS
                (MAINTAINING -(sessionDroppedoffCar~;'_SESSION'[SESSION];se
          (MAINTAINING -(sessionDroppedoffCar~;'_SESSION'[SESSION];sessionDropped
        NEW x:RentalCase;
           ALL of INSERT INTO rcAssignedCar[RentalCase*Car]
                  SELECTFROM 'x'[RentalCase]*((sessionDroppedoffCar~;'_SESSION'

                  (TO MAINTAIN  -(sessionDroppedoffCar~;'_SESSION'[SESSION];sess
                  ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('x'[RentalCa
```

571

```
                            THEN ALL of INSERT INTO rentalHasBeenStarted[Ren
                               SELECTFROM 'a'[RentalCase]*'b'[Rent

                           (TO MAINTAIN  -(sessionDroppedoffCar
                            DELETE FROM rentalHasBeenEnded[Renta
                             SELECTFROM 'a'[RentalCase]*'b'[Rent

                           (TO MAINTAIN  -(sessionDroppedoffCar
                       (MAINTAINING -(sessionDroppedoffCar~;'_SESS
                    PICK a,b FROM (rentalHasBeenStarted~ /\ -rentalH
                    THEN INSERT INTO rcAssignedCar[RentalCase*Car]
                         SELECTFROM 'a'[RentalCase]*'b'[Car]

                           (TO MAINTAIN  -(sessionDroppedoffCar~;'_SES
                       (MAINTAINING -(sessionDroppedoffCar~;'_SESSION'[SESSION
                      NEW x:RentalCase;
                        ALL of INSERT INTO rentalHasBeenStarted[RentalCase*Re
                             SELECTFROM 'x'[RentalCase]*((sessionDroppedof

                           (TO MAINTAIN  -(sessionDroppedoffCar~;'_SESSIO
                            DELETE FROM rentalHasBeenEnded[RentalCase*Rent
                             SELECTFROM 'x'[RentalCase]*((sessionDroppedof

                           (TO MAINTAIN  -(sessionDroppedoffCar~;'_SESSIO
                            INSERT INTO rcAssignedCar[RentalCase*Car]
                             SELECTFROM 'x'[RentalCase]*'x'[RentalCase]*((

                           (TO MAINTAIN  -(sessionDroppedoffCar~;'_SESSIO
                       (MAINTAINING -(sessionDroppedoffCar~;'_SESSION'[SESSI
                      (MAINTAINING -(sessionDroppedoffCar~;'_SESSION'[SESSION
                  (MAINTAINING -(sessionDroppedoffCar~;'_SESSION'[SESSION];sessi
              (MAINTAINING -(sessionDroppedoffCar~;'_SESSION'[SESSION];sessionDropp
           (MAINTAINING -(sessionDroppedoffCar~;'_SESSION'[SESSION];sessionDropped
       (MAINTAINING -(sessionDroppedoffCar~;'_SESSION'[SESSION];sessionDroppedoffCar)
      ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('_SESSION'[SESSION];sessionDroppedo
              THEN BLOCK
                 (CANNOT CHANGE V[SESSION*RentalCase] FROM Car drop-off handling)
              PICK a,b FROM V[RentalCase*SESSION];('_SESSION'[SESSION];sessionDropped
              THEN ALL of INSERT INTO Isn{detyp=RentalCase}
                         SELECTFROM 'a'[RentalCase]*'b'[RentalCase]

                           (TO MAINTAIN  -('_SESSION'[SESSION];sessionDroppedoffCar;rc
                       ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b FROM ('a'[Renta
                                THEN INSERT INTO rentalIsPaidQ[RentalCase*Yes
                                    SELECTFROM 'a'[RentalCase]*'b'[YesNoAns

                                (TO MAINTAIN  -('_SESSION'[SESSION];sess
                            PICK a,b FROM rentalIsPaidQ~;('a'[RentalCase]
                            THEN ONE OF ONE NONEMPTY ALTERNATIVE OF PICK
                                          THEN BLOCK

                                   572
```

```
                                        (CANNOT CHANGE 'Yes'[
                            PICK a,b FROM 'Yes'[YesNoA
                            THEN INSERT INTO rentalIsP
                                SELECTFROM 'b'[Renta

                                    (TO MAINTAIN  -('_SES
                        (MAINTAINING -('_SESSION'[SESSION
                        NEW x:YesNoAnswer;
                          ALL of BLOCK
                                    (CANNOT CHANGE 'Yes'[Yes
                                    INSERT INTO rentalIsPaid
                                     SELECTFROM 'b'[RentalCa

                                    (TO MAINTAIN  -('_SESSIO
                            (MAINTAINING -('_SESSION'[SESSI
                            (MAINTAINING -('_SESSION'[SESSION
                        (MAINTAINING -('_SESSION'[SESSION];sessi
                (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoff
                        NEW x:YesNoAnswer;
                          ALL of INSERT INTO rentalIsPaidQ[RentalCase*YesNoA
                                    SELECTFROM 'a'[RentalCase]*'b'[RentalCase]

                                    (TO MAINTAIN  -('_SESSION'[SESSION];session
                        ONE OF ONE NONEMPTY ALTERNATIVE OF PICK a,b
                                    THEN BLOCK
                                        (CANNOT CHANGE 'Yes'[Yes
                                    PICK a,b FROM 'Yes'[YesNoAnsw
                                    THEN INSERT INTO rentalIsPaid
                                        SELECTFROM 'b'[RentalCa

                                    (TO MAINTAIN  -('_SESSIO
                        (MAINTAINING -('_SESSION'[SESSION];s
                        NEW x:YesNoAnswer;
                          ALL of BLOCK
                                    (CANNOT CHANGE 'Yes'[YesNoA
                                    INSERT INTO rentalIsPaidQ[R
                                    SELECTFROM 'b'[RentalCase]

                                    (TO MAINTAIN  -('_SESSION'[
                            (MAINTAINING -('_SESSION'[SESSION]
                            (MAINTAINING -('_SESSION'[SESSION];s
                        (MAINTAINING -('_SESSION'[SESSION];sessionD
                        (MAINTAINING -('_SESSION'[SESSION];sessionDroppedo
                        (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoff
                    (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar;rcA
                (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssigned
            (MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssignedCar~;(I[Rent
    (MAINTAINING -I[SESSION] \/ sessionToday;sessionToday~ FROM Initialize today's date)
    (MAINTAINING -('_SESSION'[SESSION];sessionNewUserRC) \/ sessionNewUserRC;rcUserReques
    (MAINTAINING -('_SESSION'[SESSION];sessionNewUserRC) \/ sessionNewUserRC;rcUserReques
```

573

```
(MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC) \/ sessionNewBranchRC;rcBranch
(MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC) \/ sessionNewBranchRC;rcBranch
(MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC);(rentalHasBeenPromised /\ rcAss
(MAINTAINING -('_SESSION'[SESSION];sessionNewBranchRC);(rentalHasBeenPromised /\ rcAss
(MAINTAINING -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchReques
(MAINTAINING -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchReques
(MAINTAINING -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchReques
(MAINTAINING -((I[RentalCase] /\ rcBranchRequestedQ;'Yes'[YesNoAnswer];rcBranchReques
(MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar) \/ sessionDroppedoffCar;(I[C
(MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar) \/ sessionDroppedoffCar;(I[C
(MAINTAINING -('_SESSION'[SESSION];sessionDroppedoffCar;rcAssignedCar~;(I[RentalCase]
```

<------End Derivation --

```
        ON DELETE Delta FROM Isn{detyp=SESSION} EXECUTE     -- (ECA rule 174)
        ALL of DELETE FROM sessionNewUserRC[SESSION*RentalCase]
               SELECTFROM (-I[SESSION] /\ sessionNewUserRC;sessionNewUserRC~);sessionNe

               (TO MAINTAIN  -(sessionNewUserRC;sessionNewUserRC~) \/ I[SESSION] FROM IN
               DELETE FROM sessionUser[SESSION*Person]
                SELECTFROM Delta;V[SESSION*Person]

               DELETE FROM sessionToday[SESSION*Date]
                SELECTFROM Delta;V[SESSION*Date]

               DELETE FROM sessionBranch[SESSION*Branch]
                SELECTFROM Delta;V[SESSION*Branch]

               DELETE FROM sessionNewBranchRC[SESSION*RentalCase]
                SELECTFROM Delta;V[SESSION*RentalCase]

               DELETE FROM sessionPickupPerson[SESSION*Person]
                SELECTFROM Delta;V[SESSION*Person]

               DELETE FROM sessionDroppedoffCar[SESSION*Car]
                SELECTFROM Delta;V[SESSION*Car]

               DELETE FROM sessionDroppedoffPerson[SESSION*Person]
                SELECTFROM Delta;V[SESSION*Person]

        (MAINTAINING -(sessionNewUserRC;sessionNewUserRC~) \/ I[SESSION] FROM INJ sessio
```

------ Derivation ----->

```
    ALL of DELETE FROM sessionNewUserRC[SESSION*RentalCase]
           SELECTFROM (-I[SESSION] /\ sessionNewUserRC;sessionNewUserRC~);sessionNewUser
```

```
            (TO MAINTAIN  -(sessionNewUserRC;sessionNewUserRC~) \/ I[SESSION] FROM INJ ses
            DELETE FROM sessionUser[SESSION*Person]
             SELECTFROM Delta;V[SESSION*Person]

            DELETE FROM sessionToday[SESSION*Date]
             SELECTFROM Delta;V[SESSION*Date]

            DELETE FROM sessionBranch[SESSION*Branch]
             SELECTFROM Delta;V[SESSION*Branch]

            DELETE FROM sessionNewBranchRC[SESSION*RentalCase]
             SELECTFROM Delta;V[SESSION*RentalCase]

            DELETE FROM sessionPickupPerson[SESSION*Person]
             SELECTFROM Delta;V[SESSION*Person]

            DELETE FROM sessionDroppedoffCar[SESSION*Car]
             SELECTFROM Delta;V[SESSION*Car]

            DELETE FROM sessionDroppedoffPerson[SESSION*Person]
             SELECTFROM Delta;V[SESSION*Person]

        (MAINTAINING -(sessionNewUserRC;sessionNewUserRC~) \/ I[SESSION] FROM INJ sessionNewU
```

<------End Derivation --

575

# Glossary