

Q23 | Correct option: A

Source: Hureau et al., Journal of Physiology, On the role of skeletal muscle acidosis and inorganic phosphates — PDF page 23 of 30; 'KEY POINTS', final bullet and preceding measurements bullet

KEY POINTS.

- We investigated the relationship between intramuscular metabolites and neuromuscular function in humans performing 2 maximal, intermittent, knee-extension trials interspersed with 5min of rest.
- Concomitant measurements of intramuscular hydrogen (H^+) and inorganic phosphate (Pi) concentrations, and quadriceps twitch-force (Q_{tw}) and voluntary activation (VA), were made throughout each trial using ^{31}P -MRS and electrical femoral nerve stimulations.
- While [Pi] fully recovered prior to the onset of the second trial, $[H^+]$ did not.
- Q_{tw} was strongly related to both $[H^+]$ and [Pi] across both trials. However, the relationship between Q_{tw} and $[H^+]$ shifted leftward from the first to the second trial, while the relationship between Q_{tw} and [Pi] remained unaltered. VA was related to $[H^+]$, but not [Pi], across both trials.
- These *in-vivo* findings support the hypotheses of intramuscular Pi as a primary cause of peripheral fatigue, and muscle acidosis, likely acting on group III/IV muscle afferents, as a contributor to central fatigue.

Funding

This study was supported by the National Heart, Lung, and Blood Institute (HL-139451, and HL-125756) and the Veterans Affairs Rehabilitation Research and Development (E3343-R) and Clinical Science Research and Development (IK2CX002114).

Biographies



Thomas J. Hureau, Ph.D., is currently an Assistant Professor in the Faculty of Sport Sciences at the University of Strasbourg (France) after completing a postdoctoral fellowship at the University of Utah