




SEMANA 02





cambiar a java 17

<https://maven.apache.org/download.cgi>

- Welcome
- License
- ABOUT MAVEN
- What is Maven?
- Installation
- Downloads**
- Use
- Configure
- Release Notes
- Security Reports
- DOCUMENTATION
- Maven Plugins
- Maven Extensions
- Maven Tools
 - Maven Daemon
 - Maven Shell
 - Maven Upgrade Tool
 - Maven Wrapper
- Doxia
- Index (category)
- User Manual
- Maven Repositories
- Plugin Development
- Contribute to Maven
- Books and Resources
- COMMUNITY
- Community Overview
- Project Roles

Downloading Apache Maven and Maven Daemon

The following artifacts are available for download.

- Apache Maven
 - Current Maven 3.9.16
 - Preview Maven 3.10.0-rc-1
 - Preview Maven 4.0.0-rc-6
- Maven Daemon
 - Current Maven Daemon 1.0.6
 - Preview Maven Daemon 2.0.0-rc-3

Apache Maven

Apache Maven 3.9.16

Apache Maven 3.9.16 is the latest release. It is the recommended version for all users.

Maven 3.9+ requires JDK 8 or above to execute. It still allows you to build against 1.3 and other JDK versions [by using toolchains](#).

Maven is distributed in several formats for your convenience. Simply pick a ready-made binary distribution archive and follow the [installation instructions](#). Use a source archive if you intend to build Maven yourself.

	Link	Checksums	
Binary tar.gz archive	apache-maven-3.9.16-bin.tar.gz	apache-maven-3.9.16-bin.tar.gz.sha512	apache-maven-3.9.16-bin.tar.gz
Binary zip archive	apache-maven-3.9.16-bin.zip	apache-maven-3.9.16-bin.zip.sha512	apache-maven-3.9.16-bin.zip
Source tar.gz archive	apache-maven-3.9.16-src.tar.gz	apache-maven-3.9.16-src.tar.gz.sha512	apache-maven-3.9.16-src.tar.gz
Source zip archive	apache-maven-3.9.16-src.zip	apache-maven-3.9.16-src.zip.sha512	apache-maven-3.9.16-src.zip

In order to guard against corrupted downloads/installations, it is highly recommended to [verify the signature](#) of the release bundles against the public **KEYS** used by the Apache Maven developers.

- 3.9.16 Release Notes and Release Reference Documentation
- latest source code from source repository
- Distributed under the Apache License, version 2.0
- other:
 - All current release sources (plugins, shared libraries,...) available at <https://d1cdn.apache.org/maven/>

It is strongly recommended to use the latest release version of Apache Maven to take advantage of newest features and bug fixes.

Maven is distributed in several formats for your convenience. Simply pick a ready-made binary distribution archive and follow the [installation instructions](#). Use a source archive if you intend to build Maven yourself.

	Link	Checksums	
Binary tar.gz archive	apache-maven-3.9.16-bin.tar.gz	apache-maven-3.9.16-bin.tar.gz.sha512	apache-maven-3.9.16-bin.tar.gz
Binary zip archive	apache-maven-3.9.16-bin.zip	apache-maven-3.9.16-bin.zip.sha512	apache-maven-3.9.16-bin.zip
Source tar.gz archive	apache-maven-3.9.16-src.tar.gz	apache-maven-3.9.16-src.tar.gz.sha512	apache-maven-3.9.16-src.tar.gz
Source zip archive	apache-maven-3.9.16-src.zip	apache-maven-3.9.16-src.zip.sha512	apache-maven-3.9.16-src.zip

descargar binary zip


guardar en algun lugar de c o d y luego descomprimir

configurar en maven hompath

para ejecutar el proyecto mvn clean install

business acces

mvn spring-boot:run



COTROLLER : El Controller se encarga de recibir las peticiones del usuario y controlar qué acción o vista debe ejecutar el sistema.

“El Controller es una clase de Java que Spring reconoce mediante la anotación `@Controller`, y se encarga de recibir las peticiones y decidir qué respuesta devolver.”

GetMapping es una anotación de Spring que sirve para asociar una ruta GET con un método del Controller.”

String es un tipo de dato que sirve para almacenar texto, por ejemplo nombres, palabras o mensajes.

variable-

String → tipo de dato, sirve para guardar texto.

nombre → nombre de la variable.

"Carlos" → dato o valor que guarda la variable.

model → objeto que transporta información hacia la vista.

addAttribute → agrega/envía un dato.

"mensaje" → nombre con el que identificamos el dato.

"¡Hola desde Spring Boot!" → valor que estamos enviando.

`return` sirve para devolver el resultado de un método. En un Controller también puede indicar qué vista se va a mostrar

SEMANA 03

MINIMO 20 FUNCIONALIDADES

UML NO SE PRESENTA EN LA SEMANA 8 , SOLO DOCUMENTO Y MAQUETA

SPRING

LOS OTROS 8 PUNTOS ES EXPLICAR COMO FUNCIONA ..JAVA SCRIPT NO SE USARA

modelo de negocio

modelo er entregable

interfaces entregable

funcionalidades entregable

reglas de negocio entregable

semana 04

codigo html/css /// con o sin spring es normal

50 % interfaces

del 5.1 al 5.8