
SOFTWARE ENGINEERING LAB 2

Name: Adarsh Rajesh


SRN: PES1UG24CS020

SECTION A CSE SEM 5

Screenshot 1: Jira Backlog with Epics and Story Points




Screenshot 2: Story point assignments and Sprint board (Active Sprint view).



Screenshot 3: Burndown Chart of Sprint 1 and 2.





REFLECTION QUESTIONS ANSWERS:

1. Did your estimations reflect the actual effort?

Yes, the story point values assigned using the Fibonacci scale accurately modeled task complexity, risk, and technical uncertainty. Core algorithmic components—such as the automated multi-vital triage scoring engine (Story 1.1) and WebSocket-driven state broadcasting under peak load (Story 1.2)—were estimated at 5 points due to their strict latency and accuracy mandates. In contrast, the inter-facility ambulance dispatch integration (Story 2.2) carried external third-party communication dependencies, justifying a higher estimate of 8 points. Straightforward tabular database exports for administrative reporting (Story 3.1) were properly budgeted at 3 points.

2. Was your backlog well-prioritized?

Yes, the backlog was prioritized strictly by clinical urgency and life-safety impact. Functional requirements directly affecting patient

survival in an emergency room setting—such as dynamic acuity waitlist reordering, real-time bed visibility, and local ICU bed reservations—were classified as High priority and pulled into Sprint 1. Administrative reporting and inter-facility handoffs were assigned Medium priority for subsequent iterations, ensuring that the primary emergency workflow was stabilized before secondary capabilities were built.

3. How did your simulated sprint align with your plan?

The simulated sprint aligned closely with planned capacity. The sprint was targeted for 15 story points across three high-priority stories (SCRUM-9, SCRUM-10, SCRUM-11). Stories 1.1 and 1.2 were completed and transitioned through In Progress to Done, successfully establishing the vital-scoring and floor-map pipeline. **Transitioning** the remaining in-progress work back into the product backlog simulated realistic Agile boundaries, ensuring that only fully completed increments were burned down.

4. What insights did the burndown chart give about your team's capacity?

The burndown chart demonstrated a sustainable team velocity of 10 to 15 story points for a 1-week sprint timebox. The drop in the remaining work line against the ideal guideline illustrated that breaking system requirements into modular 3- to 5-point stories allows steady, verifiable progress, preventing mid-sprint stalls and providing transparency into actual delivery throughput.