



# **TMX Select QuantumFeed Level 1 Business Message Specification**

Document Revision: 1.1

Date of Issue: February 29, 2012

## **Disclaimer and Rights Granted**

The information contained in this document and any other information or documentation related to the TSX QuantumFeed™ specification including all past, present and future versions thereof and associated message formats (collectively referred to as the "TSX QuantumFeed Specification") are provided "as is", and neither TSX Inc (TSX) nor any of its affiliates makes any representation or warranty, express or implied, as to the contents of the TSX QuantumFeed Specification (or the results obtained by using it) and each such person specifically disclaims any representation, warranty or condition of accuracy, completeness, merchantability, fitness for a particular purpose or that it is error-free. By using the TSX QuantumFeed Specification, you are agreeing to assume the entire risk associated with its use.

TSX and its affiliates shall have no liability for damages of any kind arising in any manner out of or in connection with your use of, or your inability to use, the TSX QuantumFeed Specification, whether direct, indirect, incidental, special or consequential (including, without limitation, loss of data, loss of use, third party claims, lost profits, lost revenues and strict liability), arising under contract or otherwise, whether or not TSX has been advised of, or otherwise might have anticipated the possibility of, such damages.

The information contained in the TSX QuantumFeed Specification is proprietary and confidential information belonging to TSX and its licensors or service providers, as applicable. Copyright and trade-mark rights and any other intellectual property rights in the TSX QuantumFeed Specification belong to TSX (or its licensors or service providers, as applicable). Your permitted use of the TSX QuantumFeed Specification, in whole or in part, is limited to the non-exclusive, non-transferable, revocable, non-assignable, personal right for you only to build a connection between your systems and TSX's market information system. Any uses not specifically set out herein are prohibited. TSX may revoke this right at any time, on notice to you, and you agree to promptly comply with such notice. Do not reproduce, disclose, distribute, publish, sell, modify, commercialize or make any part of the TSX QuantumFeed Specification available, in whole or in part, to any person including to any of your affiliates, service providers or any other related party without TSX's prior written consent. If you do not agree with, or do not wish to comply with, any of the above, please notify TSX and, in accordance with TSX's instructions, either return or destroy any copies or version of the TSX QuantumFeed Specification in your possession.

This Notice, Disclaimer and Rights Granted sets out the terms and conditions on which you are permitted to use the TSX QuantumFeed Specification. This Notice, Disclaimer and Rights Granted may be changed from time to time by TSX in its discretion. It is your obligation to check and comply at all times with the terms applicable to the most current version of the TSX QuantumFeed Specification.

© TSX Inc. 2011 – 2012. All rights reserved.

#### **Contact Information**

For questions related to TMX Select QuantumFeed, contact TMX Vendor Services at 416.947.4705 or vendor services@tmx.com.

## **Contents**

Appen	dix A Acronyms and Definitions	16
V		15
S		14
	01 + 1 1010 D011111011011011111111111111	
Chapte	er 4 Field Definitions	10
3.6	Equity Quote	9
3.5	Stock Status	9
3.4	Equity Trade Cancelled	8
3.3	Equity Trade	
3.2	Symbol Status	
3.1	Message structure	
Chapte	er 3 Business Message Formats	7
2.3	Message field definitions	6
2.2	Message data types	
2.1	Business message types	5
Chapte	er 2 Business Messages Overview	5
1.2	Scope	4
1.1	Intended Audience	
	er 1 Introduction	

## **Chapter 1** Introduction

This document is the *TMX Select QuantumFeed Level 1 Business Message Specification*.

The QuantumFeed Level 1 Business messages provide:

- Trades
- Quotes
- Symbol and stock status

#### 1.1 Intended Audience

The intended audience of this specification consists of business analysts and programmer analysts.

#### 1.2 Scope

The scope of this document is limited to describing the *Business messages* disseminated on the TMX Select (TMXS) QuantumFeed Level 1. The document provides:

- The structure of each type of business message
- Fields that constitute those messages
- The data types and formats to which the fields comply
- Additional details on processing the information contained in those fields

To design and implement systems that can receive and process QuantumFeed Level 1, this document must be used with the following documents:

- TSX QuantumFeed Service Access Guide
- TMX eXtreme Message Transfer Protocol Specification

## **Chapter 2** Business Messages Overview

Business messages disseminated on TMX Select QuantumFeed Level 1 contain business-related information; for example: information on trades, information on quotes, and so on. A Business message is composed of two sections: a *message header* and the *message body*.

- The **message header** is common to all Business messages and provides information that is required to process the given message.
- The **message body** contains the business information.

## 2.1 Business message types

TMX Select QuantumFeed Level 1 contains the following types of Business messages.

Message Name	Message Type		Description	
	ASCII	HEX		
Symbol Status	J	0x4A	Symbol Status messages contain information regarding equity, debenture, or trading Instruments for the current trading day for TMX Select. One message is disseminated for each valid symbol at the beginning of each trading day.	
Equity Trade	s	0x73	An Equity Trade message is generated each time a trade occurs.	
Equity Trade Cancelled	t	0x74	An Equity Trade Cancelled message is generated each time a trade is cancelled.	
Stock Status	V	0x76	A Stock Status message is disseminated in response to a change in stock status from the Trading Engine. It contains information regarding the current state of the stock.	
Equity Quote	W	0x77	An Equity Quote message contains the latest Bid and Ask information for a symbol.	

## 2.2 Message data types

Each field that is contained in the Business messages is formatted according to one of the following data types:

Data Type	Description
Alphanumeric	Alphanumeric fields are left-justified ASCII fields (displayable characters from hex 0x20 to hex 0x7E) that are space padded (hex 0x20) on the right and are sized to their corresponding lengths.
	<b>Example</b> : Consider a field with length 10 bytes, data type Alphanumeric and which must contain the information "CASH". In this scenario, the field contains the value "CASH". The information is left justified and is space (" ") padded on the right. The information and the padding (if required) make the field length 10.
Binary	Binary QuantumFeed Level 1 message fields are Little Endian encoded. Length of the binary fields is one of the following:
	1-Byte Binary
	2-Byte Binary
	4-Byte Binary
	8-Byte Binary
	Default Value: Null (binary value 0)

## 2.3 Message field definitions

For descriptions of fields that make up the Business messages, refer to "Field Definitions" on page 10.

## **Chapter 3 Business Message Formats**

This section contains the structure of each Business message disseminated on TMX Select QuantumFeed Level 1.

Each Business message consists of a message header followed by the message body. For a description of the message header's structure, refer to *TMX eXtreme Message Transfer Protocol Specification*. Only the message body's structure is provided below.

**Note:** The size of the header is mentioned for message structure completion purposes.

#### 3.1 Message structure

All Business messages must adhere to the Quantum Message Format, as described in *TSX QuantumFeed Service Access Guide*. Below are the structures of different types of Business messages that are disseminated on the TMX Select QuantumFeed Level 1.

**Note:** Comments columns in the following tables are intentionally left blank.

#### 3.2 Symbol Status

Field Name	Length (In Bytes)	Data Type	Comments
Message Header	12		
Symbol	9	Alphanumeric	
Stock Group	1	1-Byte Binary	
Listing Market	1	Alphanumeric	
CUSIP	12	Alphanumeric	
Board Lot	2	2-Byte Binary	
Currency	1	Alphanumeric	
Face Value	8	8-Byte Binary	
Last Sale	8	8-Byte Binary	

Total Message Size = 54 bytes

## 3.3 Equity Trade

Field Name	Length (In Bytes)	Data Type	Comments
Message Header	12		
Symbol	9	Alphanumeric	
Price	8	8-Byte Binary	
Volume	4	4-Byte Binary	
Buy Broker Number	2	2-Byte Binary	
Sell Broker Number	2	2-Byte Binary	
Bypass	1	Alphanumeric	
Trade Time Stamp	4	4-Byte Binary	
Cross Type	1	Alphanumeric	
Last Sale Price	8	8-Byte Binary	
Opening Trade	1	Alphanumeric	

**Total Message Size** = 52 bytes

## 3.4 Equity Trade Cancelled

Field Name	Length (In Bytes)	Data Type	Comments
Message Header	12		
Symbol	9	Alphanumeric	
Volume	4	4-Byte Binary	
Price	8	8-Byte Binary	
Buy Broker Number	2	2-Byte Binary	
Sell Broker Number	2	2-Byte Binary	
Trade Time Stamp	4	4-Byte Binary	
Last Sale Price	8	8-Byte Binary	

**Total Message Size** = 49 bytes

#### 3.5 Stock Status

Field Name	Length (In Bytes)	Data Type	Comments
Message Header	12		
Symbol	9	Alphanumeric	
Comment	40	Alphanumeric	
Stock State	2	Alphanumeric	
Trading System Time Stamp	8	8-Byte Binary	
Resume Trade Time	4	4-Byte Binary	

**Total Message Size** = 75 bytes

## 3.6 Equity Quote

Field Name	Length (In Bytes)	Data Type	Comments
Message Header	12		
Symbol	9	Alphanumeric	
Bid Price	8	8-Byte Binary	
Bid Size	4	4-Byte Binary	
Ask Price	8	8-Byte Binary	
Ask Size	4	4-Byte Binary	

**Total Message Size** = 45 bytes

## **Chapter 4** Field Definitions

#### A

Field Name	Description	Data Type and Size	Valid Field Values and Comments
Ask Price	Contains the ask price for the symbol	Binary (8 Bytes)	6 implied decimal places  Example: An Ask Price of 50.45 is represented by 01010000 11001110 00000001 00000001 000000
Ask Size	Contains the ask size volume for the symbol	Binary (4 Bytes)	No implied decimal places  Example: An Ask Size of 2500 is represented by 11000100 00001001 00000000 00000000.

## В

Field Name	Description	Data Type and Size	Valid Field Values and Comments
Bid Price	Contains the bid price for the symbol	Binary (8 Bytes)	6 implied decimal places  Example: A Bid Price of 50.45 is represented by 01010000 11001110 00000001 00000011 00000000

Field Name	Description	Data Type and Size	Valid Field Values and Comments	
Bid Size	Contains the bid size volume for the symbol	Binary (4 Bytes)		
	Volume for the symbol		Example: A Bid Size of 2500 is represented by 11000100 00001001 00000000 000000000.	
Board Lot	Contains the board lot	Binary (2 Bytes)	No implied decimal places	
	size		<b>Example</b> : A Board Lot value of 500 is represented by 11110100 00000001.	
Buy Broker Number	A TMXS-assigned	Example: A TSX bro	No implied decimal places	
	public number uniquely identifying a subscriber associated with a buy order		<b>Example</b> : A TSX broker number 009 is represented by 00001001 00000000.	
Bypass	Indicates that the	Alphanumeric	Valid values are:	
	orders are tradable against only visible/disclosed	(1 Byte)  • "Y": The order Bypass.	"Y": The order is a Bypass.	
	volumes and bypass the undisclosed volume of iceberg orders. Any part of the balance of the order's quantity not filled immediately is "killed/cancelled"		"N": The order is not a Bypass.	

## C

Field Name	Description	Data Type and Size	Valid Field Values and Comments
Comment	A text field corresponding to a reason code entered when a stock is halted.	Alphanumeric (40 Bytes)	
Cross Type	Type of crosses originating from a subscriber between managed accounts that have the same manager	Alphanumeric (1 Byte)	Valid values are:  • "I": Internal  • "B": Basis  • "C": Contingent  • "V": VWAP – Volume Weighted Average Price

Field Name	Description	Data Type and Size	Valid Field Values and Comments
Currency	The currency associated with a reported price	Alphanumeric (1 Byte)	Valid values are:  • "U": USD  • "C": CAD
CUSIP	Clearing and settlement registration number	Alphanumeric (12 Bytes)	

#### F

Field Name	Description	Data Type and Size	Valid Field Values and Comments
Face Value	The face value of a debenture	Binary (8 Bytes)	6 implied decimal places  Example: A Face Value of 50.45 is represented by 01010000 11001110 00000001 00000001 000000

Field Name	Description	Data Type and Size	Valid Field Values and Comments
Last Sale	Last sale price of a stock	Binary (8 Bytes)	6 implied decimal places  Example: A last sale price of 50.45 is represented by 01010000 11001110 00000001 00000001 000000

Field Name	Description	Data Type and Size	Valid Field Values and Comments
Listing Market	The market on which a	Alphanumeric	Valid values are:
	security is listed.		• "T": TSX
			• "V": TSXV
			"A": Alpha

#### 0

Field Name	Description	Data Type and Size	Valid Field Values and Comments
Opening Trade	Indicates whether the trade occurred at the opening or was the first board lot trade of the day.	Alphanumeric (1 Byte)	Valid values are: • "Y" • "N"

## P

Field Name	Description	Data Type and Size	Valid Field Values and Comments
Price	The price in a valid currency	Binary (8 Bytes)	6 implied decimal places.  Example: A Price of 50.45 is represented by 01010000 11001110 00000001 0000001 000000

## R

Field Name	Description	Data Type and Size	Valid Field Values and Comments
Resume Trade Time	The time at which a halted stock will resume trading	Binary ( 4 Bytes)	No implied decimal places.  Example:  A Resume Trade Time of 121010 is represented by 10110010 11011000 00000001 00000000.  Feed clients can obtain the Resume Trade Time by converting the binary to decimal. The Resume Trade Time has the format HHMMSS.

## S

Field Name	Description	Data Type and Size	Valid Field Values and Comments
Sell Broker Number	A TMXS-assigned number uniquely identifying a subscriber associated with a sell order	Binary (2 Bytes)	No implied decimal places <b>Example</b> : A TSX broker number 009 is represented by 00001001 00000000.
Stock Group	An identifier of the stock group	Binary (1 Byte)	No implied decimal places <b>Example</b> : A Stock Group of 3 is represented by 00000011.
Stock State	The state of the stock	Alphanumeric (2 Bytes)	Valid values are:  • "IS": Inhibited Halted  • "AG": Authorized Frozen  • "IG": Inhibited Frozen  • "A": Authorized  • "I": Inhibited
Symbol	A unique alphanumeric identifier for a security	Alphanumeric (9 Bytes)	

## T

Field Name	Description	Data Type and Size	Valid Field Values and Comments
Trade Time Stamp	The time at which the trade occurred, manually set when a trade is added	Binary (4 Bytes)	No implied decimal places  Example: A Trade Time Stamp of 121010 is represented by 10110010 11011000 00000001 00000000.  Feed clients can obtain the Trade Time Stamp by converting the binary to decimal. The Trade Time
Trading System Time Stamp	The time at which the event being reported occurred in the Trading Engine	Binary (8 Bytes)	Stamp is of the format HHMMSS.  Microseconds since the Epoch (00:00:00 UTC, January 1, 1970)  Example: A Trading System Time Stamp of 2010-10-20 11:12:44.032174 is
			represented as 10101110 00010000 01011111 11010111 00001101 10010011 00000100 00000000

#### V

Field Name	Description	Data Type and Size	Valid Field Values and Comments
Volume	The quantity of shares for an order or trade	Binary (4 Bytes)	No implied decimal places <b>Example</b> : A volume of 2500 is represented by 11000100 00001001 00000000 00000000.

## **Appendix A Acronyms and Definitions**

• ASCII: American Standard Code for Information Interchange

• CUSIP: Committee on Uniform Security Identification Procedures

• TMXS: TMX Select

TSX: Toronto Stock ExchangeTSXV: TSX Venture Exchange

USD: United States dollar

• VWAP: Volume Weighted Average Price

## **Appendix B Revision History**

Version	Date	Changes
1.1	2012/02/29	Added value for Alpha to Listing Market tag.
1.0	2011/08/24	Initial release.



TMX Vendor Services

The Exchange Tower 130 King St. W. Toronto, ON M5X 1J2 phone: 416.947.4705

e-mail: vendor\_services@tmx.com