Completed figure set — Nature Machine Intelligence submission draft

16 figures; PNG masters 220–300 dpi with vector PDFs alongside

Fig. 1 · Model and delay manipulation 2178×1122 px


visual scene
bar + grating
delay d
bar pathway
P(error), V(error)
grating pathway
k_opto
body
I, beta
heading
graded EC: filtered or unfiltered bar-pathway drive
gating: set k_opto ≈ 0 while |bar drive| > threshold
Five variants: addition | graded filtered | graded unfiltered | gate filtered | gate unfiltered
Dashed paths are the two ways of removing self-generated optic flow.

Fig. 2 · Efference-copy gain by delay 2420×792 px



Fig. 3 · Window dependence of the gating comparison 1980×792 px



Fig. 4 · V-term and gate-threshold stress tests 2640×792 px



Fig. 5 · Adaptive updates 1980×792 px



Fig. 6 · Command copy vs filtered plant state 1980×792 px



Fig. 7 · Goal feedforward and its mechanism controls 2090×1584 px



Fig. 8 · Mechanism summary 2904×1100 px



Fig. 9 · Delay limits 2112×836 px



Fig. 10 · Noise robustness 2047×852 px



Fig. 11 · Example trajectories at 200 ms 2112×814 px



Fig. 12 · Failure-free curves at 140 ms 1144×836 px



Fig. 13 · Body-parameter phase diagram 2112×792 px



Fig. 14 · Freshness, timing and content of the self-state signal 2728×836 px



Fig. 15 · Fair comparators, ablations, empirical constraints 2330×1574 px



Fig. 16 · Freshness hierarchy transfers to artificial tasks 1825×733 px



Source: SUBJOURNAL_PACKAGE/latex_nmi/figs/*.png exactly as embedded in manuscript.tex (\includegraphics order). No data redrawn; panels scaled proportionally only.