## Ongratulations! You passed!

Grade received 100% To pass 80% or higher

Go to next iten

## Week 2 Quiz

Latest Submission Grade 100%

ι.	What is the resolution of o the 70,000 images from the Fashion MNIST dataset?	1/1 point
	82x82 Greyscale	
	○ 100x100 Color	
	28x28 Color	
	28x28 Greyscale	
	Orrect Spot on!	
٤.	Why are there 10 output neurons in the Neural Network used as an example for the Computer Vision Problem?	1/1 point
	There are 10 different labels	
	O Purely arbitrary	
	○ To make it classify 10x faster	
	○ To make it train 10x faster	
	<b>⊘</b> Correct	
	Exactly! There are 10 output neurons because we have 10 classes of clothing in the dataset. These should always match.	
3.	What does Relu do?	1/1 point
	It only returns x if x is less than zero	
	It only returns x if x is greater than zero	
	It returns the negative of x	
	For a value x, it returns 1/x	
	○ Correct	
	Correct! The rectifier or ReLU (Rectified Linear Unit) activation function returns x if x is greater than zero.	
ı.	Why do you split data into training and test sets?	1/1 point
	To test a network with previously unseen data	
	O To train a network with previously unseen data	
	O To make testing quicker	
	O To make training quicker	
	Nailed it! Splitting the data into training and test seat allows you to test the network with unseen data.	
5.	True or False: The on_epoch_end function sends a logs object with lots of great information about the current state of training at the start of every epoch	1/1 point
	○ True	
	False	
	<ul> <li>Correct         Absolutely! The function activates at the end of every epoch     </li> </ul>	
5.	Why do you set the callbacks= parameter in your fit function?	1/1 point
	So that the training loops performs all epochs	
	Because it accelerates the training	
	So, on every epoch you can call back to a code function	
	<ul><li>✓ Correct</li></ul>	
	That's right! You can have it check the metrics and stop the training.	